32 HARD DRIVES: WE PICK THE BEST

SEPTEMBER 1993

BYTE

THE WORLDWIDE COMPUTING AUTHORITY

Michael Crichton on Prehistoric Install Programs

C++ Compilers for Windows

Video Computing

It's not just for the Jetsons. Video is arriving as a real business tool. New systems from Apple and Silicon Graphics are leading the way.



STATE OF THE ART

DIGITAL DOCUMENTS MAKE YOUR DATA MORE USEFUL

PLUS

New Little Notebooks, CorelDraw 4.0, Debugging in Windows, Inside Intel's Pentium

International Edition

09

9 770360 528001

£1.95 U.K./Lit.8,000 ITALY/ASH 94

$3.50 U.S.A./A McGraw-Hill Publication/0360-5280

ompetition — And You Win!

Compatibility & Upgradeability

We understand compatibility and upgradeability are important to you. You can relax with Gateway. When Dataquest asked 833 PC users in Fortune 500 companies to rate personal computer companies, they ranked Gateway number one in the areas of compatibility, upgrade potential and price. And we give you a *written guarantee* that our 486 systems are upgradeable to Pentium technology.

Reliability & Quality

We understand you want reliability and quality, in both the products you buy and the company you buy them from. That's what you get with Gateway. In three reader surveys conducted by *PC Magazine*, Gateway systems received the highest ratings for reliability. Gateway 2000 is also one of the most financially stable companies in the industry, assuring you that you're buying from a reliable firm that can withstand the rigors of the PC Racing Series.

Service

We understand you want the best in service, from your first phone call through the years you own your computer. Judging from the recent "best service" award we received from readers of *BYTE*, you can count on Gateway to live up to your expectations.

intel inside®

SERVICE • RELIABILITY • READERS' CHOICE • PC MAGAZINE
July 1993

PC WORLD SERVICE EXCELLENCE AWARD

1993 BYTE READERS' CHOICE AWARD
Service Award

Gateway 2000 Outmaneuvers The Co

In the fast-moving, hard-driving PC industry, the race for leadership is more competitive than a heat at your local stock car speedway. All classes of PC manufacturers are on the direct market track together, trading paint and slamming each other into the wall at every turn. All the while, the unassuming cow-spotted Gateway car consistently outmaneuvers and overpowers the competition. Repeatedly, Gateway 2000™ leads the field by providing you with the best value in the PC industry. When Gateway takes the checkered flag in this race, you're the winner!

What's The Winning Formula?

The driving strategy behind Gateway's success is simple: *understand what customers want and give it to them!*

Price

We understand you want the best possible price — and that's easy for Gateway.

Our competitors would like to have you think they're now offering a value that meets or beats Gateway. But apples to apples, they're still hundreds, sometimes thousands of dollars more, while our systems consistently outperform theirs.

You're a smart shopper. Do the comparisons yourself and you'll confirm what Dataquest found in a 1993 customer satisfaction survey: Gateway ranked number one for best pricing. When you add the other buying criteria that's important to you, we offer an unbeatable value.

Performance

We understand you want the best computer performance your money can buy. That's what you get with Gateway. We hold the track record in the biggest bang-for-the-buck division.

Our price-performance ratio is even better this month thanks to improved video on our highest performance systems. We replaced the award-winning ATI™ Graphics Ultra Pro with ATI's latest-generation video card, the Graphics Ultra XLR. The new XLR is up to twice as fast as the Ultra Pro, and it's the best all-around video performer in DOS and Windows.™

The Heat Is On...
355
GATEWAY2000
intel inside
ATI TECHNOLOGIES INC
WESTERN DIGITAL

...In The PC Racing Series.

4SX-25

- 25MHz 486SX Intel® Processor
- 4MB RAM
- 3.5" Diskette Drive
- 170MB 13ms IDE Hard Drive
- Intel Pentium™ Technology Ready
- Windows Accelerated Video w/512K DRAM
- 14" Color CrystalScan® 1024NI
- Mini Desktop Case with Password Protection
- 5 16-Bit ISA Slots
- 124-Key AnyKey® Keyboard & MS Mouse
- MS-DOS® 6, Diagnostics & Windows™
- MS Works for Windows™ 2.0

$1295

4SX-33

- 33MHz 486SX Intel Processor
- 4MB RAM
- 5.25" & 3.5" Diskette Drives
- 212MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Windows Accelerated Video w/ 512K DRAM
- 14" Color CrystalScan 1024NI
- Mini Desktop Case with Password Protection
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard & MS Mouse
- MS-DOS 6, Diagnostics & Windows
- MS Works for Windows 2.0

$1495

4DX-33

- 33MHz 486DX Intel Processor
- 8MB RAM, 64K Cache
- 5.25" & 3.5" Diskette Drives
- 212MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Windows Accelerated Video w/ 1MB DRAM
- 14" Color CrystalScan 1024NI
- Mini Desktop Case with Password Protection
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard & MS Mouse
- MS-DOS 6, Diagnostics & Windows
- MS Works for Windows 2.0

$1795

4DX-33V

- 33MHz 486DX Intel Processor
- 8MB RAM, 128K Cache
- 5.25" & 3.5" Diskette Drives
- 340MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- Windows Accelerator w/ 1MB DRAM on VL-Bus™
- 14" Color CrystalScan 1024NI
- Desktop Case (Tower Upgrade) with Password Protection
- 7 16-Bit ISA Slots, 2 on VL-Bus
- 124-Key AnyKey Keyboard & MS Mouse
- MS-DOS 6, Diagnostics & Windows
- MS Works for Windows 2.0

$1995

4DX2-50V

- 50MHz 486DX2 Intel Processor
- 8MB RAM, 128K Cache
- 5.25" & 3.5" Diskette Drives
- 340MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- ATI™ Ultra XLR Video w/1MB VRAM on VL-Bus
- 15" Color CrystalScan 1572FS
- Desktop Case (Tower Upgrade) with Password Protection
- 7 16-Bit ISA Slots, 2 on VL-Bus
- 124-Key AnyKey Keyboard & MS Mouse
- MS-DOS 6, Diagnostics & Windows
- Choice of Application Software

$2295

4DX2-66V

- 66MHz 486DX2 Intel Processor
- 16MB RAM, 256K Cache
- 3.5" Diskette Drive, CD-ROM & System CD
- 424MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- ATI Ultra XLR Video w/1MB VRAM on VL-Bus
- 15" Color CrystalScan 1572FS
- Desktop Case (Tower Upgrade) with Password Protection
- 7 16-Bit ISA Slots, 2 on VL-Bus
- 124-Key AnyKey Keyboard & MS Mouse
- MS-DOS 6, Diagnostics & Windows
- Choice of Application Software

$2995

4DX2-66E

- 66MHz 486DX2 Intel Processor
- 16MB RAM, 256K Cache
- 5.25" & 3.5" Diskette Drives
- 500MB 11ms SCSI Hard Drive
- 32-Bit EISA SCSI Controller
- Windows Accelerated Video w/ 1MB DRAM
- 14" Color CrystalScan 1024NI
- Tower Case with Password Protection
- 8 32-Bit EISA Slots
- 124-Key AnyKey Keyboard & MS Mouse
- MS-DOS 6, Diagnostics & Windows
- Choice of Application Software

$3495

4DX2-66 Best Buy

- 66MHz 486DX2 Intel Processor
- 8MB RAM, 128K Cache
- 3.5" Diskette Drive, CD-ROM & System CD
- 340MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- Windows Accelerator w/1MB DRAM on VL-Bus
- 15" Color CrystalScan 1572FS
- Desktop Case (Tower Upgrade) with Password Protection
- 7 16-Bit ISA Slots, 2 on VL-Bus
- 124-Key AnyKey Keyboard & MS Mouse
- MS-DOS 6, Diagnostics & Windows
- MS Multimedia Works, CD-ROM Edition

$2495

Software

If a system comes with "choice of application software," choose one of the following packages:

- Microsoft Works for Windows™
- Microsoft Excel for Windows™
- Microsoft Word for Windows™
- Microsoft Word and Bookshelf '92,® CD-ROM Edition
- Microsoft PowerPoint for Windows™
- Microsoft Project for Windows™
- The MS Entrepreneur Pack
- Borland Paradox® and Quattro Pro® for Windows

All hard drive sizes are manufacturer's specified capacities. Microsoft MS-DOS 6 can increase hard drive capacity through software compression.

GATEWAY2000

"You've got a friend in the business."®

800-846-2058

610 Gateway Drive • P.O.Box 2000 • North Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (Central Time)

©1993 Gateway 2000, Inc. AnyKey, CrystalScan, black-and-white spot design, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and Gateway 2000 and TelePath are trademarks of Gateway 2000, Inc. The Intel Inside Logo, Intel and Pentium are trademarks or registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies.

Prices and configurations are subject to change without notice. Prices do not include shipping.



YOU DON'T WALK AWAY FROM

PRESENTING INTERACTIVE UNIX 4.0

When the INTERACTIVE™ UNIX® System for personal computers was introduced in 1987, it quickly became a classic. Suddenly operations from video stores to Bridgestone/Firestone® production lines had a reliable, stable operating system ready for mission-critical applications. It's still among the most cost-effective multiuser operating systems available and a dream to install and administer. In fact *Open Systems Today* called it "...a masterpiece of good design". Today over 500,000 users enjoy its benefits. But time marches on, and even an industry-tested classic

FOR A LIMITED TIME*, ALL MULTIUSER INTERACTIVE UNIX 4.0 ORDERS WILL INCLUDE A FREE COPY OF FASTBACK PLUS™ (A

©1993 Sun Microsystems, Inc. SunSoft, the SunSoft and Sunburst logos are trademarks or registered trademarks of Sun Microsystems, Inc. INTERACTIVE is a trademark of INTERACTIVE Systems Corporation. UNIX is a registered

A GREAT IDEA. YOU EVOLVE.

deserves a superior upgrade. Hence, INTERACTIVE UNIX 4.0 — with new power features that improve system functionality and peripheral support, making it perform better than ever. It still runs over 2,000 applications including RealWorld Accounting Software®, Informix® and WordPerfect.® And now it runs more SCO applications because it's iBCS2 compliant. What's more, INTERACTIVE UNIX 4.0 is backed by SunSoft, the leading supplier of 32-bit UNIX operating systems. Fact is, INTERACTIVE UNIX 4.0 is even better at doing what the industry classic has always done so well: improving the performance of your computing system at a lower cost per seat. Nothing revolutionary. Simply evolutionary.

SunSoft

$399 VALUE). IT'S THE INDUSTRY'S FASTEST UNIX BACKUP SOFTWARE. FOR MORE INFORMATION, CALL 1-800-227-9227.

*trademark of UNIX System Laboratories, Inc. All other trademarks and registered trademarks are the property of their respective holders. Open Systems Today quote April 13, 1992. *Must purchase by December 31, 1993.*

Circle 169 on Inquiry Card.

BYTE
SEPTEMBER 1993 VOL. 18, NO. 10

News & Views

PERSONAL DIGITAL ASSISTANTS

Behind the Wheel of the First Newton and Zoomer PDAs 22
Test drives of prerelease Apple, Sharp, and Casio Zoomer PDAs reveal rough edges and a lot of promise.

DATA ANALYSIS

Spreadsheet or Database? The Best of Both 29
A new breed turns the traditional spreadsheet metaphor on its head.

DESKTOP PUBLISHING

Windows No Mac at DTP 35
In desktop publishing, Windows has come a long way. But DTP experts say it still has a long way to go.

CONTACT MANAGEMENT

Scanners Turn Business Cards into Database Records 44

Is your desk cluttered with business cards that you still haven't entered into your database? Technology comes to the rescue.

OPERATING SYSTEMS

IBM Announces "Better" DOS Than MS-DOS 46
IBM releases a new version of PC-DOS.

PROCESSORS

AMD Declares Independence 46
AMD unveils the first of a new line of processors.

PACIFIC RIM

Report from Taiwan 48
Taiwan is reengineering itself to be a designer of computer products.

NEW PRODUCTS

What's New 236
A workstation line with zippy graphics, a notebook with an active-matrix display, portable multimedia, a RAID-5 array, CAD tools, and more.

International Section 48IS-1

What's New International 48IS-3
A Pentium PC, a workstation with Windows NT, a TV and teletext capture package, and more.

Cover Story



VIDEO COMMUNICATIONS

Video Conquers the Desktop 64
BY ANDY REINHARDT Integrated video capability has arrived for desktop systems—and with it, intriguing new possibilities.

Document Conferencing Keeps Data Close-By—66
Video Compression Standards Vie for Acceptance—72
Pandora and the Active Office—76

Apple, SGI Blaze Video Trail 81
BY TOM THOMPSON AND BEN SMITH With integrated video and sound features, new systems from Apple and Silicon Graphics herald a new era of desktop computers.

Features

COMPUTING IN INDIA

India's Software Edge 55
BY JON UDELL India has contributed programming talent to the microcomputer world. Now it wants to contribute products.

Reviews



PAGE 137



PAGE 145

PAGE 153

State of the Art

ELECTRONIC PUBLISHING

Publish It Electronically 94
BY CARY LU Electronic publishing lets you build enterprise-wide knowledge bases.

Magazines Without Paper—108





Unlocking Data's Content 111
BY RANDALL D. CRONK
Tagging languages and compound document architectures code your documents for cross-platform access.

This month's cover image—*showing George Jetson and his boss taking advantage of digital video communications—was created exclusively for BYTE by artists at Hanna-Barbera.*

COVER IMAGE: HANNA-BARBERA PRODUCTIONS, INC. © 1993

PROGRAMMING TOOLS

C++ Does Windows 130

BY RICK GREHAN The BYTE Lab tests five C/C++ compilers, from Microsoft, Borland, Symantec, MetaWare, and Watcom, to determine how well each addresses the complexities of Windows.

PORTABLE COMPUTING

The Littlest Notebooks 137

BY STEVE APIKI BYTE tests three next-generation subnotebook machines, including CompUSA's 4SL/25 Subnote, HP's OmniBook 300, and the Zenith Data Systems Z-Lite 320L.

OPERATING SYSTEMS

A Giant Leap to OS/2 2.1 145

BY BARRY NANCE OS/2 2.1 brings IBM's 32-bit operating system forward, beyond the reach of current desktop operating systems. Bulletproof multitasking and support for Windows 3.1 applications are among the improvements.

WORKGROUP SOFTWARE

A FirstClass Experience 149

BY RAYMOND GA CÔTÉ SoftArc's FirstClass mail and conferencing system goes multiplatform. Its elegant client interface, strong conferencing features, and multitasking communications engine make it a real contender in the E-mail market.

MULTIMEDIA

Video Machine: True Desktop Video 153

BY BOB LINDSTROM Fast Electronic of Munich, Germany, presents the Video Machine, a software/hardware combination that links with VCRs and video monitors to turn a PC into a Windows-based desktop video editing system.

NETWORKING

LANtastic 5.0 vs. Invisible LAN 3.4 163

BY BARRY NANCE Upgraded versions of peer-LAN operating-system staples from Invisible Software and Artisoft offer improved performance, better Windows integration, and options for connectivity. Testing speed and ease-of-use features set the two apart.

GRAPHICS SOFTWARE

CorelDraw 4.0: The Word Is More 169

BY G. ARMOUR VAN HORN Corel releases an ambitious upgrade. CorelDraw 4.0 features tighter integration across modules, multiple page illustrations, an underlying object database, an impressive bundle of fonts and clip art, path-based animation, and even OCR and forms generation. Van Horn finds out how it all comes together.

HANDS-ON TESTING

Lab Report: 32 High-Speed Hard Drives 176

We stress-tested 32 hard drives to find the best performers in capacities from 250 MB to 2 GB.

The Best Drives in Capacities from 250 to 350 MB—178

How We Tested—182

The Best Drives in Capacities from 400 to 600 MB—184

The Best Drives in Capacities from 1 to 2 GB—188

Honorable Mentions—190



Hands On



Documentation Goes Digital 121

BY PHILIP C. MURRAY A confusing array of tools await those who want to publish reference material electronically, but the benefits might be worth the trouble.

Finding Text Fast—128



PROCESSORS

Under the Hood: Pentium: More RISC Than CISC 195

BY DICK POUNTAIN Why the Pentium's architecture doesn't measure up to its RISC competitors.

PROGRAMMING

Some Assembly Required: Debugger Support in Windows 3.1 207

BY MATT PIETREK How to exploit debugging support in Windows 3.1.

OPERATING SYSTEMS

Beyond DOS: Virtual Device Drivers for DOS 217

BY BILL HAWKINS AND ED PUCKETT Virtual device drivers aren't just for Windows applications.

Opinions

Pournelle: IBM's Preemptive Strike 221

BY JERRY POURNELLE OS/2 2.1 is technically excellent. What's needed is widespread device-driver support.

Books & CD-ROMs: Cyber Worlds 49

BY HUGH KENNER AND OTHERS William Gibson's *Virtual Light;* the hip guide to NetWare; learning about computers on CD-ROM; nanotechnology; and other titles.

Commentary: Installer Hell 294

BY MICHAEL CRICHTON Software installation programs work in strange and mysterious ways, says the author of *Jurassic Park.*

Editorial 10

BY DENNIS ALLEN

Letters 18

Readers react to BYTE's new look.

READER SERVICE

Editorial Index by Company 292
Alphabetical Index to Advertisers 288
Index to Advertisers by Product Category 290
Inquiry Reply Cards 288A

BUYER'S GUIDE 251

Mail Order
Hardware/Software Showcase
Buyer's Mart

PROGRAM LISTINGS

From BIX: Join "listings/frombyte93" and select the appropriate subarea (i.e., "aug93").

From the UUNET:ftp to ftp.uu.net, log on as "anonymous," and enter your user ID as your password. Type "cd/published/byte" and type "DIR." Files appear in subdirectories arranged by month.

From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow the instructions at the prompt.

BYTE (ISSN 0360-5280) is published monthly with additional issues in April and October by McGraw-Hill, Inc. U.S. subscriber rate $29.95 per year. In Canada and Mexico, $34.95 per year. European surface mail subscriptions $60, airmail $80. Non-European subscriptions, $60 surface mail or $85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies $3.50 in the U.S., $4.50 in Canada. Executive, Editorial, Circulation, and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Second-class postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Canada Post International Publications Mail Product Sales Agreement No. 246492. Registered for GST as McGraw-Hill, Inc., GST #123075673. Printed in the United States of America. **Postmaster**: Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.

THE JETSONS ARE A REGISTERED TRADEMARK OF HANNA-BARBERA PRODUCTIONS, INC. ALL RIGHTS RESERVED.

BYTE Contents by Platform

This page presents the articles in this issue according to computing platform.

DOS AND WINDOWS

Spreadsheet or Database? The Best of Both 29
What's happening in data-analysis tools, including Windows-based spreadsheets.

Windows No Mac at DTP 35
Some people are using Windows as a platform for desktop publishing, but as a publishing environment, Windows has a long way to go.

IBM Announces "Better" DOS Than MS-DOS.....46
PC-DOS 6.1 comes with a disk doubler, a backup utility, and speed improvements.

C++ Does Windows.....130
A review of five compilers for Windows, from Borland, Microsoft, MetaWare, Watcom, and Symantec.

A FirstClass Experience 149
SoftArc's mail-and-conferencing system connects Windows and Mac users.

Video Machine: True Desktop Video.....153
Fast Electronic's hardware/software package turns a Windows PC into a video-editing system.

LANtastic 5.0 vs. Invisible LAN 3.4.....163
Better Windows integration is just one of the improvements made to both of these peer-networking packages.

CorelDraw 4.0: The Word Is More 169
A look at all the new things added to this ever-evolving graphics package.

Some Assembly Required: Debugger Support in Windows 3.1.....207
Good debugging help at the operating-system level is essential for writing good code. The author of *Windows Internals* looks at how Windows stacks up.

Beyond DOS: Virtual Device Drivers for DOS.....217
Developers can build virtual-device-driver support into their DOS applications and tap into the power of the Windows API.

OS/2

A Giant Leap to OS/2 2.1....145
Barry Nance finds the newest OS/2 "a definite step up from Windows-on-DOS." It's faster than before, supports more printers and CD-ROM drives, and has multimedia hooks.

Pournelle: IBM's Preemptive Strike 221
Our columnist checks out OS/2 at Comdex, talks to IBMers about device drivers, and praises the operating system but bemoans its PR.

Macintosh

Video Conquers the Desktop.....64
With desktop systems like the new audiovisual Macs, video can be treated as just another data type. This will open up more effective channels of communication among individuals and workgroups.

Apple, SGI Blaze Video Trail..81
Apple's new Quadra 840AV and Centris 660AV take a pioneering step in the merging of computers and audio/video technology. Tom Thompson reports the firsthand details.

A FirstClass Experience 149
SoftArc's FirstClass, a Mac-centered E-mail and conferencing system, reaches out to include Windows users.

Lab Report: 32 High-Speed Hard Drives.....176
Buying a new hard disk? This month's Lab Report will help you pick the right one. Our custom benchmarks rate hard drive speeds, in capacity categories ranging from 250 MB to 2 GB.

Unix

Pandora and the Active Office.....76
Unix workstations are part of a distributed multimedia system being developed at Olivetti Research, in Cambridge, England. Digital video and audio services will be able to follow users from room to room and then route video calls and messages to the nearest workstation.

Apple, SGI Blaze Video Trail..81
Silicon Graphics' new Indy workstation features advanced capabilities for creating and displaying information, including full-motion video and a built-in digital color camera. But SGI has also revamped the user interface, adding voice commands and refining the Motif-based workspace. It now looks like a combination of Hewlett-Packard's VUE, Solbourne's virtual desktop, Next's NextStep, and the Mac.

Networks

Books & CD-ROMs 49
How to Keep Your Novell Network Alive is a gonzo guide to Novell networking.

Video Conquers the Desktop.....64
With the integration of digital video and desktop computers, video files could be coming soon to a network near you.

Pandora and the Active Office.....76
An experimental system being developed by Olivetti Research distributes video and audio across a high-speed ATM network. The current setup links more than 40 workstations spread over four separate sites, a half-mile apart. Users have videophone, video mail, and conferencing services. "Pandora's Box" combines the functions of network interface, stream manager, and video mixer.

Publish It Electronically 94
Network-based document databases can help you find the right information when you need it. Products such as network librarians can keep it all under control.

A FirstClass Experience 149
SoftArc's FirstClass is an E-mail and conferencing system that works equally well over LAN and dial-up connections. The new version of this Mac-centered product works with Windows clients.

LANtastic 5.0 vs. Invisible LAN 3.4.....163
Artisoft and Invisible Software have improved their peer-to-peer network packages with major revisions. Both are now faster, and they simplify the linking of DOS and Windows workstations. They also offer an alternative to Windows for Workgroups. But one is built for comfort, the other for speed.

Client/Server

India's Software Edge.....55
As a nation of small systems and no mainframe era, India has an edge when it comes to client/server computing.

Publish It Electronically 94
Publishing data digitally can enable people in an enterprise to quickly find the information they need.

Index

Audio.....81
C++ 130
CD-ROM 49, 94, 169, 221
Compilers.....130
Compound Document Architecture 116
Compression 40, 72
Conferencing.....64, 66, 149
Debugging 207
Desktop video.....153
Documents.....111, 121
Electronic publishing 94
Electronic reference documents.....121
E-mail.....149, 163, 242
Encoding documents 111
Hard drives 176
Illustration software.....169
Imaging Systems 94
India 55
Installers 294
Networks.....149, 163, 236
Notebooks 137
OS/2.....145, 221
Paperless magazines 108
PCMCIA..137, 145, 221, 236
Pentium 195
Personal digital assistants.....22
Processors 46, 195
Programming ...130, 207, 217
RISC.....195
Search engines 128
SGML.....111
Spreadsheets.....29
Taiwan 48
Virtual device drivers 217
Virtual reality.....38
Windows.....122, 137, 145, ...163, 207, 217, 221, 242

Portable Power

The Pinnacle Tahoe™ Portable 3.5" Optical Drive

Introducing the world's smallest portable 3.5" optical drive with a rechargeable battery pack option that provides hours of portable computing.

The Pinnacle Tahoe-130 offers the ultimate in removability and transportability.

It provides portable storage for notebook computing and is the perfect choice for your desktop computer.

The Tahoe™ 128 MB optical drive weighs only 1.8 pounds and can fit in the palm of your hand.

It's small size is so flexible it can easily fit into any briefcase.

128 MB REWRITABLE OPTICAL DRIVE

The Tahoe™ is the perfect solution for users on the go, providing fast data transferring between your notebook and desktop computers. Simply connect the Tahoe™ to any **parallel port interface** and you are ready to go.

The Pinnacle Tahoe-130 has an ultra fast seek-time and data throughput that rivals hard disk performance.

FLEXIBILITY

FAST DATA TRANSFER

The Tahoe's™ optional battery pack provides 3.5 hours of typical computer use, which will extend the run time of your portable computer by eliminating the use of your magnetic or floppy drive.

Lake Tahoe, Nevada

The portable Tahoe™ . . . only by Pinnacle. The optical storage leader.
To order a Tahoe™ to go call:

800.553.7070

PINNACLE MICRO

THE OPTICAL STORAGE COMPANY®

Trademarks: Tahoe and Tahoe-130 of Pinnacle Micro, Inc. All trademarks and registered marks to their respective owners.

19 Technology • Irvine, CA 92718 • U.S.A. • Int'l (714) 727-3300 • Fax (714) 727-1913

Circle 131 on Inquiry Card (RESELLERS: 132).



TO DESIGN OUR NEW MOUSE, WE STARTED BY READING PALMS.

In relentless detail, we studied hands of all dimensions.

We consulted professors of kinesiology, engineers, ergonomists and computer users. We used digital fiber optics to analyze the human hand. We followed it in motion.

The result is a new Microsoft® Mouse that is, well, anatomically correct. Uncommonly comfortable.

The palm is perfectly supported. Left or right handed, the grip is comfortable. Fingertips fall naturally into place. A click feels just right.

This mouse even looks good. Intriguingly asymmetrical. Yet it somehow reminds you of the gentle curves of a human form.

Did we mention that it also has some innovative new software features? They allow you to customize the mouse, so it works the way you like to work.

Try the new Microsoft Mouse. If you're not comfortable, we'll refund your money. Guaranteed. Details are on the box, which you can quickly get your hands on at a computer store near you.

Microsoft
Making it easier

© 1993 Microsoft Corporation. All rights reserved. Printed in the USA. Microsoft is a registered trademark of Microsoft Corporation.

The Promise of High-Tech

Exploitive promises only serve to confuse the ill-informed and artificially inflate market demand

Our generation always knew that video computing would happen, and we knew it long before personal computers even existed. We grew up believing in it like we believed in many other high-tech possibilities. The potential of technology seemed endless and so simple that our imaginations were easily ignited by "The Jetsons," *2001: A Space Odyssey,* a myriad of science fiction novels, and countless B-grade sci-fi movies.

The question has never been *if* the technology would be possible, but *when* it would become available. And therein lay the implicit promise that the general media so willfully and continually exploited, raising expectations of technology beyond what could actually be achieved.

So it was with a little tongue in cheek that we chose an image from "The Jetsons" for our cover art. No, I'm not suggesting that George Jetson's view of video computing is even close to today's video reality. However, the fine folks at Hanna-Barbera created a wonderful original illustration for BYTE that reminds me of how the general public perceives video computing. It also reminds me of the nearly three decades of raised expectations and undelivered promises that have confused computer illiterates. Is it any wonder that when it comes to video computing so many people are jaded?

Some folks will say that video computing is a solution looking for a problem. You and I, of course, know better. We know that while the enabling technology has finally arrived in the form of integrated, video-ready systems such as the Silicon Graphics Indy and the Apple AV Macs, the application of that technology must still be developed. That means a lot of hard work from folks like you, who choose to implement desktop video, and from folks in the computer industry, who should listen to your needs. I'm confident that work will be fruitful, and that it will take the next few years to be accomplished.

Meanwhile, it's time that we hold in check some of the high-tech promises being exploited by the general press and industry leaders who stand to gain from that exploitation. Take, for example, John Sculley's promises for Apple's PDA (Personal Digital Assistant), the Newton. Over a year ago, Mr. Sculley—back when he was running the show at Apple—started his crusade about how the Newton, which is yet to become available, would do nearly everything that a secretary could do. Now *that* sounds like an idea right out of "The Jetsons." If you think for one minute that a hand-held computer is going to be anything nearly as effective as a real live assistant, then you're probably not a regular BYTE reader—BYTE readers know better.

The fact is that, since Mr. Sculley's first remarks about the Newton over a year ago, Apple has been doing some serious backpedaling about what the Newton might do. That's not to say that the Newton won't be a useful device; it may be, and we'll be the first to let you know one way or the other. To say the least, the Newton is very clever and interesting.

The point is just that I'm sick and tired of all the exploitive promises about high-tech that only serve to confuse the ill-informed while artificially inflating market demand. These promises also send other manufacturers on a wild-goose chase, and users down a primrose path loaded with more thorns than petals.

Sure, PDA technologies hold a great deal of potential, and there's nothing wrong with dreaming a little. To paraphrase Henry David Thoreau, we *should* build castles in the clouds. But we must also construct solid foundations to support them. For PDAs, though, the foundation, or enabling technologies—namely greater horsepower and miniaturization—are yet to come.

For the time being, these little hand-held computers will be cute and perhaps useful. But calling a tiny computer an "assistant" is stretching things a bit too much. Regrettably, though, these devices have already been christened, and BYTE will join the rest of the world in using the term *Personal Digital Assistant*. We do so under protest, however, because a tiny computer is no more an assistant than my lawnmower (or is that PMA—Personal Mower Assistant?) is. Hell's bells, my dog assists me better than the Newton ever will, and I don't call her a PDA (Personal Dog Assistant). At least my dog understands voice commands and can fetch things.

Please, let's spend less time perpetuating technology myths and more time creating and implementing enabling technologies that can do something useful.



DENNIS ALLEN, EDITOR IN CHIEF

THE WORLDWIDE STANDARD

"The new speed demon"

—*PC Magazine*, May 11, 1993

The fastest dBASE ever

Whether you're browsing data, executing queries, creating reports, or running applications, new dBASE IV® version 2.0 gets your job done faster. Everything is 100% compatible with earlier versions of dBASE III PLUS® and dBASE IV, only now it works up to ten times faster. Some tasks are hundreds of times faster—even on networks! It's no wonder that *PC Magazine* calls new dBASE IV v2.0 "the new speed demon."

New dBASE IV v2.0 delivers impressive performance gains: It's up to 10 times faster than dBASE IV v1.5 and dBASE III PLUS.

dBASE IV makes it easier

dBASE® is not only fast, it's easy to use. The Control Center organizes and displays all the elements of your database together in one screen. From there, it's easy to create or use any data table, query, form, report, label, or application. dBASE IV is built for end users and developers alike. In fact, a recent usability study* proves that for everyday tasks, users get their work done 25% faster with dBASE IV v2.0 than with FoxPro v2.5.

New! dBASE Compiler

The new dBASE Compiler for DOS† is the only compiler 100% compatible with the industry standard dBASE language. Compile and run your existing dBASE III,® dBASE III PLUS, and dBASE IV applications without modification. And generate high-performance, fully functional .EXEs with no royalties or runtime modules.

Catch up with the new speed demons. Get new dBASE IV v2.0 and the dBASE Compiler today!

yes NetWare® Tested and Approved

SPECIAL UPGRADE PRICE!

$99.95 (Suggested list price $795.)

Offer good for LAN or standalone upgrades.



90-day, money-back guarantee!

See your dealer or call now, 1-800-336-6464, ext. 7043

In Canada, call 1-800-461-3327.

Borland

Power made easy

*Usability Science Corporation, dBASE IV v2.0 vs. FoxPro v2.5, June 1993. †dBASE Compiler for DOS sold separately. Copyright © 1993 Borland International, Inc. All rights reserved. All Borland product names are trademarks of Borland International, Inc. Offer good in the United States and Canada only. Prices in U.S. dollars. Dealer prices may vary. BI 5750.1

Circle 67 on Inquiry Card (RESELLERS: 68).

This is our PC-425XM Entry Level. It's based on the Intel 80486 SX-25 processor. Complete with 4 MB RAM, 100MB hard disk, low radiation Super VGA colour monitor, 3 16-bit ISA slots, keyboard, mouse and Microsoft® Windows™ 3.1 plus the latest version of Microsoft® MS-DOS® pre-loaded ... it costs only ***£935*** *+ VAT.*

Want to upgrade to local bus video?	**Change the CPU card.**
Want to upgrade the 486 clock speed?	**Change the CPU card.**
Want to upgrade cache RAM?	**Change the CPU card again.**
Want to upgrade to Pentium when it arrives?	**Change the CPU card again.**
Want to add more slots?	**Get the 'B' case.**
Want a bigger screen?	**Ready when you are.**
Change from Elonex?	**Not likely.**

This is our WS-425X LAN Workstation. It's also based on the Intel 80486 SX-25 processor. It's about the size of your bathroom scales and weighs much the same. Complete with 2MB RAM, built-in Ethernet, 'local bus' video, low radiation Super VGA colour monitor, keyboard, mouse and Microsoft Windows 3.1 plus the latest version of Microsoft MS-DOS ... it costs only ***£820*** *+ VAT.*

Want to switch to Token Ring?	**Change the LAN module.**
Want to add a floppy disk drive?	**No problem.**
Want to add a hard disk?	**Piece of cake – up to 450MB.**
Want to add business audio?	**Hear, hear.**
Want to upgrade clock speed?	**Change the CPU.**
Change from Elonex?	**What on earth for?**

At Elonex, our idea is to make obsolescence out of date.

We design our computers, not to be discarded as you outgrow them, but to be changed. In other words, as you progress your Elonex will be ready for whatever's new.

Take our modular desktop PCs, for example. If you bought a 386-based version 18 months back, you can upgrade to a faster 486 processor today. And an even faster Pentium processor tomorrow.

But at Elonex, we take upgradeability even further. You can get the superior performance of 'local bus' video technology as well – for the price of a conventional graphics card. (Whereas if you didn't buy an Elonex, you can't.)

Of course, if they're to last, computers have to be well made. Ours are. We custom-build your machine to individual order here in the UK, and over 90% of our production line is dedicated to quality control.

That includes torture-testing, including many hours in a 'burn-in'

Elonex. Computers th

Each Elonex PC comes ready to use with MS-DOS 6.0 and Windows for Workgroups 3.1 pre-installed (where possible), and is backed up by our Technical Support Hotline (081-452 6666). Response Computer Maintenance (081-965 3225) provide the first year's on-site maintenance free of charge. Subsequent years are priced at 8% of the original invoice (min. £75). Extended 2-year and 3-year warranties are available at reduced rates. Elonex plc, 2 Apsley Way, London NW2 7LF. Tel: 081-452 4444. Fax: 081-452 6422. Elonex plc, 7-9 Campus Road, Listerhills Science Park, Bradford BD7 1HR. Tel: 0274-307226. Fax: 0274-307294.

This is our PC-433F EISA System. It's based on the Intel 80486 SX-33 processor. A giant amongst PCs, it'll serve you and your network well. Complete with 4MB RAM, 200MB hard disk, low radiation Super VGA colour monitor, keyboard, mouse and Microsoft Windows 3.1 plus the latest version of Microsoft MS-DOS pre-loaded ... it costs a less-than-towering ***£1615*** *+ VAT.*

Want to upgrade the clock speed?	**Change the CPU.**
Want to upgrade all the way to 256MB RAM?	**Nothing's stopping you.**
Want a 340GB disk array?	**You've come to the right place.**
Fancy SFT III disk mirroring?	**Reflect no longer.**
Need more than 7 drive bays?	**Strap on another case.**
Change from Elonex?	**Come off it.**

This is our modular, upgradeable NB-425X Notebook PC. It's based on the Intel 80486 SX-25 processor. Complete with 4MB RAM, 80MB removable hard disk, interchangeable backlit LCD screen, PCMCIA 2.0 port, intelligent parallel connector, NiCad battery, tough nylon carrying case, integral trackball and built-in battery charger (no brick!) and smashing Microsoft Windows 3.1 plus the latest version of Microsoft MS-DOS pre-loaded ... gasp, pause for breath ... it costs just ***£1445*** *+ VAT with a monochrome LCD screen. An NB-425X with 16 colour passive matrix screen shown here costs a handy* ***£1980*** *+ VAT.*

Want a faster CPU?	**A second's work.**
Want 16 colours?	**Change screens.**
Want 256 colours?	**We have a screen waiting.**
Want a bigger hard disk?	**Whenever you like.**
Want to double battery life?	**Add another battery.**
Change from Elonex?	**Why?**

chamber. If an Elonex PC doesn't emerge in perfect health after that, it goes back to square one.

Our cases are robustly constructed too. Even our tiny LAN workstations are strong enough to stand on.

Elonex quality standards extend to the people you talk to. All our sales and support staff have spent time on the line building Elonex PCs. And our networking specialists are personally responsible for putting systems together themselves. (Since Elonex is one of only a handful of Novell OEMs, our staff really do have to know what they are talking about.)

So call us up to discuss what you have in mind and we'll specify a PC (or a complete network of PCs) to match your needs.

Until you want a change, that is.

ELONEX

DIRECT SALES:
London: 081-452 4444
Bradford: 0274-307226

at change everything.

Elonex (France) s.a.r.l., Paris, France Tel: (1) 40.85.85.40. Fax: (1) 40.85.84.83. Elonex (Benelux) sa/nv, Brussels, Belgium. Tel: (02) 675.19.20. Fax: (02) 675.34.00. ERS Computers, Dublin, Eire. Tel: 01-6797554. Fax: 01-6791728. Belfast. Tel: 0232-460450. Fax: 0232-460505. Elonex is a registered trademark of Elonex plc. Microsoft is a registered trademark, and MS-DOS and Windows are trademarks of Microsoft Inc. The Intel Inside® logo, and the Intel486™ are trademarks of Intel Corporation. All prices and specifications are subject to change without notice.

intel inside

BYTE

EDITOR IN CHIEF
Dennis Allen

EXECUTIVE EDITOR
Rich Friedman

MANAGING EDITOR
D. Barker

ASSISTANT MANAGING EDITOR
Lauren Stickler Thompson

NEWS
Peterborough:
News Editors: David L. Andrews, Carol J. Swartz
Researcher: Martha Hicks
San Mateo/West Coast:
Bureau Chief: Andrew Reinhardt
Senior Editor: Tom Halfhill
New York:
News Editor: Ed Perratore

BYTE LAB
Director: Stephen Apiki (also: *systems, networking*)
Technical Director: Rick Grehan
Senior Editor: Alan Joch
Technical Editor: Stanford Diehl: *software, add-ins, peripherals, multimedia*
Testing Editors/Engineers: Howard Eglowstein, Ben Smith
Lab Assistant: Selinda Chiquoine

STATE OF THE ART/FEATURES
Senior Editor: Michael Nadeau
Technical Editors: Anthony J. Lockwood, Robert M. Ryan

SENIOR TECHNICAL EDITORS
At Large: Tom Thompson, Jon Udell
Columns: Rob Mitchell

ASSOCIATE TECHNICAL EDITORS
Susan Colwell, Cathy Kingery, Margaret A. Richard, Warren Williamson

SENIOR CONTRIBUTING EDITOR
Jerry Pournelle

CONTRIBUTING EDITORS
Raymond GA Côté, Barry Nance, Dick Pountain

CONSULTING EDITORS
Jonathan Amsterdam, Nicholas Baran, Mark Clarkson, Don Crabb, Hugh Kenner, Anne Fischer Lent, Laurence H. Loeb, Trevor Marshall, Stan Miastkowski, Roberta Pournelle, Wayne Rash Jr., Kenneth M. Sheldon, Jane Morrill Tazelaar, Ellen Ullman, Peter Wayner

EDITORIAL ASSISTANTS
Office Manager: Peggy Dunham
Assistants: Linda C. Ryan, June Sheldon

DESIGN
Associate Director: Joseph A. Gallagher
Designers: Jan Muller, Sharon Price
Graphics Manager: Roger Goode

EDITORIAL PRODUCTION
Production Manager: David R. Anderson
Editorial Graphics Manager: Virginia Reardon
Graphics Production Coordinators: Barbara Busenbark, Donna Sweeney

PRODUCTION AND FINANCE
Director: Claudia Flowers

ADVERTISING PRODUCTION
Advertising Services Manager: Linda Fluhr
Senior Advertising Services Representative: Lyda Clark
Advertising Services Representatives: Dale J. Christensen, Karen Cilley, Rod Holden
Operations Assistant: Lisa Jo Steiner
Advertising Graphics Manager: Susan Kingsbury
Graphics Production Coordinators: Christa Patterson, Lillian J. Wise

FINANCE
Senior Financial Analyst: Kenneth A. King
Financial Analyst: Kathleen Deguise
Data Processing Coordinator: Diane Henry
Production Assistant/Purchaser: Agnes Perry

MARKETING AND PLANNING
Director: L. Bradley Browne
Marketing Art Director: Stephanie Warnesky
Market Research Manager: Julie Perron
Copyrights Manager: Faith Kluntz
Reader Service: Cynthia Sands
Marketing Events Coordinator: Carol Sanchioni

CIRCULATION
Director: Glyn Standen
Subscriptions Manager: Paul Ruess
Assistant Manager: Lynn Lagasse
Subscriptions Assistant: Christine Tourgee
Newsstand Manager: Vicki Weston
Assistant Manager: Karen Desroches
Back Issues: Louise Menegus
Direct Accounts Coordinator: Ellen Dunbar

PUBLISHER
Ronald W. Evans

Publisher's Assistant: Donna Nordlund

ASSOCIATE PUBLISHER, V.P. SALES & MARKETING
David B. Egan
Administrative Assistant: Carol Cochran

ADVERTISING SALES
NEW ENGLAND
David Richardson (617) 860-6344
Patricia Payne (603) 924-2654

EAST COAST
Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665

SOUTHEAST
Mary Ann Goulding (404) 843-4782
Barry Echavarria (603) 924-2574

MIDWEST
Kurt Kelley (312) 616-3328
Ed Ware (603) 924-2664

SOUTHWEST, ROCKY MOUNTAIN
Jennifer Walker (214) 701-8496
Brian Higgins (603) 924-2651

SOUTH PACIFIC
Beth Dudas (714) 753-8140
Joseph Mabe (603) 924-2662
Alan El Faye (213) 480-5243
Brian Higgins (603) 924-2651

NORTH PACIFIC
Bill McAfee (415) 513-6862
Jonathan Sawyer (603) 924-2665
Roy J. Kops (415) 513-6861
Joseph Mabe (603) 924-2662
Barry Echavarria (603) 924-2574

INSIDE ADVERTISING SALES
Director: Liz Coyman (603) 924-2518
Assistants: Susan Monkton, Vivian Bernier

THE BUYER'S MART (1 × 2)
Margot Gnade (603) 924-2656

HARDWARE/SOFTWARE SHOWCASE
Ellen Perham (603) 924-2598
Mark Stone (603) 924-2695

REGIONAL & BUYER'S GUIDE
(603) 924-2518

BYTE DECK
Brad Dixon (603) 924-2596

EURO-DECK
James Bail (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF
See listing on page 289.

PERSONNEL
Human Resources Administrator: Patricia Burke
Assistant: Fran Wozniak
Receptionist: Beverly Goss

How to Contact the Editors

We welcome your questions, comments, complaints, kudos, and submissions.
MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.
San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912.
Los Angeles: 15635 Alton Pkwy., Suite 290, Irvine, CA 92718, (714) 753-8140.
New York: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.
U.K./EUROPE: Wimbledon Bridge House, One Hartfield Rd., Wimbledon, London SW19 3RU, England, +44 81 543 1234.
ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.
MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.
OTHERS: Many editors also are reachable through uunet, AppleLink, CompuServe, and numerous other services.
U.S. fax: Editorial: (603) 924-2550
Advertising: (603) 924-7507
U.K. fax: +44 81 540 3833

SUBMISSIONS:
Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.
Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:
For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924-2618. (Minimum quantity: 500.)

Subscription Customer Service

Inside U.S. (800) 232-BYTE; outside U.S. +1 609 426 7676. For a new subscription, (800) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are $29.95 for one year, $54.95 for two years, and $74.95 for three years in the U.S. and its possessions. In Canada and Mexico, $34.95 for one year, $64.95 for two years, $87.95 for three years. In Europe, £42 (US$60) for fast surface delivery, £55 (US$80) for air delivery. Non-European countries US$60 for surface mail, or US$85 for air mail. Single copy price is $3.50 in the U.S. and its possessions, $4.50 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:
Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 27 Congress St., Salem, MA 01970, to photocopy any article herein for personal or internal reference use only for the flat fee of $1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 27 Congress St., Salem, MA 01970. Specify ISSN 0360-5280, $1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Kluntz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

Copyright © 1993 by McGraw-Hill, Inc. All rights reserved. BYTE and BYTE are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

Member Audit Bureau of Circulation

BIX Interactive On-line Service

PRODUCT MANAGER
Kip Bryan

EXCHANGE EDITORS
Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange: Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Tojerry Exchange: Jerry Pournelle
WIX Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.

DIRECTOR OF COMPUTER-RELATED SERVICES
Stephen M. Laliberte

MEMBER SERVICES MANAGER
Kevin Plankey

BIX, owned and operated by General Videotex Corporation, is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or make a data call to our Tymnet address: 310690157800. Then hit the Enter/Return key and enter "BIX" when asked to log in; then enter "BIX.VILLE" when asked for a name. For current fees and more information, call (800) 695-4775 or (617) 354-4137 on voice phone; fax: (617) 491-6642; Internet: bix@genvid.com.

OFFICERS OF MCGRAW-HILL, INC.:
Founder: James H. McGraw (1860–1948).
Chairman, President, and Chief Executive Officer: Joseph L. Dionne; *Executive Vice President, General Counsel, and Secretary:* Robert N. Landes; *Executive Vice President:* Harold W. McGraw III; *Executive Vice President and Chief Financial Officer:* Robert J. Bahash; *Senior Vice President, Treasury Operations:* Frank D. Penglase; *Executive Vice President, Publication Services:* Norbert Schumacher; *Vice President/Group Publisher, Computer Magazines:* Fritz Landmann.

ON ONE HAND, PROJECT MANAGEMENT CAN BE A REAL HEADACHE.



ON THE OTHER HAND, WHY SHOULD IT BE?



You work hard enough planning your projects; why not let Microsoft® Project 3.0 for Windows™ help you make it easier?

With clear graphs, you'll be able to see and communicate your project even better–from the tiny details to the big picture.

Changes? No problem. For every revision you make, Microsoft Project helps you see how it will affect the entire job.

Assigning a new job? Just click the People button. Want to know who's doing what, when? Microsoft Project can help you keep track of everyone.

And if you need to get off to a fast start, use PlanningWizards to guide you step by step. Soon, you'll have great-looking, easy-to-read reports that make all your plans perfectly clear.

You can even exchange files between Microsoft Project on your PC and your Mac.® Either way, why not plan on the leading project management software? Microsoft Project 3.0 – it takes the pain out of planning.

Microsoft®
Making it easier

For more information inside the 50 United States, call (800) 426-9400, Dept. JM2. Outside the U.S. and Canada, call (206) 936-8661. Customers in Canada, call (800) 563-9048. © 1993 Microsoft Corporation. All rights reserved.
Printed in the USA. Microsoft is a registered trademark and Windows and the Windows logo are trademarks of Microsoft Corporation. Mac is a registered trademark of Apple Computer, Inc.

If *(wait)* this *(wait)* is *(wait)* how

(wait) your *(wait)* computer *(wait)*

does *(wait)* Windows, *(wait)*

have *(wait)* we *(wait)* got *(wait)* a

(wait) PC *(wait)* for *(wait)* you.

Don't wait. Put one of our Image™ Series 486 PCs on your desk immediately. You'll get Windows performance that really screams.

And we're not the only ones who feel that way. In a recent review of the Image Series, *PC World* wrote, "Say goodbye to waiting in Windows."

NEC pioneered local bus video technology to speed up graphics-based applications like Windows. Today, as other makers develop first-generation local bus video, we offer advanced, second-generation technology.

Making it fast. Our ingenious Image Video™ technology combines second-generation local bus video with a powerful graphics accelerator, so even the most complex, most demanding graphics applications run full blast. And with our True Color support for over 16.8 million colors and photo-realistic images, those applications will have the impact of a speeding freight train. The bottom line: Your productivity takes a fast turn skyward. Our new Image PCs are built for easy, 238-pin ZIF-socket upgrades to the next generation of Pentium-based Intel OverDrive™ processors. We've also given them an on-board SCSI II interface, for quick connections to a wide range of peripherals.

But wait: it gets even better. In addition, NEC's OptiBus™ technology can make those peripherals perform up to 30% faster than ordinary systems. While our ImageSync™ feature delivers flawless, flicker-free images with no adjusting when used with one of our award-winning MultiSync® FG™ monitors.

The NEC Image Series. Just part of a whole family of great personal computers, from our affordable PowerMate® PCs, to our expandable Express™ servers. So (why wait?), call 1-800-NEC-INFO or NEC FastFacts™ at 1-800-366-0476, request document 46243.

MultiSync and PowerMate are registered trademarks and Image, Image Video, ImageSync, Express, FG, OptiBus and FastFacts are trademarks of NEC Technologies Inc. The Intel Inside logo is a registered trademark of Intel Corp. All other trademarks or registered trademarks are the property of their respective holders © 1993 NEC Technologies, Inc.

intel inside

PC WORLD BEST BUY
NEC Image 466
May, 1993

IMAGE VIDEO

Because ↑ is the way you want to go.

NEC

Circle 123 on Inquiry Card.

NEC GSA#GS00K1AGS5241

A Better BYTE

The June issue of BYTE is the best one yet. Dennis Allen's editorial, an excellent article on OS/2 2.1 ("IBM Unleashes a New OS/2"), and a few objective criticisms of Windows ("Windows, Windows Everywhere?") indicate to me that BYTE does not intend to yield to the marketing pressures affecting most other publications.

Robert Simpson
Library, PA

Thank you for the new design of BYTE. I can't tell you how many times I have searched through a stack of magazines looking for an article that I remembered reading somewhere. It's truly amazing how a simple idea such as a better table of contents can reap great benefits.

J. R. Beecham
Lantana, FL

Windows Everywhere

In "Windows, Windows Everywhere?" (June BYTE), Jon Udell is correct to remind us of "software developers who were badly burned by Microsoft's handling of OS/2." Indeed, that should have been the theme of his entire article on the "Windows everywhere" strategy.

BYTE owes its readers more responsible reporting of computer technology. Udell raises important questions about the viability of "Windows everywhere," but the analysis of Windows NT and the "Windows everywhere" strategy is incredibly vacuous. After two years of hype, we are finally told that Windows NT will require too many resources and have too little downward compatibility for desktop systems.

Furthermore, NT's sparse graphics support limits its value as a graphics workstation, and its inability to support multiple terminals means it can't handle multiple users. The lack of global directory services gives pause to the question: How useful is NT as a network operating system? In view of these facts, the obvious question is: "Who needs NT?"

Remarkably, the credibility of this "Windows everywhere" strategy was never seriously questioned. Microsoft scarcely has a track record on multitasking systems. Yet we are supposed to believe that version 1.0 of one of the most complex systems Microsoft has ever designed will be a good candidate for a mission-critical server.

Udell recommends Win32s and suggests that Windows 4/DOS 7 is "lurking offstage." But he does not say when this may be available. The latest rumors seem to be late 1994. Given Microsoft's practice of missing shipping dates by more than a year, perhaps that means 1995. It might be more accurate to say Chicago isn't even on its way to the theater.

Richard E. Hodges
Los Angeles, CA

The opinions expressed are mine, but they are supported by interviews with dozens of software developers, system builders, and other industry experts. Most informed observers agree that the Windows API in its various forms is a force to be reckoned with, as is NT as the top tier of a layered operating-system strategy. Where there are holes in that strategy—advanced graphics, directory services, multiuser capability, and suitability for small and/or mobile devices—I called attention to them and discussed alternatives.

My assessment of NT is, indeed, strongly influenced by my own experience with the product. It has been, throughout its long beta-test cycle, as solid a system as I've ever seen. That robustness, coupled with strong device support, smooth application portability from 16-bit Windows, and the ability to leverage RISC and multiprocessing technologies, I find impressive.

Given the importance of the Windows 3.x software base—something that WinOS/2, WABI (Windows Application Binary Interface), and other initiatives clearly acknowledge—Microsoft's plan to carry Windows forward to the next generation of PCs is certainly a reasonable one. IBM, Sun, and some other companies have their own plans, which you'll read about here. But to have focused the whole piece on the IBM/Microsoft rift, as you suggest, would have been a peculiar way to do the "responsible reporting" you say the article lacked.—Jon Udell

OS/2 in Review

Kudos to BYTE for its fair review of OS/2 2.1 in the June issue (see "IBM Unleashes a New OS/2"). Although only two pages were devoted to OS/2, it was a remarkable divergence from the media's tendency to bash OS/2 in favor of the sacred cow, Windows NT. I hope that BYTE will not simply become another Microsoft lackey, as so many other publications have done.

Tim Tyler
Rockledge, FL

Thanks for printing Barry Nance's "IBM Unleashes a New OS/2." I've been critical of BYTE for its apparent Windows-centric orientation, but this article and your Contents by Platform index are very reassuring.

John Faughnan
Escanaba, MI

Stop the Whining

I wish you would cut down on the number of "what about us" letters from OS/2 users. It seems that a great deal of space is being devoted to diatribes complaining about how OS/2 is greatly superior to Windows, yet receives almost no coverage.

This is reminiscent of the old DOS versus Mac wars. Mac users complained that the superior Mac OS wasn't given a fair shot because of the immense sales and marketing muscle of IBM. Now OS/2 users are making the same complaints about Microsoft. Let's have more letters about real user issues.

Aaron F. McPherson
Allston, MA

Fix

Our July review of Lotus Notes release 3 ("One Thumb Up, One Thumb Down") contained incorrect pricing information. The Starter Pack ($995) and User license ($495) prices are correct, but the prices for other user levels are erroneous. Contact Lotus for quantity prices. ■

We want to hear from you. *Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458; send BIX mail c/o "editors," or send Internet Mail to letters@bytepb.byte.com. Letters may be edited.*

Comparing the leading pocket LAN adapters.

Comparable here.

YES	EPP Compatible	YES
YES	Power from Keyboard Connector	YES
YES	Both UTP and Coax On Board	YES

No comparison here.

NO	Printer Port Pass Thru	YES

Sure, the Compex ParaPort™ and Xircom's pocket LAN adapter seem comparable. Except Xircom doesn't have a printer pass-through port, so you lose your printer slot. And then there's price. Whammo! A whopping 82% cost difference at retail.

The important thing about ParaPort is that you sacrifice nothing by paying less.

Because ParaPort comes with ThruPort™, a printer pass-through port, you can connect the adapter to a PC without losing the use of its printer port and without a cumbersome splitter device.

Small enough to fit in a shirt pocket, ParaPort eliminates fumbling with slots and wires. With both coax and twisted pair on board it gives you hassle-free connections between PCs and compatibles, an Ethernet network, and a personal printer.

ParaPort supports standard and enhanced mode. The enhanced mode is compatible with the emerging EPP standard.

ParaPort doesn't need bulky power supplies because it connects to an external keyboard connector with a slim cable. The keyboard cable "splits" the keyboard connection so the connector is still available for an external keyboard or other peripheral devices. It even comes with a handy carrying case.

ParaPort. Unbeatable performance. Unbelievable price. No wonder when it comes to Ethernet LAN adapters, Compex keeps out-connecting the rest.

Circle 504 on Inquiry Card (RESELLERS: 505).

Find out more!

COMPEX® Inc., U.S.A.

Out-connecting the rest

U.S.A. Office
Compex, Inc.
4055 E. La Palma, Unit C, Anaheim, CA 92807
(714) 630-7302 • Fax (714) 630-6521

Singapore Office
Compex Systems Pte Ltd
4 Kim Chuan Terrace,Singapore 1953
(65) 288 8220 • Fax (65) 280 9947

Germany Office
ReadyLINK Networktechnology GmbH
Albert-Einstein-Strasse 42, 6074 Rödermark, Germany
49 (0) 6074-98017 • Fax 49 (0) 6074-90668

© 1993 Compex, Inc.Compex is a registered trademark of Compex, Inc. ParaPort and ThruPort are trademarks of Compex, Inc. Xircom is a trademark of Xircom Inc. All trademarks are the property of their respective companies.

Intel's video brings the same easy

Introducing Indeo™ technology and the Smart Video Recorder from Intel.

When it comes to putting video technology on your PC, Intel knows exactly which buttons to push.

Intel's new Indeo™ technology is the first video compression technology that lets you capture and compress video in one single step. (Now that's easy.) And the Smart Video Recorder is the first video capture board that takes advantage of Indeo technology. Which means adding the impact of motion video to your business presentations is faster and simpler than you ever imagined.

Recording with the Smart Video Recorder is as simple as pushing a button. And it's fast. It only takes one minute to capture and compress a one-minute video clip. (Other products take up to 15 minutes.) One-step recording also cuts the Smart Video Recorder's disk space requirements—other systems can require

©1993 Intel Corporation. The Indeo logo is a trademark of Intel Corporation. *Third party trademarks are the property of their respective holders.

technology concept to your PC.

Video for Windows lets you capture, edit and incorporate video into Windows applications.*

up to five times the disk space.

A key component of Indeo technology, scalable performance adjusts playback quality based on your system's processing power. And you don't need special hardware for playback. Scalable performance gives you the best playback possible from the computer you have now, and whatever computer you may use in the future.

You can get started right away, too, because Microsoft Video for Windows* and Asymetrix Compel* and MediaBlitz* software programs are included in the Intel Smart Video Recorder box.

To learn more about Indeo technology and the Smart Video Recorder, call 1-800-538-3373, ext. 1150. Or to receive information immediately, call Intel's automated FaxBACK® service at 1-800-525-3019 and ask for document 9871. Because with Intel, PC video is all fast forward.

intel®

Circle 99 on Inquiry Card.

News & Views

PERSONAL DIGITAL ASSISTANTS

Behind the Wheel of the First Zoomer and Newton PDAs



Tandy's Z-550



Sharp's Expert Pad

The first Newton and Zoomer machines still have rough edges but show tremendous promise

DAVE ANDREWS

After months of anticipation, the first pen-based PDAs (Personal Digital Assistants) are finally nearing commercial release. In recent months, that statement has carried about as much weight as "the check is in the mail." However, Zoomer and Newton PDAs are now scheduled for release in October or earlier. In evaluating prerelease versions of both systems, I found that they resemble each other in size and weight. But the underlying software, processor, and handwriting-recognition engines are quite different.

Zooming In On the Zoomer

The Zoomer label indicates software compatibility: Applications will run on both Casio and Tandy systems, as well as other Zoomer PDAs that will be announced later this year. AST Research's recent purchase of portions of Tandy manufacturing facilities and its Grid division will not affect the Zoomer rollout, according to Tony Magoulas, spokesman for Tandy. The Zoomer will remain a Tandy/Casio joint venture, he said. Tandy says it will sell its Z-550 for $699. Casio will sell its XL7000 in different retail channels than Tandy, but the two systems are essentially the same.

The Z-550 runs for a claimed 100 hours on three AA alkaline batteries. You work with the Zoomer by flipping its cover up and over the back of the unit, which exposes the unit's 320- by 256-pixel, 3.2- by 4-inch monochrome LCD. The entire system measures 1 by 4.2 by 6.8 inches. Total system RAM is 1 MB, 640 KB of which is used by the operating system. Santa Clara–based SunDisk will offer a range of flash-memory PCMCIA cards (2 to 20 MB).

The Zoomer's GEOS is the latest in a family of graphical operating systems from GeoWorks. GEOS is both multithreaded and multitasking, yet its kernel requires just 60 KB. Library routines that are loaded as needed by applications total 180 KB.

The Zoomer will come with over 20 built-in applications. At the bottom of its screen, you will find several fixed icons, including the Launcher, Address Book, Date Book, Note Book, Pocket Quicken from Intuit, a world clock, calculator, menu, keyboard, and help. By tapping any icon with the plastic stylus pen, you execute the program. Tapping the Launcher icon (i.e., a rocket icon) gives you a menu of additional applications to choose, including a dictionary, a language translator, America Online, U.S. and world information, games, and others.

In its task switching and response to commands, the Zoomer's performance is fast. However, several BYTE editors who tried a beta system deemed the handwriting-recognition performance poky, requiring you to wait several seconds as the Zoomer attempts to convert your handwriting into text.

When you want to write notes and memos that will be recognized and converted into text, the PalmPrint handwriting-recognition engine (also developed by Palm Computing) works best when you print in block letters. You can write

in both uppercase and lowercase. The Notepad's recognizer doesn't like it when you mix cursive and printed characters; recognition accuracy declines when you do so. I found that, after a few minutes of practice, I could tailor my handwriting so that recognition accuracy went up from 50 percent to about 80 percent. Your mileage may vary.

The First Newton

Although Apple had not officially released details on the Newton and its Newton Intelligence operating system at press time, Sharp Electronics, which is manufacturing Newtons in partnership with Apple, let BYTE test its first Newton PDA, called the Expert Pad, which was running a beta version of Newton Intelligence. (The October BYTE will have in-depth coverage of Apple's Newton.)

Physically, the Expert Pad resembles the Zoomer—it has a reflective monochrome LCD and a flip-top cover—but it's quite different under the hood. Sharp officials said that the Expert Pad has a battery life of about 24 hours, which is much less than the Zoomer's claimed 100-hour battery life. Also, the Newton takes a different approach to recognizing your handwriting.

One of the benefits of Newton Intelligence is that every entry you make during the day is stored in Newton's object database. Thus, if you made an entry several days ago referring to "Bob," you can use the Find feature to search through all the applications for every occurrence of the word *Bob*. The system presents you with an indexed list of every hit that occurs.

A key part of the Newton will be its ability to take actions that you normally do manually and do them for you. The Intelligent Assistant accomplishes this. For example, if you write a reminder like "fax this document to Bob" and tap the proper icon, the Intelligent Assistant pops up a dialog box asking if you mean the Bob at 555-5555. If you indicate yes, it places the document in the in/out communications box.

Like the Zoomer, Sharp's Newton will come bundled with several applications. The first one you see when you turn on the Expert Pad is the Newton NotePad, within which you can enter text for recognition or ink drawings and handwritten notes. Other applications include a To-Do list and a Scheduler that are tightly integrated, a telephone directory, a filer for categorizing entries made in the NotePad, and an Extras icon.

By tapping the Extras icon, you can access a universal in/out mailbox that supports deferred E-mail and fax transmission (the Expert Pad has a LocalTalk-compatible serial port) and other goodies (e.g., a calculator, metric conversion tables, time-zone information, a virtual keyboard, and possibly games).

The Expert Pad recognizes words by comparing what you write to words in a dictionary. Handwriting-recognition performance is snappy. However, the downside to the Newton's handwriting recognizer is that if you write a word that it cannot match to the dictionary, its best guess at what you were writing may prove to be wildly inaccurate. You have to train it on the spot by correcting the software using the on-screen keyboard. Luckily, the Newton's system software tracks these corrections transparently, without requiring any input on your part. Sharp officials claim that the Expert Pad's handwriting recognition accuracy improves with continued use.

Sharp says the final version of the Newton will let you set up a guest preferences profile. Thus, if someone else uses your Newton, it won't confuse

ZOOMER PROGRAMS MIX TEXT AND INK SEAMLESSLY

Palm Computing designed its applications to let you create documents that mix and match text and ink data types. The benefit: You don't always have to rely on the text recognizer to correctly interpret your handwriting.



When you add a new title page in the Note Book, the title automatically appears in the table of contents, whether you entered the title in text or in ink.





In many cases, the accuracy of the Zoomer's handwriting recognition engine will not matter: entries like this reminder and associated map won't be converted to text.

Palm Computing's Note Book lets you mix type and electronic-ink entries on the same page. The user tapped the Ink Input icon (the squiggly A at top left) to enter a handwritten note or drawing. You can also enter text by tapping on an on-screen keyboard. You can backspace your ink handwriting a stroke at a time.

HANDWRITING RECOGNITION AT A GLANCE

Newton	Zoomer
• Defaults to dictionary-based word comparison: its best guess can be wildly inaccurate	• Recognizes on a character-by-character basis: words can be partially correct
• It learns how you write	• You learn how it recognizes
• Has handwriting training module	• No training module
• Guest preference recommended for secondary user	• Anyone can pick it up and use it

Wake up and smell

*Suggested U.S. list price. PostScript is a trademark of Adobe Systems, Inc. which may be registered in certain jurisdictions. In Canada call 1-800-387-3867. © 1993 Hewlett-Packard Company PE12308

the future.





The new HP DeskJet 1200C.

$1,699.*

Welcome to the dawning of a new era in office printing. Hewlett-Packard presents the HP DeskJet 1200C. The world's first affordable, networkable, plain-paper, 300-dpi black and color printer.

The HP DeskJet 1200C printer has everything your users could want. HP's next generation of inkjet technology, for sharp 600 x 300-dpi black and stunning 300-dpi color on plain paper. LaserJet PCL 5 compatibility, so it runs any existing LaserJet printer file or font. And network upgradability, giving everyone equal access to high-quality color.

Besides offering compatibility and great print quality, the DeskJet 1200C is fast. Six pages per minute for black & white. And only one to two minutes per page for color graphics. It comes with 45 scalable fonts, same as the new HP LaserJet 4, and lets you easily add PostScript.™

The future of office printing is here. To see for yourself, call 1-800-552-8500, Ext. 7398 for the name of the HP dealer nearest you.†

DeskJet Printers
Make it happen.

HEWLETT PACKARD

that person's handwriting style with yours.

The Connectivity Issue

In their initial releases, neither the Zoomer nor the Newton will include a built-in modem. Instead, the companies are working with third-party vendors to develop external data/fax serial modems. America Online (Vienna, VA) will offer Zoomer users access to E-mail, a gateway to Internet, ASCII text fax and U.S. Mail gateways, access to wire services, and other services like stock quotes and travel brokers. Motorola (Boynton Beach, FL) says it will make its Embarc wireless data service compatible with the Zoomer PDA, so that Zoomer users can receive wireless E-mail and access electronic news summaries.

No third-party vendor has announced a general communications program for the Zoomer. Connecting it to desktop PCs will be done through the serial port or the infrared transceiver. Joe Ratner, product manager for personal information processors at Tandy, said the company is evaluating PCMCIA modems for compatibility with the Zoomer.

Newton PDAs will support infrared data exchange. Mac and Windows versions of the Newton Connection Kit will let you transfer, synchronize, back up, and update information via the Newton's serial port with a desktop computer.

Remember the Original PC

Based on my initial trials of both PDA machines, it appears that the Newton offers faster handwriting recognition than the Zoomer. I wasn't able to verify either company's battery-life claims. My emotions in testing both PDAs ran from awe to exasperation, especially when they did not correctly recognize my handwriting.

These are the first devices in a totally new category of computing. As with the first Mac and IBM PC, the first PDAs will not likely be as capable as their successors. But I think many people will find them useful. The situation can only get better, as handwriting recognition improves and applications, peripherals, and content are released to the market.

—Dave Andrews

CASIO XL7000	SHARP EXPERT PAD
• Custom, Intel-compatible chip	• ARM 610 20-MHz chip
• PCMCIA Type II slot	• PCMCIA Type II slot
• 9600-bps infrared transceiver	• 9600-bps infrared transceiver
• 16 ounces	• About 16 ounces

INTEROPERABILITY

A Unified Ink Standard

Digital ink, the most useful data type for mobile applications, is ironically one of the least portable data types for sharing information between machines, operating systems, and applications. Effectively sharing ink requires more than a common bit map; unfortunately, a shareable ink data format that captures stroke order and other key attributes of ink hasn't emerged.

Six heavyweights in the mobile- and pen-computing arena—Slate, Apple, General Magic, Go Corp., Lotus, and Microsoft—are currently developing what they hope will be a long-term solution to the problem of shareable ink. Jot 1.0, the result of collaboration between these six players and a few others, is a specification for a standard, comprehensive ink format that each company has pledged to support.

Jot is a platform-independent format definition for captured ink. It includes properties like timing, pressure, stylus angle, and bounding coordinates, plus more esoteric attributes like color and type of nib. Software using Jot can choose only the properties it requires and ignore nonessential information. Jot is designed to be complete and extensible as other required qualities of ink are uncovered.

Captured ink stored in Jot format maintains all the attributes of "fresh" ink. As a result, it can be scaled, fed to recognizers that require information about how the ink was created, and processed by systems that don't include a stylus. Jot-format ink can be stored in shared databases, processed off-line, or incorporated into keyboard-oriented applications. Because storing the information required by Jot can consume a lot of space, Jot includes an optional provision for compression and stroke information reduction. Slate's Dan Bricklin said Jot would likely be an interchange format only, and most ink-based applications would continue to use smaller custom data formats internally.

Slate plans to incorporate Jot into PenApps; General Magic will include Jot in Telescript; Microsoft offered a long-term goal of rendering ink on every Windows desktop, and it will provide an OLE object with Windows for Pen Computing that will support Jot; and Go announced the integration of Jot into the next release of PenPoint, scheduled for late this year.

Lotus and Apple will also support Jot-format Ink, but Apple's Rick Spitz noted that Jot will not be built into the initial release of the Newton. Brian Dougherty, chairman and CEO of GeoWorks, said that his company is currently evaluating the Jot 1.0 specification and will likely support it in the next release of GEOS. "The only reason we wouldn't support it would be if we saw some performance problem with it," Dougherty said.

Jot offers a great deal of promise, not hindered by its solid support among ink-software vendors. But its timing may be the real key. Microsoft's Pradeep Singh praised the definition of the format "at the outset of the data type." Jot has its best chance for universal acceptance now, before the mobile/pen industry is well off the ground.

—Steve Apiki

PSION SPEAKS OUT ON PDAS

Because of their heavy reliance on pen-based input, the first prospective buyers of the Newton and Zoomer PDAs (Personal Digital Assistants) will look closely at these systems' ability to recognize individual handwriting. But Psion (Concord, MA), developer of the popular Psion Series III keyboard-based pocket computers, says the future of PDAs isn't the pen. Instead, it's voice.

Psion plans to announce later this month a new version of the Series III that for the first time will include a DSP (digital signal processor) that will let you record digital voice messages and attach them to application reminders and alarms. Although the new Psion will not support more advanced technologies like voice recognition (i.e., the ability to parse and act on a recorded voice message), Barry Balcourt, vice president of Psion, predicts that these capabilities will be available within two years from Psion. "The first step is voice recording," Balcourt said, noting that the new Psions will compress voice messages to just 8 KBps. "Then, we are going toward voice recognition. Two years from now, we'll be there."

—D. A.

Multi-Platform 32-bit Power: WATCOM C/C++[32]

- Extensive C and C++ Support
- The Widest Range of 32-bit Intel x86 Platforms
- The Industry's Leading Code Optimizer
- Multi-platform, Cross-development Toolset

Professional C and C++ Development Tools

C/C++[32] delivers the key technologies for professional developers: comprehensive C++ support including templates and exception handling; advanced superscalar optimization; and 32-bit multi-platform support. C/C++[32] includes both C and C++ compilers, so you can incrementally adopt the benefits of C++.

Unleash 32-bit Power!

C/C++[32] delivers 32-bit performance. The 32-bit flat memory model simplifies memory management and lets applications address beyond the 640K limit. Powerful 32-bit instruction processing delivers a significant speed advantage: typically a minimum 2x processing speedup.

A C++ compiler designed to deliver on the promise of object-oriented programming

The C++ compiler provides comprehensive support for the AT&T version 3.0 language including templates, plus exception handling. These features are key to realizing the benefits of object-oriented programming: code reusability, increased reliability and reduced maintenance.

Hot New Superscalar Code Optimizer

The hot, new C/C++[32] code generator advances the performance envelope. New superscalar optimization strategy uses "riscification" and instruction scheduling to deliver improved performance on 486 and Pentium processors. The compiler can create a single, high-performance executable which runs on 386, 486 and Pentium processors.

Industry Standard. Industry's Choice

WATCOM's working relationships with industry leaders such as Autodesk, GO, IBM, Intel, Lotus, Microsoft and Novell ensure that we continue to understand and meet the needs of the software industry and professional developers.

Multi-Platform, Cross Development Support

C/C++[32] supports a wide range of 32-bit Intel x86 host and target platforms allowing professional developers to leverage the multi-platform, cross-development capabilities of today's operating environments including OS/2 2.x and Windows NT.

- **32-bit DOS** host and target support; includes the DOS/4GW 32-bit DOS extender by Rational Systems with royalty-free run-time and virtual memory support up to 32Mb.
- **OS/2 2.x** host and target support; enables the development of OS/2 2.x applications and DLLs. 32-bit Windows 3.x applications can exploit WIN-OS/2 using WATCOM's Windows Supervisor technology.
- **Windows NT** host and target support; includes a Windows NT-hosted debugger for 16-bit Windows 3.x, Win32s and Windows NT debugging; also includes **Win32s** target support.
- **32-bit Windows 3.x** target support; includes WATCOM's 32-bit Windows Supervisor, and enables development and debugging of true 32-bit Windows 3.x applications and DLLs.

Also Available: WATCOM C[32] for DOS

C[32] for DOS is a professional, low cost 32-bit C compiler and tools package enabling development, debugging, performance profiling and royalty-free distribution of 32-bit applications for extended DOS. **Suggested retail price: $199*.**

WATCOM C/C++[32] has a suggested retail price of **$599***. For additional information or to order direct call 1-800-265-4555. Call our FAX Back system at 1-519-747-2693 from your fax machine for immediate product information.



WATCOM 1-800-265-4555

The Leader in 32-bit Development Tools

415 Phillip Street, Waterloo, Ontario, Canada, N2L 3X2 Telephone: (519) 886-3700, Fax: (519) 747-4971

*Price in US dollars. Does not include freight and taxes where applicable. Authorized dealers may sell for less.

WATCOM C and the Lightning Device are trademarks of WATCOM International Corp. DOS/4G and DOS/16M are trademarks of Rational Systems Inc. Other trademarks are the properties of their respective owners.
Copyright 1993 WATCOM International Corp.

Circle 158 on Inquiry Card.

GREAT AS PC & MAC SCREEN SAVERS
ALL UTILITIES INCLUDED

COREL PROFESSIONAL PHOTOS CD-ROM

Works with any ISO 9660 CD-ROM drive (XA support not needed)

Royalty Free

Kodak Photo CD Format

PC & Mac Compatible

Ideal for Desktop Publishing

Each collection features 100 razor-sharp Kodak Photo CD format photographs on a single disk. The stand alone Corel utilities included let you turn any of these stunning CD-ROM photo images – or your personal photos on CD – into Screen Savers, Wallpaper and slideshows (with optional background music tracks).

Save time and money on stock photography!

Corel Professional Photos are royalty free for all applications and ready for color separation. There are no additional fees. That makes them ideal for use in any visual communication such as ads, brochures, presentations and multimedia. And you can use CorelDRAW to retouch or add special effects to any Corel Professional Photo.

Already more than 50 titles:

The Arctic	Faces	Mountains
Africa	Fighter Jets	Patterns
Airshows	Firefighting	People
Arizona Deserts	Fishing	Porsches
Auto Racing	Flowers	Reefs
Birds	Food	Roads
Bridges	Glamor	Rowing
Castles	Golf	Sailboats
China & Tibet	Health	Spirit of Buddha
Churches	Insects	Sunrises & Sunsets
Cityscapes	Ireland	Swimming
Coasts	Jewelry	Trees
Computer Graphics	Lakes & Rivers	Waterfalls
Couples	Lamborghinis	Western Canada
Education	Law	Wild Animals
Environment	Lighthouses	Windsurfing
Executives	Lingerie	WWII Planes
	Medical	and many more...

The world's leading photo CD collections from the makers of CorelDRAW, the world's best selling graphics software!

CALL NOW! EXT. 100

1-800-772-6735

$ ATTENTION PROFESSIONAL PHOTOGRAPHERS! $

If you are a professional photographer interested in having Corel publish your photographs, please call the number below for more information.

CALL: (613) 728-8200 ext. 5080

Circle 76 on Inquiry Card.

Comprehensive Utilities Included:*

- Corel SCREEN SAVER
- Corel CD-AUDIO
- Corel MOSAIC VISUAL FILE MANAGER
- Corel PHOTO CD LAB PLUS OPTIONAL BACKGROUND MUSIC
- WALLPAPER FLIPPER
- PRINTED PHOTO REFERENCE GUIDE

PC Multimedia PC

Photo CD

Suggested List Price

$49.95 U.S. Funds

100 SUPERB IMAGES IN EACH COLLECTION!

*Not all utilities are available for Macintosh

KUR-0022

DATA ANALYSIS

Spreadsheet or Database? The Best of Both

Watch the demonstrations, and multidimensional data-analysis products like Lotus Improv and CA-Compete seem to have lifted their promotional style from the old Ginsu knife commercials—take your spreadsheet data and "slice, dice, rotate, twist, turn, and pivot it." At the very least, this software has the best verbs.

Although the ads for these data-analysis programs may smack of superficiality, the challenge of this type of software in business today is a daunting one: to help strategists glean the most meaning from the immense storehouses of data their organizations have collected. In doing so, these products have created a product category all their own—one that, under their spreadsheet and graphing front ends, more closely resembles databases than the traditional spreadsheets from which this category has evolved.



Corporate Vision boasts a high degree of linking among table, text, and chart data.

Rubik's Cube Viewing

Michael Kornspan of Computer Associates compares the concept of multidimensional data-analysis software to a Rubik's Cube. Think of a single side of the cube and its nine squares arranged in three rows and three columns. This is the typical spreadsheet. And while that spreadsheet may have 3-D capability, true data-analysis software lets you take any row or column of that cube face and rotate it in either direction, for a possible total (differing by product) of 12 or more alternate views.

Answers to questions about why sales were down in the third quarter, after all, will not be found in a row-and-column display of sales by region. You may also need to view additional dimensions (e.g., quarterly sales by product type, sales by sales representative, year-by-year third-quarter sales per region, forecasted versus actual sales, and even product allocation by region). With a data-analysis product, you can point and click your way to viewing—in tabular or graphical form—the necessary data and forecast the effects of your decisions.

The missing link in all this is the grunt work required to establish direct and timely feeds from your dBase, Oracle, DB2, Sybase, or other databases to the data model you have created. Each program differs in the file formats it will import and export. Beyond that, it's up to someone to categorize the data that will be coming in and, in doing so, determine and configure the relationships among data fields. The latter process gives you the chance to think about how a data model can best be structured to be of the most use.



CA-Compete, like Lotus Improv, offers English-language-like formulas.

The English-language item names that are used in programs like Improv are beneficial in that they are not tied to cell references like A7. Instead, they're tied to understandable concepts (e.g., Total Cost) that make for easier reference and

SPREADSHEET WARS TO HEAT UP IN FALL

With Lotus 1-2-3 for Windows release 4's improved database access, Scenario Manager, new @ functions, and other features, Lotus Development finally delivered a worthy competitor to Borland and Microsoft Windows spreadsheets. This fall, Lotus's chief competitors are expected to strike back with new feature-laden versions of their Windows spreadsheets.

Are all these new features necessary? "That's a tough question," said Nicholas Delonas, a consultant and coeditor of the Spreadsheet Consultant (Allston, MA) newsletter. "I have yet to find an accounting department that enthusiastically moved from DOS to Windows. Most people, all they want to do is add up numbers." However, Delonas said that on another level, the trend in MIS appears to be a standardization on Windows and a move toward suites of products that work well together and share a common macro language. Microsoft says Visual Basic, Applications edition will let its Windows and Mac applications control each other. Meanwhile, Lotus plans to include its LotusScript macro facility in upcoming releases of its Mac, Windows, DOS, and Unix applications. —D. A.

QUATTRO PRO 5.0 FOR WINDOWS (DUE THIS FALL)

- **Data Modeling Desktop adds Lotus Improv–like data viewing**
- **Consolidator lets you merge and combine data across multiple sheets**
- **Scenario Manager with versioning control lets you store scenarios for repeated comparisons**
- **More than 360 additional mathematical and other @functions**
- **Data queries to SQL databases like Sybase and Oracle**
- **Shared spreadsheet notebooks over LAN and E-mail connections**

EXCEL 5.0 FOR WINDOWS (DUE BY END OF 1993)

- **Lotus Improv–like pivoting views of data**
- **3-D worksheets**
- **Built-in version of Access database query interface for ODBC (Open Database Connectivity) applications**
- **Support for OLE 2.0**
- **Enhanced Scenario Manager**
- **Tighter integration with Word for Windows and Project through Visual Basic, Applications edition**

The notebook industry's first 4mm, full-travel keyboard with the look and feel of a desktop system.

Built-in Windows plus 50MHz 486DX2 processor (with coprocessor) for blazing performance.

TravelMate, WinDX2 and "Extending Your Reach With Innovation" are trademarks of Texas Instruments. Ballpoint and Quickport are trademarks of Microsoft Corp. Ethernet is a registered trademark of Xerox Corp. The Intel Inside logo is a trademark of Intel Corp. The Ready-to-Run logo is a trademark of Microsoft Corp. ©1993 TI.
*Based on industry standard application performance speed tests.

intel inside™

Microsoft® Windows™ Ready-to-Run

New brilliant Active Matrix display – 640 x 480 VGA with high-speed video system for lightning fast graphics.

New TI TravelMate 4000E WinDX2™/50 Active Matrix Color

ACTIVE COLOR. 486DX2 50MHz POWER. WINDOWS IN 15 SECONDS. HEY, WHAT ARE YOU WAITING FOR?

If you've been waiting for an active matrix color notebook with true desktop power, your wait is over. Thanks to the new TravelMate 4000E WinDX2/50 Active Matrix Color notebook from Texas Instruments.

With 256 brilliant, simultaneous colors and a 50MHz 486DX2 processor, this powerhouse doesn't just whisper color, it screams it.

And yet the TravelMate 4000E weighs a mere 6.2 pounds, including battery. This convenient size and weight gives you more performance* than the leading 486 notebooks.

New, desktop-like keyboard with separate function keys.

Thanks to the built-in Windows 3.1 and useful TI utilities, you can power up to Windows in just 15 seconds. And the TravelMate 4000E is Windows NT-compatible. With 4MB of main memory, expandable to 20MB, you're ready for today's and tomorrow's software.

Using the mouse on the TravelMate 4000E is a snap. The Microsoft BallPoint™ mouse with QuickPort™ connection snaps on and off and needs no cable, giving you more flexibility and better ergonomics than a built-in mouse. With the industry's first 4mm, full-travel keyboard, the TravelMate 4000E gives you the feel of a desktop.

If you work on the go, you'll also go for the rugged 200MB hard disk drive, the high-speed video bus and 1MB of video RAM, as well as the full range of connectivity options – snap-on modules for Ethernet® LANs, SCSI-compatible devices and an internal 14,400 bps V.32 bis modem with 9,600 bps send/receive fax capability.

50MHz DX2 processor with coprocessor provides desktop performance in a notebook.



Of the leading active matrix color notebook manufacturers, only TI offers the desktop performance of a 50MHz DX2 processor.

Active Color Notebook	*Weight (lbs.)*	*486 Processor*	*Speed*	*Coprocessor*
TravelMate 4000E	**6.2**	**DX2**	**50MHz**	**Yes**
Toshiba T4600C	6.9	SL	33MHz	Yes
Compaq LTE Lite 4/33c	6.5	SL	33MHz	Yes
IBM ThinkPad 720C	7.6	SLC2	50MHz	No

Texas Instruments offers over 10 models of 486 notebooks for you to choose from.

TI TravelMate 486DX2 Notebooks

For more information about the world's widest range of 486 notebooks, as well as the location of the dealer nearest you, don't wait another nanosecond. Call ***1-800-527-3500***.

EXTENDING YOUR REACH WITH INNOVATION™

TEXAS INSTRUMENTS

Circle 150 on Inquiry Card.

modification. In other words, you can refer to Total Cost from anywhere in the model or often from other models. The English-language naming convention for spreadsheet items also helps to make sense of a model's structure when you first view it.

Formulas, global and cell-specific, also become easier to write, use, and modify. For the above Total Cost in a sample CA-Compete model, the governing formula is "=Cost of Goods Sold+Selling, General, & Admin." This adds the two preceding cells in the column. In Improv, one formula might be "CurrentAssets.Total = groupsum(CurrentAssets)," which is also easily understood by anyone viewing the model.



The latest version of Lotus Improv for Windows includes five drivers for retrieving database data.

In many cases, you may need to customize views of data to present just the right type of information for an individual to make an informed decision. Higher-level staff, for example, might need only totals of various item groups; with Improv, you can collapse levels to summarize the report. Other personnel may need or should see only certain data.

The extensive graphing functions that are part and parcel of this hybrid software class also help in analysis and overall presentation. Graphing is typically easy and on-the-fly, and a few packages like CA-Compete let you embed the graph directly into the model. From there, it transforms as needed when you change from one view to another.

The newest product of the bunch, Corporate Vision from IntelligenceWare, goes a step further by making each data point itself an icon on which you can click for more detail. For example, you might want to get a monthly breakdown of a charted year's profits figure on a bar or pie chart. It applies the same concept to hypertext links you can make to textual data in a bulleted list. Click on the phrase "printer sales" in a bulleted chart, and the program can pop up a bar chart of sales by region.

Deceptive Learning Curve

Because multidimensional data-analysis software looks like a spreadsheet—in fact, CA-Compete includes most of CA-SuperCalc's code to give that program a dual nature—it can initially look easy to maneuver data views and arrive at what you need to make a solid decision. In fact, these products can pose a formidable and deceptive learning curve. It's not for lack of effort on the part of vendors, though. The problem is a result of the very concept of multidimensional analysis and the fact that spreadsheet users, before trying one of these products, have typically not had to think this way.

Strategic decisions, however, can still be made far more quickly using products like Improv or Corporate Vision than they have been in the past. To solve the problem of why expenses are up, for instance, a manager may have previously had the MIS department write a 4GL (fourth-generation language), SQL, or other type of query to produce a report that subsequently requires a rephrasing of the question or further information to get anything useful in solving the problem. This spiraling toward answers could take weeks. With data-analysis software properly set up and maintained, it takes only seconds.

—Ed Perratore

A SAMPLING OF DATA-ANALYSIS SOLUTIONS

Because multidimensional data-analysis software inherently defies classification—a challenge for its marketers, to say the least—products that fall loosely into the category vary widely in their capabilities, pricing, and target markets.

CA-Compete 5.0 (Computer Associates, Islandia, NY), $495: Expected to ship in the third quarter, this complete revamp of the Windows-based product that CA bought from ManageWare matches Lotus Improv on several fronts. Improvements include speed enhancements, an unlimited number of named views stored with each model, and the integration of CA-Ble, CA-Realizer's extended BASIC macro language, which lets users make C or DLL calls.

Corporate Vision 1.0 (IntelligenceWare, Los Angeles, CA), $690: Expected to be announced in late August, this product accesses data from Paradox, dBase, Oracle, Sybase, DB2, and SQL Server to combine spreadsheets with EISes (executive information systems) for a Windows-based system with linking among table, text, and chart data.

Diver for Windows, Diver for Macintosh 2.0 (Dimensional Insight, Burlington, MA), $750 per station: GUIs to the company's client/server CrossTarget product, both versions of Diver permit dive-downs (with multiple data models) into cross-tabular data sets as large as 32,000 rows by 32,000 columns. CrossTarget compresses, indexes, and stores data from dissimilar sources (via comma-delimited format) into a proprietary structure that serves for easy access and reporting of otherwise raw data.

ESSBase 2.2 (Arbor Software, Santa Clara, CA), $27,000 for a server plus a five-user license: This client/server package extends the capabilities of Lotus 1-2-3 and Excel to allow analysis of a claimed unlimited number of dimensions. Designed initially for Windows clients connected to OS/2 servers over major network operating systems, it includes an API for third-party customers using Visual Basic, C, and C++ to build custom applications (e.g., an EIS).

Improv for Windows 2.1 (Lotus Development, Cambridge, MA), $495: The latest version of this popular product includes network installation, .WK4 file support, integration with Lotus Notes, and a scaled-down version of Q+E Software's Q+E Extend for Improv 1.0. Five Q+E drivers let you build models using data from dBase and compatible formats, Btrieve, Paradox, Excel .XLS, and text files.

Muse 1.1 (Occam Research, Watertown, MA), $695: This Mac-based search-and-analysis product includes five environments—spreadsheet, database, scriptwriting, dictionary, and charting windows—for analyzing multidimensional data. The scriptwriting window accepts English-language queries; the dictionary interprets them. (A Windows version is expected this fall.)

SpreadBase 1.1 (Objective Software, Redwood City, CA), $695: Mac-based but with a Windows version in the works, this client/server product uses English-language cell references and offers three main view types: table (resembling a relational database table), graph, and matrix—a table in which each cell represents a database record. You can expand or collapse models.

TM/1 Perspectives 1.0 (Sinper, Warren, NJ), $495 for Professional Version, $795 for Corporate Version: Derived from TM/1, a data-analysis product dating back to the mid-1980s, this Windows-based tool is a client/server add-on to Excel or Lotus 1-2-3 (both ship together) that lets you analyze 2-D slices of data derived from comma-delimited files or data entered directly into the program. Not intending to compete against Lotus Improv, Sinper calls it a "database for spreadsheet users" rather than a modeling product. —E. P.

This program contains scenes of a graphic nature.

Introducing Graphics Interface Kit/2



But don't worry. It's all in good clean fun. Because now there's a fast, cost-effective way to create graphic, easy-to-use interfaces for OS/2® 2.0 applications and tools. Introducing Graphics Interface Kit/2 (GIK/2), an AD/Cycle® product from IBM Programming Systems.

GIK/2 makes it easy to produce and manipulate symbolic representations of data without writing a single line of Presentation Manager® code. It automatically generates C code, where you can link the graphic symbols to the application data they represent. This not only speeds up your development cycle, it also helps you create applications that are intuitive and easy to use. Simplify transaction systems. Make databases easy to access. Bring organizational charts to life. Track inventory with simple icons. Any application can be made easier with the right graphic front-end. And GIK/2 can help you make it happen.

To order, contact authorized PC dealers, software distributors, or call the nearest IBM outlet directly. For more information, send a fax inquiry to 43-1-21145-4490. If you need graphic proof, ask for our evaluation demo which, by the way, is rated G.





IBM

®IBM, OS/2, AD/Cycle and Presentation Manager are registered trademarks of International Business Machines Corporation. ©1993 IBM Corp.

Circle 520 on Inquiry Card.

More *done.*

ICL

*Ergo**PRO**, the powerful PC package that saves energy.*

ICL´s new ErgoPRO XG PC package combines peak computer power, unique power management and extraordinary ergonomics for maximum cost-efficiency and user benefits.

PowerMASTER reduces your energy costs.
Preinstalled PowerMASTER software is the key to power management. It automatically shuts down the display when you´re not working. The results are energy savings, minimal electromagnetic emissions, increased security and longer service life.

Unique ergonomics for greater comfort.
The ErgoPRO PCs comply with the new EC directives. The flicker-free, high-resolution VE15C monitor with overscan and low electromagnetic emissions meets MPR90 and TCO recommendations.

More power for higher productivity.
The speed comes from Intel´s 486DX2/66 MHz processor and the enhanced graphics performance from the extremely fast power XVGA local bus.

With ErgoPRO XG PC you´ll get much more done with less effort.

ICL Personal Systems
Station House
Market Street
BRACKNELL
Berks
RG12 1BD
England
Telephone +44-344-486 868
Telefax +44-344-480 840

The ICL ErgoPRO XG package:
- ErgoPRO D4/66d XG system unit
- Intel 486DX2/66 MHz processor
- Pentium™ OverDrive upgrade socket
- 245 MB fixed disk, 4 MB RAM
- Built-in SCSI interface
- Extremely fast power XVGA local bus
- VE15C, 15" flicker-free, high resolution and PowerSAVE
- Keyboard and mouse
- Preinstalled PowerMASTER, MS-DOS 6.0, Windows 3.1.

*ICL Ergo**PRO** – High Tech with a Human Touch.*

Intel, Intel Inside, Intel 486 DX2, OverDrive and Pentium are trademarks of the Intel Corporation, Windows 3.1 and MS-DOS are trademarks of the Microsoft Corporation.

Circle 545 on Inquiry Card.

DESKTOP PUBLISHING

Windows No Mac at DTP

Although Windows desktop publishing applications outsold such Mac programs by $8.4 million in the first quarter, the high-end world of professional, four-color desktop publishing has traditionally been a stronghold of the Mac. But with the release of Adobe Systems' high-end Photoshop for Windows image-editing program bolstering Windows stalwarts like Adobe Illustrator, QuarkXPress, and Aldus PageMaker, the PC is now a viable platform for high-end desktop publishing. Programs like FrameMaker, Interleaf, and Island Write, Draw & Paint offer viable desktop publishing on the Unix platform. But Craig Yappert, product manager of new products and technologies at Frame Technology, says users of the Unix versions of FrameMaker occupy a different space of desktop publishing than users of PageMaker or QuarkXPress, by typically creating technical documents that are hundreds or thousands of pages long.

Three companies—Adobe, Dell Computer, and SuperMac Technology—have combined marketing resources and products to promote Windows-based PCs as an effective platform for high-end desktop publishing and prepress work. As part of this initiative, the companies have delivered two 486-based Power Publishing Alliance PCs that offer plug-and-play desktop publishing.

Officials of the Alliance member companies said that taking on Apple is not their main intention. Their target market consists of PC users who have been waiting to do color desktop publishing on the PC rather than on the Mac.

The Windows-based Power Publishing PCs come preconfigured with Adobe Illustrator, Photoshop, and either PageMaker or QuarkXPress.

Several desktop publishing experts agreed that these Power Publishing systems and their applications could satisfy the pent-up demand for color prepress on the PC. "Windows users who are in it [desktop publishing] haven't been in color desktop publishing," said Pauline Ores, director of editorial services at New World Information Trading in New York City. "It's a new market."

Nevertheless, the Power Publishing systems will inevitably be compared to what's available on the Mac, and in the opinion of several prepress experts, Windows as a high-end desktop publishing platform is not nearly as mature as the Mac. "The [Windows] PC world, in terms of desktop publishing, has a way to go," said Ira Fuchs, president of Digital Pre-Press, a New York–based company that runs three daily 8-hour shifts servicing magazines by generating four-color prepress output on both Windows and the Mac.

According to Fuchs, one problem his company often encounters in Windows—and not on the Mac—is an inconsistent implementation of PostScript drivers among Windows applications. He said that this is a major reason that whenever his company gets a request for a job under Windows, "We approach it with trepidation."

Victor Beitner, owner of Victor Beitner Systems, a service bureau in Toronto, said that corporations are now doing high-end publishing on PCs but agreed that the PostScript issue is slowing acceptance. "Once it's as easy to print from Windows as from the Mac, you'll see service bureaus accept Windows desktop publishing more readily," he said.

—Anne Fischer Lent

OUT-OF-THE-BOX WINDOWS DTP SYSTEMS

The Power Publishing Alliance has spawned two out-of the-box solutions for graphic designers and color prepress professionals. The systems come loaded with software that has set the standards in the industry and are priced at $6695 for the Power Publishing Workstation and $8995 for the Superstation.

Both systems are based around a Dell 486DX2 EISA desktop computer with a SuperMac SuperMatch 17-inch color monitor and Spectrum/24 EISA video card. Preloaded software includes Illustrator 4.0, Photoshop 2.5, 200 typefaces from the Adobe Type Library, Adobe Streamline, Adobe Type Manager, Adobe TypeAlign, and either PageMaker or QuarkXPress.



SuperMac designed the SuperMatch monitor for color publishing on either the Mac or PC. It features tight corner focus and digital controls. The video card supports 1152- by 910-pixel resolution. The system targeted for graphic designers, the Power Publishing Workstation 433/ME, runs at 33 MHz with 16 MB of RAM and a 230-MB hard drive. The prepress system, the Power Publishing Superstation 466/ME, runs at 66 MHz with 32 MB of RAM and a 535-MB hard drive. The Superstation also includes calibration software and a color calibrator.



I took a look at the Superstation 466/ME, which had both QuarkXPress and PageMaker loaded. I was amazed that those two behemoths could coexist without any speed degradation. If the Superstation I tested is any indication of the quality of the Power Publishing systems, you get a host of desktop publishing power for a relatively low cost. The peripherals I'd add right off the bat include a CD-ROM drive and a network card, both of which are optional add-ons.

—A. F. L

If managing your server eats up all

Introducing the new HP NetServer LM and LE.

More than just two new servers, we're introducing a profound improvement in the way you monitor and manage them.

Continuous Assistance.
We've put server management right where it belongs. At your fingertips. The HP NetServer Assistant software lets you easily monitor and manage your network servers from a single console – either locally or remotely. So your server stays up and running. Not you.

What's more, you can quickly diagnose and solve problems with its intuitive interface and troubleshooting tools. And the HP Support Assistant, a CD-ROM-based library, is included to provide lots of valuable technical information.

Maximum Uptime.
These new HP NetServers lead the pack in reliability. RAID-based disk arrays on the LM provide advanced fault tolerance. And, thanks to our hot-swap capabilities, you can now replace an internal drive without bringing the server – or your network – down. The array will also automatically rebuild data on a failed drive. And for maximum protection, the LM even supports Error Correcting Code memory. In fact, the more critical your data, the more critical these servers become.

Investment Protection.
With technology changing faster than the weather, you'll be happy to know that HP's NetServers are designed to keep pace. And keep your investment protected. Both the LE and LM fit smoothly into multivendor environments. The LE is the ideal entry-level server. Upgradable to the future Intel OverDrive Pentium™ technology-based processor, it provides affordability, exceptional serviceability and future scalability.

Built to meet the full demands of the Pentium processor, the LM will also support dual symmetric multiprocessing. Its Power Cabinet allows room for expansion with nine front-accessible mass storage shelves, eight expansion slots and maximum memory capacity of 384 MB.

HP Service and Network Expertise.
All this is backed by HP's complete range of support services. And by HP's 20+ years of network



HP NetServer Assistant

HP NetServer LM

your time, you need an assistant.

systems experience. You can choose support from HP directly, or from your local authorized HP dealer. HP NetServers come standard with a three-year, on-site limited warranty. And a host of 24-hour at-your-service support programs, such as our fax information retrieval service, automated phone support and electronic bulletin board service, ensure easy manageability around the clock.

If all this sounds good, call 1-800-964-1566.
We'll be happy to provide you with fast assistance. And, chances are, without the HP NetServer LM or LE, that's exactly what you need.

intel inside

yes NetWare Tested and Approved

HP NetServer LE

HP NetServer LM

$4,849*

- 60-MHz Intel Pentium™ processor, 33-MHz Intel 486 DX and 66-MHz Intel 486 DX2 processors
- Support for dual Pentium symmetric multiprocessing
- High fault tolerance with internal RAID disk array option (RAID 0, 1, 5, 6)
- 16-MB standard RAM, 384-MB maximum memory, ECC memory support
- 128-KB and 256-KB external cache
- 9 mass storage shelves, 3.5″ floppy disk drive standard, maximum 8-GB internal storage
- 8 EISA-2 with Enhanced Master Burst bus-master I/O slots
- Integrated Fast SCSI-2, IDE and video controllers
- HP NetServer Assistant software included
- 3-year on-site, next-business-day limited warranty
- Tested and certified on major network operating systems

HP NetServer LE

$2,649**

- 33-MHz Intel 486 SX, 33-MHz Intel 486 DX and 66-MHz Intel 486 DX2 processors
- Upgradable to Intel OverDrive Pentium technology-based processor when available
- 4-MB and 8-MB standard RAM, 128-MB maximum memory
- 256-KB external cache
- 4 mass storage shelves, 3.5″ floppy disk drive standard, maximum 3-GB internal storage
- 5 EISA bus-master I/O slots
- Integrated Fast SCSI-2, IDE and video controllers
- HP NetServer Assistant software available as an option
- 3-year on-site, next-business-day limited warranty
- Tested and certified on major network operating systems

HP NetServer Assistant

Easy-to-use centralized management based on HP OpenView's leading network management environment allowing multiple servers in multiple sites to be managed from a single graphical map.

Problem identification and resolution tools including diagnostics, configuration information (whether the network operating system is up or down), disk capacity planning and technical information via a CD-ROM-based library.

Remote management capabilities allow administrators to use the same tools whether at their local console or a remote PC.

Open architecture facilitates adding specialized third-party or HP management utilities.

*U.S. list price for HP NetServer LM Model 530, including 486/33DX processor, 16-MB RAM and 535-MB SCSI hard drive.**U.S. list price for HP NetServer LE Model 240, including 486/33SX processor, 4-MB RAM and 240-MB IDE hard drive. Prices subject to change without notice. Pentium and the Intel Inside logo are U.S. trademarks of Intel Corporation. ©1993 Hewlett-Packard Company PPG686

HEWLETT PACKARD

LOW-COST LASER PRINTING

OL400e Offers Laser Output at Unlaserlike Price

AFFORDABLE PERSONAL LASER PRINTERS

COMPANY	PRINTER	PRICE
Hewlett-Packard	LaserJet 4L	$849
Texas Instruments	microWriter	$729
Okidata	OL400e	$699

Listed printers differ in terms of features, drivers, and rated print speed. Suggested retail prices are listed; actual selling prices are almost always lower. For more information, see BYTE's Buyer's Guide to Printers (Summer 1993).

Okidata's OL400e printer, expected to have a street price of $499, may remove the last obstacle for true laser quality to permeate the budget-mindful small business. Okidata is marketing the 300-dot-per-inch OL400e, an upgrade to the OL400, at potential Hewlett-Packard LaserJet 4L users who would trade in a few features for a rock-bottom price.

The big sacrifice is scalable fonts: The OL400e's HP IIp+ emulation permits bit-mapped fonts only. Forty-four fonts (four typefaces) come standard, plus two USPS PostNet bar code faces. Okidata built in a PCMCIA Type II slot that accepts four cards for tax-preparation forms, bar codes, typewriter-style fonts, and symbols.

The Okidata OL400e

Despite its low price, buying the 17-pound OL400e is not a total exercise in feature denial. It lets you add 4 MB onto the standard 512 KB of RAM. A Mips 3000 RISC processor and a high-speed, parallel interface help keep things moving for the 4-page-per-minute engine. Okidata's 6000-copies-per-month duty cycle rating indicates the printer is best for light to moderate traffic. Okidata uses a solid-state LED print head in the OL400e. The printer comes with serial and parallel interfaces, and the printer can autosense between the two.

Unlike the LaserJet 4L, which forgoes the usual front-panel control in favor of a set of software utilities, Okidata's OL400e comes with a 16-character LCD control panel. The printer includes drivers for Windows 3.0 and 3.1, Microsoft Works, Microsoft Word 5, WordPerfect 5.0 and 5.1, and other programs.

The small-footprint (6.3 by 12.6 by 14.2 inches) model meets the U.S. Environmental Protection Agency's Energy Star guidelines for peripherals, using only 15 W during sleep mode. For savings beyond that during inactivity, you can go a step further than the LaserJet 4L's 5-W sleep mode: the power switch. The LaserJet 4L doesn't include one of those.

HP declined to comment on whether Okidata's printer will result in a laser printer price war. But TI peripheral spokesman Jerry Rycaj said his company intends to remain competitive. "If a price move is called for," he said, "we certainly won't shy away from a price move."

—Ed Perratore

Okidata, (609) 235-2600; fax (609) 778-4184.

SIMULATION

Industry Uses Virtual Reality

LONDON—Twelve firms have formed an initiative with one of Europe's leading virtual-reality research centers to apply computer-based simulation and advanced visualization in complex industrial design and 3-D modeling projects. Under the VRS (Virtual Reality and Simulation) initiative, major industrial firms such as Rolls-Royce, Nirex, Vickers Shipbuilding and Engineering, ICI Chemicals and Polymers, and British Nuclear Fuels will pool their engineering talents with the Salford-based Advanced Robotics Research (ARR) center at several levels.



Projects involving virtual reality include creating a model of a mine and a 3-D walk-through in nuclear and diesel submarines.

Movies like *The Lawnmower Man* have glamorized the more advanced aspects of virtual reality, where subjects don special helmets and gloves to enter exotic and futuristic worlds. However, the companies participating in the VRS initiative will use virtual reality in nuts-and-bolts projects ranging from environmental impact studies to 3-D walk-through models of nuclear and diesel submarines. The first three projects should achieve tangible results within the next 18 months, says Bob Stone, who is ARR's technical manager.

The three projects are a 300-acre mine model for Nirex, an engine simulation for Rolls-Royce, and a submarine compartment program for Vickers. ARR is providing consultancy to help Nirex benchmark and convert data about the mine, based at Sellafield, into virtual-reality models. ARR will use Nirex AutoCAD files to create a surface model of the mine and then develop further models for sections underground. The hardware for the Nirex project has yet to be chosen, although the two likely candidates are Silicon Graphics platforms and the high-end 3-D graphics Freedom workstation sold by Sun Microsystems and Evans & Sutherland.

ARR will also be helping Rolls-Royce develop a model of its Trent 800 aero engine's fan casing and other features. The ARR contract with Vickers will eventually result in models to test new submarine designs.

—Dom Pancucci

Not just a new Sound Blaster. A new 16-bit audio standard.

Introducing the Sound Blaster™ 16 Digital Audio Platform. A new concept in sound cards. And a new standard for 16-bit PC audio.

The new 16-bit PC audio standard: Includes programmable mixer, microphone, VoiceAssist speech recognition software, plus more than $1000 in software applications.

YOU WON'T BELIEVE YOUR EARS.

PC audio never sounded so good—genuine CD-quality audio with fully 12% more dynamic response and 15% better signal-to-noise ratio than any competing 16-bit sound board. Plus software data compression that delivers 16-bit fidelity while maximizing disk storage capacity.

Hands-free voice control.

But there's more. Included in the Sound Blaster 16 package is the biggest advancement in PC control since the invention of the mouse: our exclusive VoiceAssist™ software. It's a sophisticated speech recognition interface that uses a 32,000-command library to control Windows applications *hands-free!*

THE ONLY SOUND CARD THAT GROWS WITH YOU.

Unlike other 16-bit cards, Sound Blaster 16 comes with built-in interfaces for CD-ROM, MPU-401 MIDI and joystick control. And the unique modular, scalable architecture lets you add more advanced features and technologies *as you need them.*

FEATURES

State-of-the-Art PC Sound *with 16-bit Codec digital audio chip.*

16-bit Data Compression *saves disk space without loss of signal quality.*

Upgradable, Modular Platform *makes it easy to add new technologies like Advanced Signal Processing and Wave Blaster.*

100% Compatibility *with all Sound Blaster applications, plus cross platform support for Windows 3.1, DOS or OS/2.*

Like our Advanced Signal Processing chip that delivers 4:1 real-time hardware data compression while reducing CPU time up to 65%. Or professional-quality sampled wave synthesis with our plug-in Wave Blaster™ daughter board.

Upgrade to Advanced Signal Processing with one chip.



Upgrading is as simple as plugging in a daughter board.

And—unlike other cards—the Sound Blaster 16 is 100% *compatible with every game and application ever written for the Sound Blaster*...which is to say virtually every game and application available for sound.

NOBODY PACKS IN MORE VALUE THAN THE INDUSTRY LEADER.

And as if that weren't enough, we've completed the package with more than $1000 worth of leading software—not too shabby considering the entire package retails for just $249.*

So let's face it. When it comes to audio quality, features, and bottom-line value, we've got it all right here. With the Sound Blaster 16—the new 16-bit PC audio standard.

For more information about Creative Labs products and the name of your nearest Sound Blaster Dealer, call 1-800-998-5227.

Sound BLASTER™ CREATIVE™ CREATIVE LABS, INC.

*Base SRP.

© Copyright 1993 Creative Technology Ltd. Sound Blaster, VoiceAssist, Wave Blaster and the Sound Blaster and Creative Labs logos are trademarks of Creative Technology Ltd. All other trademarks are owned by their respective companies. Creative Labs 1-408-428-6600.

MICROSOFT® WINDOWS™ COMPATIBLE

International inquiries: Creative Technology Ltd., Singapore. TEL 65-773-0233 FAX 65-773-0353.

Circle 167 on Inquiry Card.

ON-LINE GRAPHICS

Fractal Compression Goes On-Line



Imagen hopes that one day, instead of looking for a good buy on a house or automobile in your local newspaper, you will be able to access classified ads on nationwide BBSes that use the company's fractal-compression product.

Perhaps the biggest obstacle to the electronic information highway is the problem of sending graphics images across telephone lines. Millions of people are already sending and receiving text-based E-mail and messages downloaded from on-line services. But graphics are another story. Because graphics images are often several megabytes in size, they take a long time to transmit across telephone lines, and they require a lot of disk space once they get there.

A small start-up company called Imagen (604) 266-2240), based in Vancouver, has an answer for DOS and Windows users. Imagen's Fracterm, which is based on fractal-compression technology developed by Iterated Systems (Norcross, GA), compresses images that will later be transmitted from BBSes. Using Fracterm (starts at $350), BBSes can offer electronic information delivery consisting of full-color images along with text to their subscribers.

Fractal-compression algorithms are based on a mathematical description of the image and are resolution-independent: A compressed fractal image requires the same number of bytes whether it is displayed on a 640- by 480-pixel VGA screen or on a 1024- by 768-pixel high-resolution monitor. According to Imagen's CEO, Dwight Jones, the resolution independence of fractal compression offers a major advantage over the JPEG compression scheme, which is dependent on the resolution, thus requiring larger files for higher-resolution images. (For more information, see "Compressing with Fractals," BYTE's *Essential Guide to Windows*, Spring.)

Fracterm is offered as a host system for BBS operators with an unlimited license to distribute the user software to its subscribers. Any image compressed at the BBS end can be downloaded by users with this software. To the user, it appears that the image is being transmitted in real time, but in fact, the compressed image is first transmitted and then decompressed by the user software. In testing Imagen's system, full-color images I downloaded took less than a minute to decompress.

Fracterm seems to be an elegant solution for image compression, but it is not likely to become widely adopted by major on-line services such as CompuServe. Jones admits that on-line services have given his product a lukewarm reception because they're more committed to JPEG. CompuServe even has its own compression system called GIF. Debra Young, CompuServe PR representative, says, "We look into all kinds [of technologies], but right now we're focused on JPEG and GIF."

Jones says that Fracterm will support JPEG in a release called Fracterm Pro, to be released later this year. Some other drawbacks of Fracterm are that it doesn't support the Mac and works with a limited number of video adapters. But if you're running a BBS and want to provide graphics images, Fracterm is worth looking into.

—Nicholas Baran

ELECTRONIC PUBLISHING

Electronic Newspaper Offers Color Pictures

It's a vision as old as the PC itself: electronic delivery of newspapers and magazines directly into your computer. On-line services and CD-ROMs let you retrieve the text of articles that appear in dozens of sources—but all you get is text. Photos, charts, and other graphics never make it off the printed page.

A new service from start-up WalkSoft (Rochester, NY) takes electronic publishing a step further, delivering once a week via modem or disk a formatted "newspaper" that includes color pictures and animations. WalkSoft's News In Motion costs $250 for 52 issues—including telephone charges to download the data files, if you use a 9600-bps or faster modem.

Each week, News In Motion includes roughly four animations, 10 photos, and 50 to 60 articles culled from such diverse sources as the *Economist*, the *Financial Times*, and the *International Herald Tribune*; translated material from *Le Monde*, *Der Spiegel*, *Asahi Shimbun*, and others; news photos from Agence France-Press and Reuters; and op/ed pieces and the crossword puzzle from the *New York Times*.

When you subscribe to News In Motion, WalkSoft provides software that includes everything you need to download, read, and search articles. It includes the Newsstand user interface, communications software, a run-time version of Apple's QuickTime for Windows, and PKUnzip and JPEG utilities for decompressing text and images. One remarkable aspect of News In Motion is that to download the newspaper, which takes less than 10 minutes, you dial a toll-free 800 number. Each issue is 700 KB compressed or 1.4 MB uncompressed, which means it fits on a single disk.

The key technology breakthrough in News In Motion is that the layout templates are predefined and reside at the user's PC, rather than being transmitted with each issue. Thus, only the text and photos need to be sent, and the layout occurs on-the-fly using codes embedded in the text.

—Andy Reinhardt

"Raima Database Server's performance is roughly equivalent to hitting the afterburner." – *John Michelsen, Millennium Software*

John Michelsen knew what he wanted in a database. After doing his homework, John chose Raima Database Server as the client-server DBMS for his exciting new Dominion™ Accounting Series.

Raima Database Server is the client-server database of choice for applications with demanding performance requirements. It has everything you look for in a client-server DBMS: ANSI-standard SQL, support for Microsoft ODBC and SAG client APIs, declarative referential integrity, and extension modules that allow you to execute user functions on the server via Raima's embedded remote procedure call mechanism.

And ultimately, performance. Raima Database Server delivers consistently high throughput and fast response times. We support all the major server platforms, including NetWare 386, OS/2, UNIX, and Windows NT. And Raima Database Server gives you all this with prices that blast the competition—for example, our unlimited user NLM is $8995.

Hit the afterburner with *your* client-server application. See what our customers in design automation, workflow computing, document and image management, geographic information systems, process control, and vertical-market solutions already know. For a commercial product or an in-house project, Raima Database Server is the answer.

Call today for a free white paper on Raima Database Server

In the U.S. or Canada, call:
1-800-DB-RAIMA
In Washington state or international, call 206-557-0200 Fax: 206-557-5200

RAIMA™

Seattle • Los Angeles • Chicago • New York • Australia • Belgium • Brazil • Costa Rica • Estonia • Finland • France • Germany • Italy
Japan • Mexico • The Netherlands • Norway • Russia • Sweden • Switzerland • Taiwan • Turkey • United Kingdom

© 1993 Raima Corporation. Raima Database Server is a trademark and Raima is a registered trademark of Raima Corporation. Other computer and software names are trademarks or registered trademarks of their respective holders. Raima Corporation, 1605 NW Sammamish Rd. Suite 200, Issaquah, WA 98027 USA. Millennium Software, Inc., 4223 Centergate, San Antonio, TX 78217

Even a *free* memory manager may not be a bargain—especially if it can't give you all the memory you need.

Introducing QEMM 7
The Memory Manager Worth Paying For

The newest version of the Quarterdeck Expanded Memory Manager (QEMM), version 7, once again is extremely innovative in using the critical area between 640K and 1024K. It finds space for more TSRs and drivers in this area than anyone thought possible. It optimizes this area, taking into account the many drivers that need more memory at start-up than when running; instantly calculating millions of possible memory configurations to find still more memory for your programs to use. And it treats the rest of memory as a giant pool to instantly fulfill the needs of all of your programs—whether they use extended or expanded memory. Whether your PC has 1 megabyte or 16, you can benefit from new QEMM 7.

Instant Riches

What does more memory mean in a practical sense? It means that your DOS and MS Windows programs run faster, smoother and more reliably. It means you can continue to add valuable utilities, drivers, TSRs and new capabilities to your PC. Whether it's workhorse drivers like LAN utilities and fax drivers; productivity-enhancers like disk caches and disk compressors; or fun and exciting capabilities like sound boards, CD ROM drivers, graphics tablets, etc. The better your memory is managed, the more versatility and flexibility your PC has. QEMM 7 lets you have it all without fear of 'out of memory' messages or crashes.

How to Look a Gift Horse in the Mouth



We tested DOS 6 with and without MemMaker and with QEMM 6 and our new QEMM 7 runs away from all of them. See details of test conditions listed below.

DOS 6 Giveth; DOS 6 Taketh Away

The best feature of new DOS 6 is the stable of utilities it includes. Trouble is, they all eat up memory. DoubleSpace file compression needs 43K, Vsafe anti-virus needs 7-45K, Smartdrv disk cache needs 28K and even Undelete takes 10-14K as a resident program. Using Microsoft's free memory utility, MemMaker, you could easily end up with a net loss of available 'conventional' memory in DOS 6.

New QEMM 7 takes the best of the new DOS 6 features into account, finding ways to give you more free memory for your program while taking full advantage of DOS 6. One new QEMM 7 feature, DOS-Up, moves the DOS 6 kernel, its data and resources to memory above 640K (this feature also works with DOS 3-5), freeing 7-70K. Another new QEMM 7 feature, Stealth DoubleSpace, frees 40K of the memory addresses used by DoubleSpace and makes them available for other drivers and TSRs. Both features ensure that the all-important memory below 640K is free for your programs. And QEMM 7's seemingly small feature of supporting multiple configurations gives you the flexibility and ease of setup that you expect. (MemMaker doesn't work well with this important DOS 6 feature.) That's why it makes more sense than ever to put your money on the best memory manager.

Prior versions of QEMM won just about every competition in sight, as well as remaining the #1 best-selling memory manager 5 years straight.

Page Frame: the Key to Your Future

There's been a lot of talk about our patent-pending Stealth technology. Jealous talk, mostly. Because nobody else can touch its performance. Our Stealth ROM feature, pioneered in QEMM 6, frees 48-115K of ROM addresses for use by TSRs and drivers. Our Stealth DoubleSpace feature, described above, frees another 40K. And as you might imagine, there's more to come.

The key to Stealth is its use of a 64K reserved area above 640K called the page frame. Besides being used by Stealth, the page frame is used by Lotus 1-2-3 r2.x for larger spreadsheets and WordPerfect 5.x for larger documents, DESQview for multitasking, Novell Netware, IBM LAN Server and DECnet for reducing the network driver memory footprint, plus games like Wing Commander, Car and Driver, Ultima Underworld II, Wolfenstein and others for fast action. You sacrifice all this when you turn off the page frame (which other memory managers do to maximize available memory above 640K). It's this use of the page frame by Stealth that lets you set up your PC with a mouse, CD ROM, sound board, a network such as Novell NetWare, reserve 8-24K of extra memory for optimal MS Windows performance, use all of DOS 6's memory-hungry utilities and still have more than 630K available for your programs. (Compared to DOS 6's 527K available in the same configuration, after using MemMaker).

There's lots more to QEMM 7:

- Tuned for MS Windows
- New ability to use Vidram inside MS Windows
- DPMI Host
- Pentium Support
- Laptop suspend/resume support
- PS/2 micro channel adapters
- Compaq support
- Fine tuning tools for power users
- 32-bit architecture for speed
- Enhanced compatibility in response to hardware needs of our millions of users:
  - Detects adapter RAM and ROM and bus-mastering hard drive controllers
  - Monitors DMA access into memory
  - Supports Shadow RAM

Easier to use for Novices, More Power for Experts; More Memory for All

Our seventh-generation thoroughbred QEMM has improved ease-of-use, with Express Install and Help features. And for power users, Advanced Install and editable parameters and troubleshooting hints.

And QEMM 7 comes with Manifest, the award-winning memory analyzer—enhanced for more flexibility with Pentium testing, laptop battery reporting, network analysis and editable configuration files.

The new and ever more exciting capabilities coming to your PC will all compete for memory with your favorite applications, TSRs and drivers. And that makes QEMM 7 the front runner in your efforts to get get the best performance out of your PC today—and tomorrow.

Quarterdeck

Quarterdeck Office Systems, 150 Pico Boulevard, Santa Monica, CA 90405 (310) 392-9851 Fax (310) 314-4219
Quarterdeck International Ltd., B.I.M. House, Crofton Terrace, Dun Laoghaire Co. Dublin, Ireland Tel. (353) (1) 284-1444 Fax: (353) (1) 284-4380

QEMM Users: upgrades are available from dealers.

You can also buy direct from Quarterdeck. Call (800) 354-3222 ext. 1D7 and ask about our special Game Pack offer with your upgrade!

How we got the chart numbers CPU—486/33 ALR Power/business VEISA machine equipped with 16 megs of RAM and running MS-DOS 6. Comparisons were done using the following memory managers: QEMM 7, QEMM 6.02, MS-DOS 6 MemMaker. In addition to the driver (or drivers) required by each memory manager, the following drivers, DOS resources and programs were loaded for all comparisons: in the CONFIG.SYS file: SETVER.EXE, DOS=HIGH, FILES=20, BUFFERS=10, STACKS=0,0, MVSOUND.SYS, SNDBK12.SYS, SLCD.SYS, DOS SHELL=statement, in the AUTOEXEC.BAT file: VSAFE, MSCDEX, UNDELETE, LSL.COM, NE2000.COM, IPXODI.COM, NETX OR EMSNETX, MOUSE.COM, SMARTDRV.COM, PRTSCCAP.COM.

©1993 Quarterdeck Office Systems. Trademarks are property of their respective owners.

Circle 136 on Inquiry Card.

CONTACT MANAGEMENT

Scanners Turn Business Cards into Database Records

If your desk is piled with stacks of business cards and you dread the prospect of laboriously entering all those names into a database, technology has come to the rescue. A pair of new products will let you scan business cards, convert their images to text, and pump the names, titles, addresses, and phone numbers into appropriate database fields.



Microtek's $399 Scan-in-Dex weighs less than 2 pounds.

The first of these nifty gadgets is the Scan-in-Dex from Microtek (Hsinchu, Taiwan, and Torrance, CA), which consists of a small scanner (6.4 by 5.8 by 2 inches) designed specifically for reading business cards and a Windows software package that performs OCR, extracts the data, and puts it into a proprietary database. Scan-in-Dex is being sold as an integrated one-button solution that is easy enough for any user.

A more recent arrival is the CypherScan family from CypherTech (Sunnyvale, CA), consisting of two software-only products. The first is for users with a flatbed or hand scanner ($245 and $145, respectively). The other product costs $395 and includes the same diminutive card scanner as the Scan-in-Dex. The flatbed version includes a cardholder template that lets you read in up to eight cards in a single swipe. The software runs in Windows.



CypherScan shows a business card image and completed database fields.

Both companies use AI to parse out the name-and-address information and assign it to the proper fields. Microtek's OCR software (licensed from Ocron) routes the converted text to a rules engine that searches for keywords and character patterns. Thus, if a line of text includes the words Street or Avenue, the software assumes this is the address. Five digits in a row—or five plus four—are likely to be the ZIP code. Job titles are identified through a lookup table of likely candidates (e.g., president).

CypherTech's technology, built on the Calera OCR engine, is more sophisticated, using a combination of positioning, relative font sizes, word lookups, and other rules to determine where text should go. Thus, it might be able to successfully identify an odd job title because it is located on the line between the name and the address. However, both companies' products can be fooled by unusual business-card designs. To facilitate fixes, both put text that can't be placed into a "comments" box.

Both packages include a simple database that stores card data, but CypherScan offers more flexibility: Records can be stored natively in dBase or Paradox formats or exported directly into Lotus Organizer or Contact Software's Act. Scan-in-Dex exports only ASCII. CypherScan also recognizes E-mail addresses, and reads Canadian postal codes. Both companies plan Mac versions, but neither company has announced expected Mac shipping dates.

—Andy Reinhardt

BUSINESS-CARD SCANNING ON THE ROAD

Pacific Crest Technologies ((714) 261-6444) will release this fall a business-card scanner that will compete in the same category as CypherTech's and Microtek's products, yet in a much smaller size. The company's business-card scanner will be about the size of a portable cassette player and will connect to your desktop or notebook PC through the parallel port. It will weigh less than a pound without the AC power adapter.

Rich Sondheimer, president of the company, said the business-card scanner's small size and parallel-port connectivity make it an ideal solution for portable computers. "We're targeting it for professionals and salespeople who don't want to have to open their computer or laptop to install a new product," he said.

The hardware/software unit will include Windows-based software that automatically identifies names, titles, company addresses, and other information and put it in the proper fields in the included stand-alone database. The program will offer the ability to import and export data from Paradox, dBase, Lotus 1-2-3, Packrat, Act, Organizer, Ascend, and Franklin. It will also have a universal import/export function that lets you create your own import or export format for any Windows- or DOS-based address database. Pricing on the system isn't finalized. —D. A.

WORD PROCESSING

Next Word for Windows to Work Better with Other Applications

A preview of the next version of Word for Windows indicates Microsoft has improved the word processor's ability to share documents with other Windows programs in a number of areas. Word 6.0 for Windows (the current version number is 2.0, but the company wants to synchronize the Windows version with the DOS version number) will offer an enhanced interface, drag-and-drop text editing among applications, and in-place editing through its support of OLE 2.0. Version 6.0 will not ship initially with Microsoft's Visual Basic, Applications edition (VBA), but other VBA-enabled programs like the next releases of Excel and Project will be able to control the word processor.

VBA, which Microsoft says will eventually appear in all its major office productivity programs, will provide a way for developers to write agent programs that perform tasks across the company's Mac and Windows programs.

Microsoft says it is also improving Word for Windows' ability to convert WordPerfect files into Word files. The program will likely ship by year end. —D. A.

POOR OLD MOUSE.

Most of the time all mice are nice and fine for pointing around. But when it comes to inputting graphics or logos into any application or any CAD package, they are hopeless. They just can't – and so you can't. No way.
Problem? Yes and no. It depends – you may shrug your shoulders and say "Well, I'll never do CAD and I just never want to input any sketches, logos, or photos into my computer anyway." Or – you feel that isn't good enough after all the money you have invested and all the nice things you know you could do today with your own graphics once they were in the computer.

PROBLEM SOLVED.

Here comes the mouse that lets you input all your graphics as well. How?: That's what they all want to know, but we're not telling. Its a new invention. It's a universal combination of a true mouse and an independent manual drawing board that becomes a precision full-featured digitizer tablet once you just place the mouse onto the board. It's all in one or all separate as required. Simply unplug your poor old mouse, plug in our mouse and have the real all purpose input device to your PC always at hand. At a price poor mice can afford too.

ARISTO

ARISTO *College Board\digital*

ARISTO Graphic Systems
A Division of KOH-I-NOOR Inc.
100 North Street, P.O. Box 68,
Bloomsbury, NJ 08804 - 0068
Tel: (908) 479 - 4124
Fax: (908) 479 - 1110

Europe:
ARISTO Graphic Systeme GmbH & Co. KG.
Schnackenburgallee 41
D - 22525 Hamburg (Germany)
Tel: (040) 853 97-221
Fax: (040) 850 04 25

ALL IN ONE.

Mouse, Digitizer Tablet, Drawing Board

Circle 185 on Inquiry Card (RESELLERS: 186).

OPERATING SYSTEMS

IBM Announces "Better" DOS Than MS-DOS

Compatibility used to be the name of the game. In past releases of their respective versions of DOS, IBM and Microsoft consistently released products that were almost identical to each other. Those days of product uniformity have apparently ended with IBM's announcement of PC-DOS 6.1, which was expected to ship at the end of July.

The new game is MBD (More, Better, Different) marketing, and IBM has come out swinging. IBM says PC-DOS 6.1 is smaller and faster than MS-DOS 6.0. The company demonstrated speed improvements in video updates, batch processing, and the execution of ANSI commands. UMB (upper memory block) support was improved to decrease DOS's memory requirements by using extra video memory as UMBs and adding UMB support for 286-based systems.

The major area of product differentiation is in the included utility programs. IBM responded to Microsoft's DoubleSpace disk compression by announcing that Addstor's SuperStor disk doubler will be bundled this fall. Early purchasers of PC-DOS 6.1 will receive a coupon they can use to upgrade at no cost when the SuperStor version is released. This new version will provide full support for the Microsoft Real-Time Compression Interface.

Central Point Software's Backup program supports archival storage on floppy disk, minitape, or SCSI tape. This program is augmented by RAMBoost, a memory optimizer, Undelete, and Scheduler, a program that can run Backup unattended at periodic intervals.

The included AntiVirus program is a product of IBM's own Thomas Watson Research Center. It's claimed to detect and correct over 1400 viruses. Fuzzy-logic technology is used to find mutating strains of known viruses.

—Matt Trask

PROCESSORS

AMD Declares Independence

Late this summer, Advanced Micro Devices (Sunnyvale, CA) will start shipping a new series of 80x86-compatible processors that it says are not based on Intel microcode. AMD's strategy is not only to free itself from costly legal entanglements with Intel but also to attract new customers by offering chips that fill perceived gaps in Intel's product line. For instance, among the first three new processors is a 40-MHz 486SX. Intel's fastest 486SX runs at only 33 MHz.

AMD also introduced a pair of 33-MHz 486SX chips: One is a 5-V part for desktop systems, and the other is a 3.3-V part with SMM (System Management Mode) for mobile computers. First shipments were slated for August and September.

All the chips are based on clean-room microcode developed by engineers who did not copy Intel's 80x86 microcode, according to AMD. Until now, AMD's 80x86-compatible chips used Intel microcode obtained through licensing agreements dating back to the 1970s—the source of a long-running court battle between AMD and Intel.

The new processors have fully static cores and are manufactured in Sunnyvale using a 0.7-micron, triple-layer CMOS process technology. They will cost $185 each in 1000-unit quantities. That's comparable to Intel's prices for similar parts, indicating AMD is not interested in starting the kind of price war that eroded the price of 386-compatible chips in 1991 and 1992.

"We're capacity-constrained with our 486 production right now," said Dirk Heinen, a program manager at AMD. "There's no point in driving the price down, when we've already got more orders than we can handle and we're still trying to ramp up production."

Heinen said AMD will probably ship only a few hundred thousand of the new processors this year—a minuscule fraction of the total 486 market, that is estimated at 25 to 30 million chips this year.

—Tom R. Halfhill

AMD AND INTEL 486 MICROPROCESSORS

Intel 5-V	AMD 5-V
486DX 25, 33, 50	486DX 33, 40
486SX 16, 20, 25, 33	486SX 33*, 40*
486DX2 40, 50, 66	486DX2 50
Intel 3.3-V	**AMD 3.3-V**
486DX 33	486SXLV 33*
486SX 20, 25, 33	
486SL 25, 33	(* = AMD microcode)

WINDOWS OUTSELLS DOS



In the first three months of this year, sales of Windows-based applications surpassed sales of DOS-based applications in North America, for the first time, according to the Software Publishers Association, a trade association of the PC software industry. The SPA reports that the Windows sales growth was fueled by the 112 percent increase in the sales of Windows databases over the previous quarter, a sales growth driven primarily by the success of Borland's Paradox for Windows and Microsoft's Access. The popularity of Windows databases no doubt contributed to Lotus Development's acquisition of Approach Software's Approach database for Windows.

In all four of the major business-oriented categories (i.e., word processing, spreadsheets, databases, and presentation graphics), Windows programs outsold DOS applications. DOS continued to hold the lead in home education, finance, and utilities. In the area of entertainment, DOS whomped Windows by generating $60.1 million in sales, compared to $3.1 million for Windows.

Trends in Europe were similar to North America's in the first quarter of this year, according to SPA Europe. Revenues generated by Windows products accounted for 70 percent ($338.1 million) of the 41 software firms participating in the SPA's data program.

—D. A.

Six Bucks Back on MS-DOS® 6 Books



$6 Off After Rebate

Running MS-DOS®

by Van Wolverton

The All-Time Bestselling Guide to MS-DOS—More Than 3 Million Copies Sold!

"Written by a human being for human beings, in a strange and wonderful tongue: English."
PC Week

Van Wolverton gently teaches beginners the basics and offers more experienced computer users a solid grounding in computer fundamentals. Includes coverage of MS-DOS back to version 3.3 and a complete command reference.
Suggested retail price $24.95.



$6 Off After Rebate

MS-DOS® 6 Companion

by JoAnne Woodcock

The Comprehensive Reference That Fully Explores the Power and Features of MS-DOS 6.

The first easy-to-understand look under the hood at MS-DOS 6. A powerful tool for support professionals who provide assistance to coworkers and business associates. It's the ultimate nonprogrammer power user's guide!
Suggested retail price $29.95.



$6 Off After Rebate

MS-DOS® to the Max

by Dan Gookin

Tools and Techniques That Will Make Your Hard Disk Scream!

Disk Included

Easy-to-use strategies, tricks, and shortcuts from the #1-rated MS-DOS authority. Boost performance, safeguard your data, and create the ultimate MS-DOS-based system! More than 20 powerful batch files and utilities.
Suggested retail price $29.95.



$6 Off After Rebate

Microsoft® MS-DOS® 6 Step by Step

by Catapult, Inc.

The Fastest Way to Learn MS-DOS.

Disk Included

Too busy to attend classroom training? Train yourself with this timesaving, self-paced book-and-disk package. There's no downtime because you learn right at your own desk!
Suggested Retail Price $29.95.

Purchase a Microsoft Press MS-DOS 6 book at your local retailer, mail in the official rebate coupon, and we'll send you six bucks. Buy all four and save even more! Look for the *Six Bucks Back* display!

$6 Off Each Book

The Official *Six Bucks Back* Rebate Coupon

To receive your $6.00 rebate, send this coupon along with your original store identified sales receipt to the address below. The receipt must show purchase date between August 1, 1993, and October 31, 1993, and have the price of each book circled.

☐ *Running MS-DOS* ☐ *MS-DOS 6 Companion* ☐ *MS-DOS to the Max* ☐ *MS-DOS 6 Step by Step*

Name

Address

City State ZIP

Send to: **Microsoft Press Rebate**
Interactive Marketing Services, P.O. Box 1156, Ridgely, MD 21681

Please allow 6–8 weeks for delivery. Offer available in the U.S. only. Offer void where prohibited, taxed, or otherwise restricted by law. Limit one rebate per book. Original coupon only, photocopies not accepted. Coupons must be received by November 30, 1993.

Microsoft Press

One Microsoft Way, Redmond, WA 98052-6399.
In Canada, call Macmillan Canada. 416-293-8141.

Microsoft and MS-DOS are registered trademarks of Microsoft Corporation.

JANET WANG

From Manufacturing to Design

Taiwan, long known for making products for American and European computer vendors, is now having to reengineer itself. As labor rates rise here, vendors in Europe and North America who must compete in markets defined by low profit margins are moving their manufacturing to countries like Thailand, Malaysia, and even mainland China, where the average labor rates are about one-fourth Taiwan's.

In the last few years, Taiwan's computer industry has been trying hard to change its image of being only manufacturing oriented. Through intensive upgrading within the industry, products designed in Taiwan are no longer the exception. The government is taking an active part in helping companies break out of the manufacturing mold and move into product engineering; one way is through the establishment of research centers, such as the science-based industrial park located in Hsinchu.

Hsinchu, the Taiwanese equivalent of the legendary Silicon Valley region in California, is just far enough from Taipei (90 minutes by car) to avoid the expensive rent districts of the capital city, yet it's still close to major airports. In fact, companies are increasingly keeping their corporate and sales offices in Taipei while setting up their research centers so that they are a relatively short commute on the Chung Shan freeway.

Many companies exhibiting at Computex, Taiwan's largest computer show, exemplified the new focus on product engineering. For the second consecutive year, *0 & 1 BYTE*, an affiliate of BYTE, sponsored the Best of Computex awards.

The AcerFormula 64-bit Windows PC from Acer (based in Taipei) was the winner of the Best System award. Its PICA (performance-enhanced I/O and CPU architecture) exhibited outstanding design in a competitive product category.

PhotoStacker, an image-compression program from Ultima Electronics (Taipei), was the winner in this year's Best Software category. Compressing a 512-KB by 512-KB color image on a 386-based PC with PhotoStacker takes just 6 to 8 seconds.

WalkieFax 200 from Archtek Telecom (Taipei) won the Best Peripheral award with its versatile functions, including laser fax, copier, A4 hand scanner, and PC-Fax.

The winner of the Best Multimedia award was the VGA-AVer Pro from ADDA Technologies (Taipei). This product bridges VGA capabilities with video devices. It synchronizes VGA display with standard composite video and Super-VHS video in either NTSC or PAL format.

Zyxel, based in Hsinchu, displayed its U-14496EPlus high-speed modem. Providing speeds of up to 19.2 Kbps and universal fax with voice capability, this product won the Best of Connectivity award. The company developed its own ASICs (application-specific ICs) and firmware for the winning product.

A lot of companies exhibiting at the show have incorporated the world's latest design trends. For example, a number of "green" monitors were shown at Computex. One such monitor, the ViewSonic 15G from ViewSonic International (Taipei), has four power-saving modes. It won the Best Display award.

The winner of the Best of Input award was Dextrareader, from Taipei-based Dextra Technology. Dextrareader is a 600-dpi gray-scale sheet-fed scanner, supporting the TWAIN standard. It lets users scan up to 12 pages at a time.

The Best of International award is a category for products from companies based outside of Taiwan. This award went to the Lexicomp LC-8600 Palmtop PC, designed by Abstract Research & Development (Orinda, CA). This system included a 16-bit F8680 PC/Chip, 1 MB of RAM, three AA alkaline or rechargeable nickel-cadmium batteries, a 640- by 200-pixel-resolution screen, an optional 2 MB of internal RAM, and an internal 9600-/2400-bps fax modem.

You can expect to see more PC innovations from Taiwan as more companies take the giant step from product manufacturing to product design. ■



MANUEL KING © 1993

Taiwan can no longer depend on a large pool of labor that's both educated and inexpensive. The ability to design innovative products has become the key to the survival of its information industry.

Janet Wang is the editor in chief of 0 & 1 BYTE, *a Chinese-language affiliate of BYTE. You can reach her on BIX c/o "editors."*

56 New Products From Around the World

BYTE

THE WORLDWIDE COMPUTING AUTHORITY

Hardware
page 48IS-3

Software
page 48IS-17

International WHAT'S NEW



1 120 Pin ISA Bus port with two expansion solution:
Full features Docking station
Simple Docking Adaptor

1 External FDD
2 PCMCIA 2.0 IC card slot
3 Suspend/Resume button

1 60/80/120MB removable HDD
2 Full-size easy to change keyboard
3 Built-in Trackball

But We're not talking about office politics. With our new Intel 486SX-25/33 MHz Subnotebook, you've got the power you need without the weight. We've sized up your customers' needs and your demands, and come up with the best in portable PCs. With a monthly production capacity of 18,000 units, our notebooks are clearly hot sellers in any market.

when you source Chicony, you get more innovation in every product. That's not very surprising when you consider the 70 R&D engineers that stand behind every one of our products. Not to mention the fact that we invest 3% of our sales revenue back into R&D development. A stronger product line means increased customer satisfaction. which translates into more profits for you. And repeat customers for us. That's the secret behind our success. And yours.

** We also offer Intel 486DX-33, 486DX2-66 with STN & TFT color Notebook PCs.*
** ISO-9002 Approved factory*

intel inside

OEM ODM Welcome

CHICONY ELECTRONICS CO., LTD.
207 Kuan Hwa St., Ta-Chu Chung,
Lu-Chu Shiang, Tao-yuan, Taiwan, R.O.C.
Tel:(886)3-3234721 Fax:(886)3-3235877

CHICONY AMERICA INC.
53 Parker, Irvine, CA 92718, U.S.A.
Tel:1-(714)3800928
Fax:1-(714)3809204

CHICONY ELECTRONICS GMBH
Brödermannsweg 17, 22453 Hamburg, Germany
Tel:49-(40)51 44 00-0 Fax:49-(40)51 29 32
Telex:2 12 841 chicon d

Chicony®

The Intel Inside Logo and Intel 486™ are trademarks of Intel Corporation. All other brand names are the registered property of their respective owners.

Circle 539 on Inquiry Card.

What's New International Hardware

PENTIUM-BASED PC

Designed to run Windows NT, the M6-620 is Olivetti UK's first PC based on Intel's Pentium processor technology and the latest model in the company's M6 Suprema line of high-performance PCs. All the models in the Suprema line offer enhanced graphics, upgradable CPUs, secondary-level cache, ergonomics to the ISO 9241 standard, and an audio subsystem that supports multimedia and business audio applications. In addition to its 60-MHz 64-bit Pentium processor, the M6-620 (about £4500) has 512 KB of second-level cache, a 32-bit system architecture based on the EISA standard, SCSI and Ethernet controllers, up to 256 MB of on-board memory, three expansion slots, and space for up to four magnetic peripherals. Olivetti offers the M6-620 with various video controllers, ranging from VGA to high-performance Local Bus accelerator cards. The system also comes with Microsoft's Windows Sound System.

Contact: Olivetti UK, Ltd., London, U.K., +44 81 785 6666.

Circle 1432 on Inquiry Card.

SUPER COLOR GRAPHICS

Based on the 40-MHz version of the TMS34020 processor, the Super Harlequin graphics card (from £1695) from Datapath (Derby, U.K.) comes with 4 MB of video RAM and 4 or 8 MB of DRAM. The card offers multiple modes of up to 1600 by 1200 pixels with 65,536 colors and 1536 by 1152 pixels with 65,536 colors at a refresh rate of 72 Hz. You can also use the card with True Color modes of up to 1152 by 900 pixels. The Super Harlequin supports Windows, MicroStation, and AutoCAD applications and, with an optional FPU, TIGA-82 (or TIGA-3D) software.



Phone: +44 332 294441.

Circle 1421 on Inquiry Card.

MIDRANGE CUTTER PLOTTER

Developed primarily for cutting vinyl and graphics materials for signs, the T600 cutter plotter can handle media with widths of up to 600 mm. The cutter plotter (£3995) from Accent Computers (West Sussex, U.K.) features the Summagraphics tangential cutting head to provide precise, smooth, and consistent cut quality. The T600 comes with a 1-MB buffer. The system can load and align plain media with lengths of up to 4 meters and widths of from 100 to 600 mm.

Phone: +44 444 870444.

Circle 1470 on Inquiry Card.

INK-JET PRINTER

The SpeedJet 300 from Seikosha (Berkshire, U.K.) can print on plain paper, transparencies, or envelopes at a speed of 300 cps in letter-quality mode. The printer (£359) features a 128-nozzle ink-jet print head, a 16-KB buffer (expandable with 128- and 256-KB modules), a 100-sheet feeder, Hewlett-Packard DeskJet 500 emulation, a parallel interface (or, optionally, a serial interface), and a control panel with nine buttons and 12 LEDs that you use to set the printer's operating parameters and to initiate automatic printout. Standard fonts include Dutch 801 (Proportional), Letter Gothic, and Courier in various styles, which the SpeedJet 300 can print in vertical or horizontal orientations and in various widths at a resolution of 300 by 300 dpi. For extended printer versatility, optional IC font cards are also available.

Phone: +44 753 685873.

Circle 1434 on Inquiry Card.

MULTIMEDIA SYSTEM

Based on a 33-MHz 486DX processor, the MM486DX33 multimedia system from Systems Integrated Research (Berkshire, U.K.) comes with 4 MB of RAM (expandable to 32 MB), a 170-MB hard drive, 256 KB of static RAM cache, a Sound Blaster Pro stereo card, a Sony CD-ROM drive, and 10-W internal stereo speakers. The system (£1099) also includes a Super VGA color monitor, six 16-bit and two 8-bit expansion slots, two multiple-format floppy drives, and ROM BIOS password and virus protection. Bundled software includes DOS 6.0, Windows 3.1, two CD-ROM titles, VGA and Sound Blaster Pro driver software, and CD audio software.

Phone: +44 635 580633.

Circle 1472 on Inquiry Card.

VEHICLE POWER ADAPTERS ▼

With Handy Mains (12-V, £89.95; 24-V, £98.95), you can power computers, fax machines, color TVs, small electric tools, and appliances directly from a vehicle battery. Versions of RS

Components' (Northamptonshire, U.K.) device are available for operation from a 12- or 24-V DC nominal power supply. Handy Mains provides up to 160 W of continuous AC power, 250 W intermittent, via a standard 13A square-pin outlet; a 500-W surge capacity; and thermal overload protection. An audible warning alerts you when the battery is running low, growing progressively louder as the battery discharges.

Phone: +44 536 201234.

Circle 1430 on Inquiry Card.

What's New International Hardware

Color Notebooks

Viglen has added the Colour Dossier 486 to its range of 486-based notebooks. Based on Intel's 25-MHz low-power processor, the notebook is available in 486SX (£2299) and 486DX (£2499) versions. The Colour Dossier 486 comes with 4 MB of RAM (expandable to 20 MB), a 1.44-MB floppy drive, a 120-MB hard drive (upgradable to 200 MB), an active-matrix thin-film-transistor screen capable of 256 simultaneous colors, an 80-key keyboard with a built-in mouse keypad, and serial and parallel interfaces with expansion, mouse, and keyboard ports. The one-stop desktop connection option provides quick and easy access to desktop peripherals. An optional BT-approved internal fax modem is also available. The Colour Dossier 486's nickel-metal-hydride battery offers more than 3 hours of operation with power management or up to 2½ hours under continuous use. The system comes with a carrying case, DOS 6.0, and Windows 3.1.

Contact: Viglen, Ltd., Middlesex, U.K., +44 81 758 7000.

Circle 1464 on Inquiry Card.

PC-BASED TELETEXT

A combined TV and teletext capture package, Digithurst's (Hertfordshire, U.K.) MicroEye TV contains hardware and software that you install on a PC connected to a LAN. The hardware operates like a shared resource on the network, and the software, which is not directly accessible to other users on the network, runs as a background task, collecting pages of broadcast data and marking them with the time at which they were last updated. The captured broadcast data appears as a library from which you can extract pages of information as ASCII files. You send a request to the teletext terminal, and the software passes back a list of pages that match the interests profile. You then select and download pages from the list. Two versions of the package (£495 each) are available: MicroEye TV1, a teletext-only capture card that also produces infrared signals for controlling a VCR, and MicroEye TV2, which can capture broadcast video and convert it into a PAL signal.

Phone: +44 763 242955.

Circle 1423 on Inquiry Card.



DSP BOARDS

Loughborough Sound Images' (Leicestershire, U.K.) MDC40T module (from £3295) lets you configure PC and VME cards with performances of up to 400 MFLOPS and 2.2 GOPS (gigabyte operations per second) to create I/O- and compute-intensive nodes in multiprocessor networks. The MDC40T uses three C40 communications channels to provide high-bandwidth interprocessor communications between its two Texas Instruments' TMS320C40 processors. The six remaining communications ports are available via standard external connectors. The MDC40T also contains up to 4 MB of zero-wait-state static RAM.

Phone: +44 509 231843.

Circle 1428 on Inquiry Card.

PAGING SYSTEM MANAGERS

NetConnect (Cambridge, U.K.) offers a U.K. Pager interface for Frye Software's NetWare Early Warning System. The pager option (£295) notifies system managers, via their ACE pager, of file-server errors and crashes. The NetWare Early Warning System notifies managers when the network reaches predefined system thresholds and before file-server failure occurs.

Phone: +44 223 423523.

Circle 1466 on Inquiry Card.

SERIES 30 UPSES

Sola's (Bedford, U.K.) Series 30 UPSes (uninterruptible power supplies) combine battery-back-up protection with complete UPS features. Available in 120-V, 60-Hz U.S. and 220-/240-V, 50-Hz international models, the Series 30 UPSes (from £249) offer full-feature controls, a front-panel LED that alerts you to all status and alarm indications, and audible alarms that provide a 2-minutes-until-shutdown warning.

Phone: +44 234 327941.

Circle 1427 on Inquiry Card.

INTERFACE CONVERTER

Designed for use with multiplexers, bridges, and routers that are capable of being clocked at 2 Mbps, the Arpeggio G.703 (£895) is a general-purpose interface converter that connects to British Telecom's MegaStream coaxial interface, Mercury's leased circuits, and similar cable-type services, converting them to an X.21 industry-standard interface. Sonix Communications' (Gloucestershire, U.K.) self-contained, stand-alone unit offers a bidirectional loop-back facility, nine front-panel status LEDs, and a user-configurable option.

Phone: +44 285 641651.

Circle 1425 on Inquiry Card.

MANNESMANN
Tally

THE MOST ADVANCED LINE AND MATRIX PRINTERS IN THE WORLD

Mannesmann Tally is Europe's No. 1 for line printers with performances up to ¼ million pages per month and 1700 pages per hour.

Our matrix printers also set the standard with the world's fastest 24 pin printer family capable of over 500 pages per hour.

With the best support available Mannesmann Tally is the first choice for high performance line and matrix printers.

TOTALLY COMMITTED TO PRINTERS.

Circle 538 on Inquiry Card.

Mannesmann Tally Limited, Molly Millars Lane, Wokingham, Berkshire RG11 2QT. Fax +44 734 791491

What's New International Hardware

ETHERNET CONCENTRATORS ▼

The 250 Port Switching Ethernet Concentrators are a family of 10Base-T and fiber-optic modules for Xyplex Europe's (Middlesex, U.K.) Network 9000 Intranetworking Hub. In addition to providing connectivity for PCs, workstations, and other intelligent devices, the modules let you assign individual users to any of the three Ethernet segments internal to the Network 9000 by using network management software. You can add users and change workgroup configurations without making a trip to the wiring closet. Three versions of the 250 Port Switching Concentrator are available. The 251 (£1250) has one 50-pin Telco connector mapped to 12 10Base-T ports; the 253 (£1250) has 12 on-board RJ-45 connectors, which eliminates the requirement for an external patch panel; and the 254 (£2600) offers 12 ST connectors that conform to the IEEE 10Base-FL standards for Ethernet over fiber-optic media.



Phone: +44 81 759 1633.

Circle 1436 on Inquiry Card.

ISDN CONTROLLER CARDS ▼

AVM Computersysteme Vertriebs (Berlin, Germany) has added file transfer capability and support for E-DSS1 (the internationally standardized European ISDN protocol) to its ISDN-Controller cards. (No prices were available at press time.) The file transfer program, called Connect, lets you exchange data with other users, schedule automatic communications (including Server Mode), and access current information and support directly from AVM. The Connect software is also compatible with ID-trans, AVM's file transfer application. The cards' support for E-DSS1 means that you can operate the controllers with no modification in all countries that use the E-DSS1 ISDN protocol. All the AVM ISDN-Controllers provide bit-rate adaptation to conform to V.110.

Phone: +49 30 467070.

Circle 1433 on Inquiry Card.



THREE TOKEN RING PRODUCTS

Dynatech Communications (Hertfordshire, U.K.) offers three Token Ring LAN products: a bridge module (the TM-LB, from £3965), a repeater module (the UTM/IO/R or the STM/IO/R, from £893), and three double-height modules (from £790). The TM-LB provides a serial console interface that allows extensive configuration and parameter tuning, together with on-line monitoring of the bridge. An advanced version, the TM-LB/LM, operates on each ring independently at 4 or 16 Mbps and can connect to UTP (unshielded twisted-pair) or STP (shielded twisted-pair) cable via RJ-45 or DB-9 connectors.

The repeater module—the UTM/IO/R for use with UTP cable or the STM/IO/R for use with STP cable—allows multiuser connection to the network. You can use the modules in all types of DynaNet enclosures, and they support 4- and 16-Mbps networks. The single-slot 3U-high modules, which you can use in place of the regular ring-in and ring-out modules, come with ports with optional cable-fault protection so that modules can detect breaks or shorts in the cable and automatically loop back the signal.

The double-height Token Ring modules let you connect lobes and interhub links over UTP and STP cables as well as over fiber-optic cables. The UTM-60 provides 10 RJ-45 ports for UTP connectivity; the UTM-610/S offers 10 shielded RJ-45 ports for UTP and STP connection; and the FTM-604 provides fiber-optic connectivity with four lobe ports that you can use as back-ups for one another in the event of main link failure.

Phone: +44 992 33513.

Circle 1435 on Inquiry Card.

VESA LOCAL BUS SYSTEMS

If you use Windows applications and are looking for a PC that offers enhanced graphics, the Kamco Computer Systems' VESA Local Bus range of 486 PCs might interest you. All five models (£1195 to £2295) include Local Bus controller cards, such as the Bus Logic SCSI-2 card, that allow high-speed peripherals to transfer data at speeds of up to 66 Mbps. All models offer 16.7-million-color graphics cards, upgrade capabilities through changing chips or cards, a 102-key Cherry keyboard, MS-DOS 6.0, Windows 3.1, and a mouse. The machines are all Pentium-/P24T-upgradable.

Contact: Kamco Computer Systems, Middlesex, U.K., +44 895 271919.

Circle 1429 on Inquiry Card.

Super Saver Bundles Available! Call Your Boca Distributor Today!

	10 Base-T Adapter	10 Base-2 Adapter	Combo Adapter	10 Base-T Concentrator
Boca Research	$129	$159	$179	$245 (8-Port)
SMC	$199	$199	$225	$495 (8-Port)
Eagle	$209	$199	$249	$495 (9-Port)
3Com	$295	$245	$225	$995 (12-Port)
Intel	$179	N/A	$189	$649 (12-Port)

WANNA PLAY TAG? BOCA'S IT!

$129.00*

10Base-T ETHERNET Adapter By Boca
10Base-T twisted pair using RJ-45 cabling

$159.00*

10Base-2 ETHERNET Adapter By Boca
10Base-2 thin coax with BNC connector

WHEN IT COMES TO PRICE AND PERFORMANCE, WE ALWAYS OUT PERFORM THE COMPETITION!

It's a real challenge to provide high performance at low cost.

Boca Research has a pretty smart solution. The Ethernet Solution!

► Novell Certified ► Single-Chip Solution ► Unsurpassed Value

► Outstanding Reliability and Performance ► Superior Drivers

yes NetWare Tested and Approved

5 FIVE-YEAR WARRANTY MADE IN USA

Boca's Ethernet Adapters are backed by free technical support, and a five-year warranty that is standard for all of our fine products. At Boca Research, when it comes to price and performance, no one beats Boca.

$179.00*



Combo ETHERNET Adapter By Boca
10Base-T twisted pair ports using RJ-45 cabling
10Base-2 thin coax with BNC connector
10Base-5 thick coax with AUI port

$245.00*

10Base-T Concentrator By Boca
Eight 10Base-T twisted pair ports using RJ-45 cabling
10 LEDs monitor status and operation
Automatic partitioning and ability to cascade multiple units

BOCA RESEARCH INC

6413 Congress Avenue, Boca Raton, FL 33487 ● (407) 997-6227 Fax: (407) 997-0918

Manufacturer's suggested retail price. 10Base-T ETHERNET Adapter By Boca, Combo ETHERNET Adapter By Boca, and 10Base-2 ETHERNET Adapter By Boca are trademarks of Boca Research, Inc. Other trademarks are owned by their respective manufacturers. Boca Research, Inc. ©1993. Compiled from information believed to be accurate as of 6/11/93.

Circle 501 on Inquiry Card (RESELLERS: 502).

What's New International Hardware

Windows NT PC

Apricot Computers' (Birmingham, U.K.) latest workstation will come with Windows NT installed. The Apricot Xen LS-II workstation (£2495) also features a 66-MHz 486DX2 processor, 16 MB of RAM, a 240-MB hard drive, and EVGA accelerated graphics capability. Other integrated features that help you take full advantage of the Windows NT environment include an internal CD-ROM drive, a professional audio system, built-in Ethernet networking capability, and Apricot's high-level LOC Technology security system.

Phone: +44 21 717 7171.

Circle 1437 on Inquiry Card.

LARGE-FORMAT DIGITIZERS

Available in A2, A1, A0, or A0+ sizes, the Summagrid IV large-format digitizers from Summagraphics (Reading, U.K.) come with a choice of transducers. You can choose from among a three-button stylus, a four-button cursor, or a 16-button cursor, and all the cursors include a conversion kit that lets you select corded or cordless operation. In addition, the Summagrid IV (£1495 to £2905) has an accuracy of up to ±0.25 mm and a resolution of 100 lines per mm. The digitizers support major output formats and more than 400 software packages. An optional Apple Desktop Bus interface also provides compatibility with Mac IIs, SEs, and LCs. Drivers are provided for AutoCAD and Windows, together with a Microsoft Mouse emulator, diagnostic test and reset software, and remote configuration software.

Phone: +44 734 567115.

Circle 1440 on Inquiry Card.

DUAL-INTERFACE POCKET ADAPTER

A pocket LAN adapter from Datrontech (Hampshire, U.K.), the PKL2 comes with RJ-45 and BNC connectors, bringing Ethernet connectivity to laptop and notebook users. The adapter (£285) supports 10Base-T and 10Base-2 Ethernet LANs and is compatible with popular network operating systems, including Novell NetWare, Microsoft Windows for Workgroups, and LAN Manager.

Phone: +44 252 313155.

Circle 1468 on Inquiry Card.

The simple Connection for Tapedrives and CD-ROMs

Parallel Port Tape and CD-ROM

Anywhere, anytime, plug a Tapejet or CD-jet into the parallel port of your PC compatible or portable - without an interface card. It is so fast, small and so simple. No hardware conflicts, no slots. The Tapejet can store up to 250 MB on a tape using data compression. Tapejet is QIC-80 compatible. With its small size and a data thruput of up to 8.2 MB/min. Tapejet is among the fastest parallel port tape drives you can buy and it costs only US-$ 485.-

Your Choice: Our DUO:PORT tape drives offer capacities from 250 MB up to 8 GB. While the DUO:PORT OPTI offers unlimited storage in incridements of 128 MB. They can be connected to the printer port or SCSI-2 adapters in PC´s or Workstations.
We provide pass-through printing capability.

NEW:
CD-JET the low-cost parallel CD-ROM solution.

VISA

Distributors wanted.

MULTIPORT
Computer Systeme GmbH
Ruselstraße 84
94469 Deggendorf / Germany
Telefon (49) 0991/29017-12
oder (49) 0991/29017-13
Telefax (49) 0991/29017-20

Circle 550 on Inquiry Card (RESELLERS: 551).

SOFTLINE®. THE BEST BUYS IN OVER 170 COUNTRIES.

SOFTWARE

Word Processors/Editors

Lotus AmiPro 3.0	$273
Microsoft Word 2.0 f/Windows	319
MicrosoftWord 6.0	322
WordPerfect 6.0 for DOS	295
WordPerfect 5.2 f/Windows	288
WordStar 7.0	275

Project Management

Microsoft Project 3.0 f/Windows	459
CA Superproject 2.1	599

Database & Tools

Asksam 5.1	219
Clarion Professional Devel 2.1	479
Clipper 5.01	500
Dataeasee 4.5	529
Borland Dbase IV 1.5	549
Dbfast/Windows 1.7C	335
Foxpro 2.5 f/Windows	335
Microsoft Accwss f/Windows	99
Paradox f/Windows	132
Superbase 4 Windows rel 1.3	500

Statistics

SPSS PC+ Adv Statistics 4.0	525
SPSS PC+ Base Pkg, Code Book, DBMS	312
SPSS PC+ Categories, Graphics, Statistics	419

Desktop Publishing

Adobe Type Manager f/Windows	$70
Aldus Persuasion f/Windows	339
Aldus Photostyler 1.1 f/Windows	539
Aldus Pagemaker 5.0	555
Microsoft Publisher Disc & CD f/Windows	132
Perform Pro w/Desgn+Filler	190
Ventura Publisher Gold 4.01 f/Windows	529
Zsoft Pub Type Fndry1.5 f/Windows	340

Graphics

Adobe Illustrator 4.0 f/Windows	445
Adobe Streamline 3.0 f/Windows	130
Charisma 2.1	335
Corel Drow for OS/2 2.5	395
Corel Draw 3.0 Media & CD f/Windows	135
Corel Draw 4.0 f/Windows	395
Designer 3.1 f/Windows	385
Drafix Cad f/Windows 2.1	429
DrawPerfect 1.1	292
Freelance Graphics 2.0 f/Windows	360

Spreadsheets

Borland Quatro Pro f/Windows	108
Lotus 1-2-3 rel 4 f/Windows	315
Lotus 1-2-3 rel 3.4	415
Lotus for Mac	310
Microsoft Excell 4.0 f/Windows	319
Microsoft Excell Mac	319
Microsoft Excell f/OS2	319

Desktop Environments

Desqview 386 2.4	$133
HP New Wave f/Windows	85
Microsoft Windows 3.1	100
Microsoft Windows NT-3.5 & CD	325
Microsoft Windows NT lic Pack Sngl	250
Microsoft Windows NT Upgrase -3.5"	290
Norton Desktop for DOS	118
Norton Desktop f/Windows	119

Multimedia

Asymetrix Multimedia Toolbk-CD 1.5	$500
MS Multimedia Beethoven f/Windows CD	63
MS Multimedia Bookshelf f/Windows CD	129
MS Multimedia Devt Kit f/Windows CD	320
MS Office f/Windows CD	569
MS Encarte V1992 CD	279

HARDWARE

Display Boards

ATI Graphics/Ultra w/1MB (PCA0	$496
Diamond Stealth VRAM w/1MB	275
Hercules Graphics STN w/1MB)	444
Orchid Fahrenheit 1280 w/1MB	297
Paradise Accel Crd f/Win w/1MB	137
Video 7 WIN VGA w/1MB (PCA)	127

Facsimile Hardware

Boca Bocafax 9624 Internal (PCS)	79
Bocamodem 14.4/14.1 v.32 int	200
Intel Satisfaxtion 400 14.4 Int	425
Megahertz Fax/Modem for Compaq, Toshiba	Call

Multimedia

Creative Sound Blaster (PCA))	85
Creative Sound Blaster Pro (PCA)	199
Creative Sound Blaster Voice Editor	59
MS Sound System f/Win w/sw	199
Turtle Beach Multisound	525
Turtle Beach Multibundle 16 Bit	695

Printers & Accessories

Canon Bubblejet Printer BJ10EX	265
Canon BJ10EX Auto Sht Feeder	74
HP Deskjet 500C (110V)	535
HP Laserjet 4 (110V)	1,475
HP Color Printer (110V)	756
Pacific 25-In-One (all models)	275
Pacific 2MB Exp (2P, 3P, 3, 3D)	132
Pacific 2MB Exp (3SI/LJ4)	110

Network Interface Cards

3COM Etherlink II TP 16 bit (PCA)	$175
3COM Etherlink II TP 16 bit 5 Pk	748
Eagle NE1000 8Bit Ethnet Crd w/o cable	110
Eagle NE2000 Plus 16bit Eth w/cable	135
Eagle NE2000 Plus-3 16-bit Ethnet w/cable	159
Eagle NE3200A 32bit Eth (EISA)	698
Eagle Ntwre Lite Add Kit NE2000+	210
Eagle Ntwre Lite Strt Kit NE2000+	422
SMC PC600F5 Arcnet Serv 16bit TP	205
SMC PC600WS Arcnt Wkstn 16bvit CX	199

Scanners & Input Devices

Caere Typist+Graphis ext OCR Scanr (PCA)	290
Logitech 3-but Ser Mouse w/Win Rt Hand	116
Logitech Scanman Model 256 (PCS)	249
MMS Bus or Ser Mouse w/Win 3.1	156
MS Bus or Ser Mouse 5-Pk (H/W only)	389
SummaSummasketch II 12x12 16but	290

OCR

Caere Omnipage 386 f/Windows	449
Caere Omnipage Pro Windows 3.1	635
Caere Wordscan f/Windows	179
Caere Wordscan Plus f/Windows	439

Languages & Programming Tools

ABC Flowchart f/Windows 2.0	$318
Asymetrix Tookbook f/Windows 1.5	291
Borland C++Appn Frameword f/Windows 3.1	539
Borland C++ f/Windows 3.1	353
MS Basic Pro Compiler (DOS/OS/2) 7.1	325
MS C with C++ 7.0	339
MS Cobol Compiler (DOS/OS/2)	595
MS Device Driver f/Windows 3.1	335
MS Pascal Compiler (DOS/OS/2) 4.1	216
MS Quick Basic 4.5	132
MS Visual Basic f/Windows	132
MS-DOS 6.0 Upgrade	59
MS-DOS 6.0 Upgrade 3 Pk	125
MS-DOS 6.0 Upgrade 18 Pk	1039

Integrated Packages

Lotus Smartsuite f/Windows 1.1	469
Lotus Symphony 3.0	499
MS Office f/Windows 3.0	499

Network/Multiuser

MS Windows Workgroups f/DOS usr	175
MS Win Workgroups Add on f/Win	77
MS Win 3.0 Upg to Win Workgroup	108
Novell NetWare 2.2 5 Users	494
Novell NetWare 3.11 5 User	605
Novell NetWare 4.0 10 User CD	2,022
Novell Lite (Software only)	79

Productivity Tools

Dan Bricklins Demo II	205
Dan Bricklins Demo II Prof	799
MS Money f/Windows 2.0	21

Communications

Carbon Copy f/Windows 1.0	$139
Carbon Copy Plus	$139
Close-up Customer/Terminal 3.0	131
Crosstalk 3.0 f/Windows	115
Dynacomm Te Asynch f/Windows	166
Dynacomm Elite Windows	331
Procomm Plus f/Windows 1.0	108
Relay Gold 5.0	208
Smarterm 240 3.1	210
Winconnect	73
Winfax Pro	90

Utilities

386 Max Pro 6..01	73
Back-it 4 f/Windows	64
Central Point Antivirus f/Win	100
Central Point Backup f/Windows 7.2	100
Checkit Plus 3.0	92
Fastback Plus f/Windows	109
HDC Icon Designer f/Windows	45
Laplink Pro 4.0	110
Norton Antivirus (DOS/Windows)	94
Norton Backup f/DOS	108
Norton Backup f/Windows	108
PC Tools International Edit	139
QEMM 386 Exp Mem Mgr	73
Stacker f/DOS & Windows 3.0	103
Xtree Gold 2.5	105

Workgroup/ Group Productivity

CC: Mail Windows Platform Pk	343
CC:Mail MS-DOS Platform Pk	210
CC:Mail 10 Usr Pak 3.2	245
MS PC Mail 3.0 • 5 User Lic Pk	275
MS PC Mail 3.0 Remote Wkstn	129

Please call for items not listed

SOFTLINE MAKES BUYING AS SIMPLE AS ...

1. Ordering

Fax your order & inquires to us *24 hours a day*

1•718•438•2315

or

Call us at

1•718•438•6057

(9:00 to17:00 U.S. EST, Mon.-Fri.)

All prices and payments are in U.S.D., and do not include shipping, insurance, and other fees. VAT and duties will be collected at delivery. Please confirm prices, availability, shipping costs and other fees at time of order. Please specify 3 1/2" or 5 1/4" diskette size.

2. Shipping

Ask for Federal Express, DHL or UPS,

if you want 2 to 4 day service through customs to your door.

or

For large orders, we also ship via economic **Air Freight**, with 1 week delivery. Please confirm shipping costs when placing your order.

3. Payment

For fastest Ordering,

use your **Visa, MasterCard, American Express,** or **EuroCard**. Simply provide us with your credit card number, expiration date, shipping and billing addresses when ordering. A 3% surcharge is added.

Or you can...

Wire Transfer funds directly to our account at Manufacturer's Hanover Trust (ABA# 021000306) 4901-13th Ave.,Brooklyn, NY 11219 Account No.1042063596065. Please add $15.00 wire transfer fee and applicable shipping charges. Allow 1 week for confirmation of transfer.

We accept **bank checks** in US Dollars payable on a US Bank. Send your order with payment.

TERMS: All prices are subject to change without notice. We do not charge your credit card until your order is shipped. All returns require prior authorization and RA number from our customer service department. (Minimum 20% restocking fee on returns). All returns are to be shipped prepaid and insured.

Circle 528 on Inquiry Card.

Softline™ INTERNATIONAL DIVISION

Softline International Divison 1333 60th Street, Brooklyn, NY 11219 FAX: 1-718-438-2315

What's New International Hardware

COLOR MONITORS

Aydin Controls (Hertfordshire, U.K.) offers a range of color monitors that includes 14-inch color VGA and Super VGA models, a 20-inch Trinitron autosync model, and a flat-square-tube model. Designed for VGA and Super VGA Windows and graphics applications, the Ranger 14S1 (£360) can display resolutions of up to 1024 by 768 pixels and can synchronize to line frequencies of from 30 to 38 kHz. The Ranger 14S2 (£412) autosync monitor can display resolutions of up to 1024 by 768 pixels noninterlaced and can synchronize to line frequencies of from 30 to 60 kHz.

A 20-inch Trinitron-tube-based unit, the Ranger 20T1 monitor (£2390) is designed for applications such as top-end CAD, color prepress, and graphics workstation uses. The monitor comes with push-button control of its microprocessor for user adjustments and programming, an LCD for setup information and diagnostics, MPRII low radiation, and an antiglare, antistatic high-contrast screen. The Ranger 20T1 monitor can display PC and Apple graphics standards from VGA up to 1280 by 1024 pixels at 76-Hz high-refresh rates.

A flat-square-tube unit, the Aydin Ranger 15F1 monitor (£598; with touchscreen, £1715) is a microprocessor-controlled model that can display resolutions from VGA up to 1280 by 1024 pixels. As with all Ranger monitors, the 15F1 can be supplied with a touchscreen for multimedia, point-of-information, and training applications.

Phone: +44 462 458804.

Circle 1465 on Inquiry Card.

VIDEOLOGIC'S LOW-COST CAPTURE CARD

A low-cost, multifunction video-capture card for EISA and ISA PCs, VideoLogic's (Hertfordshire, U.K.) Captivator supports full-motion video under Microsoft Video for Windows, as well as still-frame video capture for desktop publishing and color-prepress users. Available with Video for Windows and VideoSnap (£289) or with Video for Windows, Macromedia's MacroMind Action, and VideoSnap (£329), Captivator lets you capture full-motion or single video frames in real time from a video camera, VCR, laserdisc player, or other video device at up to 30 frames per second. The Captivator card supports various window sizes and 8-, 16-, and 24-bit pixel depths.

Phone: +44 923 260511.

Circle 1442 on Inquiry Card.

SHAPE UP your documents with the new 2.0 version of Recognita Plus Optical Character Recognition software.

This extremely fast, multi-lingual (over 80 languages), omnifont, and light on memory OCR software provides an answer for scanning and reading printed text and data quickly, and accurately into your computers. A pioneer in its field, Recognita is one of the leading OCR products available on the market.

RECOGNITA PLUS 2.0
SZKI RECOGNITA CORPORATION

NEW FEATURES OF RECOGNITA PLUS 2.0

- Improved accuracy: from a 2-step reading and Self Assertion Technology
- Dot-matric and fax file recognition
- Automatic or manual page decomposition
- Full internal editor for all formats: plus deferred editing and a unique OCR-specific search and replace facility
- Pop-up or side-by-side verifier: linking text file with bitmap
- Deferred processing, templates, direct connections to Windows wordprocessors
- TWAIN support

SYSTEMS 93
Hall 9, Booth B02

Call one of these to find the address of your nearest distributor:
SZKI Recognita Corp. H-1012 Budapest, Márvány u. 17., Hungary Phone: 36-1/201-8925 Fax: 36-1/201-7607
Recognita Corp. of America 1156 Aster Avenue, Suite F Sunnyvale CA 94086 Phone: 1-408/241-5772 Fax: 1-408/241-6009
Recognita Büroautomatisierung GmbH Hainstrasse 19, Aufgang D O-7010 Leipzig Phone: 49-341/209-635 Fax: 49-341/281-643

Circle 526 on Inquiry Card.

SAMTRON offers you high performance and reliability with a full two-year warranty.

The outstanding technology and product quality that are designed and engineered into every SAMTRON monitor are recognized the world over by their ISO 9001 and MPR II top-quality ratings. Beginning July 1st, SAMTRON will be even more of a value as it offers a full two-year warranty on both parts and labor with every monitor.

SAMTRON can offer this industry-leading warranty due to superior quality. Power-saving and flicker-free features, along with other sophisticated technologies make all the difference.



Take a look at SAMTRON monitors and actually see for yourself the quality and design that make them the ones to count on.

SAMTRON
WE'RE WORTH WATCHING

Circle 540 on Inquiry Card (RESELLERS: 541).

HEAD OFFICE 10-14TH FLS. DAEKYUNG BLDG., TAEPYUNG-RO, CHUNG-KU, SEOUL, KOREA TEL: 82-2-727-3721~3 TLX: STARNEC K33217 FAX: 82-2-774-6659
FRANKFURT OFFICE MERGENTHALLER ALLEE 38-40, W-6236 ESCHBORN, GERMANY TEL: 49-6196-483829~33 FAX: 49-6196-483321 TLX: 4072555 SMCD
VORTEC(UK) LTD SAMSUNG HOUSE, 3 RIVERBANK WAY, GREAT WEST ROAD, BRENTFORD, MIDDLESEX TW8 9RE, UNITED KINGDOM TEL: 44-81-862-9311~9312 FAX: 44-81-862-0096~97 TLX: 25823 STARSL G **SAMSUNG DEUTCHLAND GMBH** POSTFACH 5866 MERGENTHALLER ALLE 38-40, 6236 ESCHBORN, GERMANY TEL: 49-6196-483321, FAX: 49-6196-909869 **DISTRILINE** 5, RUE MARCEL-PAUL-95870 BEZONS-NOUVELLE Z.I., FRANCE TEL: (1) 39.47.35.07 FAX: (1) 39.47.22.11
FANTON DATA S.R.L. 20019 SETTIMO MILANESE(MI) VIA MELENGNANO, 20, ITALY TEL: 02/3287312 FAX: 02/3287948

What's New International Hardware

Portable Multimedia Presentations

A multimedia presentation system housed in a single unit, Viper from Reflex is fully portable and offers full-motion video, photographic-quality images, animation, stereo sound, and high-quality computer graphics. Viper (£16,600) consists of a VCR that can display video (standard VHS and Super VHS) as a whole screen or through a dynamic, user-programmable video window; a programmable control board that uses a standard PC or laptop connected via a SCSI input; a mass-storage device that stores images and sound; and a remote handset with an LCD screen that lets you view the current screen, preview subsequent images, and refer to video notes prepared to accompany the presentation. Viper is housed in a flight case for easy and safe shipping and storage. All you need to do is unclip the front of the case, plug in the power cable, and connect the RGB and audio outputs to the display medium.

Contact: Reflex, Ltd., Berkshire, U.K., +44 734 313611.

Circle 1439 on Inquiry Card.

LAN/WAN Internetworking

An internetworking server for LAN/WAN (wide-area network) connectivity, the CPX 802x package (£3700 to £9700) lets you connect LAN-based workstations to WAN-attached hosts, and WAN-attached PCs can communicate with LAN-based file servers. Two versions of Dynatech Communications' (Hertfordshire, U.K.) package are available. The Standard version is ideal for access server and bridge/router applications that support moderate levels of traffic at WAN interface speeds of up to 64,000 bps. Designed for more demanding environments with heavy throughput, the Plus version supports WAN speeds of up to 2 Mbps and can transfer data at rates of up to 2500 frames per second.

Phone: +44 992 33513.

Circle 1422 on Inquiry Card.

Digimétrie

Computing and Communication for Industry and Laboratory

SOFTWARE
for PC-DOS and Windows

Network Libraries

_ DigiTools - FIP : FIP network configuration for our FIP board
_ DigiTools - J-Bus : J-Bus protocol management for our serial board

Acquisition Libraries in C or Pascal

_ DigiTools - DSP : I / O + data processing routines for DSP boards
_ DigiTools - I / O : I / O routines for I / O boards
_ DigiTools - Motor : Axis control routines for our PC-Motor board

Acquisition Softwares

_ DigiView - DSP : Filtering and spectral analysis for DSP boards
_ DigiView - I / O : Data acquisition for I / O boards
_ DigiView - Icon : Icons promted application generator

Application Packages

_ Vocalix : Board and software for full vocal processing .
_ Neuronix : Neural network expert for industry

DigiSoft 2 (Distributed softwares)

_ Motorola's ASM & CROSS C for Motorola's DSP 56001
_ UNIX of Berkeley 4.3 with MACH kernel and X-Windows .
_ J-PEG (data compression)
_ PC / TCP / IP sources
_ .... More than 100 references => Ask for free list

HARDWARE
for PC-AT and compatibles

Networks in industry

_ AT-FullFIP : Interface for FIP Network
_ PC-ACOM 485 : Interface for 485 serial link
_ PC-IEEE : HPIB 488 controller

Signal Processing (based on Motorola's DSP 56001)

_ PC-DSP 56K : Digital Signal Processing
_ PC-DSP 56K - AD : DSP + AD / DA 14 bits
_ PC-DSP 56K - ADC16 : DSP + 2 AD 16 bits. 44Ksamples / sec.
_ PC-DSP 56K - ISO : DSP + Isolated parallel port. RS 485
_ PC-DSP 56K - ST: DSP + 2 AD/2 DA 16bits.1->100KS/s+ MIDI

Data Acquisition

_ AT-LAB-12 : AD Converter, 12Bits, 16 channels, 800Ksamp./s. Programmable gains & DMA & IRQ.+ 2 DA chan.+ TTL I/O+ T
_ PC-ADC 12B 8V / D : ADC12B 8chan.+ 2DAchan. + TTL I/O + T

_ AT-ADC 16B 32V 4G : ADC16B 32chan 4G + TTL I/O + T
_ PC-ADC 12B 16V 4G : ADC12B 16chan. 4prog.G + TTL I/O + T
_ PC-ADC 12B 8V : AD converter 12bits 8 channels

_ EX-MUX 32V : Expanding from 32 to 256 channels for AD board

_ PC-DAC 12B 4V : DA Converter 12 Bits 4 channels + TTL I/O

_ PC-COMPT : 2 x 24 bits up / down counters + Wrapping area
_ PC-ROPTO : 16 relays, 32 optocouplers + 24 TTL I/O + Timer
_ PC-OCTOTIM : 8 Timers + Wrapping area
_ PC-IOT : 96 bufferised I/O + Timer + Wrapping area
_ PC-PIT : 48 TTL I/O + Timer + Wrapping area
_ PC-PIA : 20 TTL I/O + Wrapping area
... and many other references => Ask for free catalog

Digimétrie 30, rue E. Renan 66000 Perpignan FRANCE U.E
Tél : (33) 68.66.54.48 Fax : (33) 68.50.27.85

Circle 512 on Inquiry Card.

NOTEBOOKS FOR ALL OCCASIONS

Future-Proof Modular Advantage.
Its advanced design makes it easy to upgrade and repair— so you can keep this notebook for years and years.

Smarter CPU.
Intel's SL-Enhanced 486DX™ 33MHz. It's not only fast, it saves battery too.

Easier Expandability.
There are two PCMCIA connectors for flash memory cards, LAN, fax-modem options, and everything else you want!

The Best Display Screen.
There is nothing better in display quality for notebooks than this large 10" TFT screen.

Graphics That Comes Alive.
32-bit VGA local bus and 1MB of Video RAM give you faster, life-like graphics in 512 colors.

Notebook Audio
Optional audio card provides quality sound.

intel inside

The Intel Inside Logo is a registered trademark of Intel Corporation.

ISO-9001

Get More Power at the Office.
Enjoy the power of networking using a LAN card.

Fun and Work at Home
Fax-modem, printer and games-- anything's possible.

Easy Multi-Media
You can really jazz things up with a docking-station and CD-ROM.

Automobile Adapter
Work or recharge your notebook while waiting in your car.

If you want a notebook that you can use at the office, at home, or on the road; or a notebook that you can use to make a presentation at a client-site; or a notebook for fun and games, MITAC notebook can do all that and more.

From dazzling graphics in 512 colors to realistic sound, from large memory to user-friendly keyboard, from modular design to travel-friendly AC-adapters, from external monitor connector to multi-media solutions, everything is made to make things easier and more fun.

In fact, there's a whole family of notebook computers at MITAC. You can choose the one that best fits your needs.

MITAC is a registered trademark of MITAC International Corporation. Intel is a registered trademark and 486DX-33 is a trademark of Intel Corporation. All specifications subject to change without notice.

■ **MITAC INTERNATIONAL CORP.** Tel:886(2)501-8231 ■ **MITAC EUROPE LTD.** Tel:44(952)670-370/676-676 ■ **MITAC JAPAN CORP.** Tel:81(3)5420-2822 ■ **MITAC AUSTRALASIA PTY LTD.** Tel:61(3)585-1055 ■ **MITAC DE MEXICO** Tel:52(5)703-1023/703-3932

APAM DISTRIBUTORS: ■ **KOREA**--Daido Tel:2-2157066 ■ **SOUTH AFRICA**--UNIDATA Tel:11-7926220 ■ **KENYA**--C.C.S. Tel:2-448200 ■ **SAUDI ARABIA**--Nahil Tel:1-4645373 ■ **U.A.E.**--Al-Yousuf Tel:4-260000 ■ **JORDAN**--Comcent Tel:962-6-644246 ■ **EGYPT**--E.G.O.S. Tel:2-2588392 ■ **BAHRAIN**--MAZIN Tel:973-244544 ■ **NEW CALEDONIA**--Barrau Bureau Tel:273734 ■ **THAILAND**--Innotech Tel:559-2419 ■ **INDONESIA**--Multipolar Tel:380-7509 ■ **PHILIPPINES**--I.C.S. Tel:722-4111 ■ **BRUNEI**--OA System Tel:2244640 ■ **KUWAIT**--Zaid Al-kazemi Tel:245-1680/2 ■ **IRAN**--ISIRAN Tel:628-691 ■ **SRI LANKA**--Dynamic Ram Tel:1-436749

MITAC

People Committed To InfoTech

Circle 553 on Inquiry Card.

What's New International Hardware

POCKET-SIZE MODEM

A pocket-size fax and data modem, Pearl (£399) offers direct-connect and handset-connect communications capabilities. Powered by batteries or regular 220-V electricity, the foldaway, solid-state device from Tricom (Buckinghamshire, U.K.) works with most fixed or mobile telephones. Pearl offers error-free data transmission (V.42) and supports CCITT V.22bis, V.22, V.23, and V.21 standards. In addition to its MNP 5/V.42bis data-compression capability (giving an average data throughput of 7200 bps), Pearl is compatible with Group 3 fax machines and can send and receive faxes at a speed of 9600 bps.

Phone: +44 494 480245.

Circle 1424 on Inquiry Card.

60-MHZ PENTIUM PC

Coinciding with the release of Intel's Pentium processor, Viglen (Middlesex, U.K.) is offering a Pentium-based version of its EX system. The Viglen EX Model P560 (from £4949), which is available in desktop and tower-case versions, features Intel's 64-bit Pentium CPU running at 60 MHz with over-100-MIPS performance. Viglen's EX range has a scalable architecture and features the CPU and cache on an easily upgradable module card. Because the range offers 64-bit interleaved memory architecture, you get transfer speeds of up to 133 MBps. In addition, the system's clock-independent CPU memory access will support future CPUs with speeds of up to 100 MHz. The basic configuration of the Model P560 includes 8 MB of RAM and a 500-MB SCSI-2 hard drive.

Phone: +44 81 758 7000.

Circle 1441 on Inquiry Card.

LOW-COST NETWORK MANAGEMENT SOLUTIONS

Two low-cost solutions for increasing network management flexibility and control from CNet Technology (Hilden, Germany) work with Novell's HMI (Hub Management Interface) and NLMs (NetWare loadable modules). You can integrate the CN6010HMI (1150 deutsche marks) intelligent hub adapter (master) and the CN6000HMI (DM 1020) expansion hub card (slave) directly into the network file server, providing up to 12 ports for connecting workstations. By using a combination of the two cards, you can integrate 96 port hubs into your existing network file server without having to add additional external intelligent wiring hubs. You can manage the hub using standard server management software and using SNMP. Used as a repeater or an expander, the CN6010HMI contains 12 10Base-T Ethernet ports. It supports ISA- and EISA-bus computers, including IBM AT and compatible systems, as well as the current Novell NetWare requirements and specifications.

Phone: +49 2103 95810.

Circle 1469 on Inquiry Card.

This is what BYTE says about CLASSNET

NEWS
WHAT'S NEW INTERNATIONAL

"Computerized Classroom

Classnet from Minicom Advanced Systems is a dedicated communication network that gives instructors control over all activities, by all students, in the classroom.

...The Electronic Blackboard function lets you see a student's screen, display your own screen to any or all students, display a student's screen to the entire class, and send messages in real time to any or all students. The Interject function lets you disconnect the keyboard and darken the students' screens, giving you command over classroom activities.

By simulating the teacher's keyboard on a student's keyboard, the Assist function lets you help a student working in real time without losing visual contact with the entire class. The Communication function lets you prepare a lesson by transmitting work files to students; send data, text, or even an exam to all students; collect students' files at the end of a lesson or exam; and connect students to external devices such as videodisk players and modems.

The Print function lets you control one printer from the teacher's unit, while the Help function tells you that a student needs help, showing you the student's station number on your screen..." (8/1991)

CLASSNET - The unique communication network, giving instructors control over all activities, by all students in the classroom.



Available for MAC
NEW- MULTIMEDIA SHARING

To find out the full facts about CLASSNET contact us at:

Minicom
Advanced Systems Ltd.

3, Beit Hadfus St.,
Givat Shaul
Jerusalem 95483, Israel
Tel: 972-2-518593, Fax: 972-2-518971

Circle 533 on Inquiry Card.

MITAC

People Committed To InfoTech



UPGRADABLE POWER THAT SHOWS

intel inside

ISO-9001



S3 Windows accelerator chip

What good is power if it doesn't show? That's why MITAC UPstation Series lets you see its real power—thanks to our built-in S3 Windows™ accelerator chip.



Two VL-Bus slots

That's not all. To make things even faster, our PC comes with the latest VL-Bus Technology. Because the VL-Bus has an intelligent way to access information from your drives, it makes your software run faster— much faster.



ZIF Socket

When you want more power, the ZIF socket makes ugrading easy. Just plug in the CPU of your choice--from Intel® 486SX-25™ to 486DX-66™.

MITAC. Increasing your computer's power in a way that shows.

MITAC is a registered trademark of MITAC International Corporation. Windows is a trademark of Microsoft Corporation.Intel is a registered trademark and 486-25 and 486DX2-66 are trademarks of Intel Corporation. "Intel Inside Logo " is a trademark of Intel Corp.

■ **MITAC INTERNATIONAL CORP.** Tel:886(2)501-8231 ■ **MITAC EUROPE LTD.** Tel:44(952)670-370/676-676
■ **MITAC JAPAN CORP.** Tel:81(3)5420-2822 ■ **MITAC AUSTRALASIA PTY LTD.** Tel:61(3)585-1055
■ **MITAC DE MEXICO** Tel:52(5)703-1023/703-3932

APAM DISTRIBUTORS: ■ **KOREA**--Daido Tel:2-2157066 ■ **SOUTH AFRICA**--UNIDATA Tel:11-7926220
■ **KENYA**--C.C.S. Tel:2-448200 ■ **SAUDI ARABIA**--Nahil Tel:1-4645373 ■ **U.A.E.**--Al-Yousuf Tel:4-260000 ■ **JORDAN**--Comcent Tel:962-6-644246 ■ **EGYPT**--E.G.O.S. Tel:2-2588392
■ **BAHRAIN**--Mazin Tel:973-244544 ■ **NEW CALEDONIA**--Barrau Bureau Tel:273734
■ **THAILAND**--Innotech Tel:559-2419 ■ **INDONESIA**--Multipolar Tel:380-7509
■ **PHILIPPINES**--I.C.S. Tel:722-4111 ■ **BRUNEI**--OA System Tel:2244640
■ **KUWAIT**--Zaid Al-kazemi Tel:245-1680/2 ■ **IRAN**--ISIRAN Tel:628-691
■ **SRI LANKA**--Dynamic Ram Tel:1-436749

Circle 554 on Inquiry Card.

Hardlock. The art of individual software protection.

With today's fiercer competition on the software market, it has become increasingly important to protect software products against piracy.
Since 1985, FAST Electronic has sold over 1.000,000 software protection modules. Its product name, Hardlock, has become synonymous with software protection through hardware. Transparent, compatible, daisy-chainable, programmable, hackproof.
No wonder that the international press qualified it as a very high quality product.

Software protection as unique as your software.

Today, a software protection system must meet the needs of a wide range of users. As a result, what was once an outstanding software protection module has grown into an outstanding palette of software protection products. You want classic protection for your software at the parallel interface? Then, Hardlock E-Y-E, which can be individually encoded with the Crypto Programmer Card, is the ideal solution for you.

Perhaps you'd prefer to protect your software with an add-on board? You can install the Hardlock Double-Face board in all PC/AT and PS/2 computers. You want to protect your software in a network? You want to store additional information on the module? Hardlock E-Y-E is still the answer.

There's no substitute for experience.

All Hardlock products meet the same high quality standards and offer an outstanding price/performance ratio.

This includes access to the Hardlock Hotline, available to our customers daily at no extra charge. Give us a call and request our new brochure highlighting our whole line of copy protection products.



Programmable, algorithmic response and memory option - all in one.
Hardlock E-Y-E tried and tested by a million customers.

Order your evaluation package today !
Contact B. Ajari at Fast Electronic or one of the offices below :

UK:
Magnifeye
Tel: ++44-71-2218024
Fax: ++44-71-7923449

France:
FAST Electronic S.A.R.L.
Tel: ++33-1-48837811
Fax: ++33-1-48839734

Spain/Portugal:
Fast Ibérica S.L.
Tel: ++34-1-7253626
Fax: ++34-1-7267219

Italy:
Techne S.R.L.
Tel: ++39-59-440690
Fax: ++39-59-440720

BeNeLux:
Crypsys Data Security
Tel: ++31-1830-24444
Fax: ++31-1830-22848

Greece:
Fast Hellas AE
Tel : ++30-1-6893 675
Fax: ++30-1-6854 624

Finland:
Fast Finland Oy
Tel : ++358-0-5611 001
Fax: ++358-0-5611 006

Hungary:
Szki Recognita Corp.
Tel: ++361-201-8925
Fax: ++361-201-7607

Croatia:
G&G Electronic
Tel: ++38-41-315794
Fax: ++38-41-333510

America/Far East:
Glenco Engineering Inc.
Tel: ++1-708-808-0300
Fax: ++1-708-808-0313

FAST
Fast Electronic GmbH

FAST Electronic GmbH, Kaiser-Ludwig-Platz 5, 80336 München, Tel: ++49-89-53 98 00-20, Fax ++49-89-53 98 00-40

Circle 515 on Inquiry Card.

What's New International Software



REMOTE E-MAIL ▲

With Remote WinMail (£199), you can connect via modem directly into LAN-based E-mail systems or public mail services. Designed for Windows or OS/2, the remote E-mail software from Finansa (London, U.K.) supports graphical features such as drag-and-drop message management and rules-based filtering and sorting of messages into user-defined folders. While traveling, you can select your location from a preconfigured list, and Remote WinMail automatically reconfigures the system to use the appropriate telephone numbers and data transfer rates. Other features include creating and reading messages off-line, batching together messages for transfer during a single connection, and scheduling background connections for off-peak telephone tariffs.

Phone: +44 71 405 4054.

Circle 1478 on Inquiry Card.

TERMINAL EMULATION

ITECS (Integrated Terminal-Emulation Software) lets IBM PCs perform as multisession, multiemulation terminals capable of simultaneous communication with remote hosts via Ethernet (TCP/IP) LANs, X.25 WANs (wide-area networks), and asynchronous serial links. Sanderson Insight's (Bedford, U.K.) package incorporates emulations of common and specialized terminal types, which provides compatibility with applications running on host systems. You use the setup parameters to determine the number of simultaneous host sessions that can be activated. The ITECS package (from £350, depending on configuration) also supports routing between X.25 and Ethernet networks, which allows one ITECS terminal to act as an X.25 gateway for other ITECS terminals on the Ethernet. The package supports parallel and serial interface printers, and you can designate ITECS terminals on a network as network printing devices for host systems and other terminals.

Phone: +44 234 768557.

Circle 1445 on Inquiry Card.

LINK INSTRUMENTS TO APPLICATIONS ▼

The RS-232 Wedge from Cooke Technology (Brighton, U.K.) captures data from scientific and measuring instruments that use a serial interface, such as bar code scanners, measuring tools, industrial gauges, medical instruments, laboratory instruments, temperature sensors, electronic scales, gas monitors, and flow meters. Then, in real time, it transfers the data into applications such as Lotus 1-2-3, dBase, and Excel. The software is available for DOS (£139) or Windows (£199; Professional Windows version, £395), and it requires no external hardware or custom programming.

Phone: +44 272 586644.

Circle 1446 on Inquiry Card.



OCR SOFTWARE



The latest OCR software from Inovatic International, EasyReader 1.2 (Windows version, 6500 French francs; Mac version, FF1490) can analyze a page and identify text as single or multicolumn, as well as mark out the graphics and images that it can't process. In addition to neural-network technology, EasyReader uses an integrated dictionary to further increase its recognition capabilities. The software can identify characters in any font and recognize text across multiple page layouts. Once you have analyzed the text, the software provides facilities for editing and checking spelling. EasyReader also lets you export documents to most popular word processors. The package is available in English, French, German, Spanish, and Italian versions and runs under Windows and on Macintosh and Sun machines.

Contact: Inovatic International, Chatenay Malabry, France, +33 1 40 91 09 90.

Circle 1463 on Inquiry Card.

DIGITAL MOTION VIDEO

With Digithurst's (Hertfordshire, U.K.) DMV (Digital Motion Video) software and a MicroEye 2C card, you can capture video sequences in real time and store them on your hard disk. The software (£35) also lets you capture sounds at the same time, using a sound board that has a Windows MCI (media control interface) driver. The DMV software consists of a Recorder module and a Playback module. You use the Recorder module to capture the video and sound and to process information into a form that the Playback module can use. You use the Playback module to play the DMV files. A Windows application, the file player appears with no title bar or border; it also appears on top of all other applications.

Phone: +44 763 242955.

Circle 1452 on Inquiry Card.

What's New International Software

Digitized Color Photographs

PhotoLib Volume 2 from Kagema contains more than 4000 color photographs in electronically digitized format. The package (940 Swiss francs) provides you with a choice of general-purpose photographs covering a variety of subjects for inclusion in advertisements, brochures, flyers, presentations, and multimedia. PhotoLib Volume 2 covers subjects such as travel, plants, business, industry, arts, and people. It also includes selections of paintings and sculpture covering such topics as Rome, Vienna, fireworks, hot air ballooning, and flowers. For the Mac, the package includes Aldus Fetch for searching and browsing. The Windows version includes U-Lead Image Pals Browser.

Contact: Kagema AG, Zurich, Switzerland, +41 1 321 0600.

Circle 1475 on Inquiry Card.

VISUAL ATLAS OF AUSTRALIA

KiJai Software's (Adelaide, South Australia) Visual Atlas of Australia package contains maps of each state and provides information on land use, national parks, minerals, vegetation, climate, and aboriginal lands. The Windows software ($A 99) also includes information about 20 explorers, 36 wildlife images and maps, individual city maps, economic graphs, the names of federal government members and senators listed by state, and an on-line fact book complete with comparison statistics for the region.

Phone: +61 8 255 9271.

Circle 1315 on Inquiry Card.

REAL-TIME APPLICATIONS

A software development environment, wVRTX allows Windows 3.1 users to develop true real-time applications on PCs. The software is based on Ready Systems' (Berkshire, U.K.) VRTX32 real-time operating-system kernel, which controls the PC while running Windows applications as tasks. wVRTX lets you use industry-standard tools, such as Microsoft C, Borland C++, and both companies' source-level debuggers, in native mode while producing true real-time software.

Existing VRTX32 programs will run under wVRTX (about £5000) with little or no modification, and VRTX32 fully supports interrupts. Windows 3.x and VRTX32 applications can exchange data directly using DDE. You can program wVRTX Windows applications and VRTX32 real-time applications in any single or mixed model. Simple DLLs link all wVRTX interfaces, and Windows automatically loads them during run time. VRTX32 has total system control, and it processes all interrupts in protected mode. User-defined VRTX32 interrupt routines process interrupts before DOS or Windows 3.1. All VRTX32 applications take priority over DOS or Windows and run until you suspend or delete them.

Phone: +44 488 686860.

Circle 1448 on Inquiry Card.

NEURAL-NETWORK TOOLKIT

Currently used for handwriting and voice recognition, Gerenia (about 119,000 forints) from Active Record Software Systems (Budapest, Hungary) is a neural-network toolkit that uses the Classitron model of probability modeling for use in various industries. Designed to offer speed gains in the learning process (particulary for recall mode), the Generia toolkit is under development for applications such as image processing, medical diagnostics, nuclear physics, financial analysis, and risk prediction.

Phone: +36 1 134 41 36.

Circle 1453 on Inquiry Card.

MAC-TO-HOST CONNECTIVITY

With ASC 5PM software from Geneva Services (East Sussex, U.K.), you can simultaneously connect Macs to minicomputer and mainframe hosts. The package (£412) lets you selectively attach Mac screen features, such as icons, scroll bars, and menus, to specific elements of the host application to build custom Mac interfaces without altering the underlying application code. ASC 5PM also provides a bridge between applications on different hosts and lets you display up to four applications on-screen simultaneously using the Mac's cut-and-paste feature. You also get full-color screens and access to the Apple Communications Toolbox with a scripting language that includes palettes, buttons, and other objects to automate multiple operations. The ASC 5PM software supports IBM mainframes and AS/400s, Digital VAXes, Hewlett-Packard 3000s, most Unix platforms, and various terminal emulations.

Phone: + 44 273 608311.

Circle 1451 on Inquiry Card.



INVOICE TRACKING FOR UNIX ▲

Now Cabot Software's (Bristol, U.K.) sales and purchase invoice-tracking system, Query, is available under SCO Unix. Query (£850) records, tracks, and helps process disputed invoices with features such as intuitive menus, screen prompts, context-sensitive help, on-line queries, and user-defined reports. You can integrate Query with leading DOS and Unix accounting packages and customize all the screens and prompts to match your existing accounting systems or company procedures. A built-in diary prompts for actions and records all relevant comments and decisions.

Using Query, you can build up detailed payment, credit, query, and dispute histories. By logging information about persistently slow payers, Query helps you develop credit profiles and produce full case histories for any legal action. Through links to leading word processors, Query lets you quickly produce standard chasing letters, correspondence, and paperwork for county court proceedings.

Phone: +44 273 414620.

Circle 1477 on Inquiry Card.

VM/386 MultiUser. A Workgroup Operating System for DOS & Windows.



Why wait any longer for fast and powerful networking software to run Windows® and DOS in your workgroup?

Get the power of a true 32-bit MultiUser, Multitasking DOS-based operating system with VM/386 MultiUser® (version 3.0). VM/386 MultiUser® fully supports thousands of Windows 3.1 and other DOS applications. Plus, you will put the multi-tasking power of a true 32-bit operating system into your shared DOS environment.

Up to 10 times faster than LANs

VM/386 MultiUser allows one 386/486 PC to act as host for up to 32 text-based terminals, graphics workstations and /or other PCs. Each retains all the functions and familiarity of true MS and PC DOS. And with disk intensive applications, VM/386 is up to five to ten times faster than a LAN.

Compared to LANs or UNIX, the easy start-up and low support needs of VM/386 MultiUser will surprise you. Plus, you can have remote dial up access without a need for costly additional software.

Supports Windows 3.1

Run any of your favorite DOS applications that comply with the DOS Protected Mode Interface (DPMI) Standard and Windows. VM/386 MultiUser is ideal for workgroup accounting, point-of-sale, wordprocessing, business and many other multi-tasking, multi-user situations.

True 32-bit operating system

Version 3.0 of VM/386 MultiUser running as a true 32-bit system, assures future compatibility with hardware upgrades like MP.

Thousands of field-proven VM/386 systems have been in use since 1987. To learn more about the latest release of VM/386 MultiUser (Version 3.0) and how it can open Windows and doors for you, contact us now.

IGC

Join a winning team.

Phone: 408•441•0366
Fax: 408•441•0390
1754 Technology Drive • Suite 108
San Jose, CA, USA 95110

Circle 548 on Inquiry Card (RESELLERS: 549).

A Message To Our Subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Magazine
Attn: Subscriber Service
P.O. Box 555
Hightstown, NJ 08520

Real-Time Multitasking

for Microsoft C, Borland C, Turbo Pascal

Develop Real-Time Multitasking Applications with *RTKernel!*

RTKernel is a professional, high-performance real-time multitasking kernel. It runs under MS-DOS and supports Microsoft C, Borland C++, Turbo Pascal, and Stony Brook Pascal+. RTKernel is a library you can link to your application. It lets you run several functions / procedures as parallel tasks. RTKernel offers these advanced features:

- pre-emptive, event-/interrupt-driven scheduling
- number of tasks only limited by RAM
- task-switch time of 6 µsecs (33-MHz 486)
- speed independent of the number of tasks
- up to 64 priorities (changeable at run-time)
- time-slicing can be activated
- timer interrupt rate of 0.1 to 55 ms
- high-resolution interval timer (1 µsec)
- activate or suspend tasks out of interrupt handlers
- programmable interrupt priorities
- supports math coprocessor and emulator
- inter-task communications using semaphores, mailboxes, and message-passing
- keyboard, hard disk, floppy disk idle times usable by other tasks
- interrupt handlers for keyboard and COM ports included with source code
- supports up to 36 COM ports (DigiBoard and Hostess boards)
- full support of NS16550 UART chip
- fast, inter-network communication using Novell's IPX services
- runs under MS-DOS 3.0 to 6.0, DR-DOS, LANs, or without operating system
- call DOS without re-entrance problems
- resident multi-tasking applications (TSRs)
- runs Windows or DOS Extenders as a task
- supports CodeView and Turbo Debugger
- ROMable
- **full source code available**
- **no run-time royalties**
- **free technical support by phone or fax**

RTKernel-C (MSC 6.0/7.0/8.0, BC++ 1.0/2.0/3.x) ..... **DM 795 (Source Code: add DM 695)**
RTKernel-Pascal (TP/BP 5.x/6.0/7.0, SBP 6.x) ..... **DM 695 (Source Code: add DM 595)**

For international orders, add DM 50 for shipping and handling.
MasterCard, Visa, check, bank transfer, COD accepted.

FREE DEMO DISK

MasterCard VISA

On Time MARKETING
Professional Programming Tools

Karolinenstrasse 32 · 20357 Hamburg · Germany
Phone +49 - 40 - 43 74 72 · Fax +49 - 40 - 43 51 96 · CompuServe 100140,633

What's New

Data Acquisition



National Instruments has added custom Visual Basic controls to NI-DAQ 4.4 that execute in response to data acquisition events or when all channels have collected the required amount of data. The data acquisition software driver notifies DOS and Windows applications when user-specified events occur, thereby eliminating the need for continuous polling. NI-DAQ 4.4 also extends the amount of memory available for storing up to 4 GB of collected data for EISA PCs and up to 16 MB for IBM ATs. The software is included free with National Instruments' plug-in DAQ boards.

Contact: National Instruments U.K., Berkshire, U.K., +44 635 523545.

Circle 1474 on Inquiry Card.

Parallel DSP Made Easy

3L's (Edinburgh, Scotland) parallel DSP (digital signal processing) library contains standard signal-processing functions, including filtering, convolution, and general-purpose vector and matrix processing. The library (£965) provides signal-processing functions, such as data generation, windowing, convolution and correlation, FIR (finite impulse response) and IIR (infinite impulse response) filter design, transforms, and spectral analysis. There are also general-purpose functions for vector arithmetic, statistics, and matrix manipulation.

Phone: +44 31 662 4333.

Circle 1449 on Inquiry Card.

Network Remote Control

With NetOp 4.1 (DOS and Windows version, £695; DOS, Windows, and OS/2 version, £1045), you can access the screen and keyboard of any DOS, Windows, or OS/2 PC on your network. Available from Richmond Systems (Surrey, U.K.), the latest version includes a file transfer utility that works on Novell IPX/SPX or NetBIOS networks and lets you transfer files and directories between DOS, Windows, and OS/2 PCs. NetOp 4.1 supports Super VGA resolutions of up to 800 by 600 pixels in 16 colors, polls the network and automatically builds a list of active remote PCs, and broadcasts remote screens across the network.

Phone: +44 81 940 6986.

Circle 1444 on Inquiry Card.

MEET EUROPE AND COMMUNICHATE

COME

INNOVATION AND SYSTEM INTEGRATION

SYSTEMS 93: where information technology experts from around the globe meet for ideas and innovations in the world's - and Europe's - fastest-growing industry. A fascinating and informative display of the latest developments in computer and communication technologies. Don't miss out on a unique opportunity to make contacts that will pay off. At the world's leading international trade fair and congress: 18-22 October 1993.

Want to know more? Just give us a call and we will be happy to send you detailed information on SYSTEMS 93. Telephone: **(89) 51 07-284** or **-285.** Messe München GmbH, Messegelände, D-80325 München

MESSE MÜNCHEN INTERNATIONAL

SYS SYSTEMS 93

Computers · Communications · Applications

13th International Trade Fair and International Congress

Munich, 18 - 22 October 1993

Circle 547 on Inquiry Card.

What's New International Software



QUALITY MANAGEMENT

Designed to run under Windows 3.1, Quality Workbench (from £1695) provides an integrated set of tools that you can use to control the preparation, authorization, issue, and change of quality-related documents and drawings. The package from Trisoft (Derbyshire, U.K.) lets you control issue notes, requests for changes, document-history reports, and distribution lists with the click of a mouse button. According to Trisoft, information flows freely throughout the system, ensuring that you can trace document-change requests and amendments to the quality system back to the relevant audit, complaint, or nonconformity.

Phone: +44 629 733111.

Circle 1447 on Inquiry Card.

NETWORK ADMINISTRATION

The Network Administration Environment (single-user license, £199) from Laverock von Schoultz (London, U.K.) is compatible with PC-based networks on which people are using DOS or Windows applications. The package provides unattended software installation and upgrade, application monitoring, and statistics, as well as background scheduling, print management routines, and a graphical log-in program that you can customize to display a company's logo. All programs in the environment are designed with a high degree of fault tolerance and built-in multilanguage support, and they don't use TSR routines.

Phone: +44 71 589 4567.

Circle 1458 on Inquiry Card.

READY-TO-GO UNIX PACKS

The 10 ReadyPaks available from User Interface Technologies (Cambridge, U.K.) contain the latest tools, applications, and utilities for Unix. Each ReadyPak (£129 to £279) is made up of application-oriented suites or comprehensive collections of programs, including C++ and C compilers and source-level debuggers; desktop utilities; text-processing tools; user and system administration utilities; an EMACS programmable screen editor; the X Window System and applications; communications software; and games and puzzles.

Phone: +44 223 302041.

Circle 1457 on Inquiry Card.

SEKISUI

RS-232C
MULTI-PROTOCOL ANALYZER
New LINE EYE

New

■ LE-3000 MAJOR FUNCTIONS
- Statistical analysis • Idle time measurement
- Automatic configuration • Off-line analysis
- Data extend with 128KB/256KB S-RAM cards
- Protocol translation display capability
- Powerful trigger function • BERT function
- Timer/counter capability • 192Kbyte buffer memory

MULTI-PROTOCOL ANALYZER LE-2000 Multi-function analyzer that supports high-speed communications network of 64Kbps.

COMPACT PROTOCOL ANALYZER LE-1000 High-performance RS-232C line monitor capable of monitoring high-speed asynchronous communication of 38.4Kbps.

COMPACT LOGIC ANALYZER
CA-1000
- Simultaneous sampling of 16 channels at a rate of 100MHz.
- Large capacity memory: 32Kbits/CH

CA-500
- Simultaneous sampling of 16 channels at a rate of 50MHz.
- Large capacity memory: 32Kbits/CH

SCSI ANALYZER SC/2
SC/2 has the SCSI simulation capability.
A high-performance analyzer for professional use that is capable of simulating both the initiator and the target.

LE 3000/2000: Restricted by COCOM

MULTI-PROTOCOL ANALYZER
LE-3000 Monitors high-speed communication of 72Kbps.
A high-end analyzer capable of program simulation

SEKISUI CHEMICAL CO., LTD.
Computer Applied Equipment Division
4-4 Nishitemma, 2-chome, Kita-ku, Osaka, 530 Japan
PHONE: OSAKA (06) 365-4504 FAX: OSAKA (06) 365-4375
TELEX: 5236943 SEKIOS J

Circle 527 on Inquiry Card.

The Green Monitor With A Big Screen From KFC®

WHY KFC?
KFC OFFERS A FULL LINE OF MONITORS.

Your best source for monitors is KFC, since our complete line from 9″,14″,15″,17″,20″ & 21″ monitor, advance function like full Screen, Pincushion, Trapezoid and Rotation Adjustment is also available, Allow you to do one stop sourcing efficiently. So there is no need to waste time calling different venders for different types of monitors. Just call KFC, and you are sure to find what you wants.

WHY GREEN MONITOR?
SAVE YOUR MONEY & LOVE OUR WORLD

Today, many governmental agencies and independent organization are involved in setting limits or goal in power consumption. The Green Monitor build in a intelligent power management. When PC is in idle state. After 5 minutes then the green monitor will power off automatically.

KFC has already had a serial green monitor with this function.

KFC®

Circle 521 on Inquiry Card.

SMILE

HEADQUARTER	CALIFORNIA USA	TEXAS, USA (OEM)	SMILE GERMANY	SMILE BENELUX
TEL: 886-2-7548353	TEL: 714-5460336	TEL: 512-8356776	TEL: 49-2154-9280	TEL: 31-10-4460300
FAX: 886-2-7548498	FAX: 714-5460315	FAX: 512-8356779	FAX: 49-2154-1032	FAX: 31-10-2622868

What's New International Software

Ground 3-D Modeling



Visual DTM (about 950,000 lire) lets you execute a ground hyperrealistic pattern that includes vegetation, trees, and lakes. You obtain the patterns from a 3-D data chain that you acquire with topographical tools, directly from a map, or from a satellite image. The package, from Intelligence Software, can compute shaped surface volume or execute dimensional divisions, using several colors to indicate differences. In addition, Visual DTM features an interactive method that can show first and final section points from a whole model. You can directly interface Visual DTM with rendering packages or tools, such as RenderStar or 3-D Studio, to obtain synthesis images in photo-realistic quality. The package can also simulate reforestation courses after forest fires or landslides.

Contact: Intelligence Software Co., Istrana, Italy, +39 422 73411.

Circle 1454 on Inquiry Card.

Elektroson's Multisession CD-ROMs

Elektroson's (Eindhoven, The Netherlands) Multi Session Gear is a software solution for ISO-9660, mixed-mode, CD-ROM XA formatting and mastering of your CD-ROM data to CD-R (recordable) disc in multisession format. The software (4500 Dutch guilders) lets you record information on the same CD-R disc in several interrupted sessions (e.g., at different times on different recorders). Each session can contain information according to one of the CD standards, and you can link the data from different sessions. Multi Session Gear supports the Philips and Kodak writers, and you can read your Multi Session CD-R disc on any multisession CD reader.

Phone: +31 40 515065.

Circle 1480 on Inquiry Card.

Software is hard work

Get rid of those parasites!

Eutron
THE SECURITY KNOW-HOW

PARASITE: "...an organism that lives off others, causing them harm".

You can find parasites in software, too: they are people who pirate programs that cost software houses years of study and research. Now the time has come to put a stop to software stealing and to start using **SMARTKEY, the *smart* protection key.**

SMARTKEY is connected trasparently to the PC's parallel port and lets you protect your .EXE format files in a matter of seconds. Or you can act on source programs, for which drivers are available for a large number of languages and operating systems (DOS, WINDOWS 3, OS/2, UNIX, NOVELL, etc).

And because parasites are widespread in all software environments, SMARTKEY comes in a wide range of models to meet any software protection needs:

- **FX** : with fixed programmed access codes
- **PR** : with internal memory and user-programmable access codes
- **EP** : with programmable codes, memory and capability to detect any attempts to break in
- **NET**: for local network applications
- **SR** : for software protection on workstations, mini and mainframes (on serial ports)

Please contact us for full details and documentation. Our technical staff is at your disposal to work out the best solution to the software protection problems. And you will be pleasantly surprised at the cost. Please call us for the address of a local distributor.

- ✔ No minimum quantities required
- ✔ Average delivery time 24 hours
- ✔ Technical support via hot line

via Gandhi 12 - 24048 Treviolo Bergamo - Italy
Tel. +39-35-201003 - Fax +39-35-692229

VISA MasterCard

Circle 514 on Inquiry Card.

MORE CACHE • LESS CASH

The Most Complete Line of Add-in Memory Boards for HP-Computers

GFK

We're strong on Performance

HP 1000	A 400, A 600, A 700/1-2-4-6-8 MB
	A 900, A 990/4-8-16-32 MB
	Hood-Connectors
HP 3000	9x7/16-32-64-128 MB Extender card for 5 and 7 modules
	920, 922, 932, 948, 958/16-32 MB
	925, 935, 949/8-16 MB
	950, 955, 960, 980/16-64 MB
HP 9000	200, 300/0,5-1-2-4 MB
	318, 330/4-8 MB
	319/4-8 MB
	332/1-4 MB
	340/4 MB
	345, 375, 380/4-8-16-32 MB
	350, 370/4-12 MB
	360/4-8-12 MB
	362/1-2-4-8 MB
	382/4-8-16 MB
	400/4-8-16-32 MB
	425e/4-8-16 MB
	705, 710/8-16-32 MB
	715, 725, 74x/8-16-32-64 MB
	720, 730, 735/16-32-64 MB
	750, 755/16-32-64-128 MB
	800 Series 8x7 and Model F, G, H, I 16-32-64-128 MB Extender card for 5 and 7 modules
	820, 822, 832, 842, 852/16-32 MB
	825, 835, 845/8-16 MB
	850, 855, 860, 865, 870/16-64 MB

- 10 Years Warranty
- Immediate Delivery
- Affordable Prices

GFKT HAMBURG • GERMANY
Frankenstraße 29 • 20097 Hamburg
Phone (40) 23 73 01-0
Fax (40) 23 17 89

Circle 518 on Inquiry Card.

Circle 513 on Inquiry Card.

CLIPPER PROGRAMS
FOREVER FIT

CLText

CLText - A full-featured, linkable word processor for Clipper. Supports WYSIWYG, printer attributes, form letters, search/replace, cut/paste/copy, documents > 64K. Configure to emulate MemoEdit(), WordPerfect, Word (5 and 5.5), Brief, or DOS Edit.

CLReport - A fully relational, linkable WYSIWYG report writer, written specifically for Clipper. Royalty free report designer. Even include Clipper UDFs in your report specification!

CLTools

CLTools - A low level function library for Clipper. Supports string handling, communications, compression, directory management, windowing, print spooling, and much more.

CLGraph/CL3D - 2 and 3 dimensional charting library for Clipper. Supports all resolutions up to 1024*768 in 256 colors. Design 3D charts interactively with the supplied chart designer. Print full page on Laser and dot matrix printers. Full PCX support.

CLGraph/CL3D

ExoSpace - DOS Extender for Clipper. Lets your Clipper apps run in protected mode with direct access to 16 meg. of memory.

CLWindow - An SAA/CUA compliant Graphical User Interface for Clipper. Works with existing code, supporting Windows, Mouse, Radio Buttons, Check Boxes, Menus, Combo Boxes etc. even Windows .ICO files.

"I have absolutely no hesitation in recommending the CL products as the best Clipper add-ons".
Rick Spence,
Original Co-developer of Clipper

CLWindow

SOFTWARE DESIGN CONSULTANTS
Gydes Farm, Stroud Road,
GB-Painswick, Glos. GL6 6RS
Phone (44) (0) 452-812 733
Fax (44) (0) 452-813 918

Dr. Huggle & Partner GmbH
Heinrichsallee 41
D-52062 Aachen
CIS #100010,1131
Phone (49) (0) 241-403114
Fax (49) (0) 241-403117

What's New

URW TYPEWORKS

The TrueType version of URW TypeWorks includes 3000 unlocked quality fonts that you can use with the Windows 3.1 operating environment. The package from Signus (London, U.K.) includes all 3000 fonts on a single CD; a CD player; and a new kerning-application package, called Kernus, that calculates the correct typographic spacing for every conceivable pair of characters. The collection (£995; without CD player, £760) consists of 500 basic designs, each with outline, in-line, relief, shadow, and rounded modifications. All the typeface designs are hand-digitized in Ikarus format from original designers' references.

Phone: +44 71 922 8805.

Circle 1481 on Inquiry Card.

ALDUS CONSUMER COLLECTION

Aldus (Middlesex, U.K.) has bundled three of its popular Mac products into the Aldus Consumer Collection (£179). The Consumer Collection's combination of Personal Press 2.0, the desktop publishing program; IntelliDraw 1.0, the intelligent drawing software package; and SuperPaint 3.0, the paint and illustration program, offers users a range of tools for their business communication and graphics needs.

Phone: +44 81 568 8868.

Circle 1455 on Inquiry Card.

WINDOWS-TO-OPEN-SYSTEMS MAIL

The latest version of Mail-it, Unipalm's (Cambridge, U.K.) Windows-to-open-systems E-mail package, lets you send mail from within applications and provides image and multimedia support. With Mail-it 2.0, you can attach files of any size or length, including graphics, spreadsheets, audio, video, and multimedia, to mail messages. In addition, you can send multiple messages within a single message, multifont messages, and binary or application-specific files to anyone on the network. Mail-it 2.0 (five-user pack, £450; 10-user pack, £750) also supports the emerging Internet MIME (Multipurpose Internet Mail Extensions) and Microsoft's Simple and Extended MAPI (Messaging API) standards. Other features include automatic checking for new mail; message filing with a comprehensive search facility; and a task facility, which lets you perform common tasks automatically at given trigger events.

Phone: +44 223 420002.

Circle 1462 on Inquiry Card.

QUERY AND REPORTING TOOL

Cognos (Bracknell, Berkshire, U.K.) has added to Impromptu 2.0 presentation-quality report formatting directly on the data, more powerful data-manipulation capabilities, Open Database Connectivity support, and native support for dBase, Paradox, Oracle, Sybase, and Microsoft SQL Server. The desktop SQL data access and reporting tool (£700) features full fonts and colors, borders, shading, headers, footers, bit maps, page formatting, page numbering, and custom formats. A configurable toolbar lets you call other applications and operations from within Impromptu. New OLE and DDE support lets you embed and link Impromptu reports to other applications. Impromptu 2.0 also includes enterprise-wide manageability with security and administration functions such as distributed multiuser catalogs, locked catalogs, query distribution, and query governors that let you control the number of records received, number of tables joined, distinct selections, and security by value.

Phone: +44 344 486668.

Circle 1460 on Inquiry Card.

Hot Development Tool Needed for Mission-Critical Downsizing Project.



If you're in a position where you need CLIENT/SERVER applications developed in a flash, Magic is the right tool for the job. Magic employs a unique post-4GL, automated programming methodology that reduces development and maintenance time by an extraordinary 90%. And enables you to develop robust, open applications that you can incrementally migrate to CLIENT/SERVER environments.

This is a Job for Magic!

MAGIC

Magic Software Enterprises

PRODUCTIVITY BEYOND 4GL

Here's How it Works

Magic's distributed engine-based technique isolates the logical aspects of the application from the physical aspects. Your applications are ported instantly since the programs remain unchanged - only the engines which pertain to the deployment environment change. Database independence plus interoperability across DOS, UNIX and VMS are also achieved easily and transparently.

BYTE 9/93

Int. H.Q. Tel:(972-3) 751-1914, Fax:(972-3) 751-1901 • **U.S.** Tel:(714) 250-1718, Fax:(714) 250-7404 • **U.K.** Tel:(0344) 303-045, Fax:(0344) 303-024

Argentina Tel: (1) 342-7297, Fax: (1) 325-7066 **Australia** Tel: (2) 389-3555, Fax: (2) 387-7110 **Austria** Tel: (222) 535-9860, Fax: (222) 535-9861 **Belgium** Tel: (3) 281-2111, Fax: (3) 281-3211 **Brazil** Tel: (11) 285-3322, Fax: (11) 251-0747 **Denmark** Tel: 4291-9555, Fax: 4291-5556 **Finland** Tel: (21) 535-150, Fax: (21) 535-153 **France** Tel: (1) 4204-2118, Fax: (1) 4772-9183 **Hong Kong** Tel: 774-3318, Fax: 785-0542 **Hungary** Tel: (1) 165-3325, Fax: (1) 166-9189 **Japan** Tel: (480) 727-613, Fax: (480) 727-617 **Netherlands** Tel: 3405-71888, Fax: 3405-71766 **Korea** Tel: (2) 715-4796, (2) 557-0911, Fax: (2) 716-9023, (2) 557-0425 **New Zealand** Tel: (9) 309-3156, Fax: (9) 309-3195 **Panama** Tel: 637-652, Fax: 638-896 **Philippines** Tel: 810-7596, Fax: 815-3752 **Poland** Tel: (48) 53-804, Fax: (48) 52-776 **Singapore** Tel: 472-7600, Fax: 472-7500 **Slovakia** Tel: (7) 335-124, Fax: (7) 50796 **Switzerland** Tel: (22) 738-1188, Fax: (22) 738-1190 **Taiwan** Tel: (2) 218-3330, Fax: (2) 218-3340 **Turkey** Tel: (1) 269-0923, Fax: (1) 280-7624 **Uruguay** Tel: (2) 920-262, Fax: (2) 921-116 **Venezuela** Tel: (2) 573-7522, Fax: (2) 574-8784

Circle 523 on Inquiry Card.

One Party!

Why get bogged down with third party DOS extenders and C compilers, when all you want is to write 32-bit Windows programs? With LPA 386-PROLOG 2.0, you get everything you need to write really stunning applications:

- True 32-bit stacks, heaps, programs & data
- Fully programmable dialogs, menus & windows
- High level access to the GUI and operating system
- Two-way data exchange through DLLs

Not to mention the integrated source level debugger, multi-file program editor, incremental and optimising compilers, and full Prolog predicate library.

All this, and much more, without the need to buy any third party DOS extenders or C compilers.

386-PROLOG is your one party, 32-bit applications development environment for Windows 3.1!



Logic Programming Associates Ltd
Studio 4, RVPB, Trinity Road, London, SW18 3SX, England
Tel: (US Toll Free) 1-800-949-7567, (Int) +44 81 871 2016
Email: lpa@cix.compulink.co.uk - Compuserve: 100135,134

TP 14 . 4K FAX/MODEM

V.32BIS , V.42BIS , V.17FAX

—TP144E EXTERNAL TYPE
—TP144C INTERNAL CARD
—*COMPAQ NOTEBOOK 14 . 4K FAX/MODEM*
—*APPLE POWERBOOK 14 . 4K FAX/MODEM*
—VOICE/FAX/MODEM CARD (3-IN-ONE) TP96/24VC

EXTERNAL SCSI CABINET

—TP2525 DUAL BAYS SCSI BOX
—TP525 SINGEL 5.25" SCSI BOX
—TP350 SINGLE 3.5" SCSI BOX
—TP250 2.5" HD HANDY POCKET TYPE
UL/CSA/TUV POWER, THOUSANDS PCS DELIVERY EXIPERENCE
OPEN BEZEL FOR MO, CD, TAPE ETC

TECHPOWER CO, LTD.
6F-1 NO, 204 SEC. 5 MING SHENG. E. RD. TAIPEI
TEL : 02-753-1930 FAX : 886-2-753-1940

All brand names are registered trademarks of their respective owners.

What's New

AUTOROUTE EXPRESS FOR THE MAC

AutoRoute Express, a route-planning package from NextBase (Middlesex, U.K.), is now available for the Mac. You tell the software the starting point, destination, any stop-off points (up to a maximum of four), your driving style and speed, and the preferred type of road for each journey. You can even tell AutoRoute Express to avoid certain congested or blocked roads. The software (£149.95) then calculates the quickest and shortest routes, and up to four alternative routes, to the destination. Route directions show how far to go, how long it takes, where to turn, and what signs to look for, plus the total distance and estimated driving time. AutoRoute Express also lets you cut and paste detailed maps illustrating each of the routes into other Mac applications and presentation software, or you can print them out.

Phone: +44 784 421422.

Circle 1479 on Inquiry Card.

IDEALIST FOR NT

Now Blackwell Software's (Oxford, U.K.) Idealist, the PC database for variably structured data and information retrieval, is available for Windows NT. The text database sorts data in a long string, with record headers defining each entry individually. The software (price not available at press time) lets you have variable and repeated fields, and it individually indexes every item in the database for almost instantaneous information retrieval.

Phone: +44 865 791738.

Circle 1476 on Inquiry Card.

DESIGN CIRCUIT BOARDS

With the Ultiboard family of products, Ultimate Technology (Naarden, The Netherlands) offers Ultisim Digital Simulator 1.0, a simulator that includes schematic-capture, logic-simulation, and timing-verification functions, and Ultiboard 4.50, 32-bit printed-circuit-board-design software. The products (5990 to 16,950 Dutch guilders, depending on design capacity) for board-level designers run under Windows 3.1.

Ultiboard features an expanded library, a macro facility, a "No Via" option, enhanced block operations, and automatic polygon editing. The library now includes over 400 footprints, covering most commonly used components. In addition to the No Via option, the auto-router includes copper-sharing, trace-hugging, and via-optimization features plus greater speed. The enhanced block operations feature block import/export and rotate functions. You can also interface Ultiboard bidirectionally to most schematic capture packages.

Phone: +31 2159 44444.

Circle 1443 on Inquiry Card.

TESTING AND ASSESSMENT

The latest version of Question Mark Computing's (London, U.K.) testing and assessment package, Question Mark Professional 3 (£469) helps you produce glossy, professional-looking tests. The program offers features such as multiple graphics, tighter test security, the ability to define units of weight and measurement in numeric questions and automate repetitive tasks with smart keys, and the option of using a mouse or the keyboard to take tests. When developing new tests, you can create up to 12 topics from which to draw questions at random. With the statistics report feature, you can calculate the difficulty and discrimination of each answer. Question Mark Professional 3 lets you divide students into groups and report on their performance accordingly. Language teachers can define keys that students can use to enter nonstandard characters from a standard keyboard. Question Mark Professional 3 also has a multiple-statement, or "logical," question type, which is suitable for tests on medical subjects.

Phone: +44 71 284 3999.

Circle 1450 on Inquiry Card.

 Circle 529 on Inquiry Card.

The Innovation of HyperBook 3000 Color Notebook Is Your Key of Winning



With an innovative HB 3000 color notebook from Sunrace, you can win the competition of this world. The innovativeness of the HB 3000 color notebook not only provides you with generic functions needed for mobile computing, but also more unique features.

Built-in 16mm Trackball and Dedicated Numeric Keypad



When travelling, you'll realize that you have a limited space or no space at all to move your mouse. The HB 3000 color notebook builds in a trackball, which is centered and in front of keyboard, so that there is nothing to carry around, to set up and to take apart. Meanwhile, the dedicated numeric keypad offers you the convenience of entering numbers at anytime.

Removable Hard Disk

The removable hard disk allows easy upgradability and group sharing of data and your HyperBook.

Second Parallel Port

Through this second parallel port, you can now plug-in such peripherals as a pocket LAN adapter, portable sound card, etc.. without having to constantly unplug the printer.

SCSI Port

You can enjoy unlimited storage by plugging in CD ROMs,Tape streamers, or high capacity hard disk drives into the SCSI port.

SunRace
The Innovative Notebook Specialist

- 486 Class Notebook Ranging from Cx486SLC/33, Cx486S/33 to i486DX2/50
- Power Management
- Patented 5-level Power-Bar LED Meter
- 9.4" Color Active TFT/Color Passive Dual Scan STN LCD
- Password
- Alternative Power Source
- Turbo Charging
- Internal Fax/Modem
- Optional Secondary Battery Pack

SunRace
The Innovative Notebook Specialist

Sunrex Technology Corporation

■ 9F, NO. 531, Chung-Cheng Rd., Shin-Tien, Taipei Hsien, Taiwan, R.O.C. ■ Tel : 886-2-2186190 • Fax : 886-2-2181502

■ **U.S.A. Branch Office** 809 South Lemon Avenue, Walnot, CA 91789, U.S.A. ■ Tel : (909) 468-2955 • Fax : (909) 468-2961

Circle 542 on Inquiry Card.

Circle 536 on Inquiry Card.

Fortran 90 Tools and Compilers

Whether you are actively developing Fortran programs or maintaining existing applications in Fortran, the future has finally arrived. NAG has Fortran 90 compilers for PCs, Workstations and other platforms.

With development begun in 1987, the NAGWare Compilers are the result of careful monitoring of the developing Fortran 90 standard plus months of extensive testing. The compilers have been in use worldwide for 2 years and Version 2 is now shipping with many enhancements and improvements. They offer remarkable efficiency, extensive error messages, and a high degree of portability and reliability to meet the needs of today's heterogeneous computing environment.

In addition to the compilers there are the NAGWare f90 Tools - a new suite of tools for processing, analysing and transforming Fortran 90 source code.

NAG Ltd Wilkinson House Jordan Hill Road OXFORD OX2 8DR UK
Tel: +44 (0)865 511245 Fax: +44 (0)865 310139
NAG Inc 1400 Opus Place Suite 200 Downers Grove IL 60515-5702 USA
Tel: +1 708 971 2337 Fax: +1 708 971 2706
NAG GmbH Schleißheimerstr. 5 D-85748 Garching Deutschland
Tel: +49 (0)89 3207395 Fax: +49 (0)89 3207396

NAG®

If You Need to Communicate...



Sample of DEC VT-340 ReGIS graphics, configurable toolbar, and keyboard mapper.

And who doesn't? Today's fast moving corporate world demands quick, easy access to mainframes, minis or other PCs. **DynaComm®** provides the most powerful WINDOWS™-based communication features. Microsoft® agrees: they selected **DynaComm** as their worldwide standard for data communications. So if you need to be in touch with the rest of the world or just the rest of your company...

...We Need to Communicate.

DynaComm 3.1 Includes:

- **DEC VT-340**
- 16 terminal emulations
- 19 network connectors Including TCP/IP
- 10 transfer protocols
- 300+ script commands
- Technical support

FutureSoft.
1001 South Dairy Ashford, Suite 101 • Houston, Texas 77077
713.496.9400 713.496.1090 FAX

Also distributed by Dynamic Communications(UK) (0272) 255465

WINDOWS is a trademark of Microsoft Corporation. FutureSoft and DynaComm are registered trademarks of Future Soft Engineering, Inc.

What's New

EXERCISE WITH MULTIMEDIA

Exerciser (US$49.95) helps you to prevent shoulder, back, and neck disorders while working on your Mac or PC. Periodically, the software from Hypermedia Technology (Lund, Sweden) prompts you to stretch out and, with a series of video films, leads you through the exercises you should do and how they are done. You can choose which exercises to do, frequency, and number of repetitions. Exerciser contains five predefined exercise sets and allows you to define your own set. You perform all the exercises while sitting in front of your computer. While you are performing the exercises, the software plays calm and soothing music.

Phone: +46 46 143081.

Circle 1316 on Inquiry Card.

NETWORK BACKUP

If you're looking for a package for backing up and storing data on Novell networks, then Palindrome's (Berkshire, U.K.) Backup Director may be what you need. Backup Director features intelligent storage management, automated file tracking, and tape rotation, and it's available in NLM (NetWare loadable module) and DOS versions. The automated scheduling and tape management feature identifies each tape used for backup and gives it an individual reference number. At the same time, it tells you what label to put on the tape, and it labels the tape internally so that its identity is automatically checked whenever it is loaded in the drive. When you perform a restore, the system knows which tapes will be needed to carry out the operation and prompts you to insert the tape or tapes in the right order to produce the most efficient full, partial, or single-file restore.

Backup Director (from £795) keeps track of every file it stores and maintains a relational database that you can access through a special File Finder system to locate files for restoration. The software is hardware independent and supports industry-standard SCSI controllers and more than 130 tape drives, including quarter-inch cartridge, 4-mm, and 8-mm formats. It automatically detects the type of drive you're using and sets itself up accordingly, Palindrome says.

The standard version of Backup Director protects up to 2 GB of data. Using the Palindrome expansion module doubles the installed capacity (i.e., 4, 8, 16, and 32 GB, and so on). The new package also provides a seamless upgrade path to Palindrome's The Network Archivist.

Phone: +44 753 810751.

Circle 1456 on Inquiry Card.

MANAGE UNIX NETWORKS

NetUser-X software (52,000 to 356,000 French francs, depending on the number of machines) assists administrators of TCP/IP LANs in managing and configuring users and Unix computers. A graphical interface built around Open Look provides rapid feedback of actions performed and is easy to use for nonspecialists, the vendor says. The package from Elios (Lannion, France) consists of three independent management modules: a user module, a network module, and a system administration module. The user module lets you create, query, update, or delete information about Unix users on the network. The network module manages machines at the IP and Ethernet level as well as network services. You manage computers globally while using real-time configuration of network services. The system administration module manages the network information service domain and the consistency of data, thus guaranteeing the proper indentification of users, services, and machines. You can activate NetUser-X from any workstation or X Window System terminal.

Phone: +33 96 48 51 51.

Circle 1459 on Inquiry Card.

Circle 516 on Inquiry Card (RESELLERS 517).

The Lighter Alternative

VANDA 386SX/486 COLOR NOTEBOOK

intel inside

Discover the lighter alternative with the VANDA NOTEBOOK. Weighing just 6.2 lbs (2.9kgs) including battery, the VANDA NOTEBOOK offers all the performance of a desktop PC in a compact 12.2″ × 10″ × 1.7″ (310 × 155 × 44mm) package. Choose either a 386SX mono with up to 5MB of on-board memory, and VGA graphics in 32 gray scales; or a 486SX/DX/DX2 color model with up to 12MB RAM and 10″ LCD with VGA color graphics. Either choice provides you with the power to run high level applications including MS Windows 3.1. An 80, 120 or 240MB hard disk and a 1.44MB floppy disk ensure enough space to run practically anything, an internal fax/modem and a full suite of interfaces complete the package.

International Distributor:

Europe	*Sweden*	Jet Data AB	Tel: 46-8-960985	Fax: 46-8-960069	*U.K.*	Centerprise Int'l Ltd.	Tel: 44-256-463754	Fax: 44-256-834174
	Norway	Excess Norge A/S	Tel: 47-4-883100	Fax: 47-4-883333	*Holland*	LEO Benelux b.v.	Tel: 31-73-134640	Fax: 31-73-131945
	Finland	Tehokivi OY	Tel: 358-0-7541022	Fax: 358-0-7543541	*Greece*	C.H. Theodossis SA	Tel: 30-1-9580109	Fax: 30-1-9596015
	France	A.E.E.	Tel: 33-1-46720909	Fax: 33-1-46704901	*Pakistan*	LEO COMPUTER (PVT.) LTD.	Tel: 92-51-564737	Fax: 92-51-564737
Middle East/Asia	*Jordan*	Al Raed Arabi Computer Corp.	Tel: 962-6-664343	Fax: 962-6-655092	*Iran*	Iran Computer Control Center	Tel: 98-681537	Fax: 98-865800
	Oman	Oman Computer Services Llc.	Tel: 968-698352	Fax: 968-698356	*Thailand*	Good Luck Import & Export Ltd.	Tel: 66-2-2110965	Fax: 66-2-2125810
	U.A.E.	Emirates Electronics Company	Tel: 971-4-245073	Fax: 971-4-245534	*Indonesia*	PT. Intikom Berlian Mustika	Tel: 62-21-5203501	Fax: 62-21-5203504
	Qatar	Computer Arabia	Tel: 974-428555	Fax: 974-420600				
Africa	*Egypt*	Mesjidco Computer Center	Tel: 20-3-5457133	Fax: 20-3-5456833				

First International Computer, Inc.

6F, FORMOSA PLASTICS REAR BUILDING 201, TUNG HWA NORTH ROAD, TAIPEI, TAIWAN
Tel: 886-2-7174500 Fax: 886-2-7182782 Telex: 23056 CHARLENE

FIC EUROPE BV	Tel: 31-73-148555	Fax: 31-73-145546	**FIC SPAIN**	Tel: 34-1-3070343	Fax: 34-1-3071463
FIC USA	Tel: 1-510-683-9200	Fax: 1-510-683-9207	**FIC HK**	Tel: 852-677-3713	Fax: 852-677-4055
FIC AUSTRALIA	Tel: 61-2-821-2055	Fax: 61-2-821-2857			

Circle 534 on Inquiry Card.

*Specifications subject to change without notice. The Intel Inside Logo is a trademark of Intel Corporation. All trademarks used here in are the registered property of the respective owners.



Fastest file transfer for laptop or desktop PC's.

Get 5 new ways to speed up your file transfers

File transfer is better than ever with new LapLink V.

Five major new benefits give you faster, easier file transfer between any two PC's.



I Backup and transfer files while you're away

Record your most frequent file transfer routines, then schedule them to run at any time. Superb for backups even when you're out of the office.

II Keep working while LapLink does its job

Run LapLink V in the background under Windows to save time. Now you can transfer large files while you work in another application!

III Save time with SmartXchange

Complex transfers (such as updating two directories) are easy using SmartXchange™.

And now you get lightning fast transfer speeds of up to 8 MB/minute!

IV Just click to transfer files

Copy, Move or Delete files or directories with a single mouse click or keystroke. Or 'drag and drop' files from one location to another.

V Improve file transfer on your network!

Connect directly to another PC on a NetWare network to see all its drives and files. Now it's easy to send and retrieve files, or even backup. Full security is built-in. All these advantages mean you simply can't be without LapLink V! For more information, please call your local Traveling Software office:

USA, Canada, S. America & Asia Pacific:
Traveling Software Inc, Tel: +1 206 483 8088
Fax: +1 206 487 1284.

Europe: Traveling Software Ltd, Tel: +44 (0) 753 818282.
Traveling Software GmbH,
Tel: +49 (0) 89 9240 4149.
Traveling Software SARL,
Tel: +33 (1) 4844 6777.

LAPLINK® V
by TRAVELING SOFTWARE

Circle 552 on Inquiry Card.

Use These Postcards for Fast Response

The Software Is the Instrument ...You Choose the Computer

LabWindows for DOS



C and BASIC Programming

ACQUISITION
GPIB
Data Acquisition
RS-232
VXI
Instrument Drivers

ANALYSIS
DSP
Statistics
Linear Algebra
Filters
Windows

PRESENTATION
Graphical User Interface
Hardcopy
File I/O

NEW LabVIEW for Windows
NEW LabVIEW for Sun
LabVIEW for Macintosh

Graphical Programming

Call for FREE demo disks
Tel: (512) 794-0100
Fax: (512) 794-8411

NATIONAL INSTRUMENTS®
The Software is the Instrument®

Sell Your Product Direct to BYTE's 275,000 Technically Advanced Business Buyers in the U.S. for Only $4,700 when you advertise in the BYTE Deck!

The BYTE Deck is indispensible for high-quality sales leads at low cost! To place your order in the next BYTE Deck, or for more information, call Brad Dixon in the U.S. at 603/924-2596 or fill in the reverse side and return today!

Next Mailing: **October 25, 1993**
Materials Due: **September 27, 1993**

BYTE DECK

McGraw Hill

Here's What Our Advertisers Say:

"We received over 625 good, qualified leads from the two cards we ran in 1992."
–Lori Howe
Rational Systems, Inc.

"The BYTE Deck does very well for us – we've been in for over two years – and will continue advertising in '93."
–Karen Tacy
Rainbow Technologies, Inc.

"We received more than 160 responses from the card we ran in the BYTE Deck. Sales have been very good."
–Denise Gutzmer
Unlimited Systems, Inc.

C++ REPORT
THE INTERNATIONAL AUTHORITY ON C++ DEVELOPMENT

The only better way to learn C++ is to call Bjarne Stroustrup.

If you're using C++, or considering its use, you should be reading the *C++ Report*.

Written for users at all levels, the *C++ Report* is the independent authority on C++. Platform-independent, each issue is packed with new ideas, tips, tricks, shortcuts and usable source code geared toward increasing productivity.

Published 9 times per year, each issue is code-intensive, technical and offers focused feature articles and columns on every aspect of the C++ programming language, including the following:

- O-O Design
- ANSI C++ Updates
- ODBMS
- Implementing C++
- Using C++ Effectively
- Debugging Tips
- Applications
- Tutorials
- Strategies
- Product Reviews

Learn directly from: Bjarne Stroustrup, Stanley Lippman, Grady Booch, Steve Dewhurst, Tom Cargill, Scott Meyers and Andrew Koenig.

Name _____
Title _____
Company _____
Address _____
City _____
Postal Code _____ Country _____
Phone _____ Fax _____

© Copyright 1993 National Instruments Corporation. All rights reserved.
Product and company names listed are trademarks or trade names of their respective companies.

BYTI 9/93

Place Postage Stamp Here

NATIONAL INSTRUMENTS®
The Software is the Instrument®

TNT Mailfast
FRG/BOS/700252/M01
P.O. Box 66
Hounslow
TW5 9RT
England

BYTI 9/93

For information on how to advertise in the BYTE Deck, fill in the information below and return this card.

Name _____
Company _____
Street _____
City _____
Country/Code _____
Telephone _____
Fax _____
Product/Service _____

Contact Brad Dixon at 603-924-2596, (FAX 603-924-2683) for MORE INFORMATION

PLACE STAMP HERE

BYTE DECK

Attn: Brad Dixon
One Phoenix Mill Lane
PO Box 809
Peterborough, NH 03458-0809
USA

❑ *I want to start my subscription to the C++ Report immediately.*

❑ 1 yr. (9 issues) $94 ❑ 2 yrs. (18 issues) $178

Prices include air service. All orders must be prepaid in U.S. dollars drawn on a U.S. bank.

❑ Check enclosed (payable to C++ Report)
❑ Charge my: ❑ Visa ❑ MasterCard ❑ AmEx
Card # _____
Exp. _____
Signature _____
❑ Bill Me

NAME _____
TITLE _____
COMPANY _____
ADDRESS _____
CITY/STATE _____
COUNTRY/ZIP _____

Order by phone: (U.S.) 212/274–0640 or fax: (U.S.) 212/274–0646

E3JZ

BYTI 9/93

Postage Required

C++ REPORT

TNT Mailfast
FRG/BOS/700252/M01
P.O. Box 66
Hounslow, TW5 9RT
England

Use These Postcards for Fast Response

Cyber Worlds



HUGH KENNER

Here's a sampling from the opening page of *Virtual Light*:

> The courier presses his forehead against layers of glass, argon, high-impact plastic. He watches a gunship traverse the city's middle distance like a hunting wasp, death slung beneath its thorax in a smooth black pod.... The air beyond the window touches each source of light with a faint hepatic corona, a tint of jaundice edging imperceptibly into brownish translucence. Fine dry flakes of fecal snow, billowing in from the sewage flats, have lodged in the lens of night.

Like the worlds he presents, William Gibson's way with words can take some getting used to, if only because word and world are aspects of one another. He writes from *within* the dystopia he's presenting, and the language he puts on the page is different from today's American for the same reason today's American is different from 1770's American ("When in the course of human events..."). Bill Clinton's way with idiom would have broken Thomas Jefferson's heart, but then so would have Bill Buckley's.

We feel at home, it may be, in our grandparents' nightmares. And very likely we should all be unhappy in any future to which we could be suddenly transported. What has always made real futures habitable is their way of coming about in tiny increments, and what makes fictive ones like Gibson's unsettling is the *Blade Runner* effect: our total immersion as early as page 1.

So novel is the language, it's not always quite clear what he's saying. Look back three paragraphs. What about that "hepatic corona"? Hepatic in a visual context means liver-colored, which the *OED* specifies as dark brownish-red. But "a tint of jaundice"? Jaundice—true, a liver disorder—does tint the skin, though not dark brownish-red but yellowish. So what does Gibson mean us to see? I'd call that a naive 1990's question. He means us to receive the sickly impact of a word-string, *hepatic-jaundice-brownish-fecal-sewage*. Not a nice place, Mexico City, 2005.

Yes, as near as 2005. The writer who coined the word *cyberspace*, and a decade ago took every science fiction award in sight with the dystopia of the decade, *Neuromancer*, now ventures a future just 10 years away, when, in his words, "All the technology we read about today like virtual reality and telepresence has come to pass, but otherwise it's business as usual."

And if you think I'm not telling you what the book's "about," you're right. Reviewers of *Neuromancer* ran up against the difficulty of saying what "happens" in a mental space where such once-firm counters as "character" have fallen victim to virtuality. There are "characters" in *Neuromancer* whom you could neither sue nor shoot, existing as they do solely as binary trees of interactive cognitive attributes. Hence, no way to paraphrase that book's last 20 pages.

But *Virtual Light*? It turns on the theft of a pair of virtual-reality glasses that an ex-cop named Berry Rydell is supposed to retrieve. ("Ex-" is a trademark of the Gibson cosmos, where people get demoted, disgraced.) But something not quite human has an interest in what those glasses show....

Don't worry. Just absorb the prose texture. It'll carry you through a reality every bit as absorbing as *Blade Runner*'s. ■

Hugh Kenner is Franklin and Callaway Professor of English at the University of Georgia. He writes for publications ranging from the New York Times *to* Art & Antiques. *You can contact him on BIX as "hkenner."*

VIRTUAL LIGHT

William Gibson
Bantam Books
ISBN 0-553-07499-7

$21.95



COMPUTER FUNDAMENTALS

HOW COMPUTERS WORK

Warner New Media, 3500 Olive Ave., Burbank, CA 91505, (800) 593-6334 or (818) 955-9999, $79.99

How Computers Work is an interactive CD-ROM for the Mac that explains in layperson's terms the fundamentals of computer hardware. While this title won't help the experienced computer user, it's a great way to introduce new users to computer technology basics.

Based on Time-Life's *Understanding Computers* and *How Things Work* series of books, it uses rich graphics, animation, and QuickTime movies to illustrate the fundamentals of computer hardware and software. This complex topic is broken down into categories such as input, output, memory and storage, processing, programming, applications, and a time line.

In one topic, a QuickTime movie shows a diagram of a color monitor with red, green, and blue electron-gun beams sweeping across the monitor's face. It clearly demonstrates how the beam strikes the surface, thereby energizing the screen phosphors, which glow to form the image. Icons supply access to a notepad, a bookmark function, a glossary/index, and a navigation aid that helps steer you through the reams of information.

Both male and female voices provide a sonorous voice-over for these sections. The time line provides a comprehensive history of the computer's evolution, yet there are curious omissions. For example, the Macintosh appears several times, but the only processor mentioned is the Intel 80x86 series, which isn't found in that computer.

The average BYTE reader probably won't find much new in this material. But if you're training new users, or you have a child starting an introductory computer course, How Computers Work might be a great help.

—Tom Thompson

Circle 178 on Inquiry Card.

PROTECT YOUR SOFTWARE

NO BUTTON, NO ACCESS.

Dallas Semiconductor is re-shaping the world of software protection and distribution control with a new family of microchips called Buttons. We put the lid on software piracy by packaging microchips in button-shaped, stainless steel cans. The chips contain missing but critical information to make the software run.

We offer a variety of Authorization Buttons and features so you can select the level of protection and price point that are right for you.

Security Continuum

Button Type	Unique Serial #	Read/Write Memory	Password Protection	Expiration Timer	Decoy Responses
DS1420 ID Button	X				
DS1427 Time Button	X	4K bits		X	
DS1425 Multi Button	X	2K bits	X		X

Snap In, Snap Out

Authorization Buttons interface to the installed base of 100+ million PC's via the DS1410 Button Holder. They simply snap in and out. The DS1410 accepts two Buttons concurrently.

Toward a Dongleless World

New computers that accept Buttons directly, including palm and notebooks, are being designed at OEM's today. Our Dongle Trade-In Program will help in your transition to this world. With an approved application, we'll pay you $7.00 for each dongle that you trade in for an Authorization Button and Holder. This offer is good until August 31,1993. The one-piece price for the DS1420 is $4.35; volume discounts apply.

We're Serious About Security

At Dallas Semiconductor, we design and manufacture our own microchips. And we're the only ones in the software protection business who do. Sixty intricate process steps and a 64-bit unique registration number lasered into each chip prevent duplication.

To learn how to button down your software, give us a call.

DALLAS SEMICONDUCTOR
4401 South Beltwood Parkway, Dallas, Texas 75244-3292
Telephone: 214-450-8170 FAX: 214-450-3715

NETWARE FOR THE FUN OF IT

HOW TO KEEP YOUR NOVELL NETWORK ALIVE By James Nadler and Don Guarnieri Random House Electronic Publishing (formerly Bantam Computer Books), ISBN 0679-79109-4, $26.95

The opening Hunter S. Thompson quote announces that this gonzo guide to Novell networking won't take the dry, plodding approach typical of the genre. Humorously messy cartoons by Steve Marcus confirm that this is a hip computer book with an attitude. It's also informative. Chapters on subjects such as cabling, internetworking, tape backup, storage subsystems, communications, printing, and workstation/server hardware deliver a healthy mixture of technical reference, product description, troubleshooting procedures, and general advice all focused on what you need to know to run Novell LANs.



The advice rings true: Divide and conquer, do with few and simple tools, be religious about backups, and respect users. The technical, product, and troubleshooting material springs from a vast reservoir. Nadler and Guarnieri are working consultants, not theoreticians. You won't find answers to every conceivable question about source routing, X.25 gateways, or DAT (digital audiotape) backup products—that wouldn't be possible—but you will find a number of highly specific nuggets on these and many other subjects. If one of those tips solves a problem of yours, the book will have paid for itself. If not, you will still have been entertained, enlightened, and reassured. "Remember," the authors point out, "that none of this stuff really works."

—Jon Udell

RELATIONAL DIFFERENCES

UNDERSTANDING RELATIONAL DATABASES by Fabian Pascal
John Wiley & Sons, ISBN 0471-585-386, $29.95

You don't have to get far into Fabian Pascal's *Understanding Relational Databases* before you're struck by the uneasy feeling that (a) you thought you understood what it meant for a DBMS to be a relational DBMS, but you were wrong, and (b) many people writing and selling DBMS packages (as well as computer publications reviewing the software) were equally ill-informed.

Not only is the book a tutorial, it also points a harsh finger at an industry that, in its rush to build database software, has forgotten (or possibly ignored) many of the fundamental requirements of the relational technology. The yield is a crop of file management packages with "sort of relational" outer husks passing themselves off as true RDBMSes.

The author's sharp elbow in our ribs reminds us that there's no such thing as "sort of relational." Worse, many DBMS products have—with the help of nonlogic from their designers—changed from "sort of relational" to simply relational. The ultimate losers

Computing Know How Books

for advancing your business skills



PC Intern

A *literal* encyclopedia of DOS knowledge. This book is a completely revised edition of our bestselling *PC System Programming* book which has been read by over 225,000 programmers worldwide. Whether you want to program in Assembly Language, C, Pascal or BASIC, you'll find dozens of practical working examples for each of these languages.

$59.95 with companion disk.

AutoCAD 12 Programming

teaches you how to integratecustom functions and commands into your AutoCAD system. Learn about batch file programming, for user defined startup; creating script files, for specific drawing sequences; and programming custom commands with AutoLISP or ADS. Sample menus and programming examples on the companion disk help you learn quickly and easily.

$44.95 with companion disk.

DOS 6.0 Complete • Special Edition

This is *the* practical user's guide to DOS 6.0. Over 1100 pages of helpful hints cover everything from installation to DOS 6.0's new utilities - MemMaker, DoubleSpace, Anti-Virus and Defrag.

The companion disk includes free software, **Tempest** - the graphic shell for DOS 6.0 that lets you click, drag and drop! If you often find yourself stuck at the C> prompt trying to figure out what to type next, you need Tempest. All DOS commands are executed with just a click of the mouse.

$39.95 with companion disk.



EXCEL for Science & Technology

focuses on the power of Excel beyond the spreadsheet. Learn about Excel Solver, Scenario Manager, Mathematics Functions, Physics, Chemistry, Technology Conversion and many other topics.

This book and its companion disk allow you to immediately apply what you learn by using the macros and mini-programs on the disk. Excel for Science and Technology is more than a book; it's an indispensable professional work tool.

$34.95 with companion disk.

Upgrading & Maintaining Your PC

Turn your PC into a high performance screamer! Whether you're adding memory or a hard drive, a CD-ROM or a sound board or upgrading an XT to a 386 or 486, this book shows you how. Includes companion diskette of utilities and System Sleuth™ diagnostic software that helps you analyze your systems performance.

$34.95 with companion disk.



The 486 Book

See why the 486 is the processor of choice; how it works and how you can set up your system for maximum performance — even with DOS 6.

Contains info on new Overdrives, DX2s and even the Pentium. Includes *System Sleuth Professional* and *PC Info* software on companion diskette.

$34.95 with companion disk.

Multimedia Mania

Learn the basics from adding CD-ROMs and sound boards to making a MPC system. Includes CD-ROM with over 400 megabytes of sounds, graphics, animations, samples and techniques. Experiment with several commercial multimedia demon-strations. Valuable coupons from major software publishers worth over $600.00 inside. Register your book and get a free jewel case.

$49.95 with companion CD-ROM.

The SoundBlaster Book

This bestselling book is the guide to Sound Blaster™, from installation to custom programming. Discusses different Sound Blaster™ cards, commercial, public domain and shareware software products available.

$34.95 with companion disk.

Circle 61 on Inquiry Card (RESELLERS: 62).

Order Toll Free
1-800-451-4319

Available at: B. Dalton, Barnes & Noble, Bookstar, Bookstop, Waldenbooks, Crown Books, Software Etc., CompUSA, Computer City Superstores, Fry's Electronics, Computer Literacy, Tower Books, Stacey's, and other retailers nationwide.

In Canada at: Coles, W.H. Smith Books, Classic Bookshops, and London Drug. Call or write for our free catalog of PC Books.

Abacus

Dept. B9, 5370 52nd Street SE, Grand Rapids, MI 49512
Phone: (616) 698-0330 • Fax: (616) 698-0325

Please rush me the following books:

____	PC Intern	$59.95 ea.
____	AutoCAD 12 Programming	$44.95 ea.
____	DOS 6.0 Complete SE	$39.95 ea.
____	Excel for Sci. & Tech.	$34.95 ea.
____	Upgrading & Maintaining	$34.95 ea.
____	The 486 Book	$34.95 ea.
____	Multimedia Mania	$49.95 ea.
____	SoundBlaster Book	$34.95 ea.

Subtotal: _____

MI orders include 4% sales tax: _____

In US & Canada add $5.00 shipping: _____

Foreign orders add $13.00 per item: _____

Total amount (US funds): _____

For fast delivery Order Toll Free 1-800-451-4319 EXT. 29, or FAX (616) 698-0325

Or mail this coupon to: Abacus, 5370 52nd Street SE, Grand Rapids, MI 49512

Method of Payment: ❑ Visa ❑ Master Card ❑ Am.Express ❑ Check / M.O.

Card#: |_|_|_|_|_|_|_|_|_|_|_|_|_|_|_|_| Expires: ____/____

Name: _____

Company: _____

Address: _____

City: _____ State: ___ Zip: _____

Phone#: _____ Fax#: _____

❑ Yes, please rush your free catalog of PC books and software. Dept. B9

Circle 187 on Inquiry Card (RESELLERS: 188).

SOFTLANDING LINUX SYSTEM

SLS: POSIX UNIX clone for the 386
As reviewed in March "UNIX WORLD"

Includes: • full kernel source • X11R5 Openlook • TeX • emacs • TC/PIP, NFS & SLIP • complete C & C++ development environment • 600+ utilities • SVR4 ELF binary compatibility • Windows 3.1 API & ABI

Price: • $99 U.S. plus $15 S&H for 30 disk distribution, or QIC 150 tape, or CD *(CD includes full source) or*
• $199 U.S. plus $15 S&H for quarterly subscription

Softlanding Software
Gentle touchdowns from DOS bailouts
• Cheque • Money Order VISA *Dealer Inquiries Welcome* *Motif available
910 LODGE AVENUE, VICTORIA, B.C. V8X 3A8 CANADA
PHONE (604) 360-0188 FAX (604) 385-1292

Ever seen a grown pirate cry ?
Just plug this in ... and watch

MEMOPLUG™
The amazing Software protection system based on a hardware plug. Contains read-write programmable memory. This system is practical and easy to use for both programmer and end-user. Supports various programming languages, operating systems and types of computers.



U-PLUG™
The premiere protection plug for UNIX systems that connects the standard serial port of computers and workstations.



LANPLUG™
Comprehensive network protection starts with a single plug. The LANPlug lets you operate protected software from any workstation on the network, while supervising a number of authorized simultaneous operation applications.

Design: Zamir studio

CLOCKPLUG™
This unique Time-limited software protection system is based on a plug containing a real-time clock. It allows users limited execution times for leasing and demonstration applications.
A password system allows you to rewind the clock by telephone

U.S. office: Tel: 1 (800) 677 1587
Tel: (407) 682 1587 Fax: (407) 869 1409
South Africa: LionSoft Tel: 011 640 6002
Holland: M.H.P Tel: (31) 440612916
France: C.T.I Tel: (1) 47 38 16 17
Spain: Economic Data Tel: (34) 1 442 28 00
Czeck Republic: PC Kompas Fax: (42) 2 43 11 88

EliaShim
MICROCOMPUTERS LTD
5 Haganim, P.O. Box 8691
Haifa 35022 ISRAEL
Tel: 972-4-516111, Fax: 972-4-528613

Currently looking for international distributors

are you and I, since a DBMS that's not relational is unable to incorporate all the safeguards and optimizations that relational technology sought to install in the first place.

It is Pascal's well-meaning intention to introduce the reader to enough relational theory so that he can proceed to eliminate much of the confusion that has arisen about it over the past two decades. We are reminded that an RDBMS is not just a mathematical plaything, but a concept that yields practical results. Thanks to the author's gift of clear writing, even a moderately determined reader stands a good chance of realizing the title's promise by the last page.

—*Rick Grehan*

CASUAL TECHNOLOGY

ARTIFICIAL LIFE PLAYHOUSE By Steven Prata The Waite Group Press, ISBN 1-878739-32-8, $23.95
NANOTECHNOLOGY PLAYHOUSE By Christopher Lampton The Waite Group Press, ISBN 1-878739-33-6, $23.95

When the rush of technology seems too much, it's useful to sit back and simply take a casual, lighthearted look at the oncoming wave. *Artificial Life Playhouse* and *Nanotechnology Playhouse* take this approach. Both are informative, and they include demonstration programs on disk. Neither will tax your technical skills.

Artificial Life Playhouse provides a quick overview of various artificial-life topics, such as cellular automatons and genetic algorithms, and then plunges you into a delightful collection of demonstration programs. My favorites are a pair of programs that simulate the evolution of antlike creatures as they feed and reproduce. One version controls a single ant colony; the other program provides competition between two colonies. It is incredibly easy to become attached to these little critters as you design a better bug.



Most of the provided software is in the public domain and available through a variety of on-line systems. You'll appreciate having them all in one place, along with design hints and problem-solving exercises to provide a little challenge.

If you've spent any time reading in the field of nanotechnology, you know that most of it is highly technical—articles describing the bonding mechanism between atoms and proving you can make mechanical dolls that will fit on the head of a pin. *Nanotechnology Playhouse* is more of a light stroll through the nano landscape—from roving factories able to manufacture your heart's desires to machines surfing through your bloodstream looking for hostile cells. All this, of course, is fictional; some of it absurdly so. However, this material is a look into the eyes of some modern dreamers who claim we have yet to begin making *really* microminiaturized systems. ■

—*Raymond GA Côté*

 Circle 85 on Inquiry Card.

The New Generation Monitors

ViewSonic's New Generation is everything high performance monitors should be . . . and more.

The ViewSonic 15, 17, 20 and 21 produce remarkably crisp, sharp screen images with enhanced vibrant colors. Some advanced innovations include ergonomically designed drop-down digital control panels, special screen coatings, the ViewMatch™ color control system, and resolutions up to 1600 x 1280 non-interlaced.

The biggest surprise of all is the price – much less than you'd expect to pay for such astounding quality.

Call ViewSonic at **800-888-8583** for information on our award-winning monitors.

Welcome to the New Generation.

FEATURE SUMMARY

	ViewSonic 15	ViewSonic 17	ViewSonic 20	ViewSonic 21
Screen Size	15"	17"	20"	21"
Dot Pitch (mm)	0.28	0.27	0.28	0.25
Horizontal Frequency (KHz)	30-64	30-82	30-82	30-82
1600 x 1280 Non-Interlaced		■	■	■
Maximum Refresh Rate (Hz) at 1280 x 1024 NI	60	76	76	76
Flat Square Screen	■	■		■
ViewMatch™ Color Control	■	■	■	■
Low Radiation (MPRII)	■*	■	■	■
Suggested List	$635	$1,299	$2,099	$2,399

ViewSonic®

20480 Business Pkwy Walnut, CA 91789
Tel. (909) 869-7976 Fax (909) 869-7958

ViewSonic 21 screen image by SPATIEL TECHNOLOGY INC., Boulder, CO. Created with **ACIS**® Geometric Modeler and rendered with Visualization Husk.

*Color temperature select 9300°K or 6550°K only.

All products and brand names are registered trademarks of their registered companies.

Circle 156 on Inquiry Card (RESELLERS: 157).

Plug and Play Tape Backup.

The Plug.



That's it. Go Play.

Now, tape backup is easier than ever. Unpack Trakker and plug it into your computer's parallel printer port. That's it. No assembly, no installation, no problem.

Trakker goes anywhere. It's light and compact, the ideal solution for backing up notebooks and laptops. And Trakker can back up unattended, so you can go anywhere, too. Trakker is available in two models. At $348, Trakker 120 (120 MB capacity, using data compression) is the price leader. And Trakker 250 (250 MB capacity using data compression) is the fastest in its class at up to 8 MB/minute. Both give you QIC Industry Standard Recording Format, as well as Novell® and LANtastic® certification.

For a FREE 88-page catalog, please call **1-800-451-0897** ext. 227 today.

Trakker™

Backup so simple it's advanced.℠

COLORADO™ MEMORY SYSTEMS INC.

Mini data cartridge sold separately. © 1992 Colorado Memory Systems Inc. All rights reserved. Jumbo, Trakker and Colorado are trademarks of Colorado Memory Systems, Inc. All other trademarks are property of their respective companies. JTB-BYT051593

Circle 71 on Inquiry Card (RESELLERS: 72).

India's Software Edge

JON UDELL

CATHARINE BENNETT © 1993

Recently, I saw a demonstration of a new Motif-based programmer's tool called Sextant. It's a source code analyzer that converts C programs into labeled graphs that you navigate interactively. The demonstration was impressive. What made it unique for me was that it took place in the offices of Softek, a software company in New Delhi, India.

It's well known that Indian engineering talent pervades every level of the microcomputer industry. But what's happening in India? On a recent tour of the country, I visited several high-tech companies and discovered that India is evolving rapidly from an exporter of computer engineering talent into an exporter of computer products and services. Software exports, in particular, dominate the agenda. A 1992 World Bank study of eight nations rated India as the most attractive nation for U.S., European, and Japanese companies seeking offshore software-development partners.

The World Bank study was conducted by Infotech Consulting (Parsippany, NJ). When the opportunity arose to visit India, I contacted Infotech's president, Jack Epstein, for advice on planning my trip. He referred me to Pradeep Gupta, an entrepreneur in New Delhi who publishes two of India's leading computer magazines, *PC Quest* and *DataQuest*. Gupta also runs market-research and conference businesses. He orchestrated a whirlwind week of visits to companies in New Delhi and Bombay and generously took time to acquaint me with the Indian high-tech scene.

Small-systems thinking makes India a strategic software partner

A Nation of Small Systems

Even among Indians, there's a tendency to attribute India's emerging software prowess to the innate mathematical abilities of its people. "After all, we invented zero," says Dewang Mehta, an internationally known computer graphics expert. He is also executive director of the National Association of Software and Service Companies (NASSCOM) in New Delhi.

While this cultural stereotype may hold more than a grain of truth, it's not the whole story. As NASSCOM's 1992 report on the state of the Indian software industry notes, India has the world's second-largest English-speaking technical work force. Consequently, Indian programmers are in tune with the international language of computing, as well as the language spoken in the U.S., the world's largest market.

Furthermore, India's data-communications infrastructure is rapidly modernizing. And the Indian government has begun an aggressive program of cutting taxes and lifting import restrictions for export-oriented Indian software businesses while simultaneously clearing the way for foreign companies to set up operations in India.

Other countries share many of these advantages, but India holds an ace. It is a nation of small systems. For U.S. and European companies that are right-sizing mainframe- and minicomputer-based information systems, the switch to PC-based

client/server alternatives can be wrenching. Dumping the conceptual baggage of legacy systems isn't a problem for India, however, because, in general, those systems simply don't exist. "India's mainframe era never happened," says Gupta.

When Europe, Japan, and the U.S. were buying mainframes left and right, few Indian companies could afford their high prices, which were made even more costly by 150 percent import duties. Also, a government policy limiting foreign investors to a 40 percent equity stake in Indian manufacturing operations drove companies like IBM away, and the Indian mainframe industry never got off the ground.

But what did develop was an indigenous microcomputer industry. In the early 1980s, Indian companies began to import components and to assemble and sell PC clones that ran DOS. This trend quickened in 1984, when the late Rajiv Gandhi, prime minister and an avid computer enthusiast, lifted licensing restrictions that had prevented clone makers from selling at full capacity.

In the latter half of the 1980s, a computerization initiative in the banking industry shifted the focus to Unix. Front offices would run DOS applications, but behind the scenes, a new breed of Indian-made PCs—Motorola- and Intel-based machines running Unix—would handle the processing chores. Unfortunately, that effort stalled when the banks ran afoul of the unions; even today, many of the Bank of India's 50,000 branches aren't linked electronically.

Nevertheless, the die was cast, and India entered the 1990s in possession of a special advantage. Indian programmers are not only well educated and English-speaking, but out of necessity they're keenly focused on client/server or multiuser solutions for PCs running DOS (with NetWare) or Unix—just the kinds of solutions that U.S. and European companies are rushing to embrace. India finds itself uniquely positioned to help foreign partners right-size legacy applications.

The small-systems mind-set also guides India's fledgling supercomputer industry. Denied permission by the U.S. government to import a Cray supercomputer, the Indian government's Center for the Development of Advanced Computers built its own—very different—sort of supercomputer. Called PARAM, it gangs Inmos T800 transputers in parallel and can also harness Intel 860 processors for vector work. Related developments include a transputer-based neural-network engine intended to run process-control applications. The designers of this system impressed me with their clear grasp of the way in which inexpensive transputers can yield superior performance, scalability, modularity, and fault tolerance.

India's mainframe era never happened.

— Pradeep Gupta, entrepreneur and publisher of *PC Quest* and *DataQuest*

Software Products and Services

Many of the companies I visited produce comparable offerings for LAN or Unix environments. In the realm of packaged software, Oberoi Software in New Delhi sells a high-end hotel management application using Sybase 4.2 that runs on Hewlett-Packard, DEC, and Sun workstations. A low-end version uses Btrieve for DOS LANs. Softek offers 1-2-3, dBase, and WordStar work-alikes for DOS and Unix.

Shrink-wrapped products, however, aren't India's strong suit at the moment. PCs remain scarce and expensive commodities. According to *DataQuest*, fewer than 500,000 PCs can be found in this nation of 875 million people. To a U.S. software engineer, a $3000 PC might represent a month's wages. An equivalently prosperous Indian professional would have to work a full year to pay for the same system. To put this in perspective, the average per capita wage in India is about $320, and the government caps the monthly

IF THERE WERE ONLY ONE KIND OF COMPUTER SYSTEM, YOU'D ONLY NEED ONE KIND OF PROTECTION.





MINUTEMAN LANMASTER SOFTWARE
Bi-directional Communication Power Monitoring Shutdown Software

MINUTEMAN CP SERIES TRUE ON-LINE
500VA to 10KVA
Starting at $899

MINUTEMAN POWERMIND SERIES LINE-INTERACTIVE
600VA to 1250VA
Starting at $579



MINUTEMAN ALLIANCE SERIES STANDBY AND LINE-INTERACTIVE
300VA to 750VA
Starting at $159

MINUTEMAN AUTOMATIC VOLTAGE REGULATOR
650VA to 1800VA
Starting at $149

All models available in 120V, 220V, 50Hz or 60Hz versions

Too many companies go out into the hazardous world of business with the wrong UPS protection, or none at all. At MINUTEMAN, we know that different systems face different dangers.

That's why MINUTEMAN offers five different safeguards, the most comprehensive line in the industry.

Like the new MINUTEMAN LANMASTER power monitoring shutdown software. It combines all the features of similar competitive products and features the most sophisticated diagnostic techniques available.

Or the MINUTEMAN LINE-INTERACTIVE MODELS, the most economical protection of their kind on the market. Each comes with a MINUTEMAN Platinum Protection Plan covering up to $25,000 and a two-year warranty.

So call MINUTEMAN today. Our skilled professionals worldwide are ready to answer your questions and help you find the perfect UPS for your system.

MINUTEMAN. It's all the protection you need. Whatever you need.

MINUTEMAN®
UNINTERRUPTIBLE POWER SUPPLIES
(800) 238-7272

© 1993 Para Systems, Inc.
1455 LeMay Drive,
Carrollton, Texas 75007
(214) 446-7363 fax (214) 446-9011

$25,000 MINUTEMAN PLATINUM PROTECTION PLAN

LAN MANAGER VERSION 2.1

yes NetWare tested and Approved



Circle 125 on Inquiry Card.

INDIAN/U.S. PARTNERSHIPS

A growing trend among Indian computer companies is to work with U.S. companies.

INDIAN COMPANY	U.S. PARTNER	PRODUCTS
Citicorp Overseas Software	Citicorp	Software services
HCL-HP	Hewlett-Packard	Workstations, PCs, software
ITC	Lotus Development	Software services
Mastek	Ingres	Software services
Onward Computer Technologies	Novell	Software services, maintenance
Pertech Computers	Dell Computer	Motherboards, PCs
Rolta India	Intergraph	CAD workstations, services
Tata Information Systems	IBM	PS/2, PS/VP, software services
Tata Unisys	Unisys	Workstations, software services
Wipro Infotech	Sun Microsystems	Workstations, software services

salary of Indian corporate executives at around $1600 per month.

Software piracy is another vexing problem. "The competition for a 5000-rupee [approximately $165] Indian spreadsheet isn't a 15,000-rupee imported copy of Lotus 1-2-3," says Gupta, "but rather a zero-rupee pirated copy of Lotus 1-2-3."

Painfully aware of the effect piracy has on the country's international reputation as a software power, government and industry leaders have joined forces to combat it. The Department of Electronics (DoE), for example, has funded an anti-piracy campaign, and Lotus has a $69 amnesty program that enables users of illegal copies of 1-2-3 to come clean.

Reengineering Is a National Strength

The real action in Indian software isn't in products. It's in reengineering services. A typical project, for example, might involve re-creating an IBM AS/400-type application for a LAN or Unix environment. A few years ago, Indian programmers almost invariably would perform such work on location in the U.S. or Europe, a practice called "body shopping." This was convenient for clients, but it wasn't very beneficial to India because the tools and the knowledge spun off from reengineering projects tended to stay overseas.

More recently, the trend is to carry out such projects on Indian soil. Softek, for example, used a contract to build a law-office automation system for a Canadian firm as an opportunity to weld a number of its own products into a powerful, general-purpose client/server development toolkit. Softek engineers showed me how that toolkit supports single-source development of GUI software for DOS or Unix (in character mode) as well as Windows. They explained that client programs can connect to Softek's own RDBMS (relational DBMS) or to servers from Gupta, Ingres, Oracle, or Sybase. That's an impressive achievement matched by few companies anywhere in the world, and it's one that should greatly enhance Softek's appeal to foreign clients.

While reengineering often means right-sizing, that's not always the case. For example, the National Indian Institution for Training, a New Delhi–based computer-training institute rapidly expanding into the realm of software products and services, has rewritten a well-known U.S. commercial word processor. Rigorous development techniques are the watchword at NIIT. "We have a passion for methodology," says managing director Rajendra S. Pawar, whose company also distributes Excelerator, Intersolv's CASE tool.

Other projects under way at NIIT include an X Window System interface builder, Mac and DOS tutorials to accompany the Streeter series of math textbooks (for McGraw-Hill), a simple but effective multimedia authoring tool called Imaginet, a word processor for special-needs users that exploits an NIIT-designed motion- and sound-sensitive input device, and an instructional video system.

Although services outweigh products for now, and the Indian trade press has complained that no indigenous software product has yet made a splash on the world scene, the situation could well change. Indian programmers are talented, and they're up-to-date with database, GUI, network, and object-oriented technologies. These skills, along with wages 10 or more times less than U.S. programmers, make Indian programming a force to be reckoned with. Software development is a failure-prone endeavor; many products never see the light of day. But, as Tata Unisys (Bombay) assistant vice president Vijay Srirangan points out, "The cost of experimentation in India is low." Of the many software experiments under way in India today, some will surely bear fruit.

A major obstacle blocking the path to commercial success is the lack of international marketing, but some help has been forthcoming. Under contract to the U.K.'s Developing Countries Trade Agency, the marketing firm Schofield Maguire (Cambridge, U.K.) is working to bring selected Indian software companies to the attention of European partners. "India does have a technological lead over other developing countries," says managing partner Alison Maguire. "But to really capitalize on its software expertise, it must project a better image."

Some companies have heard the message. For example, Ajay Madhok, a principal with AmSoft Systems (New Delhi), parlayed his firm's expertise with computer graphics and digital video into a high-profile assignment at the 1992 Olympics. On a recent U.S. tour, he visited the National Association of Broadcasters show in Las Vegas. Then he flew to Atlanta for Comdex. While there, he bid for a video production job at the 1996 Olympics.

Incentives for Exporters

According to NASSCOM, in 1987, more than 90 percent of the Indian software industry's $52 million in earnings came from "on-site services" (or body shopping). By 1991, on-site services accounted for a thinner 61 percent slice of a fatter $179 million pie. Reengineering services (and, to a lesser extent, packaged products) fueled this growth, with help from Indian and U.S. government policies.

On the U.S. side, visa restrictions have made it harder to import Indian software labor. India, meanwhile, has developed a range of incentives to stimulate the software and electronics industries. Government-sponsored technology parks in Noida (near New Delhi), Pune (near Bombay), Bangalore, Hyderabad, and several other locations support export-oriented software development. Companies that locate in these parks share common computing and telecommunications facilities (including leased-line access to satellite links), and they can import duty-free the equipment they need for software development.

The Indian government has established

We want to create many Hong Kongs and Singapores in India.

— N. Vittal, Secretary to the Government of India, Department of Electronics

Power Packed Upgrades.

POWER SUPPLIES

"The premier power-supply maker"
John Dvorak, *PC Magazine*, March 30, 1993
"The only company to go to for a power supply"
Jerry Pournelle, *Byte*, April 1993

STANDARD UNITS

These UL/CSA approved, fully tested power supplies are the best basic units available.

STANDARD 205 SLIM $89
STANDARD 220 DESK/TOWER $89

ULTRA-QUIET UNITS



Unrattle your nerves with a **Silencer** power supply, recognized since 1986 as the industry's quietest. They're cooled by custom, high-efficiency fans that are virtually inaudible!

A must for home office or *multimedia* applications.

SILENCER 205 SLIM $119
SILENCER 220 DESK/TOWER $129
SILENCER 270 DESK/TOWER $179

HIGH-PERFORMANCE UNITS

Upgrade your computer with one of our premium **Turbo-Cool** power supplies—the choice of PC professionals. You'll get 50% - 100% more power, built-in line conditioning, super-tight regulation, ultra-clean output, a high-capacity **ThermaSense** variable-speed fan (300W models), UL/CSA/TUV approvals, and a no-hassle 2-year warranty! Ideal for high-end workstations and network file servers.

TURBO-COOL 300 SLIM/BABY $169
TURBO-COOL 300 DESK/TOWER ... $189
TURBO-COOL 450 DESK/TOWER ... $349

SOLID-STEEL CASES

Give your computer a professional, high-tech look with one of our premium-quality, **American-made** all-steel cases. They're rigid—unlike light-weight imports—so motherboards, cards, and drives are always properly aligned and grounded. And, with **up to 18 drive bays,** they offer real expandability! Ideal for commercial and industrial applications.

CASE SPECIFICATIONS

	Desktop	Tower	Monster
Exposed Drive Bays:	3	6	13
Total Drive Bays:	5	8	18
Motherboard Capacity:	1	1	2
Power Supply Capacity:	1	1	2
Cooling Fan Capacity:	2	3	6
Filtered Air Inlet:	Yes	Yes	Yes
Lockable Front Door:	Yes	No	Yes
Professional Controls:	Yes	Yes	Yes
All-Steel Construction:	Yes	Yes	Yes
Beige or Black Finish:	Yes	Yes	Yes
Meets FCC-B Specs:	Yes	Yes	Yes
Made in USA:	Yes	Yes	Yes

SOLID-STEEL DESKTOP CASE..... $295
SOLID-STEEL TOWER CASE $395
SOLID-STEEL MONSTER CASE..... $895

CPU COOLER

It's a fact. 486 chips run hot, often exceeding 185°F! Now, you can cool your 486 to a safe 85°- 95°F with our popular **CPU-Cool**. It prevents random system errors and other heat-related problems. Consists of a mini-fan embedded in a sculptured heat sink that easily mounts on the CPU. Powered by a spare drive connector. Effective, inexpensive insurance!

- cools CPU 70° - 100°F
- prevents system errors
- adds years to CPU life
- thinner, quieter, and better-built than cheap imported imitations.
- safe, simple installation



CPU-COOL $29

REDUNDANT POWER

Eliminate the risk of network downtime or data loss due to power supply failure with the **TwinPower 900** redundant power system. It delivers high-capacity, fault-tolerant power to your entire network server. Consists of two **Turbo-Cool 450** power supplies in parallel, utilizing a special power-management interface module. A must for mission critical LANs.

- 900 watts peak power
- 100 X more reliable than a single-unit
- load-sharing design
- hot-swap capability
- allows dual UPSs
- monster-case compatible

TWIN-POWER 900 ..... $995

PC POWER & COOLING, INC.

5995 Avenida Encinas, Carlsbad, CA 92008 • (619) 931-5700 • (800) 722-6555 • Fax (619) 931-6988

Most orders shipped same day. We accept Visa, MC, COD, or PO on approved credit. Turbo-Cool, TwinPower and CPU-Cool models guaranteed for 2 years. All other products guaranteed for 1 year. Hours: 7 a.m. - 5 p.m. [illegible] Silencer, Turbo-Cool, ThermaSense, TwinPower, and CPU-Cool are trademarks or registered trademarks of PC Power & Cooling, Inc. ©1993 PC Power & Cooling, Inc.

Circle 127 on Inquiry Card (RESELLERS: 128).

export processing zones in which foreign companies can set up subsidiaries that enjoy similar advantages and receive a five-year tax exemption. Outside these protected areas, companies can get comparable tax and licensing benefits by declaring themselves fully export-oriented.

Finally, the government is working to establish a number of hardware technology parks to complement the initiative in software. "We want to create many Hong Kongs and Singapores," says N. Vittal, Secretary of the DoE and a tireless reformer of bureaucracy, alluding to the economic powerhouses of the Pacific Rim.

The Indian high-tech entrepreneurs I met all agreed that Vittal's tenacious slashing of government red tape has blazed the trail they now follow. How serious is the problem of government red tape? When the government recently approved a joint-venture license application in four days, the action made headlines in both the general and trade press. Such matters more typically take months to grind their way through the Indian bureaucracy.

The evolution of India's telecommunications infrastructure shows that progress has been dramatic, though uneven. In a country where only 5 percent of the homes have telephone service, high-tech companies increasingly rely on leased lines, packet-switched data networks, and satellite links. The DoE works with the Department of Telecommunication (DoT) to ensure that software export businesses get priority access to high-bandwidth services.

But the slow pace of progress at the DoT remains a major frustration. For example, faxing can be problematic in India, because the DoT expects you to apply for permission to transmit data. And despite widespread Unix literacy, only a few of the dozens of business cards I received during my tour carried Internet addresses. Why? DoT regulations have retarded what would have been the natural evolution of Unix networking in India. I did send mail home using ERNET, the educational resource network headquartered in the DoE building in New Delhi that links universities throughout the country. Unfortunately, ERNET isn't available to India's high-tech businesses.

Vittal recognizes the critical need to modernize India's telecommunications. Given the scarcity of an existing telecommunications infrastructure, he boldly suggests that for many scattered population centers, the solution may be to completely pass over long-haul copper and vault directly into the satellite era. In the meantime, India remains in this area, as in so many others, a land of extreme contrasts.

Our multiprocessing implementation of Unix System V has been used since 1988 by companies such as Pyramid and NCR.

—Arjun Malhotra, director HCL-HP, Noida, India

While most people lack basic telephone service, workers in strategic high-tech industries now take global voice and data services for granted.

Powerful Partners

When Kamal K. Singh, chairman and managing director of Rolta India, picks up his phone, Rolta's U.S. partner, Intergraph, is just three digits away. A 64-Kbps leased line carries voice and data traffic from Rolta's offices, located in the Santacruz Electronics Export Processing Zone (SEEPZ) near Bombay, to an earth station in the city's center. Thence, such traffic travels via satellite and T1 lines in the U.S. to Intergraph's offices in Huntsville, Alabama.

Rolta builds Intel- and RISC-based Intergraph workstations for sale in India; I saw employees doing everything from surface-mount to over-the-network software installation. At the same time, Rolta does facilities mapping for a U.S. telephone company through its subsidiary in Huntsville. Every night, scanned maps flow through the satellite link to Bombay. Operators running 386-based RoltaStations retrieve the maps from a Unix server, digitize them using Intergraph's MicroStation CAD software, and relay the converted files back to Huntsville.

Many Indian companies have partnerships with U.S. firms. India's top computer company, HCL, joined forces with Hewlett-Packard to form HCL-HP. HCL's roots were in multiprocessor Unix. "Our fine-grained multiprocessing implementation of Unix System V has been used since 1988 by companies such as Pyramid and NCR," says director Arjun Malhotra.

HCL's joint venture enables it to build and sell HP workstations and PCs in India. "People appreciate HP quality," says marketing chief Ajai Chowdhry. But since Vectra PCs are premium products in the price-sensitive Indian market, HCL-HP also plans to leverage its newly acquired HP design and manufacturing technology to build indigenous PCs that deliver "good value for money," according to Malhotra.

Pertech Computers, a system maker in New Delhi, recently struck a $50 million deal to supply Dell Computer with 240,000 motherboards. Currently, trade regulations generally prohibit the import of certain items, such as finished PCs. However, exporters can use up to 25 percent of the foreign exchange they earn to import and sell such items. Pertech director Bikram Dasgupta plans to use his "forex" money to buy Dell systems for resale in India and to buy surface-mount equipment so that the company can build work-alikes.

IBM returned to India last year, after leaving in 1978, to join forces with the Tatas, a family of Indian industrialists. The joint venture, Tata Information Systems, will manufacture PS/2 and PS/VP systems and develop software exports.

Citicorp Overseas Software, a Citicorp subsidiary, typifies a growing trend to locate software-development units in India. "Our charter is first and foremost to meet Citicorp's internal requirements," says CEO S. Viswanathan, "but we are a profit center and can market our services and products." On a tour of its SEEPZ facility in Bombay, I saw MVS, Unix, VMS, and Windows programmers at work on a variety of projects. In addition to reengineering work for Citicorp and other clients, the company markets banking products called Finware and MicroBanker.

ITC (Bangalore) supplements its Oracle, Ingres, and AS/400 consulting work by selling the full range of Lotus products. "Because we have the rights to manufacture Lotus software locally," says vice president Shyamal Desai, "1-2-3 release 2.4 was available here within a week of its U.S. release." Other distributors of foreign software include Onward Computer Technologies in Bombay (NetWare) and Bombay-based Mastek (Ingres).

India's ambitious goal is to quadruple software exports from $225 million in 1992 to $1 billion in 1996. To achieve that, everything will have to fall into place. It would be a just reward. India gave much to the international microcomputer industry in the 1980s. In the 1990s, the industry just might return the favor. ■

Jon Udell is a BYTE senior technical editor. You can contact him on BIX as "judell" or on the Internet at judell@bytepb.byte.com.

The World's *FASTEST* CD-ROM.

Yes it is the world's fastest... and no one else comes close!

Pioneer's DRM-604X, featuring it's exclusive *Quadraspin* technology, has jumped past double speed drives to a new transfer rate of over 600 KB/sec. That's four times the speed of standard drives and twice the transfer rate of double speed drives.

DATA TRANSFER RATE (KB/SEC)



In an independent Test, Pioneer ranked number one in overall performance. The DRM-604X searched databases, retrieved files and read CD's faster than any other drive.*

Highest Capacity

Not only is this drive fast, it's also the industry's only 6 disc mini-changer.

The DRM-604X holds 6 CD's and can change CD's in an amazing 5 seconds. If you need more than 6 CD's you can manually change magazines or daisy chain up to 7mini-changers to automatically access up to 42 discs and more than 5 million pages of data.

Best Flexibility

The DRM-604X is compatible with most operating systems and hardware platforms and has the latest features including multisession technology. Multisession makes it 100% Kodak Photo CD compatible and ready for new applications in the future.

For a fast response, call Pioneer at **1-800-LASER ON.**

Pioneer New Media Technologies, Inc.

PIONEER®

The Art of Entertainment

*MacWorld, July 1993

Circle 133 on Inquiry Card.

Your Direct Link to Products

BYTE introduces Your Direct Link – *An enhanced service for BYTE readers that gives you free information on products – faster and easier!*

In the NEW Direct Link section, here's what you'll find:

Alphabetical Index to Advertisers Including Phone Numbers

Now dial companies directly.

Product Category Index to Advertisers

Order information on individual products or complete product categories.

Redesigned Editorial Index

Free information from companies covered in articles, columns, or news stories.

New Enhanced Direct Link Card

Receive free information quickly by filling out and mailing or faxing *Your Direct Link Card* today!



Send for FREE product information by filling out *Your Direct Link Card* found in the back of every issue.

Buy It Through BYTE!

BYTE McGraw Hill

GREY MATTER

Prigg Meadow, Ashburton
Devon TQ13 7DF

Prices do not include VAT or other local taxes but do include delivery in mainland UK. Please check prices at time of order as ads are prepared some weeks before publication. This page lists some products – call us for a complete price list. ORDER BY PHONE WITH YOUR CREDIT CARD

(0364) 654100

FAX: (0364) 654200

VISUAL BASIC FOR WINDOWS

Visual Basic 3.0 for Win Std	£95
Visual Basic 3.0 for Win Prof	£222
Comms Lib/Win	£115
Network Library/Win	£80
PDQ Comm for Windows	£99
Agility/VB	£175
Btrieve for Windows	£365
CodeBasic	£145
ObjecTrieve Prof 2.01	£395
Q+E Database/VB	£135
Q+E Multilink.VB	£295
Raima Data Manager	£380
VB/ISAM MU	£150
Visual/db Network	£235
3-D Gizmos	£80
3-D Widgets (1/2/3)	£69
ButtonTool & EditTool	£69
ChartBuilder for VB	£75
Control Palette 2.0	£110
Custom Control Factory	£49
MS Visual Control Pack	£69
QuickPak Pro for Windows	£145
SpyWorks-VB	£120
VB/Magic Controls	£120
VBAssist	£79
VBTools/Win 2.0	£145
Visual Architect	£205
3D Graphic Tools	£90
GUI Assist	£350
Microhelp Muscle/Win	£155
PCX Toolkit for Windows	£155
Spellcheck/VB	£49
VB Compress Pro	£95
VBXRef Utility	£80

PROGRAMMING tools

Ada	Assemblers
Basic	C
C++	Cobol
Comms	Cross Dev
Custom Controls	Database
Debuggers	Dos Extenders
Editors	Fortran
Graphics	GUI
Linkers/Locaters	Lisp
Logo	Memory Management
Modula-2	Multi-tasking
Pascal	Prolog
Rexx	Scheme
Smalltalk	SQL
Version Control	Visual Programming
Windows	Xbase

We stock many items for which there is no space in these advertisements.

SMALLTALK

Smalltalk/V DOS 3.0	£85
Smalltalk/V for OS/2 2.0	£630
Smalltalk/V for Windows 2.0	£300

VISUAL BASIC FOR DOS

MS Visual Basic for DOS Std	£95
MS Visual Basic for DOS Prof	£222
Comms Lib/DOS	£115
Network Library/DOS	£80
PDQ Comm	£65
Btrieve 5.1	£365
db/Lib Prof	£140
E-Tree Plus	£165
Graphics QuickScreen	£105
Graphics Workshop	£105
GraphPak Pro	£99
GX Graphics 2.0	£155
HALO Professional 2.01	£245
Compression Plus	£130
Compression Workshop	£110
Microhelp Muscle/DOS	£155
PDQ	£110
Printer Plus	£185
ProBas 5.5	£165
QuickPak Prof 4.1	£145
QuickPak Scientific 3.0	£105
QuickScreen 4.0	£105
Science & Eng Tools 8.0	£80
TSRific	£80

DOS EXTENDERS

*NEW PHAR LAP 286IDOS-EXTENDER SDK 3.0 now includes Phar Lap's new 286IVMM virtual memory manager and fully supports Visual C++ Professional and CodeView. Also supports Microsoft C/C++ (V5.1, 6.0 & 7.0), Borland C++ 3.1 and MS Fortran 5.1 - **ONLY £380***

*NEW PHAR LAP 386IDOS-EXTENDER SDK 5.0 lets you use the Microsoft Windows NT 32-bit C/C++ compiler for 32-bit Extended-DOS development. It offers the full functionality of the 16-bit Microsoft C/C++ DOS run-time libraries, including graphics. It also includes a new source level debugger - **ONLY £395***

Phar Lap 286IDOS-Ext SDK	£380
Phar Lap 386IDOS-Ext SDK	£395

BASIC

Compilers & Interpreters	
BBC BASIC-86 Plus	£75
CA-Realizer (Win)	£190
GFA-BASIC for DOS	£85
GFA-BASIC for DOS Compiler	£42
GFA-BASIC for Windows	£170
GFA-BASIC for Win Compiler	£42
PowerBASIC 3.0	£110
TrueBASIC 3.0	£75

C & C++ FOR DOS

Comms

C Asynch Manager	£145
C Comms Toolkit	£215
COMM-DRV	£145
Essential Comms	£215
Greenleaf CommLib 4.0	£205
Silvercomm "C" Asynch	£135

Database

Btrieve	£365
c-tree Plus 6.0C	£565
CodeBase 5.0	£240
D-ISAM	£325
d-tree	£490
DataBoss	£520
Greenleaf Database Library	£155
Paradox Engine & DFX 3.0	£125
POET SDK 2.0	£360
r-tree	£295
Raima Data Manager	£305
Raima Object Manager	£305
SoftFocus Btree/ISAM	£75
Sycero.C Network	£895
Watcom SQL Developer's	£295

Graphics & GUI

Accusoft Image Format Lib	£370
dGE	£205
Essential Graphics Chart	£130
Essential Graphics Kernel	£135
Essential Graphics GUI	£99
GraphiC 6.1	£305
graphics-MENU & Data Entry	£205
GX Graphics 2.0	£155
HALO Professional 2.0	£245
MetaWINDOW 4/32	£185
MetaWINDOW/Plus 4/32	£250
MetaWINDOW/Premium 4/32	£310
object-Menu	£305
PCX Toolkit 5.0	£155
PCX-Lab	£100
Real-Time Graphics & M/CT	£185
T-Windows	£240
TEGL Windows Toolkit II 2.2	£80
zApp for DOS Graphics 2.0	£255
Zinc 3.5 for DOS	£345

Math & Scientific

C/Math Toolchest & Grafix	£45
Huge Virtual Array & NAT	£215
Linpack.h++ w/Source	£429
Math.h++ w/Source	£257
Matrix.h++ w/Source	£343
MIRACL	£39
Science & Eng Tools 8.0	£115

Screen

C-Scape 4.0	£360
C/Windows Toolchest	£45
Greenleaf Datawindows 3.0	£220
MEWEL Window System	£175
Object Professional for C++	£165
Panel Plus II	£260
TCXL-DOS 6.1	£79
Turbo Vision 1.1	£25
Turbo Vision Dev Toolkit 2.0	£105
Vermont Views	£350
Vermont Views Plus	£595
zApp for DOS Text	£255

Printer

Baby Driver Kernel	£185
BGI Printer Driver Toolkit	£105
GX Printer	£240
SLATE	£260
TesSeRact Printer Control Sys	£45

General & Systems Libraries

C Tools Plus/6.0	£115
CAD/CAM Dev Kit/2D Personal	£375
CodeRunner	£150
Heap Expander 3.0	£130
Hold Everything	£130
Interwork	£205
MoreHeap	£110
MTASK	£215
Multi-C w/Source	£39
PDK #1, #2, #3	£95
PowerSTOR	£99
Resident-C	£160
TesSeRact Compression Sys	£39
TesSeRact TSR Dev Sys 2.0	£79
TG Professional (CAD/CAM)	£395
Tools.h++ w/Source	£257
TSRs and More	£115
VMData	£370

Tools

C-DOC	£150
C-Vision	£90
Clear+ for C	£135
CodeCheck Personal	£250
MKS LEX & YACC	£240
PC-Lint	£85
PCYACC Personal	£250
SourcePrint+ Deluxe 5.0	£190

News & Views

The big news this month is the new WATCOM C/C++32 which is one of the first compilers to support Windows NT (and hence Win32s) and the Pentium, as well as implementing full AT&T 3.0 C++. This means that software vendors can produce software which takes full advantage of the Pentium with little or no penalty for 386/486 users (so don't let those vendors get away with charging extra for Pentium versions of their software!). Watcom now support 2 ways of writing 32-bit Windows apps - either Win32s/Windows NT or their own supervisor. Win32s apps will either run on Windows 3.1 or Windows NT, while apps written with their own supervisor will run on Windows 3.0 or 3.1 as well as OS/2 2.x in a WinOS2 box. There is still no environment, so you need a text editor as well (remember text editors?), but these guys certainly know how to write compilers.

The new Optlink for Windows V4.0 now supports Borland C++ as well as Visual C++, so if your program has outgrown TLINK or you have time to make a coffee with LINK, stop messing about and get a copy of Optlink.

LOW PRICES FOR MICROSOFT & BORLAND PRODUCTS

Microsoft Access	**£275**
Microsoft Cobol 5.0	**£435**
Microsoft Delta	**£222**
Microsoft Fortran 5.1	**£95**
Microsoft Fortran Power Station	**£222**
Microsoft FoxPro 2.5	**£280**
Microsoft FoxPro for Windows	**£280**
Microsoft Macro Assembler 6.1	**£95**
MS Visual Basic for DOS Std	**£95**
MS Visual Basic for DOS Prof	**£222**
MS Visual Basic for Win Std	**£95**
MS Visual Basic for Win Prof	**£222**
Microsoft Visual C++ Std	**£95**
Microsoft Visual C++ Prof	**£222**
Microsoft Windows 3.1	**£70**
MS Windows SDK 3.1	**£165**
Borland C++ 3.1	**£250**
Borland C++ & AFX 3.1	**£365**
Borland Pascal with Objects 7.0	**£250**
dBase IV 1.5	**£415**
Paradox Engine & DFX 3.0	**£125**
Turbo C++ 3.0	**£59**
Turbo C++ Visual Ed. for Win	**£52**
Turbo Pascal 7.0	**£84**
Turbo Pascal for Windows 1.5	**£99**
Paradox 4.0	**£415**

WITH FULL TECHNICAL SUPPORT

C & C++ COMPILERS

*NEW WATCOM C/C++32 is now shipping. Full AT&T 3.0 C++ with nested types, templates and exception handling. Hot new 9.5 code generator exploits the superscalar architecture of Pentium and takes advantage of 486 pipelining - create a single, high-performance executable which runs on 386, 486 and Pentium processors. New protected mode linker eliminates unreferenced functions. Widest range of 32-bit Intel x86 platform support with DOS, OS/2 2.x and Windows NT hosted tools, targets 32-bit DOS, OS/2 2.x, 32-bit Windows 3.x, Win32s/Windows NT, AutoCAD ADS/ADI, Netware NLM and PenPoint. CALL US FOR MORE DETAILS OR TO PLACE AN ORDER. ONLY **£420.***

Aztec Embedded C86	£290
Borland C++ 3.1	£250
Borland C++ & AFX 3.1	£365
Microsoft Visual C++ Std	£95
Microsoft Visual C++ Prof	£222
MS QuickC 2.5	£50
MS QuickC & QuickAsm	£83
Topspeed C Prof	£165
Topspeed C++ Prof	£165
Turbo C++ 3.0	£59
Turbo C++ Visual Ed. for Win	£52
Watcom C 9.0	£320
Zortech C++ 3.1	£185
High C/C++ 386 3.1	£555
NDP C (386)	£445
SVS C3 ANSI-C (386)	£310
Watcom C/C++32 9.5	£420
Borland C++ for OS/2	£250

C & C++ FOR WINDOWS

C Comms Toolkit/Windows	£265
COMM-DRV	£145
CrystalComm for Windows	£130
Greenleaf Comm++	£155
Greenleaf CommLib Pro	£325
Btrieve for Windows	£365
CodeBase 5.0	£240
Paradox Engine & DFX 3.0	£125
POET SDK 2.0	£360
Q+E Database Library	£295
Raima Data Manager	£380
Raima Object Manager	£305
Watcom SQL for Windows	£295
Accusoft Image Format Lib	£370
C++/Views 2.1	£360
Control Palette 2.0	£110
Data Entry Workshop	£130
DataTable (special offer)	£75
Drover's Prof Toolbox 3.0	£305
Essential Graphics Chart	£300
GraphiC/Win	£370
Graphics Server SDK	£205
Magic Fields	£255
MS Visual Control Pack	£69
Out of Controls w/Source	£270
PCX Toolkit for Windows	£155
ProtoGen 3.0 (special offer)	£75
ProtoView 3.3 (special offer)	£149
Win/Sys Library	£105
Win++	£185
Windows Charting Tools	£300
WindowsMaker Pro 4.0	£560
zApp for Windows 2.0	£255

Circle 519 on Inquiry Card.

Cover Story

VIDEO CONQUERS

The integration of full-motion video on desktop computers has begun. Out of the box, your system will soon allow you to have live videoconferences, attach video clips to your data files, and view video files from your desk. Leading the way are Apple with its new AV Macintosh series and Silicon Graphics with its Indy workstation.

ANDY REINHARDT

Once only a fantasy of world's fairs and Jetsons cartoons, video communication is finally arriving as a serious business tool. But instead of being packaged in a stand-alone, phone-like device, it is riding into the workplace on the back of personal computers. The integration of video into PCs offers much more than the ability to see the person on the other end of the line: Content-rich video will enable new kinds of collaborative work.

New products from Apple and Silicon Graphics exemplify the trend to support motion video in desktop systems. Just as computer makers earlier added color, bit-mapped graphics, and audio to PCs, now they are building in video. The Silicon Graphics Indy and two new Apple Macs—the Centris 660AV and the Quadra 840AV—include hardware for input and output of analog video, video digitization, digital signal processing for image manipulation and compression, and software support for handling video data. The Indy even includes a tiny video camera as standard equipment (see "Apple, SGI Blaze Video Trail" on page 81).

Such capabilities have been available from third-party vendors such as SuperMac, RasterOps, and Creative Labs at considerable cost to purchase, install, and integrate. Apple's QuickTime and Microsoft's Video for Windows added system-level software support for handling synchronized digital-video data, but hardware was still extra. Now, with starting prices as low as $2500 for the Centris 660AV and $5000 for the Indy workstation, you can buy a system ready to handle video right out of the box. In effect, video has become nearly free, and the implications for computer users are enormous.

PHOTOGRAPHY: MEL LINDSTROM © 1993

THE DESKTOP

"People are going to be really surprised at how powerful [video] is," says multimedia analyst Denise Caruso, editor of the *Digital Media* newsletter (San Francisco, CA). When video becomes standard, programmers will write software that takes advantage of it and users will treat it like just another data type, such as text, graphics, or audio.

This will open up new, more effective channels of communication among individuals and workgroups. Presentation packages, word processors, databases, and even spreadsheets will support video clips and annotations. E-mail packages will add support for video attachments to messages. Multimedia titles will become richer, more dynamic, and more widely distributed.

Perhaps the most significant potential lies with desktop videoconferencing. You can, in effect, turn your PC into a videophone by sending pictures captured with your computer's camera in real time across high-speed telephone lines or over a LAN. Or you could employ a store-and-forward architecture, sending those pictures to a central repository for delivery at a later time.

Sarah Dickinson, an analyst at Personal Technology Research (Waltham, MA), has monitored the migration of videoconferencing technology from large room-size systems to the desktop. "When you put this technology on the motherboard," Dickenson says, "it changes everything."

Both real-time videoconferencing and store-and-forward video mail present technical, cultural, and economic hurdles. Each puts stress on the existing communications infrastructure and forces the user to work in new ways. And, as with any emerging technology, the cost of successfully applying video throughout the enterprise is high.

New Media

Built-in video capabilities will be harnessed in a number of ways. Foremost among them is delivery of prepared content in either analog or digital form. Thus, the new Apple and SGI systems can accept analog video signals (NTSC or PAL) directly from cable, a VCR, or a laser videodisc and display the picture in a window. This means that you could watch CNN while you work on a spreadsheet, or view a training videotape for a new software package while using the program in a separate window.

Likewise, digital video, delivered on a CD-ROM or across a network, can be displayed on-screen or merged with other video sources and graphics. A company with networked, video-equipped computers can use this infrastructure to deliver informational or motivational videos. For example, Sun Microsystems sent its employees a digital-video holiday greeting from chairman and CEO Scott McNealy last December, and SGI distributed to its staff a digital video of the visit earlier this year by President Bill Clinton and Vice President Al Gore.

continued

Document Conferencing Keeps Your Data Close-By

One of the main advantages of a desktop system is that the video communication occurs on the same machine where you keep your electronic documents. "You're closer to your data," says Chris Herot, director of advanced technology for Lotus Development (Cambridge, MA). "You don't have to bring it with you down the hall." Compression Labs' Cameo, PictureTel's Live PCS 100, and other desktop systems thus typically offer the ability to send—and in most cases to work collaboratively on—documents. Because document conferencing can be done over conventional phone lines without expensive hardware add-ins, it's likely to become prevalent far sooner than desktop video. Consequently, many desktop videoconferencing systems give equal weight to document conferencing.

Document conferencing is typically designed much like a two-way version of remote-control software packages, such as pcAnywhere or Timbuktu. The "master" user owns the document and runs the application that created it, while one or more "slave" users see a bit-mapped image of the document that they can mark up and annotate in real time. Document images can be saved at all locations, but the original is usually modified only if the master gives keyboard or mouse control to remote users. Files can also be sent among users, often in the background.

Many of these packages also support *whiteboarding*, or the ability to draw or type on a blank white window, usually in "ink" color-coded by user. The more sophisticated products also permit multiple simultaneous masters and slaves; i.e., I share my Excel spreadsheet with you while you share your Ami Pro report with me. Some offer better performance by trapping GDI (Graphical Device Interface) calls and keyboard/mouse inputs instead of transmitting compressed bit maps. But at this point, none of the packages permit actual application sharing, where the same document is loaded up on both sides and collaboratively modified, although several vendors say that they are working toward this capability.

A Cadillac among desktop video *and document conferencing systems, NCR's TeleMedia Connection is a hardware and software package that supports collaborative document mark-up and real-time video-in-a-window. It uses H.261-standard compression and requires dual ISDN channels for quarter-screen video throughput of 15 fps.*

Visit, from Northern Telecom (Nashville, TN), was an early entrant in the desktop market. The $3899 product (not including telecom interface) has the distinction of being the only system that now runs on both the Mac and Windows and can interoperate between them. Its video, however, is limited to gray scale. Visit requires digital or leased lines but uses only one 64-Kbps ISDN channel or 56-Kbps switched line (Switched-56) to deliver 10 to 15 frames per second (fps) of video. Northern Telecom plans to enhance the system this year with support for color, H.261 compression, and multipoint bridges, says Jeff Berman, manager of market development for the company.

NCR's TeleMedia Connection is a similar system, but it supports 15-fps quarter-screen color video over dual ISDN channels—i.e., 128 Kbps. NCR sells the product primarily as a document-sharing system for Windows, with H.261 videoconferencing as a bonus. TeleMedia Connection sells for between $5000 and $7000, depending on whether you already have an AT&T 8510 ISDN phone (to which you run an interface cable) or need to add an ISDN card to your PC. Neil Whittington, assistant vice president of NCR's workstation products division, multimedia business unit, says support for Switched-56 and analog lines (for document sharing only, not video) will be added later.

Another Windows video/document conferencing system is DVTS from GTE (Chantilly, VA). It offers H.261 compression, frame rates of from 7.5 to 30 fps, and a whiteboard feature. It supports ISDN and Switched-56, or you can use it over a high-speed modem.

Creative Technologies, the parent company of Creative Labs (best known for the SoundBlaster and VideoBlaster), has recently acquired the Mac-based ShareView and ShareView Plus, products that set new standards in this category



Creative Technologies' ShareView Plus *is now available only for the Mac but is slated for other platforms. This groundbreaking package offers document sharing and videoconferencing over a standard analog phone line, using proprietary compression. The video rate can be as low as 5 fps, so Creative plans to add support for digital telephony and standard codecs.*

because they were designed to run over analog lines. ShareView, which sells for $1195, includes a NuBus board, a 14.4-Kbps modem, a handset, and software that permits audio communications, whiteboarding, and collaborative document sharing. The $4499 Plus version of the product adds a video camera and a second NuBus card that uses a proprietary compression scheme capable of sending images ranging from 80 by 96 pixels up to 160 by 190 pixels at rates of 5 to 12 fps. Creative's plans for the product include expanding to Windows, and supporting digital telephony and standards-based codecs.

Nuts Technologies, a San Jose, CA, based start-up, has announced but not yet shipped a product called Hello 918 that reportedly supports analog and ISDN with video rates of 5 to 30 fps. Eye-Tel Communications (North Vancouver, BC, Canada) recently acquired Tel-America Video Conferencing of Syracuse, IN, and sells a line of products called Tel-Eye-Vision that range from low-cost graphics file transfer and document-sharing tools to a $10,000 conferencing system based on H.261 and digital lines.

For OS/2, IBM sells Person-to-Person/2, a whiteboarding and document-sharing package that also supports live videoconferencing via IBM's ActionMedia II card. Versions of the software for Windows and AIX are planned for later this year, with Mac support in 1994. The $280 package ($1875 for a 10-user license) lets up to five users at a time share a common chalkboard or mark up documents. The package runs now over Token Ring and Ethernet LANs using NetBIOS, with native IPX support slated soon, and requires ISDN for WAN (wide-area network) connections.

In what may augur a future trend, Peregrine Software (Carlsbad, CA) has developed a software-only networked videoconferencing product that runs on off-the-shelf video hardware. Instead of being sold as a turnkey or integrated solution, Peregrine's as-yet-unnamed package will run on any PC that is equipped with a video camera and a capture card supported by Microsoft Video for Windows. Features include shared documents and real-time video over NetWare or NetBIOS LANs (and over WAN links faster than 128 Kbps), and network software that manages the video streaming and frame rate.

REAL TIME VS. STORE-AND-FORWARD

Real-Time Video Conferencing	Store-and-Forward Video Mail
Live, interactive collaboration	Noninteractive
Parties must be present to use	Send and receive on your own schedule
Needs few system resources, since video is passed through	Needs more system resources, i.e., CPU, bus bandwidth, disk space
Needs expensive real-time compression technology	Video compression can be done off-line or in software
Supports real-time document conferencing as well	Not meant for real-time document conferencing
Hard for people who speak different languages	Can view video and respond at your own pace
Conveys innuendo and nonverbal information	Not much better than voice mail
Requires special LANs, i.e., synchronized, ATM	Operates over conventional LAN
Needs fast, expensive telecom services for WAN links	Operates over analog phones

Computer-based training is the most promising short-term application for desktop video, especially if the materials are interactive and customizable by the user—that is, if they take advantage of the computer rather than working in the linear fashion of videotape. For example, hypertext links can allow you to go through a lesson in the order and at the pace that suit you. "Every company is looking at how to train its people faster and faster," says Marika Ruumet, network manager for HP-TV, Hewlett-Packard's programming network for business partners.

In addition to playing prerecorded content, you can also capture still frames and video clips with the Indy and Mac AV systems. You just plug a camcorder into the video port; the hardware to digitize and compress video is built in. Once the video is digitized, you can attach it to a mail message and send it to a colleague. Or you can use an editing package such as Adobe Premiere 3.0 to alter images, rearrange frames and sequences, and add titles, music, and voice-overs. While this process will not produce professional-quality video, the resulting presentation can be output to analog video—using a so-called print-to-tape capability—for playback on any VCR.

Video Mail

Once you've got digital video inside your system, you gain the ability to send it to somebody else, assuming that you're on a LAN or connected to the phone system. Both real-time and store-and-forward video messaging will get a big boost from systems like the Mac AVs and the Indy.

The advantage of video mail, says Ann Earon, president of Telemanagement Resources International (TRI; Lake Wylie, SC), is that it lets you send and receive whenever you're ready. This is especially important when crossing time zones or dealing in foreign languages. Earon notes that Asian users haven't widely embraced real-time videoconferencing, not only because live sessions with the U.S. involve inconvenient hours, but also because of cultural reasons. "They'd rather receive a video transmission, discuss it, and then respond," she says. For international communications, Earon asserts, store-and-forward video is "very suitable."

Store-and-forward messaging is much easier to accommodate on networks than is real-time communication, because packets can be deferred for later delivery. Unlike videoconferencing, video mail doesn't require vast amounts of synchronous bandwidth. Videoconferencing can demand anywhere from 14.4 Kbps for low-quality analog transmissions to at least 128 Kbps for full-screen digital transmission. Traditional room-size systems use 384 Kbps or more.

However, because video is such a dense data type, mailing and storing it require large amounts of processing power and hard drive space on both ends of the communication link. Caruso dismisses store-and-forward video mail as "bull"; she doubts that users really want or need to send and receive video clips of "talking heads," which often convey little more than a voice-mail message. "I don't see the point of all that overhead for the problem you're trying to solve," Caruso says. Video files could also spell problems for networks: Frequent video-mail file transfers could clog LANs.

Conferencing

By contrast with video mail, real-time videoconferencing is less demanding of the host system, because the video typically passes through the machine without chewing up CPU resources or system-bus

Read my

PC MAGAZINE EDITORS' CHOICE

Couple its **outstanding overall performance** with a true optical resolution of 400 dots per inch, an excellent scanning software package (*DeskScan II*), and HP's well-earned reputation for solid, reliable products, and you have **a winning combination.**

It's blazing

THE BEST HARDWARE & SOFTWARE OF THE YEAR.

PC Magazine Labs'
ference between th
every test. In line-a
the HP ScanJet I
seconds, while fiv
115 seconds or m
In general, y
twice as long for a
scale. With a fast s
translate into a half
ner, the set up to co
more.

...top scoring product...

Publish READERS' CHOICE AWARD '92

SUPERIOR PERFORMANCE

The ScanJet IIc performed well during all phases of PC Magazine Labs' testing. **In terms of speed, this scanner led the field,** ranking first in two of five speed trials and best overall. Some scanners,

as a whole, and a street price as low as $1,450, and **it's hard to imagine a better buy.**

An excellent choice for any PC desktop

© 1993 Hewlett-Packard Company *In Canada call 1-800-387-3867, Ext. 7365. PE12357

clips.

HP ScanJet IIc



$200 REBATE

We'd hate to brag. So we'll let the PC press do it for us.

Both *PC Magazine* and *Publish* called the HP ScanJet IIc the *Best Color Scanner* for 1992. While *PC Computing* named the black & white/grayscale HP ScanJet IIp the *Most Valuable Product* of the year.

Speed. Simplicity. And accuracy were all applauded. It's no wonder. HP's single-pass scanning delivers both lightning-fast speed and precise color registration. What's more, if you purchase an HP ScanJet IIc between August 1 and October 31, you'll get a $200 rebate when you send in a coupon available from your dealer. Capabilities this advanced have never been so affordable. With the rebate, list price on the HP ScanJet IIc is just $1,399. List price on the HP ScanJet IIp is just $879.

Impressed? Don't just take our word for it, or even the PC press's. Attend one of our scanning seminars that will be held April through September, 1993. To find out more information or the location of your nearest authorized HP dealer, call 1-800-SCANJET, Ext. 7365.* And judge for yourself.

HEWLETT PACKARD



Traditional videoconferencing systems *use proprietary compression algorithms and rely on high-speed leased or switched phone lines. PCs running standards-based compression can sometimes attach to these systems. Desktop videoconferencing is less centralized and can't accommodate groups of users, but it may permit more spontaneous and intimate communication.*

bandwidth. Because it's live, the data neither comes from nor is saved to a hard drive; users who want to preserve video conferences for posterity usually output them to a VCR.

But the acceptance of traditional videoconferencing has been slow, so many industry observers are skeptical about its potential on the desktop. They argue that users need to share documents and graphics more than they need to view live movies of each other.

Vendors acknowledge this. According to Jeff Berman, manager of market development for Northern Telecom's (Nashville, TN) Visit desktop video system, "Our customers are using Visit as an interactive multimedia conferencing platform for collaborative work, not necessarily as a low-cost videoconferencing system replacement."

The $3899 Visit, an early desktop videoconferencing product, has the distinction of being the only system that now runs on both the Mac and Windows (see "Document Conferencing Keeps Data Close-By" on page 66).

Established videoconferencing players, including such companies as Compression Labs, Inc. (CLI; San Jose, CA), PictureTel (Peabody, MA), Vtel (Austin, TX), and U.K.-based GPT Video Systems, are now bringing out desktop-based products. CLI got an early start in this category with its $4500 Macintosh-based Cameo Personal Video Conferencing System, announced in January 1992, which uses compression technology that was developed jointly by CLI and AT&T. Cameo is designed to work over ISDN lines only and employs a scaled-up version of the algorithm that AT&T uses in its analog-based consumer videophone. The system transmits 15 frames per second (fps) of video, or about half the rate of TV video, and requires an external phone to transmit audio.

PictureTel, which has struck joint development deals with IBM and Lotus, has recently announced the $6000 PC-based PictureTel Live PCS 100. This system supports both PictureTel's proprietary SG3 algorithm and industry standards. As with most of its competitors in this product class, the price of the PCS 100 reflects the cost of hardware-assisted video compression and interfacing to ISDN.

Personal Technology Research's Dickinson believes these systems "may not be the route to desktop videoconferencing." Instead, PC vendors may migrate up into the conferencing business by building in support for video compression and high-speed communications.

Larger videoconferencing systems will remain viable, however. According to Lung Yeh, vice president of technology for the video products group of Creative Technologies (Singapore), the systems will

The Video Computer

- **Fast 32-bit processor**
- **Video input (NTSC/PAL to VGA or other display)**
- **Video output (VGA or other to NTSC/PAL)**
- **Video camera, analog or digital**
- **DSP or specialty chips for processing digital video**
- **Compression/decompression in silicon**
- **Fast path to memory and hard disk**
- **Access to digital communications (ISDN, Switched-56, LAN)**

Why some software sells more than others.

Success. All software developers strive for it. Now, Don Gall was on top of the world. Software protection made all the difference. Especially in Europe and Asia. Sales were four times better than before. He is the founding father of Sentinel — the guru of software success.

Struggling Software Sales

One day, trekking through the coffee fields of Java, Don ran into his old college buddy Simon Seagull. "Don, my sales are well below expectations." Simon explained his plight, "My software should sell like yours, Don!" Yet despite critical acclaim Simon's company, SimonSays Software, teetered on a financial tightrope. "What's your secret, Don?"

They spent hours analyzing potential problems. They looked at everything.

The Key to the Problem

Finally, Don leaned back and asked the assumptive question, "What about protection – are you using Sentinel?"

Nervously, Simon sipped his coffee. His hands shaking as his eyes darted the room. "No. I didn't think I needed to."

Don's chair slid out from under him and he crashed to the floor. Amazed in disbelief, Don cried, "You What?!" Grabbing his tattered scrapbook, Don pulled out photos of his travels. "Ever been to Seoul? Prague? Anywhere? Ten bucks will buy you anything, even bootlegged copies of software."

Don's Road to Success

Thumbing through the scrapbook, Don shared his experiences. "Back in the '80s, I was in your shoes – beaten, battered and bruised." Simon listened. "Then, after a heart breaking trip around the world, I called the Software Publishers Association (SPA)."



"I could hardly believe it. They told me developers lose billions of dollars each year. Why? Illegally copied software. In some countries there are nine pirated copies for each legal copy sold."

Simon was disgusted, "It's just not fair."

"That's why I committed myself to solving the piracy problem," explained Don.

Simon's eyes lit up. "The dongle!" he shouted. Don corrected him, "Not just any dongle — the dongle that paved the road to success for over 10,000 developers worldwide — Sentinel."

Successful Developers Use Sentinel

Don pulled a stack of letters out of his gunny sack. "All of these people tell the same story." Don read about a successful developer from California who swears she wouldn't be in business without Sentinel. Another company says protection costs less than litigation, plus they don't have to spend time and money supporting illegal users.

Others confessed they wouldn't market products internationally without protection.

The hours flew by, story after story, Simon learned Don Gall's secret. To succeed is to protect. To protect is to secure with Sentinel.

Most Advanced and Widely Used Dongles in the World

Backed by the world leader in software protection, Rainbow Technologies, the Sentinel Family of hardware keys is the most diverse and comprehensive selection available. For DOS, Windows, OS/2, Macintosh, LAN, UNIX and others. They're simple to install, and are the most reliable and compatible available.

Rainbow offers just-in-time delivery and the largest technical support and engineering staff in the software protection industry.

Call Don Gall today for a free copy of **"The Sentinel Guide to Securing Software."** Or better yet, ask him for a low cost Sentinel Evaluation Kit — complete with a working dongle!

For your free guide to securing software, call your local office or distributor listed below.

SENTINEL
Securing the future of software

When you need a dongle, you need Sentinel. The only dongle Don Gall will use.

RAINBOW TECHNOLOGIES

RAINBOW LTD./U.K. 44 932 570066 ▪ **RAINBOW MICROPHAR/FRANCE** 33 1 47 38 21 21 ▪ **RAINBOW GmbH/GERMANY** 49 89 961 3051 ▪ **PACIFIC RIM/USA** 714/454-2100

Worldwide distributors: **ARGENTINA:** Agri-Aid, S.A. 54 1 46 8364 • **AUSTRALIA:** Loadplan 61 3 690 0455 • **BENELUX:** Introcom Security Key 31 74 430 105
BRAZIL: Mips Sistemas Ltda. 55 21 507 1839 • **BULGARIA:** KSIMETRO 3592 79 14 78 • **CHILE:** ChileSoft Ltda. 56 2 639 8892 • **COLOMBIA:** Construdata 57 1 610 8549
CZECHOSLAVAKIA: ASKON International Ltd. 42 2 36 44 25 • **GREECE:** Byte Computer S.A. 30 1 923 2335 • **HONG KONG:** Computers and Peripherals 852 515 0018
HUNGARY: Polyware Kft 36 76 481 236 • **IRAN:** Gam Electronics 982 122 2374 • **ITALY:** BFI IBEXSA SPA 39 23 31 00535 • **ITALY:** Siosistemi 39 30 24 21074
JAPAN: Giken Shoji Co., Ltd. 81 52 972 6544 • **JORDAN:** CDG 962 6 818360 • **KOREA:** Genesis Technologies Corporation 82 2 578 3528 • **MEXICO:** Impex Computacion, S.A. de C.V. 52 66 210 291
MOROCCO: Futur & Soft 212 2 40 03 97 • **PHILIPPINES:** Techno Products and Services 63 2 732 5174 • **POLAND:** DAGMA SP.ZO.O 48 32 525 200 • **PORTUGAL:** HCR 35 1 135 61865
SAUDI ARABIA: ZEDAN 966 2665 1904 • **SCANDINAVIA:** Perico A/S 47 22 49 1500 • **SPAIN:** MECCO 34 3 422 7700 • **SWITZERLAND:** IBV AG 41 1 741 2140 • Safe Compaid S.A. 41 2 421 0385
THAILAND: BCS International 66 2 319 4451 • **TUNISIA:** ICS 216 1 334 417 • **TURKEY:** BIMEKS, Ltd. 901 348 3508 • **VENEZUELA:** HRT-M Osers 58 2 261 4282

© 1993 Rainbow Technologies, Inc. All product names are trademarks of their respective owners.

Circle 138 on Inquiry Card (RESELLERS: 139).

Video Compression Standards Vie for Acceptance

TOM R. HALFHILL

Imagine if you couldn't send a fax outside your company because the recipient's fax machine recognized a different transmission standard than yours. Or suppose the public telephone system lacked sufficient bandwidth to handle a fax transmission at all. Welcome to videoconferencing, 1993.

But there is hope. The CCITT, which established the Group 3 standard that lets fax machines communicate worldwide, is trying to bring the same order to videoconferencing. It is promoting a specification known as H.261 (pronounced "H-dot-261") or Px64 ("P times 64").

H.261 defines a scheme for sending video at speeds of from 64 Kbps to 2 Mbps. At the low end of the spectrum, H.261 fits into an ISDN channel; at the high end, it needs wider-bandwidth dedicated lines, such as T1. The standard defines a video window of 352 by 288 pixels, known as CIF (Common Intermediate Format). It also supports QCIF (Quarter CIF), a smaller window of 176 by 144 pixels. Related specifications cover still-frame graphics, call-setup protocols, and other issues.

Large conference-room video systems, such as those from PictureTel (Peabody, MA) and Compression Labs (San Jose, CA) , traditionally rely on their own proprietary codecs, although they offer H.261 as an option. In the desktop market, not everyone seems to be greeting H.261 with open arms. "The problem with H.261 is that it lends itself to very, very expensive hardware," says Paul Nahi, a product director at Media Vision (Fremont, CA). "Videoconferencing will become popular when, and only when, you can set up a node for under $200. That's $200 for the plug-in board, the software, and the camera."

Media Vision is pushing its own proprietary codecs known as MotiVE (Motion Video Engine) and Captain Crunch. MotiVE is a codec that's licensed to Microsoft for use with Video for Windows. Captain Crunch is a newer codec that will be available on a pair of chips for under $40 by the end of the year. Media Vision intends to sell the chip set to other vendors and use it in a line of desktop video products.

Weitek (Sunnyvale, CA) is developing a new family of chips that will improve playback in Video for Windows and eventually support the most popular codecs, including Captain Crunch, Cinepak, MPEG, and Intel's Indeo. Intel (Santa Clara, CA) and Microsoft (Redmond, WA) are backing Indeo for desktop video, although Microsoft has also licensed Cinepak for use with Video for Windows. Intel's Smart Video Recorder, an ISA board for PCs, uses the Intel 750 video processor and Indeo to capture and record live video onto a hard disk in real time.

Although Intel has alliances with Bell Atlantic and Ameritech and is known to be working on desktop videoconferencing products, it's not clear if it will implement Indeo, H.261, or some other codec. "Our policy is to follow existing standards when they make sense, and to introduce new standards if they don't already exist or [existing ones] don't offer a good solution," says Scott Darling, marketing director of Intel's business communications division.

AT&T Microelectronics' (Berkeley Heights, NJ) AVP-1000 chip set supports H.261/Px64 and MPEG for full-motion video, plus JPEG for still-image compression. Motorola (Austin, TX) and BT (London, U.K.) are also developing a chip set that supports H.261, MPEG, and JPEG. Those chips will appear on PC expansion boards from BT next year.

Nearly everyone is focusing on ISDN or LANs as the minimum requirement for acceptable video quality. But start-up company Knex (Fremont, CA) says it will soon introduce the Holy Grail of video codecs: a radical new compression scheme that can send 320- by 240-pixel color images at 15 frames per second over POTS (plain old telephone system) with a transmission delay of under 200 milliseconds. "Our goal is to make it possible for any two people on the face of the earth to communicate with each other visually over ordinary phone lines," says Steve Johnson, Knex's chief operating officer.

That goal has eluded everyone since the first prototype videophones drew curious crowds at the 1964 World's Fair in New York. But until the codec chaos is resolved, videoconferencing will be more local than global.

Tom R. Halfhill is a BYTE senior news editor. You can reach him on BIX as "thalfhill."

CODECS FOR DESKTOP VIDEOCONFERENCING

CODEC	SOURCE	APPLICATIONS	ADOPTERS
Captain Crunch	Media Vision	Video playback, videoconferencing, CD-ROM	Cirrus Logic, Weitek
Cinepak	SuperMac Technology	Video playback, videoconferencing, CD-ROM	Apple, Atari, Cirrus Logic, Creative Labs, Microsoft, Sega, 3DO
H.261/Px64	CCITT	Universal videoconferencing over digital phone lines and LANs	AT&T, British Telecom, CLI, Motorola, NEC, PictureTel, Video Telecom
Indeo	Intel	Video playback, CD-ROM	Apple, Microsoft
JPEG	Joint Photographic Experts Group	Still-image compression and transmission	Widespread
MotiVE	Media Vision	Video playback, videoconferencing, CD-ROM	Microsoft
MPEG	Moving Pictures Experts Group	Video playback, videoconferencing, CD-ROM	Philips, many others

Like most color printers, this one works best if you use the right paper.

Works great on plain old white, too.

Color printing on plain paper is, no doubt about it, a remarkable achievement. But we know there are times when you wish you weren't limited to an 8½″ x 11″ white piece of paper. You know, those times when you need a Phaser™ III color printer.

From vellum to card stock, newsprint to acetate, the Phaser III prints on almost any stock you'll ever need. In any size you wish, from 4″ x 6″ to 12″ x 18″ full bleeds. That way, you can do your comps on the paper you're ultimately going to use. After all, what you print on is just as important as what you print.

To make sure you always look good on any paper, the Phaser III features Adobe PostScript™ Level 2 (the latest version), 300 dpi, PANTONE®* certification, and a 24MHz RISC processor to keep your work humming. It also connects nicely to PCs, Macs or workstations. Or all three at once. Above all, it gives you 16.7 million of the brightest, most saturated colors ever printed on the desktop. No wonder it's won more industry awards for excellence than any other printer.

With the Phaser III, you'll always have the right paper. You'll have the right printer, too.

Call 800/835-6100, Dept. 30-J for a free output sample. If you can't wait and want more information, we'll gladly fax it to you. Just call 503/682-7450 and ask for document 1230.



Tektronix

Tektronix, TekColor and Phaser are trademarks or registered trademarks of Tektronix, Inc. PostScript is a trademark of Adobe Systems, Inc. *Pantone, Inc.'s check-standard trademark for color reproduction and color reproduction materials. All other marks are trademarks or registered trademarks of their respective companies.

Circle 148 on Inquiry Card.

Guaranteed Best Prices!

800 445 - 7899

Lahey F77L – FORTRAN Compiler
by Lahey

Version 5.01 includes FORTRAN 90 features: ALLOCATABLE Arrays, CASE Constructs, Cycle and Exit, Construct Names, and many other new features. Package includes Editor, Make Utility, Profiler, Debugger, SLR Linker, Opus Make, Video Graphics, and Excellent Diagnostics. 386/486 users have the option of generating 32-bit instructions.

List: $295 Ours: $259
FAX*cetera* # 1476-0001

OS/2 2.1
by IBM

OS/2 v2.1 lets you take advantage of the award-winning features found in v2.0 and increase your productivity with new enhancements. Includes support for MS Windows v3.1 applications including enhanced mode and full 32-bit graphics engine. Adobe and TrueType Font support gives you the best of both worlds. WIN-OS/2 setup icon allows changes to default values of all Windows applications. Start your DOS and OS/2 apps from a WIN-OS/2 Desktop!

	List: $249	**Ours: $139**
Upgrade	**List: $199**	**Ours: $ 89**

FAX*cetera* # 3142-0009

WindowsMAKER Professional 5.0
by Blue Sky Software

NEW VERSION!

Next generation of the most powerful C/C++ Code Generator and Prototyper for Windows 3.1, NT & Win32s. The fastest way to create full-featured Windows apps. This product stands out, does everything—even a toolbar can be created with 1 click! Test run your design, make changes interactively, generate code for multiple platforms—ANSI C, MFC, OWL, etc.; widest compiler support in industry. TrueCode technology—user code is 100% preserved. Highly recommended!

List: $995 Ours: $839
FAX*cetera* # 2602-0003

PRODUCT OF THE MONTH

Symantec C++ Professional 6.0
by Symantec

Reach new levels of programming power with Symantec C++ for Windows, DOS, and Win32s. Breakthrough new IDDE revolutionizes the way you work. Includes the finest visual builders, optimizations, and tools, with MFC 2.0 and Win32s, and 8000 pages of documentation. Your productivity will increase so much you can go on vacation, and included coupon for two travel certificates to Hawaii will get you there. **Special Introductory Pricing $199!**

List: $499 Ours: $189
FAX*cetera* # 2132-0038

CA-dBFast™ for Windows 2.0
by Computer Associates

The complete standalone dBASE/Xbase development language for MS Windows. Create fast, powerful, easy-to-use graphical applications with over 200 extensions to the dBASE III PLUS language. It also includes an interactive editor, compiler, and linker. Challenge your creativity and imagination! Design multiple windows, pull-down menus, check boxes, list boxes, radio buttons, bit-map pictures, and more!

List: $249 Ours: $199
FAX*cetera* # 1004-0003

CA-Clipper 5.2 Competitive Upgrade
by Computer Associates



Yes, the newly released CA-Clipper version 5.2 is being offered to Xbase language product owners at the low retail price of $199. This competitive upgrade is available for a short time only! What a great opportunity to get the power of CA-Clipper, at a super price! And now when you buy, get your choice of dBFast, Clipper Tools or dBASE Compiler Kit—*FREE* from CA when you register!

List: $199 Ours: $149
FAX*cetera* # 5400-0001

Microsoft Visual Basic 3.0
by Microsoft Corporation



New Version 3.0! Now with built in data access, OLE 2.0 and more! Program for Windows the fast, easy way with MS Visual Basic for Windows, Standard Edition. A visual development enviroment, flexible programming language, and now access to your data make this the most productive way to go from initial ideas to impressive applications.

Standard	**List: $199**	**Ours: $139**
Version Upg.	**List: $ 49**	**Ours: $ 45**
Comp. Upg.	**List: $ 99**	**Ours: $ 95**
Prof. Edit.	**List: $395**	**Ours: $217**

FAX*cetera* # 1269-0033

Q+E Database Library (QELIB) 1.1
by Q+E Software

Q+E Database Library provides complete database connectivity to Windows and OS/2 applications using Dynamic Link Libraries. QELIB can read, insert, update, create or delete database records for the following formats: Oracle, dBASE, SQL Server, Sybase, DB2, Paradox, INGRES, AS/400 (SQL/400), Btrieve, Excel, INFORMIX, NetWare SQL, and many more. Gateways supported include: IBM DDCS/2, Micro Decisionware, Sybase Net-Gateway, and Gupta SQL Network.

List: $399 Ours: $339
FAX*cetera* # 2625-0003

Circle 113 on Inquiry Card.

Programmer's Paradise®

Programmer's Paradise® Italia
Phone: 39-2-480-16053
FAX: 39-2-480-16039

MetaWare High C/C++
by MetaWare, Inc.

NEW RELEASE! High C/C++ version 3.1, MetaWare's 32—bit compiler is shipping. Includes a 32-bit source-level debugger, and a 32-bit Application Developers Kit for Windows. The "Incremental Strengths" feature enables gradual migration from C to C++ one block at a time. High C/C++ provides optional ANSI conformance, eight levels of global optimization and a full implementation of C++ templates.

List: $795 Ours: $669
FAX*cetera* # 1590-0008

WATCOM™ C/C++[32] v9.5
by WATCOM

C/C++[32] is a professional, multi-platform C and C++ development system supporting 32-bit extended DOS, OS/2 2.x, Windows 3.x, Windows NT, Win32s, and AutoCAD ADS/ADI. The complete toolset includes: C and C++ optimizing compilers, royalty-free DOS extender with VMM support, licensed components from the MS Windows 3.x SDK, interactive source-level debugger, linker, profiler, Supervisor for executing 32-bit applications and DLLs under Windows 3.x, 32-bit run-time libraries for extended DOS, OS/2 2.x, Windows 3.x and Windows NT, and more.

List: $599 Ours: $349
FAX*cetera* # 1683-0003

WATCOM™ SQL for Windows
by WATCOM

WATCOM™ SQL for Windows is a complete client/server DBMS including a standalone single-user SQL database server. WATCOM SQL for Windows allows you to develop and deploy single-user standalone applications, and to develop applications for use within the WATCOM SQL Network Server Edition. WATCOM SQL for Windows includes support for the Microsoft Open Database Connectivity (ODBC) standard for database applications.

List: $395 Ours: $299
FAX*cetera* # 1683-0013

Defect Control System for Windows
by The Software Edge

Take control of what's bugging you! Defect Control System is the award-winning bug tracking tool that gathers software defect data and generates practical management reports used to monitor the health of your software project. Complete Submit, Notification, Update, Query, and Report features help you deliver quality software on time. And easy customization means DOS won't change the way you work.

List: $695 Ours: $495
FAX*cetera* # 6011-0001

NEW THIS MONTH

WinMonitor
by Windexperts, Inc.



WinMonitor—The Windows DLL Call Monitor, picks up where SPY left off. With WinMonitor, you can watch every SDK function an application call, even if you don't have source or map information available. WinMonitor features include: display of arguments passed to and return values from functions, the capability to import DLLs for monitoring, custom function and message filters, performance analysis, function argument editor, all with a standard windows application interface.

List: $189 Ours: $170
FAX*cetera* # 1006-7401

Multi-Edit Professional
by American Cybernetics

A richly featured, easy-to-use programmer's text editor. Multi-Edit's flexibility and sheer power combine to provide you with unparalleled productivity. Features include: intuitive user interface, mouse support, syntax highlighting, cross directory multiple file search AND replace, color templates, and much more! Finally, a text editor that thinks like a programmer! Free demo disk available.

List: $199 Ours: $139
FAX*cetera* # 1846-0001

ORDER Version 7.0 NOW!

ProtoGen+ V4.0 *NEW!*
by ProtoView Development



ProtoGen+ is the latest in advanced visual programming, just view and select, point-and-click, or drag-and-drop to see menus, screens and dialogs come to life right before your eyes. ProtoGen+ creates full-fledged, professional applications with bitmaps, icons, tables, data validation, custom colors, fonts, 3D effects, toolbars, status lines, balloon help, MDI and more! Generate code for ANSI C, MFC C++, OWL C++ or Pascal with Objects.

List: $395 Ours: $199
FAX*cetera* # 2553-0002



GUARANTEED BEST PRICES!
(Call for Details)

To order call: 800-445-7899
Corporate (CORSOFT): 800 422-6507
FAX: 908 389-9227
International: 908 389-9228
Customer Service: 908 389-9229
For more information on the products featured on these pages call–
FAX*cetera*®: 908 389-8173

Programmer's Paradise®
1163 Shrewsbury Avenue
Shrewsbury, NJ 07702

• All prices are subject to change without notice.

800 445-7899

be positioned to serve groups of people and to span multiple sites, whereas today's desktop systems are aimed at individuals doing point-to-point communications. However, TRI projects that unit sales of large-scale videoconferencing systems will remain relatively flat for the next four years, while sales of desktop-based systems will soar from about 10,000 this year to nearly 800,000 in 1997.

Although the first videoconference systems appeared in the 1970s, the technology is still bogged down by conflicting standards and constricted electronic pathways. Before desktop videoconferencing can be-

Pandora and the Active Office

DICK POUNTAIN

CAMBRIDGE, U.K.—Europe's largest PC manufacturer, Olivetti, sees its future products converging into a system it calls the Active Office. With the Active Office, digital video and audio services will be able to follow individuals around from room to room via the *active badges* they wear. Not only will your videophone calls get routed to the workstation you're nearest to, but your whole desktop might follow, too, so that you're not forced to wrestle with Fred's purple-on-green windows and Albanian keyboard layout.

The components of this Active Office are being developed at Olivetti Research, Ltd. (ORL), in a joint venture between Olivetti and DEC that's sited in Cambridge, U.K. The key enabling technologies are high-speed ATM (Asynchronous Transfer Mode) networks, a distributed multimedia system called Pandora and its successor Medusa, and the active badges themselves. ORL presently runs a network of more than 40 Pandora workstations—spread over four separate sites a half-mile apart in central Cambridge—that provides videophone, video-mail, and conferencing services.

The Pandora System

Pandora is an all-digital multimedia system that transports multiple streams of "medium quality" video and audio to each workstation in a network. Every Pandora user gets a high-resolution Unix workstation connected to a video camera, telephone, microphone, and loudspeaker via a unit called Pandora's Box, which combines the functions of network interface, stream manager, and video mixer.



Pandora handles video via a subsystem approach, *with separate frame stores for the workstation's screen display and for incoming video streams. Pandora's Box acts as a pixel switch that merges video into the workstation's display, a design that yields high performance but makes it difficult for workstation software to access video data. In contrast, Medusa, the successor to Pandora, places raw video data directly onto the workstation bus, where it can be manipulated by software.*

Each Pandora's Box contains no less than six Inmos T45 transputers acting as embedded controllers: one to sample the video camera; one to manage an analog video mixer and combine incoming video with the workstation's X Window System display; one to handle audio, sampled at 8 kHz; one to switch data streams, say, to and from the compression and expansion hardware; and two to act as ATM network I/O processors.

Apart from the total bandwidth of the ATM network, there's no hard limit on the number of video streams or screen windows that a Pandora system can handle. For example, a four-party videoconference might use 28 simultaneous streams—12 video and 12 audio for two-way connection of all pairs of participants, plus four extra video streams to show participants their own local image.

Pandora is designed to degrade gracefully when it does eventually approach overload. Audio always takes priority, and video packets will be discarded first if the system can't cope, because users will tolerate degraded picture quality better than fuzzy sound. One of the audio transputer's duties is to apply echo and feedback cancellation, which ORL has found to be crucial to Pandora's acceptability in real office environments.

ATM Networking

ORL is a strong champion of ATM as the most suitable form of network for real-time multimedia systems. ATM is a variant of packet switching in which short, fixed-length data packets called *cells* are transmitted via "end-to-end" virtual circuits, rather than by destination or route addressing. Unlike many packet schemes, ATM always preserves the time ordering of its packets. ORL originally implemented 32-byte cells but has now moved to 48-byte cells (with 5-byte headers) for greater ease of interworking with broadband ISDN.

ATM has several advantages for multimedia applications, of which the most

come as effortless and ubiquitous as the videophones on *The Jetsons*, the problems of interconnectivity and bandwidth have to be solved. Unfortunately, transmitting a synchronized stream of audio and video in real time is much more difficult than, say, sending a fax, which consists of a black-and-white bit map of static words and pictures on a page.

Consider the volume of traffic required for a videoconference. Assuming a full-screen image of 640 by 480 pixels in true color (24 bits per pixel), and NTSC-standard 30 fps for full-motion video, you'd need to transmit almost 27 MBps for an uncompressed picture the quality of a TV broadcast. And that's just for a one-way hookup without sound. For a full-duplex, two-way conversation, you'd have to move an equivalent volume of data in both directions simultaneously, along with a pair of audio tracks.

Clearly, such a torrent of data would overwhelm any ordinary analog phone line, often referred to as POTS (for "plain old telephone system"). Even digital ISDN doesn't come close to offering that much bandwidth.

One answer is to simply increase the bandwidth of the pipeline by replacing copper wire with fiber-optic cable. However, that calls for an enormous investment in infrastructure.

important is predictability. Popular networks like Ethernet have sufficient capacity to carry small amounts of video (e.g., for video mail), but they impose unpredictably long transmission delays that greatly complicate the design of real-time multimedia systems; for example, data might have to be time-stamped to allow resynchronization on arrival. ATM's short cell size and virtual circuits guarantee a low upper bound on transmission delays, measurable in microseconds. Pandora can work without explicit synchronization between streams and needs to employ time stamping only when video-recording to a server's hard disk. Other advantages of ATM include scalability right up to global area networks using the same data format, and dynamic bandwidth sharing, which permits graceful degradation and efficient load balancing.

ORL's current ATM networks use a 500-Mbps fiber-optic backbone between remote sites, with 50-Mbps coaxial LANs connecting local workstations. A range of ATM switches and an ARM-based (Advanced RISC Machine) ATM protocol engine called ATMos have emerged from the Pandora project, along with bridges to Ethernet and WANs.

Medusa and Active Badge

ORL is now working on Medusa, the successor to Pandora. Medusa will support eight or 16 cameras per workstation, making possible applications like nondeskbound videophones or broadcasting lectures and meetings with viewer-selectable camera angles. It extends Pandora's use of time stamps to support more stream types, like infrared or sonar-depth information devices and very slow streams such as those produced by active badges sending location information.

Medusa separates devices into two classes: those that attach to a workstation cluster and those that attach directly to the ATM network. The former work with raw video data that can be manipulated by graphics software on the workstation, while the latter use JPEG compressed data to reduce data volumes.

Active badges are small clip-on devices that employ infrared signaling to send the wearer's location to a network of sensors once every 15 seconds. The badges are based on a commonly available 5-bit encoder chip designed for remote controllers and have a one-year battery life. They are never turned off, but they have a light sensor that switches them to a low-power state when they're put in a dark drawer or pocket.

The current ORL implementation only allows a workstation user to locate and page any other badge wearers within the four sites spanned by the network, and to check their nearest phone extension and current status (e.g., "in a meeting," "do not disturb") by using commands like FIND, WITH, LOOK and NOTIFY. ORL has also created tiny active tags called PiCOs (Portable Interactive Computing Objects) that you can attach to equipment like printers, workstations, and phones to integrate these resources into the location map. In future, badge location will be used to route video mail and much more.

Despite initial misgivings about their Orwellian privacy implications, ORL people have taken to the badges well. During a year's noncompulsory trial, no one has stopped wearing the badge; the reduction in disruptive phone calls and fruitless trips to find colleagues seem to be adequate reward.

ORL's Pandora network has generated other useful data on the user acceptability of multimedia systems. Off-line video mail has proved far the most popular facility, followed by two-way live videophone. Videoconferencing is less popular, and least popular of all is the mixed text-and-video document; ORL's users seem to prefer to treat text and video mail as alternatives, with different applicability. Many people also like to use the videophone to greet colleagues by waving or nodding with the sound turned off.

Dick Pountain is a BYTE consulting editor based in London. You can reach him on BIX as "dickp."

Compression Critical

Compression is the obvious solution, but even the best of today's compression schemes aren't up to the challenge. To squeeze a TV-quality video signal through a 64-Kbps ISDN channel, you'd have to invent a codec algorithm that discards more than 99 percent of the data without seriously degrading the image.

As a result, desktop videoconferencing systems typically compromise by offering smaller windows (as tiny as 80 by 96 pixels), grainier color (8 bits per pixel instead of 24 bits), and lower frame rates (5 fps or less under certain conditions). These trade-offs reduce the bit stream to manageable levels.

Many codecs can achieve these levels of compression, but some require more time to compress than they do to decompress. MPEG, a standard fostered by the Moving Pictures Experts Group, and Cinepak, a proprietary but widely licensed codec from SuperMac Technology (Sunnyvale, CA), are examples of so-called asymmetrical codecs. They are better suited for store-and-forward applications or prerecorded video on CD-ROMs than for real-time videoconferencing. If an asymmetrical codec is implemented in high-speed silicon, however, it can effectively become symmetrical by supporting real-time conversion at both ends.

Even when a codec works in real time, the data pathway adds a certain amount of time lag. If the pathway is a LAN, the delay might be dependent on the size of the network and the volume of traffic. On a long-distance phone line, delays are inevitable as the signal is beamed from

Announcing the first network printer



Operating System	Topology
Novell Netware	**Ethernet/802.3*
	Token Ring (4/16 Mbps)
Microsoft®	**802.3*
LAN Manager	*Token Ring (4/16Mbps)*
Windows for	**802.3*
Workgroups	*Token Ring (4/16 Mbps)*
Windows NT	**802.3*
	Token Ring (4/16 Mbps)
IBM LAN Server	**802.3*
	Token Ring (4/16 Mbps)
AppleTalk	**LocalTalk*
	**EtherTalk*
*HP-UX***	**Ethernet*
*SunOS***	**Ethernet*
*Solaris***	**Ethernet*
SCO UNIX®	**Ethernet*

*Standard in the HP LaserJet 4SI MX printer. **For operating HP-UX, SunOS or Solaris, a one-time purchase of $199 in configuration software is required. Adobe and PostScript are trademarks of Adobe Systems Inc. which may be registered in certain jurisdictions. Microsoft is a U.S. registered trademark of Microsoft Corporation. UNIX is a registered trademark of UNIX System Laboratories Inc. in the U.S.A. and other countries. †In Canada call 1-800-387-3867, Ext. 7299.
© 1993 Hewlett-Packard PE12353

Multiple environments are no longer worlds apart. Even if you have Novell Netware on one network, HP-UX on another and EtherTalk on a third, the new HP LaserJet 4Si MX printer easily connects across platforms. Automatically.

The HP LaserJet 4Si MX printer comes out-of-the-box preconfigured for multiple environments. There's nothing more to do than plug-and-play. All interfaces are simultaneously hot, making switching so seamless, end-users won't even notice.

What's more, HP's LaserJet 4Si MX printer is ready to handle whatever needs come down the

that adapts to multiple environments.

pike. More operating systems? No problem. As your network system continues to evolve, the capabilities of this printer are no longer just impressive. They're indispensable.

The HP LaserJet 4Si MX printer is loaded with features that define state-of-the-art. HP's enhanced PCL5 and genuine PostScript™ Level 2 software from Adobe™ come standard. Printer environments are saved while switching. Setup is a cinch with network software utilities and drivers included in the box. And, if you need any reassurance about trouble-free operation, you have it in our Simple Network Management Protocol (SNMP) support.

At 17 ppm, this is the fastest LaserJet ever, with I/Os and RISC-based formatter capabilities matched to support its speed. It delivers impeccable 600 dpi print quality—thanks to HP's microfine toner and Resolution Enhancement technology. Plus, it comes standard with two 500 sheet input trays.

But what if you don't need the full capabilities of the HP LaserJet 4Si MX printer right away? HP offers another printer that's probably a perfect fit. The HP LaserJet 4Si printer delivers the identical 17 ppm performance and superb 600 dpi print quality. It also has room to grow. The two MIO expansion slots let you add HP JetDirect network interface or third party cards. And you can add on Adobe's genuine PostScript Level 2 software and SIMM memory modules, as you need them.

To find out more about the multiple-network HP LaserJet 4Si MX printer and the upgradable HP LaserJet 4Si printer just call 1-800-LASERJET, Ext. 7299.† Capabilities this advanced make a world of difference—in any environment.

HEWLETT PACKARD

Circle 90 on Inquiry Card.

ground stations to satellites. The goal is to keep the total overhead below 250 milliseconds or so; otherwise, it interferes with spontaneous conversation. Overseas telephone calls usually limit the delay to 200 ms.

After solving all these problems, you've still got to make sure everyone is using the same compression and transmission standards. Otherwise, there's no guarantee you can make a connection with a person across the street, much less on another continent.

In late 1990, the CCITT adopted a worldwide specification for video compression called H.261 (see "Video Compression Standards Vie for Acceptance" on page 72) that made it possible for different systems to interoperate. Suppliers like CLI and PictureTel have added support for H.261, typically in the form of an upgrade option, but most suppliers argue that the specification suffers by comparison with their own proprietary algorithms.

The use of desktop videoconferencing is going to be a one-on-one kind of thing—just one or two people at [different] sites working together on a document.

— Nick Odowick, videoconferencing specialist, Northrup Corp. (Los Angeles, CA)

Networked Video

Networking with video raises problems that go beyond mere bandwidth. Today's office LANs usually use shared media and are non-real-time. Because video requires predictable delivery, sending it over all but the most lightly loaded LANs can be disastrous. Solutions such as switched Ethernet and FDDI (Fiber Distributed Data Interface) help provide more bandwidth, but they're still not deterministic. The ultimate solution has to be isochronous Ethernet or an entirely new protocol such as ATM (Asynchronous Transfer Mode; see "All-Terrain Networking," August BYTE).

A few companies are now addressing this problem in novel ways. For instance, Fluent (Natick, MA) sells an NLM (NetWare loadable module) that adds synchronization of video data to a conventional NetWare LAN. A combination of server- and client-based software modules dynamically tunes the video frame rate to accommodate the available network bandwidth. Starlight Networks (Mountain View, CA) has taken the different approach of developing a new media-transport network protocol that is optimized for video. And Fore Systems (Pittsburgh, PA) sells an ATM-based network switch that the company says is designed for multimedia. Olivetti is also developing Pandora, an ATM-based distributed multimedia system with videoconferencing capability (see "Pandora and the Active Office" on page 76).

Given the high cost of installing videoconferencing on every desktop, the following model may turn out to be a common architecture: PCs will run software compression such as Intel's Indeo to shrink video data sent over the LAN, and then a specialized video gateway server will cross-translate that video into H.261 or another communication-oriented protocol for transmission over WANs (wide-area networks). A model such as this distributes the cost of hardware compression over more users, and it also eliminates the need to bring ISDN-class telephony to every desktop.

What's Wrong

In the end, user needs and corporate culture will dictate how video technology is used. Mark Lowenstein, an analyst with the Yankee Group (Boston, MA), cites four issues: cost, quality, connectivity, and applications. Systems like CLI's Cameo and Northern Telecom's Visit are too pricey for PC owners, he says. A Yankee Group study found that 50 percent of respondents would consider buying desktop videoconferencing if it cost $1000 or less, but none of them would pay more than $5000.

Clearly, integrating video I/O on the desktop, as the AV Macs and the Indy do, greatly reduces its cost. But since the price of H.261-level compression will likely stay high, either new compression schemes will have to emerge or desktop systems will have to share compression services on a LAN through a video server.

Quality levels will also have to rise if desktop video is to prove useful. William Coggshall, president of New Media Research (Los Altos, CA), argues that what a user sees on-screen has to be "actionable"; that is, the quality has to be high enough that "you can tell whether their smiles are sincere." Otherwise, videoconferencing isn't an acceptable substitute for face-to-face meetings. To achieve this quality level, the frame rate has to be at least 10 fps, preferably 15 fps, and the window size needs to be a quarter of the screen or larger.

The problem with connectivity is simply that analog lines can't support effective videoconferencing given today's compression algorithms and modems. Barring breakthroughs in compression, the only solution is digital telephony services, but more than any other factor, this could be an impediment to acceptance. ISDN and Switched-56 are more expensive than analog and still not available in many places. Worse, the phone companies themselves still seem ambivalent about their commitment to ISDN. Says Lowenstein, "Connectivity is simply not there."

The last factor, applications, will be solved by a combination of developer and user ingenuity. Microsoft, for instance, is moving to provide APIs and back-end service interfaces that will let programmers write video-enabled applications without worrying about the underlying transport mechanisms. Capabilities like OLE 2.0 already permit video objects to be linked into compliant Windows applications.

For now, the question remains whether or not people really want their desktop systems to become videophones. Kenneth Bosomworth, president of International Resource Development (New Canaan, CT), cites studies that suggest people fundamentally don't enjoy videoconferencing—or at least the room-type systems prevalent up to now. Desktop conferencing could be a different story because it is more intimate.

Observers conclude that in the short term, document sharing may be the most easily applied and widely used component of desktop video communication. "Talking heads" video windows are a snazzy, if underpowered, option that will gain in usefulness as the information infrastructure develops. If real-time conferencing is only one of the video-related activities that people harness on their systems, users will eventually get used to it, in the same way that they acclimated to telephones and voice mail.

Video computing is the next major step in the evolution of the personal computer. As more media types are integrated into systems, the lines that have separated phones, PCs, TVs, and other consumer electronics will blur. And eventually, the world's-fair videophone fantasy will come true. ■

ACKNOWLEDGMENTS

News editor Ed Perratore and senior news editor Tom Halfhill also contributed to this story.

Andy Reinhardt is BYTE's West Coast bureau chief. You can reach him on BIX as "areinhardt."

Apple, SGI Blaze Video Trail

TOM THOMPSON AND
BEN SMITH

DANIEL PELAVIN © 1993

New computers from Apple and Silicon Graphics signal the start of a new period for desktop systems: the era of video computing. Never before have video I/O and the processing of digital video been so tightly integrated into system hardware and software. By treating video like any other data type, such as text, graphics, or audio, these systems open up more effective channels of communication among individuals and workgroups.

In fact, both Apple and SGI are positioning their new systems primarily as aids to improved business communication. The two companies are also avoiding the word *multimedia*, the meaning of which has become blurred. SGI calls its new technology *digital media*, while Apple has apparently latched onto the long-established term *audio/visual*, or AV. No matter what you call them, these systems are delivering on a key promise of multimedia: the seamless integration of all media types into a single box.

By integrating video and audio into their latest workstations, Apple and Silicon Graphics will change the way businesspeople communicate

Mac Audio, Mac Video

The new breed of Mac not only consolidates new features into a desktop computer but also provides new ways for you to both work in the office and collaborate with other people, whether they're down the hall or across the country. Telephone services enable the Mac to call people, act as a speakerphone, send and receive faxes, and operate as a modem to access on-line services. Built-in live-video hardware lets you record and play back video and—with the telephone services—handle videoconferencing over a network or an ISDN line. Finally, sophisticated speech-recognition technology allows you to direct the Mac by voice command, while a text-to-speech engine enables documents to be read out loud with 16-bit CD-quality stereo sound, freeing you to do other tasks as you listen.

Two new Macs represent the vanguard of these integrated systems. The high-end system is the Quadra 840AV, which has a Quadra 800 chassis and a 40-MHz 68040 processor. Although Apple has not stated what the "AV" stands for, it's obvious that it implies audio/video enhancements. At the low end, the Centris 660AV uses a Centris 610 chassis with a 25-MHz 68040 processor. Both Macs use an AT&T 3210 DSP (digital signal processor) to handle most of the digital signal processing in the systems.

The Quadra 840AV's VRAM frame buffer for its built-in video can be expanded from 1 MB to 2 MB so that it supports 24-bit color on 16-inch monitors and 16-bit color on 19- and 21-inch (1152- by 870-pixel) monitors. This makes the Quadra 840AV better suited for high-end graphics work than is the

The Mac Quadra 840AV



The Apple PlainTalk microphone is designed to focus on an area 18 to 30 inches in front of it to help eliminate background noise.

The modular design of the Telecom Adapter lets you connect the AV Macs to any phone system while reducing cost.

The video application (upper left) displays live video and captured video images.
The Telephone application (right) uses the Telephone Manager to dial numbers and use the Mac as a full-duplex speakerphone.
The PlainTalk window (lower left) indicates speech recognition is active.

Quadra 800, whose 1 MB of VRAM limits it to 16-bit pixels for 16-inch monitors and 8-bit pixels for larger monitors. The Centris 660AV has the same frame-buffer size as the Quadra 800 and so supports the same video depths.

Prices were preliminary at press time, but a Quadra 840AV with a 230-MB hard drive will cost approximately $4500. A Centris 660AV with an 80-MB hard drive will cost about $2400. As usual, these prices don't include the cost of a monitor and keyboard, but you'll probably get away with a low-end Centris 660AV system with a 14-inch monitor for roughly $3000.

Video Is the Medium

These AV Macs treat live video as just another data type that's manipulated by the system and applications. Composite video and S-video input ports accept NTSC-, PAL-, or SECAM-format video signals from sources such as a video camera or VCR. Live 16-bit video at 30 frames per second (fps) appears in a draggable, resizable window on the Mac's screen. A menu selection allows you to set the size of the window to 160 by 120 pixels, 320 by 240 pixels, or full-screen (640 by 480 pixels maximum).

Off-the-shelf chips from Philips digitize the video, perform format conversions and color adjustments, and rescale the image. The video data travels through the computer on a separate 64-bit bus, so it doesn't tie up the main processor bus. When live video is active, the Mac's frame buffer is halved; the Mac's screen graphics are placed in one half and the digital video dropped into the other. An ASIC (application-specific IC) then melds the contents of both of the frame buffers into one screen image. A DAV (digital audio/video) connector provides access to the video bus's raw digital video and sound. This connector is mounted in-line with a NuBus slot so that a NuBus board can tap into the DAV to perform data compression/decompression, encryption, or other processing.

Issuing a Copy command from within a supplied Video Monitor application captures a single video frame as a PICT image that can be pasted into documents, and QuickTime-savvy applications can create QuickTime movies of the incoming stream of video and sound. To get you started with recording movies, Apple will provide a basic video/audio capture application called FusionRecorder (licensed from VideoFusion).

Apple's Centris 660AV is based on a 25-MHz 68040 CPU.

The capture rate and quality of the QuickTime movie depend on whether you're saving to memory or to a hard drive, what the image size is, and what the compression settings are. NTSC or PAL video can also be sent out S-video and composite video output ports. The Monitors Control Panel can redirect the video so that a TV connected to these video output connectors can act as a monitor; this way, you can use a large-screen TV as an inexpensive presentation device for a group. Or, by routing the video to a VCR, you can "print" a business presentation or an application demonstration to tape.

You can use the AV Macs' built-in video to have a face-to-face conference with another AV Mac user on an Ethernet LAN. To do this, however, the live-video image has to be small (typically 160 by 120 pixels), the frame rate needs to be reduced to about 10 to 15 fps (which is the low end of what's considered to be acceptable viewing quality),

Now's your chance to run the world.

Introducing Version 2.1



The new OS/2® 2.1 lets you run the latest Windows™ 3.1 applications, in addition to the DOS, Windows and OS/2 applications you're already running—almost any application in the PC universe. Now we've added TrueType fonts, select Windows applets, File Manager and Windows 3.1 printer and display driver support, including 32-bit seamless SVGA support.

You'll also get Advanced Power Management (APM) support for portables, improved multimedia support, pen-based capabilities, CD-ROM and AS/400® terminal emulation support. Plus all the features that made Version 2.0 an award-winner, like true pre-emptive multitasking, OS/2 Crash Protection™ and the easy-to-use object-oriented Workplace Shell™ interface. But now, you also get a new world of possibilities.

OS/2 2.1 is now also available on a single CD-ROM. It comes with exciting multimedia samplers, full-motion video demos and more. With our free demo diskette, you can find out even more about all the powerful features OS/2 2.1 has to offer. For your copy, to find out more about OS/2 2.1, or to order, call **1 800 3-IBM-OS2.** In Canada, call **1 800 465-7999.** OS/2 2.1 is also available at your local software dealer.

Call for your free demo diskette.

Demand OS/2 2.1 preloaded on your next PC.



With OS/2 2.1 at the heart of your PC, you can run a world of DOS, Windows and OS/2 applications.

There's no need to buy DOS and Windows to run DOS and Windows applications.

Operate at a higher level.™

IBM, AS/400 and OS/2 are registered trademarks and OS/2 Crash Protection, Workplace Shell and "Operate at a higher level" are trademarks of International Business Machines Corporation. Windows is a trademark of Microsoft Corporation. TrueType is a trademark of Apple Computer, Inc.
©1993 IBM Corp.

IBM®

Circle 94 on Inquiry Card.



and data compression has to be active to prevent saturating the network. Third-party software such as Electronic Studio's ES.F2F application supplies an interactive storyboard and can share a foreground application window.

Making Connections

The Quadra 840AV and the Centris 660AV have an extensive built-in telephone architecture termed GeoPort. A Telephone Manager lets AV Mac applications dial numbers and handle two-way voice connections so that the Mac can operate as a full-duplex speakerphone. Control signals and digital data travel out an enhanced modem port to an adapter pod called the Telecom Adapter. This adapter pod contains the electronics that connect the Mac to the phone line, provides clock signals, and handles A/D conversions. This modular design reduces system cost while allowing the Mac to be connected to a variety of phone systems—especially important in overseas markets, where different telephone standards abound.

A POTS (plain old telephone system) adapter is available, and ISDN and digital PBX adapters will be available early next year. The modem port uses a new mini-DIN-9 connector (actually a mini-DIN-8 with an extra pin that supplies 5-V power to the adapter) that enables an incoming phone call to switch the Mac on.

In addition to providing these telephone functions, an AV Mac can also operate as a V.32 modem and a fax machine. These capabilities are implemented as programs that run on the 3210 DSP, and new features can be added later via a software upgrade. The DSP handles all heavy-duty real-time digital processing, such as the modem, fax, speech-preprocessing, and audio operations.

These functions don't have an impact on the main processor because the DSP has its own autonomous, real-time operating system, called the Apple Real Time Architecture, or ARTA. ARTA is a task switcher, jumping to a new DSP task every 10 milliseconds. When handling CD-quality sound, ARTA task-switches every 5 ms. Note that if you're using the Mac as a modem, this function consumes enough of the DSP's bandwidth (24 kHz) that you can't have CD-quality (44 kHz) sound generation at the same time.

ARTA can also allocate idle time so that other non-real-time tasks, such as 3-D rendering or image filtering, are able to use the DSP. The Sound Manager now supports 16-bit stereo sound formats at sample rates that range from 8 kHz to 48 kHz.

The Telephone Manager, the Modem API, and the Sound Manager provide consistent device-independent connections to these services for applications. Besides the DSP, nine DMA channels handle sound, SCSI, floppy drive, and serial I/O, relieving the processor of these jobs. The ARTA and the DMA channels are the first components of the future microkernel, which is being added to the Mac OS in stages.

Talk to Me

PlainTalk Speech Recognition (well-known by its code name, Casper) is a speaker-independent, natural-language, voice-recognition technology that is the result of five years of research by Apple's Advanced Technical Group. *Speaker-independent* means that PlainTalk requires no operator training for its voice-recognition software to function. It uses the DSP to preprocess and then slice the speech-input signal into 10-ms packets. These are sent to the 68040, which evaluates several hundred possible words simultaneously using a phonetic-based pattern-recognition search.

A 60,000-word dictionary provides a word-matching reference, and back-propagation logic prunes the low-probability matches to boost recognition speed. The reference words are a composite of 500 speakers from all over North America, which eliminates the influence of accent on the recognition process. As you might expect, different dictionaries must be crafted for overseas users.

A Control Panel lets you set recognition tolerances (how much PlainTalk actually guesses at an utterance). It also allows you to set an identifier word (e.g., "Computer" or "Number 1") to help PlainTalk discern a command directed at it, and you can indicate if the identifier is not required for a user-specified period of time (i.e., if you're issuing a series of commands, you use the identifier only once, at the start of the command sequence).

Once PlainTalk recognizes a word

MAC AV SPECIFICATIONS

QUADRA 840AV	CENTRIS 660AV
• 40-MHz 68040	• 25-MHz 68040 CPU
• 8 MB of 60-ns RAM	• 8 MB of 70-ns RAM
• Expandable to 128 MB of RAM	• Expandable to 68 MB of RAM
• Three NuBus 90 slots	• One 7-inch NuBus 90 slot
• 230-MB hard drive	• 80-MB hard drive
• 2-MB ROMs	• 2-MB ROMs
• Built-in Ethernet	• Built-in Ethernet
• 66.67-MHz DSP	• 55.5-MHz DSP

Welcome to the expanding world of Stacker.

Everyone knows OS/2® gives you more applications to choose from. Now all you need is more space on your hard disk to load them all. Stacker® for OS/2 & DOS is your answer. Stacker lets you quickly and safely double the capacity of your hard disk, so you can take full advantage of OS/2—and virtually any DOS, Windows™ and OS/2 application you want.



You can install Stacker in minutes. With Express or Custom Setup, you can automatically compress the data on the drive or customize the Stacker configuration to fit your needs. And you can be sure your data is safe with the leader in disk expansion technology. In fact, over four million people worldwide already trust their data to patented Stacker LZS™ compression technology.



With Stacker, doubling the capacity of your hard disk is as easy as pie.

Stacker fully supports Boot Manager and Dual Boot configurations. And there's full support for OS/2's extended attributes, too. The AutoProtect™ feature detects disk errors at boot-up and immediately protects your Stacker volume. AutoRecovery™ automatically repairs errors on the disk. And Stacker Optimizer™ even defragments a Stacker drive for optimal performance.

With Stacker, you can get the most from your hard drive. And with OS/2 on it, you can get the most from your computer. To order or to find out more about OS/2 2.1 or Stacker for OS/2 & DOS, call **1 800 3-IBM-OS2**. In Canada, call **1 800 465-7999**.

Operate at a higher level.™

IBM and OS/2 are registered trademarks and "Operate at a higher level" is a trademark of International Business Machines Corporation. Stac and Stacker are registered trademarks and LZS, AutoProtect, AutoRecovery and Stacker Optimizer are trademarks of Stac Electronics. Windows is a trademark of Microsoft Corporation. © 1993 IBM Corp.

IBM®

Circle 95 on Inquiry Card.



The Indy's most distinguishing external feature *is the IndyCam direct-to-digital camera with built-in microphone, mounted atop the monitor.*

or phrase, it consults a Speech Rules file and fires off the appropriate Apple Events. A QuicKeys component from CE Software will be provided that lets PlainTalk invoke either AppleScripts or QuicKeys macros in response to a spoken command. The Rules file contains phrases that drive most Finder operations, such as opening and closing windows, volumes, and files. You can add your own rules to the file, perhaps making the phrase "Clean house" empty the Trashcan, or you can have a phrase execute an AppleScript file or QuicKeys macro that starts a complex sequence of operations.

In addition, PlainTalk has a TTS (text-to-speech) engine that translates text to synthesized speech. The TTS engine has numerous built-in rules for generating realistic synthetic speech. For example, it recognizes dollar amounts and dates and pronounces them correctly, and it raises the voice on the last word of a sentence ending with a question mark. The TTS engine doesn't require a DSP to operate; its output gets routed to the DSP, though, since the DSP handles all generated audio and thus reduces processor overhead. The quality of speech varies with the amount of memory that is available, and a male or female voice can be chosen.

Via the Speech Manager API, any application can select a section of text or an entire document to be read aloud. Using it along with PlainTalk's Speech Recognition, you might ask an AV Mac to "get my E-mail and read it," which would start the execution of an AppleScript or QuicKeys macro. The script or macro would then launch a telecommunications application, connect to the on-line service, download your messages, launch a word processor application, open the message files, and read the messages out to you.

The AV Macs provide new ways to communicate. First, they integrate the telephone, a modem, and fax capabilities into a single desktop system. Next, they supply ready access to video for any application. Finally, PlainTalk allows you to work with your computer more easily and offers aid to the visually impaired.

These features aren't add-ons—they're tightly integrated into the system. When the AV Macs become ubiquitous, users will discover new, effective ways to work (as in the last PlainTalk example), and to work with one another, no matter where they are.

SGI's Digital Media

SGI wants to redefine the user interface with what it calls digital media communications. Its latest workstation, the Indy, provides all the hardware and software you need for capturing and communicating with sound and image over a network or over a digital phone line. Prices for the Indy will start at $5000, and SGI expects to begin mass production this fall. Eventually, all SGI systems and upgrades will provide this capability standard.

The digital media capabilities of this machine are particularly valuable to workgroups that need to share images and film clips over wide geographical distances—for example, medical teams, distributed engineering and fabrication groups, and research teams that use video as a data source. But as this technology spreads across the boundaries of different networks, nearly every computer user will benefit from communicating with digital media.

High-End Features

Despite its advanced capabilities for creating and displaying information, the Mips R4000PC–based Indy is SGI's low-end system. Its most obvious feature is the IndyCam, a little digital color camera that sits atop the monitor. It looks more like a squashed Kodak Instamatic than the high-tech device that it is, a direct-to-digital camera connected to the SGI digital video port. It provides a maximum of 512 by 492 8-bit color pixels at 30 fps. It contains two SGI-designed ASICs for AD conversion from the CCD (charge-coupled device), as well as the electronics for color balance, shutter speed, and color space conversion. The output format is a variation of the CCIR-601 digital standard allowing for variable image sizes.

SGI designed the IndyCam to provide an uncomplicated and inconspicuous video input for videoconferencing and quickly capturing images for attaching to mail messages. The resolution is high enough to capture text from a typewritten page, yet it can be set to capture only the color depth and image size that are necessary for a particular application, thereby reducing the data-set size of the images without compression. Without the need for compression and decompression computations, the rate at which the frames can be handled is greatly increased. (You control the IndyCam's settings for image size, color, and contrast with tools that are



DB2/2 covers all the bases.

IBM hits a high-tech home run. IBM DATABASE 2™ OS/2® (DB2/2™) brings big league power and reliability to your mission-critical data. It's a new 32-bit OS/2 relational database for your desktop and client/server LAN workstations.

With OS/2 2.1 as a power base, DB2/2 provides an industrial-strength relational database server that supports functions critical to database users—transaction management, concurrency control, security, integrity and solid recovery functions. DB2/2 exploits the power and open architecture of OS/2. It supports industry-standard SQL and provides DB2 compatibility, allowing development of more portable database applications.

DB2/2 takes a big lead in bringing more versatility to the entire enterprise. You can access DB2/2 data directly from your DOS, Windows™ or OS/2 desktops. For even more enterprise-wide information access, these same database clients can also access IBM DB2,® SQL/DS™ and OS/400® databases by installing the DISTRIBUTED DATABASE CONNECTION SERVICES/2™ (DDCS/2) gateway on top of the DB2/2 database servers.

DB2/2 and DDCS/2 deliver the advanced, database functions you'd expect from IBM Programming Systems, the people who invented relational database technology. So you know you're getting a reliable database solution that puts your business first, second *and* third. To order or upgrade, or to find out more about OS/2 2.1 or DB2/2, call **1 800 3-IBM-OS2.** In Canada, call **1 800 465-7999, ext. 850.**



You can strike up the incredible power of DB2/2 right from the OS/2 Workplace Shell.™

Operate at a higher level.™

IBM®

IBM, OS/2, DB/2 and OS/400 are registered trademarks and Workplace Shell, IBM DATABASE 2, DB2/2, DISTRIBUTED DATABASE CONNECTION SERVICES/2, SQL/DS and "Operate at a higher level" are trademarks of International Business Machines Corporation. Windows is a trademark of Microsoft Corporation. © 1993 IBM Corp.

Circle 96 on Inquiry Card.



part of the Indy's user interface.)

The IndyCam and digital video are only one of the possible paths for video input. You can feed analog video from a camcorder, videodisc player, or video camera directly into the NTSC/PAL video or S-video port. The Indy uses Philips video-processing components to convert the analog video formats to YUV multiplexed digital video.

SGI's IndyCam and analog video input processing are the most obvious indication of the digital media potential of the Indy, but they're not the key to the Indy's 2-D image performance. Thanks to the enormous bandwidth (up to 267 MBps) of its graphics I/O bus and the technologically advanced graphics subsystem, the standard Indy can blast 32 million pixels to the screen memory in a second—enough to regenerate an entire 1280- by 1024-pixel screen 24 times in a second, or (more typical of video image resolution) 640- by 480-pixel frames at 50 fps.

Note that the live-video image is not in a separate video memory or even maintained as a separate video signal; it is mapped right there in standard video buffer space. This lets you grab it along with any other elements of your screen image for inclusion in SGI's standard desktop image capture and manipulation/translation programs.

SGI claims that the X Window System graphics performance is 1.2 million 10-pixel lines in a second. This is even greater performance than that of Sun's recently announced optional GX and TurboGX-plus graphics accelerator boards, which, by Sun's claims, are only 480 thousand lines per second and 1 million lines per second, respectively.

The baseline Indy 3-D graphics performance is not quite up to the level of the unenhanced SGI Indigo, according to the company. SGI has focused the Indy's performance on handling images and 2-D objects. If you want, you can order your Indy with the optional 24-bit color 3-D graphics accelerator board, which will run you roughly an additional $2500. (The base Indy simulates 24-bit color by hardware-implemented dithering.)

The Indy has the same audio subsystem as the Indigo: four-channel stereo input and output with 16-bit sampling rates ranging from 8 kHz to 48 kHz. The sound-sampling manipulation speed and resolution exceed those of CD recordings. The audio system is centered on the Motorola DSP 56001 chip.

The Indy has ports for two-channel digital audio, digital audio out, analog audio in (microphone), and analog audio out (stereo headphones). As with the IndyCam, the microphone and headphones come with the system.

Like any other SGI computer, the Indy comes with no standard floppy drive. But the optional drive is a 20-MB 3½-inch floptical drive that can read and write Macintosh and PC floppy disks directly, as well as read and write standard Unix tar and cpio formats.

As if in anticipation of the data superhighway, the Indy has ISDN among the many digital-media device ports. Other not-so-standard I/O connectors that come with the system are 3-D stereo glasses and 10Base-T Ethernet (as well as the old 25-pin AUI [attachment unit interface]). An R4000SC CPU with 1 MB of secondary cache is an option.

MultiSensory User Interface

The Indy's sophistication becomes apparent once you boot the system and begin to use it. The term *standard user interface* has taken on new dimensions: voice and video, not only for output but also for input. The Indy interface is perhaps more appropriately referred to as an SUI (multiSensory User Interface) than as a GUI. SGI calls its new user interface Indigo Magic.

The microphone that comes with your Indy is not just for creating cute voice messages to embed in your documents; it's also for controlling your system and the applications that run on it. Speech recognition/voice control will have no limit on the number of words in the speaker-independent vocabulary. You should find that a vocabulary of 300 or fewer words will produce an instantaneous response from the system. The commands need not be limited to single-word utterances. The voice recognition can learn to improve as it acquires experience with variations in the pronunciation of the words.

The voice recognition is a Silicon Graphics implementation of a technology developed by Scott Instruments of Denton, Texas. The SGI developer's kit includes libraries for implementing voice recognition and control that programmers can include in their SGI applications.

The voice-command input may be the most exotic addition to the SGI user interface, but it is not the most important: The entire Motif-based SGI graphics workspace and tools have moved up to a new level of refinement. The new user interface looks like a combination of Hewlett-Packard's VUE, Solbourne's virtual desktop, a little of NextStep, and a lot of the Mac. The goal was to combine an environment familiar to Mac users moving to SGI with the best features of the Unix interface.

SGI knows that many of its workstation users are not Unix system administrators. But since workstations tend to be

Where CA-Unicenter delivers hard core protection.

When the mission is critical, you can't go soft on stability and reliability. Especially when LANs are at the center of your information processing solution. That's the thinking at the very core of OS/2.® Now Computer Associates adds to those strengths, putting a distributed client/server spin on OS/2 systems management, and raising it to the level of host environments. Even surpassing them.

CA-Unicenter for OS/2 builds on the reliability, stability and productivity of mainframe systems management, taking full advantage of the expertise and technology gained from more than 15 years experience. It combines industrial strength security management, work load management, problem management, console management and file management into one powerful, unified solution. And since it brings many familiar management features from your mainframe, CA-Unicenter for OS/2 protects your existing staff and reduces the need for new staff, making it a highly cost-effective solution, too.

With such rock-solid systems management, you could say CA-Unicenter for OS/2 takes operating at a higher level to an even higher level. To order or to find out more about OS/2 2.1 or CA-Unicenter for OS/2, call **1 800 3-IBM-OS2**. In Canada, call **1 800 465-7999**.

Operate at a higher level.™

There's no need to break out of your shell: the CA-Unicenter graphical user interface exploits the OS/2 Workplace Shell.™

IBM and OS/2 are registered trademarks and Workplace Shell and "Operate at a higher level" are trademarks of International Business Machines Corporation. © 1993 IBM Corp.

IBM®

Circle 97 on Inquiry Card.

The Indigo Magic Interface



single-user systems, every user must perform some basic system administration. SGI's new graphical system administration tools make it easier than ever to do the most common tasks. With some enforced uniformity among SGI's software developers, applications installation should approach the simplicity found in NextStep and on the Mac.

It remains to be seen whether software developers start incorporating the same graphical and digital media interfaces inside their applications as SGI has done with its Workspace/File/System management interfaces. Nonetheless, the overall environment in which the user operates is easy, flexible, and attractive.

Unix workstation designers can no longer assume that the world extends only to other Unix workstations; it also includes MS-DOS, Windows, NetWare, Macintosh, and Apple networks. The Indy can reside on any of these networks, and it can read and write both standard MS-DOS and Macintosh disks on the optional 3½-inch floptical drive.

Although the hardware and software tools already exist to make the Indy an ideal live videoconferencing system, the software will not be ready until the first part of 1994. At that time, you will receive an operating-system upgrade that will include the communications programs for multipoint conferencing with shared windows, shared whiteboards, and easy-to-manage remote control with other RTP-compliant Unix workstations. Toward the middle of 1994, the conferencing software will be upgraded to support the H.261 videoconferencing standard; this will let you trade video with nearly any other H.261-capable system, including the Mac (see "Video Compression Standards Vie for Acceptance" on page 72).

Starting the Wave

Unquestionably, the Indy, with its camera, microphone, and very high image and sound performance, is pushing the envelope of many technologies to provide integrated digital media capabilities. What's important is that the digital media components are matter-of-fact—bundled goodies that you'll find on all new SGI systems and upgrades even though you will probably buy an Indy simply as a general-purpose graphics workstation.

The AV Macs also push the digital media envelope, yet many of the technologies inside these systems have been in use for several years. For example, sound input has been an integral part of the Mac's hardware and operating system for four years; the ability to store and forward video as QuickTime clips has been available for two years; and the PowerBook Duos have literally field-tested the fax/modem API for about a year. The AV Macs continue to build on this solid foundation, adding live-video, speech-recognition, and telephone services.

In theory, once machines like the AV Macs and the Indy have reached critical mass in an enterprise, users will start taking advantage of the rich communications capabilities. In practice, that means upgrading much of the business world's LAN and communications infrastructure. If the payoff in productivity proves to be as exciting as these new systems, it will be well worth the investment. ■

Tom Thompson is a BYTE senior technical editor at large and a certified Macintosh developer. He has a B.S.E.E. degree from Memphis State University. Ben Smith is a BYTE technical editor and the author of Unix Step-by-Step *(Hayden Books, 1990). You can reach them on BIX as "tom_thompson" and "bensmith," or on the Internet at tomt@bytepb.byte.com and ben@bytepb.byte.com, respectively.*

Sytron backup and recovery

Sytos Plus

All is not lost, OS/2® users. It's Sytos Plus® File Backup Manager for OS/2 to the rescue. Sytos Plus is a complete OS/2 backup solution—a high-performance program capable of handling HPFS files, long pathnames up to 260 characters and Extended Attributes of OS/2 files. And while the performance



The intuitive graphical user interface of Sytos Plus is a big plus.

of Sytos Plus stands alone, its benefits can extend across OS/2 networking environments, including IBM LAN Server.

Sytos Plus delivers the broadest support for the industry's leading backup devices including diskette, logical device, quarter-inch tape, data cassette, 4mm Digital Audio Tape (DAT), 8mm helical scan and 3½" rewritable optical. For even more complete disaster recovery, there's Sytos Rebound.™

Together with Sytos Plus, Sytos Rebound extends recovery even further, making recovery of the entire OS/2 operating system easier than ever. Sytos Rebound does it unattended and rapidly—in less than 10 minutes. Nothing helps you bounce back from disaster like Sytos Rebound. And when it comes to OS/2 backup, Sytos Plus is a giant step forward. To order or to find out more about OS/2 2.1 or Sytos Rebound and Sytos Plus from Sytron®, call **1 800 3-IBM-OS2**. In Canada, call **1 800 465-7999**.

saves the day even faster.

Operate at a higher level.™

IBM®

IBM and OS/2 are registered trademarks and "Operate at a higher level" is a trademark of International Business Machines Corporation. Sytron and Sytos Plus are registered trademarks and Sytos Rebound is a trademark of Sytron Corporation. © 1993 IBM Corp.

Circle 282 on Inquiry Card.

IF THIS IS HOW YOU

Datapro on CD-ROM

Now you gain virtually instant access to Datapro's product and technology services from your own PC, with Datapro on CD-ROM.

Menu-driven software makes it simple to browse through the table of contents or search by keywords and subject to get fast answers to all your technology questions. And you can simultaneously view multiple reports and cut and paste between applications to custom-tailor analyses. Available in both Windows and DOS.

KEEP PACE WITH THE NEWEST INFORMATION TECHNOLOGIES, YOU NEED PROFESSIONAL HELP

PRESENTING THE FULL LINE OF DATAPRO INFORMATION SERVICES

Downsizing. Wireless. Client-server computing. Multimedia. ATM. Strategic planning and sound business decisions depend upon keeping up with the latest information technologies.

But you probably need a supercomputer to sort through all the publications that end up on your desk. Sure, consultants can help, as long as you're willing to pay as you go.

Isn't it time you turned to Datapro information services?

For over two decades Datapro's unmatched information services have helped users, buyers, and managers of information technology plan effectively. And Datapro has been there every step of the way—from mainframes and dumb terminals, through the PC revolution, to the rise of internetworks.

Today, with its staff of over 400 specialists and more than 100 expert analysts, Datapro has the resources to address virtually every critical issue in computing and communications.

An essential resource for anyone who must evaluate, implement, or manage technology.

Whether you want a quick overview or are looking to build a complete library of research materials, Datapro's comprehensive information technology services can help you make decisions quickly. Charts, tables, and graphs make it a snap to compare product features, functions, and prices. And once your system is up and running, Datapro is there to help you manage and maintain it.

That's why IT professionals use Datapro to stay up to date. Sales and marketing professionals count on us to help them track trends. And vendors turn to Datapro to size up the competition.

Datapro's line of comprehensive information services can meet all your needs.

With Datapro's complete line of information services, you're always in the know no matter what your concerns.

Product and Technology Services

● *First Looks.* Keep tabs on major developments in information technology until a complete report is available.

● *User Ratings.* Get beyond the hype and find out which vendors can really deliver on their promises.

● *Technology Concepts.* Stay ahead of the game when it comes to vendor strategies and other vital issues.

● *Market Overviews.* Discover the market's promising vendors and products.

● *Comparison Columns.* The effortless way to make side-by-side appraisals.

● *Competitive Outlooks.* Put products and underlying technology in perspective.

● *Product Reports.* An in-depth look at specs, features and functions, pricing, interoperability, and other issues.

● *Management Reports.* Practical advice from professionals that takes the mystery out of managing information technology.

Business Services

Datapro Online. Tap into three online databases from the office, at home, or even on the road.

Reprints. A cost-efficient way to deliver your product message and verify product features and benefits.

Feature Reports. Cull just what you need from Datapro's database of information services and put a sharp focus on strategic business decisions.

Custom Publishing. Package the latest product information in a convenient, single source tailored to keep sales personnel one step ahead of the competition.

Consulting Services

Help Desk. A telephone inquiry service to help you make the best use of your Datapro information service.

Assist On Demand. Pay only for the information you need about a specific product, vendor, or technology.

Surveys. Determine the strengths and limitations of your products—and your competitors'—from actual users.

On-Call Consulting. Fast answers to most inquiries within minutes—via phone, fax, or electronic mail.

Educational Services

On-Site Seminars. Custom-tailor a curriculum in any aspect of information technology right where you do business.

Computer-Based Training. Get a grounding in the fundamentals or master advanced topics right on your own PC.

Teleconsulting. Let a conference call between students and instructors address implementation issues that come up in later stages of a project.

International Services

● *Datapro International.* Get up-to-the-minute industry analyses and in-depth evaluations into the hands of professionals whose responsibilities extend beyond the U.S.

Market Research Services

Northern Business Information. A Datapro subsidiary, Northern Business Information is the world's foremost strategic telecom research company.

Send for a free demo disk today.

DATAPRO

Datapro USA, 600 Delran Parkway, Delran, New Jersey USA 08075, Tel: 800-328-2776, Fax: 609-764-2812

Datapro International, McGraw-Hill House Shoppenhangers Road, Maidenhead, Berkshire, England SL6 2QL, Tel: +44 (0) 628 773277, Fax: +44 (0) 628 773628

● Available on CD-ROM.

Please send me more information on the following Datapro services:

Product & Technology Services
- ☐ Computer Systems
- ☐ Communications
- ☐ Free Demo Disk

Business Services
- ☐ Datapro Online
- ☐ Reprints and Feature Reports
- ☐ Custom Publishing

Consulting Services
- ☐ Help Desk
- ☐ Assist On Demand
- ☐ Surveys
- ☐ On-Call Consulting

Other Services
- ☐ Educational Services
- ☐ Datapro International
- ☐ Northern Business Information

☐ I'm interested in learning more about Datapro on CD-ROM ●

Name ..... Title .....

Organization ..... Telephone .....

Address .....

City ..... Code ..... Country .....

State of the Art

PUBLISH IT ELECTRONICALLY

You know there's more information locked in your documents than you're using. Electronic publishing is your key to opening up and circulating your organizational know-how.

CARY LU

It's fashionable these days to talk about knowledge workers—the people whose knowledge drives modern organizations. But how do many organizations distribute that know-how for internal or external consumption? Mostly through paper documents, routing slips, and filing cabinets.

Electronic publishing changes all that. Whether through a client/server system or on CD-ROMs, electronic publishing lets you build, circulate, and enhance your organizational knowledge base with greater speed and flexibility than ever was possible with paper.

Paper is easy to read but often impossible to find a week later, never mind a year later. With an electronic document database, however, you can search and retrieve a file often in a few seconds using common indexing and retrieval software, such as ZyLab's ZyIndex.

But publishing your data electronically is not a trivial matter. Before you can distribute your documents electronically, you have to digitize your paper documents, index them and your digital documents for search and retrieval operations, and ensure that these electronic documents can be read across platforms and applications. You also have to figure out how to integrate data from external sources, such as commercial CD-ROMs or on-line services. You even have to devise strategies to compensate for the idiosyncrasies of the individual components in your electronic publishing system.

A one-size-fits-all solution to these problems does not exist. And none may ever exist because each organization has different needs and processes for getting the job done. Yet solutions to several of the technological barriers to electronic publishing have emerged. Document-exchange formats, for instance, have evolved from plain ASCII into formats that let you create files that retain the look and feel of the original document across any platform or application. You can even embellish your cross-platform documents with audio, graphics, and full-motion video.

Electronic publishing means bringing together a wide range of technologies, such as image scanners, indexing software, and computerized conferencing systems. Its challenges require you to meld and adapt individual component strategies to create a better whole. When implemented, electronic publishing gives you the keys that unlock all the information in your documents, information that you couldn't find before or even knew that you had.

Imaging Your Documents

Key to building an in-house publishing arm is the ability to get existing paper-based documents and those that arrive daily onto your computer. Document-imaging systems, with about 100,000 users, according to BIS Strategic Decisions (Norwell, MA), a research and marketing-analysis consulting firm, are the most common method of achieving this goal in use today.

Imaging systems essentially emulate microfiche and microfilm. With an imaging system, you pass a paper document through a scanner that renders it digital. Your system then stores on disk a bit-mapped image of the document. While scanning, you enter keywords to help you retrieve the document later.

The problem with the imaging-system approach is that your main storage consists only of images, not computer-readable text. Consequently, you cannot use your computer to search the text of documents for any reference. You can find only the keywords that you used to categorize documents. And without a specific, well-designed list of keywords, you can end up with a massive amount of imaged documents and not have a clue as to what kind of content they contain.

But imaging systems have their place. Large companies often use imaging systems for processing high volumes of routine yet critical documents, such as supplier invoices. The benefit of being able to retrieve paperwork in minutes instead of days is obvious—time is money.

The Costco retail store chain in Kirkland, Washington, uses a large-scale imaging system based on software from Optika Imaging Systems (Colorado Springs, CO) for processing invoices. Vince Carney, Costco's assistant controller, says that Costco's imaging system has cut the company's cost of processing invoices in half. "A large department store I visited still uses microfilm for their invoices," says Carney. "They spend five times the money for one-fifth the work."

Although most imaging system software runs on large-scale computers, several products, such as KeyFile's (Nashua, NH) KeyFile and Westbrook Technologies' (Westbrook, CT) FileMagic, run on desktop computers on either a network or stand-alone basis. Both run on PCs.

Bridging Images and Data

The bridge between the traditional "pure" imaging system and a computer file manager is OCR (optical character recognition). An OCR system consists of a scanner to image text and software that translates text into a computer-readable format. Among the better-known OCR programs are OmniPage Professional from Caere (Los Gatos, CA) and TypeReader from ExperVision (San Jose, CA).

OCR systems do an excellent job producing computer-readable files from cleanly printed documents that are minimally formatted, such as legal contracts. But, highly formatted documents, such as a newsletter or a manufacturer's technical brief, resist easy processing. One

Publish It Electronically

Electronic publishing breaks the barriers between the information in your documents and those who need the data.....94



Unlocking Data's Content

Document-coding techniques unlock the information content sealed inside your documents.....111

Documentation Goes Digital

Documentation is going digital. Just watch out if you want to publish it yourself.....121



ILLUSTRATIONS: BARTON STABLER © 1993



reason for this is OCR programs cannot distinguish between two columns of text and a table with two columns. Your OCR operator has to decide which it is and instruct the program accordingly.

Another problem with OCR is that it requires a good deal of manual checking and reworking to ensure that all the information in a document has been scanned into your computer properly. As a result, many organizations have given up on OCR as an input method. Terry Butler, manager of automated systems for Financial Systems Products (Seattle, WA), the company that installed Costco's imaging system, notes that only one of the company's more than 100 clients uses OCR.

Some organizations look for a middle ground by storing both the bit-mapped image and the OCR results. In this scheme, you inspect what the OCR creates during the scanning process to ensure that it stores enough information so that keyword retrieval is possible later on. Corrections, if necessary, are made manually. Any other OCR error arising from, say, a poor-quality copy, a handwritten note on the page, or a hair across the image is ignored. Later, when you retrieve the document, you can switch to the imaged version whenever the OCR text isn't intelligible. But double storage means that you have to maintain capacious disk drive, magnetic tape, or optical-storage units, regardless of the fact that you can almost always compress the bit-mapped image to save storage space.

"What's missing," says Mary Bamford, an analyst at BIS Strategic Decisions, "is the ability of people on a broad scale to understand when to use OCR. [What's needed is] intelligent OCR, not for reading printed text but [for identifying] the type of document and [applying] the correct reading technology."

Serge Blanc, vice president of engineering for Caere, responds that newer OCR programs are adding document-analysis features, but the human element will remain essential because paper documents come in so many forms. "If you scan a financial document, the program could identify and automatically create a spreadsheet," says Blanc. "But for which spreadsheet application? What is the filename? A completely automatic process will create a new set of problems."

Indexing and Retrieval

Once you have determined how to input paper-based data into your electronic publishing system, you will need a way to index and retrieve your information. Although many products can handle full-text searches to find and retrieve files, locating information on your multimegabyte knowledge base is not a trivial matter.

Retrievals of no more than a few seconds are possible with a product such as Odyssey Development's (Denver, CO) Isys, because it creates an index for the document and supports both full-text and Boolean-search strategies to locate files. For example, a Boolean search lets you find every instance of the word *inventory* within 50 words of the word *problem*.

Unfortunately, full-text and Boolean searches break down when you search through a large number of files. For example, unless you are a skilled searcher, your query is likely to return too many documents, and generally you have no way to filter out the documents of interest except by inspecting each document one at a time. Additionally, you never know if you have found every document of interest to you.

The greatest problem with searching for information is human. "The native ambiguity of language leads us to describe what we are searching for in different ways," says Matthew Koll, CEO of Personal Library Software (Rockville, MD). "If you ask book indexers to index the same document two weeks apart, they will use different index words." According to Koll, one way to compensate for this is to have two people do the search so that you will



have two sets of results to compare.

Relevance-ranking retrieval systems try to speed file access by offering the most likely documents first. Verity's (Mountain View, CA) Topic and Personal Library Software's WPL (Windows Personal Librarian) attempt to determine the relative level of a document's usefulness based on the search information you provided.

Of the two programs, Topic has been more widely licensed to other companies. It uses a knowledge-based approach

Voice recognition remains a difficult challenge. Today's microcomputers don't have the power to process the input and output of voice signals and the related algorithms that voice recognition requires. In particular, speech recognition stumbles on error and noise correction, and it has trouble differentiating between phonemes, such as *b* and *p*.

Nevertheless, voice recognition is manageable, according to Cliff Reid, executive vice president at Verity. "There isn't a tech-

ability to search and retrieve images based on their color, texture, shape, and layout. According to IBM, Ultimedia will also let you analyze, annotate, classify, identify, and sort images by their content. It reportedly can recognize such simple shapes as triangles, circles, and squares, as well as complex forms such as a fish or a tree.

Ultimedia Manager/2 is a relational database that stores information on image color, texture, shape, and layout. It supports a wide range of image formats, in- CX, TIFF, and Targa, and you o build and link image libraries n database formats, such as ase, and Oracle, allowing you to nformation to each image.

u build your image library, you ltimedia Manager/2 to create tures and query by image con- tample, you can set up a visual agging and dropping colors and to an image window. Queries colors, layout, shapes, and tex- pecify against the image data- oid receiving, say, every square our image database, you can vidual elements of your query e amount of matches displayed. e standard text queries to find he database records to which nked them. *continued*

BYTE BYTE BYTE BYTE BYTE

✓ **YES!** Please enter my one-year (12 issues) subscription to BYTE for only $US60 surface mail or $US85 airmail. I'll also receive BYTE's Annual Special Issue **FREE** with my paid subscription. If at any time I'm not satisfied with BYTE, I may cancel for a full refund on all unmailed copies. IB39096 IB39104

Please send my subscription: ☐ Surface mail ☐ Airmail

☐ Payment enclosed

☐ Charge my: ☐ VISA ☐ Access/Eurocard/MasterCard ☐ American Express

CARD# ..... EXP. DATE .....

SIGNATURE .....

NAME .....

COMPANY .....

ADDRESS .....

CITY ..... COUNTRY ..... CODE .....

Payment must be made in U.S. funds which can be drawn on a U.S. bank. Please allow 8-10 weeks for delivery.

It all started when you asked them to share an HP LaserJet

printer.

HP's JetDirect card solves the problems of shared printing.

Shared printing has been a great way to make the most of your resources. Unfortunately, it also made printing a hassle. Until now.

With HP's JetPrint utility, printing status is delivered to each user's PC.

This powerful Windows™-based utility for Novell Netware networks, included with HP's JetDirect card, provides users easy access to printer information. Users no longer have to jog over to the printer to check on job status. Just a simple click of the mouse and they can find out everything they need to know:

yes NetWare Tested and Approved

- Online/offline.
- Paper out/paper jam.
- Toner low.
- Printer cover open.
- Print job queues and priorities. And more.

No more hassles for them. No more complaints for you.

And no more network performance degradation or PC parallel-port bottlenecks. Print data zips along. Even graphics move along at breakneck speed. Network printer performance is maximized. It just doesn't get any better. Or faster.



HP's JetDirect card makes your printer easy to manage.

How easy? Installation takes just minutes. And implementation is a breeze.

HP's JetAdmin utility provides remote management capabilities for Novell networks. Now printers can be placed anywhere on your network. Users can even automatically download Windows drivers for most popular PC applications. Which all makes the HP JetDirect card the preferred solution. With users. And with people like you.

Next time you buy an HP LaserJet printer, get an HP JetDirect card. Call 1-800-533-1333, Ext. 7569.

After all, why suffer with problems, when HP offers the perfect solution?



HP JetDirect Card

HP Printer Compatibility:

JetDirect Cards –
LaserJet 4Si, 4Si MX, 4, IIISi, III, IIID, II, IID • PaintJet XL300, DeskJet 1200C • DesignJet, DesignJet 600, 650C

JetDirect EX Interface –
LaserJet IIP, IIP plus, IIIP, 4L • other HP peripherals with a parallel port

Network Topologies:
Ethernet (IEEE 802.3): 10Base-T, 10Base2 • Token Ring (4/16 Mbps) • Apple LocalTalk

Network Operating Systems*:
Novell Netware† • Microsoft® LAN Manager • Windows for Workgroups • Windows NT • IBM LAN Server • HP-UX, SunOS, Solaris, SCO UNIX®†† • Apple EtherTalk • Apple LocalTalk

Supports industry-standard SNMP-based network management software.

*Multiple network operating systems are supported simultaneously with the HP JetDirect card when installed into an HP LaserJet 4Si or 4Si MX printer.
†Only NOS supported by JetDirect EX interface.
††Not supported with Token Ring topology.

HEWLETT PACKARD

UNIX is a registered trademark of UNIX System Laboratories Inc. in the U.S.A. and other countries. Microsoft is a U.S registered trademark and Windows is a trademark of Microsoft Corporation. RND007. ©1993 Hewlett-Packard Company

Ultimedia Manager/2 Retrieves Pictures by Colors

IBM's Ultimedia Manager/2, currently in beta test, enables you to store, classify, annotate, and retrieve pictures by color, shape, and texture.

This line tells you where you are in the Ultimedia Manager/2 database. Here, you are in the color-selection database.

Clicking on View pulls down a menu of tools for controlling the amount of information displayed in a color-, shape-, or texture-selection database. The Size selection lets you choose among the three Ultimedia Manager/2 image sizes. The images below are an example of the largest color swatches. (Photo courtesy of IBM)

This identifies the location of the color-selection database. C:\PETERY.CLS is the name of the directory that contains all color, texture, and shape databases. "Color" is the name of a subdirectory in which swatches of color are stored in such files as "color.dbf."

You define what is the proper shade of the color you're looking for by framing it in. You can then drag the image to an Example Image Window (not shown) to query your color database.

Tracking Content

Document databases provide indexing and retrieval while giving you the ability to keep track of document content. Document database managers, such as those from SoftSolutions Technology (Orem, UT) and PC Docs (Tallahassee, FL), run on a network server. They take files produced by popular word processing and spreadsheet programs and index the contents for later retrieval. Administrative functions give you control over document revision, tracking, storage location, and authorized access. These document databases mostly track and retrieve internally generated documents. A typical installation would be in a legal office, where they would manage the storage of all legal contracts.

A key feature of document databases is that you always receive the most recent version of a file. For example, Mezzanine from Saros (Bellevue, WA) is a network librarian running as a client under Microsoft Windows. Mezzanine keeps track of file versions, sets up access control for files, and synchronizes several document servers so that all versions of a document are up-to-date. In addition, Lotus Notes performs a number of these tasks.

Apple (Cupertino, CA) has entered the document-database market with AppleSearch, a program that runs on Macintosh servers and uses the WPL search engine. Apple has given WPL a simpler user interface and has extended its search engine to work on many common file formats—including Microsoft Word, MacWrite, and WordPerfect—in both PC and Mac forms through translators.

AppleSearch, Mezzanine, and similar document databases mostly run on servers instead of stand-alone computers, because servers generally have the large storage devices and sufficient computational power to perform the indexing and retrieval operations without disrupting your work flow. But Saros reports that a single-user version of Mezzanine will be available this year.

Integrating External Data

On-line services, such as the Dow Jones News/Retrieval Service, and CD-ROMs from commercial publishers like Macmillan New Media (Cambridge, MA) offer a wide variety of data that can supplement your internally generated documents. Some of the information available from on-line services is highly structured, such as stock-market prices, but other data is found in a free-wheeling magazine-like format (see "Magazines Without Paper" on page 108).

The problem is that the only way to integrate data from external sources into your in-house knowledge base is to download the external documentation and run it through indexing software before incorporating it. This, of course, is inefficient because there is no standard for indexing information. If there were an indexing standard, the search engine could simply send a query to the CD-ROM or on-line database and get the selected documents back. With current systems, you must either run a separate search query for each type of document database or download the entire document database for indexing on your own system. An industrywide standard specifying search commands and an index format will eliminate this inefficiency by making feasible a document database that could search and retrieve from many sources.

Unfortunately, such standards are unlikely any time soon. "The marketplace is experimenting with different functionality," says Verity's Reid. "The different retrieval engines cannot be decoupled from the details of the underlying index." A unified indexing scheme will have to be flexible enough to address the idiosyncracies of a range of indexes and data types.

However, new developments indicate that this lack of standardization can be overcome in some situations. For example, you can program AppleSearch to regularly comb through data feeds from on-line services such as the Dow Jones News/Retrieval Service and create "newspapers" containing the search results. Further, the document-oriented interface promised by Microsoft's Cairo and Taligent's Pink operating systems should offer far better integration among documents from many different sources than possible with today's software (see "Objects for End Users," December 1992 BYTE).

Reading Complex Documents

Once you have established the input methodologies for your computer-based electronic publishing system, what will you see when you try to view a document? To view a file, anyone who retrieves it must have a compatible program. While

Free Money.

Due To Overwhelming Demand, This Incredible Offer Has Been Extended.

Over One Million Americans Have Already Responded!
Call Right Now To Get New Kiplinger's™ CA-Simply Money™ For FREE!
Operators Are Standing By – Call 1-800 FREE MONEY Today!

Introducing The Easiest, Quickest And Smartest Personal Finance Software In The World.

Is your spending out of control? With Kiplinger's CA-Simply Money, you can get off the financial rollercoaster and on the path to financial freedom. Write checks with a click of the mouse. Balance your checkbook. Create a monthly budget and control your expenses. What used to take hours now takes just minutes.

MICROSOFT WINDOWS COMPATIBLE

It's that quick and easy. And it's just plain smart. Kiplinger's CA-Simply Money puts you in total control of all your finances so you can make smarter decisions.



"Kiplinger's CA-Simply Money makes everything simple and easy. For the very first time, I'm in total control of all of my finances."

A Personal Financial Advisor Filled With Expert Advice From Kiplinger.

For more than 70 years, Kiplinger has been the first name in personal finance. Now their expert financial and tax advice will be right at your fingertips.

To prove how simple and easy Kiplinger's CA-Simply Money is, we're giving away millions of copies for FREE.

That's right. You can get this $69.99 product FREE.

New Kiplinger's CA-Simply Money Covers Simply Everything:

- Kiplinger's Financial Advisor
- Checking and Savings
- Investment Tracking
- Tax Reports
- Automatic Budgeting
- Computerized Check Writing
- Credit Cards
- IRAs/401(k)s
- Modem Stock Update
- Mortgages
- Financial Calculators
- Memorized Transactions

But you have to act fast. Pick up the phone right now and order your FREE copy of Kiplinger's CA-Simply Money today.



For A FREE Copy Of Kiplinger's CA-Simply Money Call: **1-800-FREE-MONEY Dept. J-3301.**

COMPUTER ASSOCIATES®
Software superior by design.

Kiplinger's CA-Simply Money

*There is a nonrefundable $6.95 shipping and handling charge. Have your credit card ready: Visa, Mastercard, AmEx, Discover accepted. One copy per household. Only available in the US. IBM PC or PC compatible with Windows 3.1 and minimum 2Mb RAM required. This offer is subject to availability. Computer Associates reserves the right to end the offer at any time. © Computer Associates International, Inc., Islandia, NY 11788-7000. Kiplinger's is a trademark of The Kiplinger Washington Editors, Inc. All product names referenced herein are trademarks of their respective companies.

Circle 283 on Inquiry Card.

that's not a problem for simple documents, since all the major Windows and Mac word processors can read each other's files, it is a big problem for highly designed pages from a page-layout program, such as Aldus PageMaker or QuarkXPress. Page-layout programs themselves are too specialized for universal use, yet everyone needs electronic access to the kind of pages they produce.

To produce files that everyone can read regardless of the type of computer or applications they use, you will need a universal file format that supports fonts, graphics, and layout and one that you will use as widely as people use ASCII for plain text. Adobe Systems (Mountain View, CA), the originator of the PostScript PDL (page-description language) for laser printers, is working to address that need with its print-to-screen technology called Acrobat. Acrobat extends PostScript to produce a universal output file in PDF (portable document format). Acrobat viewers running on IBM PCs or Macs display PDF files, complete with all the graphics and typography used in the original document.

Recently, Adobe Systems demonstrated Acrobat for BYTE editors. Running on a Mac Quadra 950, Acrobat captured the general design of approximately 89 pages of a recent issue of BYTE, requiring about 5 MB of storage to do so. The image files were a little grainy, depending on what resolution they were stored at, and the text was a bit hard to read on a 72-dpi screen. Nonetheless, Acrobat is suitable for the electronic publishing of company phone lists, spreadsheets, and the like. Adobe reports that Acrobat will be available for Unix systems later this year.

Adobe isn't the only company trying to establish a document-exchange standard. No Hands Software (Belmont, CA) competes with its DigitalPaper technology. DigitalPaper converts documents into computer-searchable text, which is platform-independent, and into a 300-dpi print image. No Hands Software's first product, Common Ground for the Macintosh, has two components: a maker and a viewer. The maker is used to produce DigitalPaper. The viewer, which is distributed as freeware, takes up only 62 KB and can be embedded in a document, allowing you to create portable text that can display DigitalPaper images on screen without the Common Ground application. No Hands anticipates unveiling a Windows version of Common Ground later this year.

Still, the information in a document isn't limited to its text and formatting; its structure and purpose are just as important. For example, you might want to identify every part of a document database that dealt with safety regulations. This would enable you to create a subset of documents that would be easier and quicker to search in an emergency than the entire database. SGML (Standard Generalized Markup Language) supports such coding for content and structure as well as for pure formatting features. DEC's (Maynard, MA) CDA (Compound Document Architecture) technology and the ISO's Open Document Architecture are also emerging as popular universal file-format strategies (see "Unlocking Data's Content" on page 111). Unlike SGML, these standards are designed to handle not only text but also audio, graphics, and full-motion video.

Electronic Publishing Pluses and Minuses

TECHNOLOGY	PROS	CONS
Image scanning	Captures images of important documents; lets you retrieve paperwork in minutes; preserves originals' look and feel; images are a good complement to OCR files.	The bit maps of the text you capture are not computer-readable; to find documents, you must assign keywords to each one.
OCR	OCR software digitizes scanned documents and produces computer-readable files, the full text of which you can search.	Works well with minimally formatted documents, but flunks on highly formatted newsletters and the like. It requires manual inspection and correction to ensure data was captured properly.
Index/retrieval software	Files and finds your documents; full-text and Boolean searches can pinpoint the data; relevance-ranking systems give you most likely documents.	Searches breakdown over large databases; queries can return too much data; no way to filter responses; you may never know if a crucial document was overlooked; audio files found by keywords; voice and visual recognition in developmental stages.
Document-exchange formats	Produce platform- and application-neutral data; keep text formatting and styling; some support audio, graphics, and full-motion video.	Complex standards that require expertise to use; you can define a document in such a way that it is unreadable by files that support the same standard; SGML does not support nontext elements.
Document databases	Provide indexing and retrieval with added control over file revisions, tracking, storage location, and access; give you the latest version of a document; good for managing such documents as legal contracts.	Large computational and storage requirements; desktop versions in development.
External data streams such as CD-ROM or on-line services	Comprehensive databases that can greatly expand your knowledge base.	No standards for searching or indexing, so you're on your own to get the data and integrate it with your knowledge base.

Alternative Delivery Mechanisms

Document distribution through a LAN works fine for E-mail and the typical corporate document database. But the distribution frequently must extend beyond a LAN. A company may have multiple, unnetworked sites or need

June 14, 1963.
Cindy Smith plays with color.



Thirty years later her business depends on it.

Introducing the QMS ColorScript Laser 1000. Now your business has total freedom of expression.

For Cindy, communicating decision-critical information quickly, flawlessly and in brilliant color is now her livelihood. That's why she depends on the QMS ColorScript® Laser 1000 Print System. It frees her to print entire forms and letterhead with color logos, images and high quality text without changing paper. It saves her the cost of stocking special forms, letterhead and multiple sets of supplies and uses standard paper and transparencies. It improves her message by highlighting key data with color in multipage presentations and documents. Add direct connection to a variety of networks and anyone can realize both greater productivity and a per user cost that rivals personal printers. Plus, our easy software loadable upgrades virtually eliminate obsolescence.

Save money. Save time. Free yourself from limitations. Discover the advantages of the QMS® ColorScript Laser 1000 Print System.

- Laser color and monochrome printing
- Compatibility with PostScript™ Level 2 and Level 1, HP PCL®5C and HP-GL® • TrueType font scaling • Automatic collation • All four ports accept data simultaneously
- Automatically interprets incoming data and selects correct language from those available • 65 resident type fonts, all with multilingual character sets
- EfiColor™ and Colorimetric color dictionaries and Apple ColorSync™ device profile • Supports DOS, Windows,™ Macintosh® and Unix® applications
- Software loadable system upgrades
- QMS Crown™ multitasking technology

QMS®

Expression is a serious business.
Call QMS today at 800 841-0760 or 205 633-4300 for more information.

QMS, QMS ColorScript and the QMS logo are trademarks or registered trademarks of QMS, Inc. PostScript is a trademark of Adobe Systems Incorporated which may be registered in certain jurisdictions. All other product and company names mentioned are trademarks or registered trademarks of their respective companies.

Circle 111 on Inquiry Card (RESELLERS: 112).

Reading Data from a CD-ROM



CD devices use a binary system of electrical signals *to play back data. In its simplest form, a CD is made up of a reflective layer sandwiched between a protective polycarbonate coating. The reflective layer's surface has alternating hills and valleys, known as pits and lands, that spiral out in tracks from the center of the CD to the edge. Track density is 16,000 tracks per inch; one strand of hair is wide enough to cover 50 tracks. Laser light bursts up from a laser diode and passes through a series of lenses that intensify and focus the light in on a track. Pits and lands diffuse laser light, reflecting it back in the direction from which it came. It terminates in a photodiode. Depending on the reflected light's intensity, the photodiode converts the bounced beams into a series of positive and negative signals that are translated into the ones and zeros of a computer-readable binary system.*

When protecting your software against piracy and unauthorized use, make sure that your protection system has all the following qualities:

A GOOD HARDWARE KEY

Hardware-based software protection systems are now the standard worldwide. However, not all keys are the same. A good key should have all the following features:

✔ Compatibility and transparency. The key should work without any problem on your customers' computers. The user should be able to forget the key after connecting it.

✔ Unbreakable electronics. A customized ASIC (Application Specific Integrated Circuit) component should be integrated in the key. This prevents reverse engineering and makes cracking virtually impossible.

✔ A unique and inaccessible software developer's code burnt into the ASIC. (This code should not be held in the key's memory, where it can be read and altered.)

✔ A Read/Write Memory inside the key should be available on demand. The memory should be writable in the field, on any PC, without any special programming equipment.

✔ Very low power consumption, enabling the key to work even under the worst power conditions, on PCs and laptops, with or without a printer.

POWERFUL SOFTWARE

✔ A Linkable Protection Module with which calls can be made to the key from any point in the protected program.

✔ An "Envelope" installation program. Such programs enhance security while making it possible to protect a software even without its source code.

✔ Sophisticated antidebugging and encryption mechanisms.

HASP® - The Professional Software Protection System

HASP® OFFERS YOU ALL THESE FEATURES AND MORE:

HASP was designed by a team of computer experts, professional cryptologists, and electrical engineers. As a result, HASP keys are supported by what is probably the best software in the market, and the HASP system has worked on every computer it has been tried on. In addition to all the features mentioned above, HASP provides:

✔ A Full Authorization System for protecting dozens of programs using only one key.

✔ A Pattern Code Security System (PCS) enabling parallel processing of multiple calls by the Linkable Protection Module.

✔ A Virus Detection option that can be incorporated in the protected program to check whether it has been infected by a virus.

✔ Several HASP keys can be connected one behind the other. Small physical size ensures maximum convenience for your customers.

NETHASP- THE ULTIMATE SOFTWARE PROTECTION FOR NETWORKS

✔ Only one NetHASP key is needed to run a protected program from many stations in a network. NetHASP provides full support for protecting DOS and WINDOWS software under network environments, including Novell dedicated & non-dedicated servers, Lan Manager, Lantastic, Banyan, DLink, and NET-BIOS based LANs.

WHAT OTHERS ARE SAYING ABOUT US:

In all the products we tested, except the HASP, we could see through the encrypting and questioning procedures... and crack them.

CT Magazine (Germany)

MemoHASP: ...of all the protection devices tested is without any doubt, the one which combines the best features.

PCompatible (Spain)

Trying to crack a program... that was protected utilizing all of HASP's features - is like searching for the Holy Grail.

Micro Systems (France)

PC dongles... come with varying claims as to their transparency. The majority suffer from problems when a printer is connected... the DESkey and HASP-3 are not affected...

Program Now (Britain)

Of all keys tested, HASP is the most ambitious one... the quality of HASP manufacturing seems excellent.

PC Compatible (France)

OPERATING ENVIRONMENTS

PC: DOS, WINDOWS, WINDOWS -NT, OS/2, SCO UNIX, SCO XENIX, INTERACTIVE UNIX, AIX, AUTOCAD, DOS EXTENDERS, LANS
MAC (ADB port): System 6.0.5 and up
NEC (Serial Port): DOS, WINDOWS

AND THE BOTTOM LINE:

We offer some of the most competitive prices in the market. There are no hidden costs! Since 1984, HASP has enabled thousands of software producers in more than 40 countries, including several Fortune 500 companies, to protect their software.

Please call us for our HASP evaluation package.

ALADDIN
SOFTWARE SECURITY INC.

North America: 200 Broadhollow Rd., Suite #207
Melville, NY 11747, USA
Tel: **800-223 4277**
516-424 5100
Fax: 516-424 8300

International Office: **ALADDIN KNOWLEDGE SYSTEMS LTD.**
15 Beit Oved St., Tel-Aviv, Israel
P.O.Box:11141 Tel-Aviv 61110
Tel: 972-3-5375795
Fax: 972-3-5375796

France: **ALADDIN FRANCE S.A.**
Tel: 33-1 40 85 98 85
Fax: 33-1 41 21 90 56

© Aladdin Knowledge Systems Ltd. 1985-1993

member of spa

yes It runs with NetWare Developer tested.

■ **Australia** Conlab Pty. Ltd., 3 8985685 ■ **Belgium** Akkermans bvba, 3 2338826 ■ **CZECH** ATLAS Ltd., 2 766085 ■ **Chile** Micrologica S.A., 562 222 1388 ■ **Denmark** SC Metric a/s, 42 804200 ■ **Germany** CSS GmbH, 201 7498640 ■ **Greece** Unibrain SA, 1 6856320 ■ **Holland** Akkermans BV, 45 241444 ■ **Italy** Partner Data S.r.l., 2 33101709 ■ **Japan** Athena, 3 58 213284 ■ **Korea** Dae-A Engineering, 2 848 4481 ■ **New Zealand** Training , 4 5666014 ■ **Poland** Systherm 61 475065 ■ **Portugal** Futurmatica Lda., 1 4116269 ■ **South Africa** D Le Roux, 11 886 4704 ■ **Spain** PC Hardware, 3 4493193 ■ **Switzerland** Opag AG, 61 7112245 ■ **Taiwan** Teco Ltd., 2-555 9676 ■ **Turkey** Mikrobeta Ltd., 4-4677504

Circle 63 on Inquiry Card.

Magazines Without Paper

KEVIN M. SAVETZ

The common wisdom has been that freedom of the press is limited to those with access to one. However, global-computer networks such as the Internet are giving more people a quick and inexpensive means to express their point of view through a form of electronic publishing known as *electronic journals* or *E-journals*.

Through E-journals, anyone with access to a computer and a modem can produce and distribute an electronic magazine through a computer network. CICNet, a cooperative academic network, maintains a large collection of E-journals. At last count, there were more than 350 E-journals in the CICNet collection, covering every conceivable topic, including AIDS awareness, fiction, legal information, music, and telecommunications. When there isn't an E-journal that fits a need, starting one requires only a computer, access to a network, and the will to succeed.

For instance, *Unplastic News* is the sort of nutty fun that probably couldn't exist without electronic distribution. A recent edition, for example, had the unlikely title "The Psychic Net Godmother Issue," while another was dedicated to bald people "because we have bald friends who demand their human rights."

"*Unplastic News* is really only a silly magazine with no real writing in it," says publisher Todd Tibbetts. Yet "we have thousands of readers, [and] we don't pollute the world with paper. We get feedback that people enjoy reading it. It is pure silly entertainment."



E-journal editors and publishers range from "crackers" (those who gain illegal access into computers and telephone systems) to respected scientists and journalists. For example, Jason Snell, editor and publisher of *InterText*, a bi-monthly fiction magazine, is a student at the University of California at Berkeley working toward a master's degree in journalism.

Most E-journal publishers would be unable to produce a traditional magazine, due to cost and time constraints. But on-line publishing offers them the ability to create a publication using minimal resources. "We can go head to head with other media as far as getting information out there," notes Andrew Moss, an editor for *Unplastic News*. "It costs nothing but our time to send this thing out."

Aficionados of computer networks are by nature dabblers in many things, being "more sophisticated about technology" in the words of David Dodell, D.M.D., publisher of *Health Info-Com Network Newsletter*. Thus, E-journals usually have a more diverse, although smaller, audience than traditional magazines. Since they are distributed and read on-line, it's difficult to track their readership. For instance, Snell estimates that any given issue of *InterText* is read by 5000 to 20,000 people. Despite having only 1100 registered subscribers, Snell says that *InterText* is read by "untold numbers" on BBSes or the Internet.

If there's a problem confronting the entire E-journal concept, it's that they are useful only for transmitting text. "There is no easy way to transmit photographs," says Dodell. And, of course, you have to produce your own hard copy if you want to read an E-journal while commuting to work.

Like most E-journals, *InterText* is free. Subscribing means nothing more than asking to receive new issues in your electronic mailbox automatically. E-journals generally lack advertising, often because many network operators forbid it. Consequently, until there is a method for profit in electronic-magazine distribution, E-journals are not likely to become a mainstream medium, even though such commercial publications as BYTE, *Utne Reader*, and *VAR Business* offer varying forms of electronic publishing through on-line ser-

to distribute documents to business partners or customers. Publishing on CD-ROM is becoming an increasing popular answer for such situations, especially for organizations with large document databases that do not change rapidly.

CD-ROMs offer huge storage capacities—up to 700 MB—in a small package (see "Start the Presses," February BYTE). They are durable, take almost no space, and are easy to mail. For example, 3M uses CD-ROMs to distribute internally a database describing 50,000 products. The 100-MB database, prepared with DataWare's (Cambridge, MA) CD Author and CD Answer software, supports searching for products by description, pricing, and other criteria. In the past, 3M used a microfiche system that could search by product number only. 3M estimates its savings at $2.5 million annually in lower preparation and distribution costs, as well as in time saved by faster searches.

On a much smaller scale, the International Center for Diffraction Data in Philadelphia, with just 30 employees, uses DataWare to prepare CD-ROMs of scientific software and databases for internal use and for commercial sale. Mark Holomany, computer facilities manager for the International Center, uses a write-once CD-ROM drive for small jobs. "A CD-ROM blank costs $19 to $35," says Holomany, "so we can do a run of 20 to 40 discs ourselves." For its main database sold to subscribers, a master costs about $4000, including a thousand replicas—or about $4 a CD. The International Center would go exclusively to CD-ROM, but some international customers don't have CD-ROM yet, says Holomany.

Computer-conferencing systems provided by a third-party service or as an in-house venture are yet another means of publishing and building your organizational knowledge base. DEC's VTX or Softwords' (Victoria, BC, Canada) CoSy are two examples of conferencing systems.

The basic element of a conferencing system is the discussion group; hence, the use of the term *conferencing*. Essentially,

vices such as BIX and Prodigy.

While there's some worry among E-journal editors that traditional publishers will bring their capital and clout into the arena, ethical and legal matters surrounding the free flow of information over global networks may be a greater concern. "The lines between personal liberty, invasion of privacy, civil-rights violations, and government regulation of technology intersect when it comes to electronic publishing," says Geoff Duncan, a software tester for Microsoft and assistant editor of *InterText*.

Still, in Tibbetts' view, the future for E-journals looks exciting, despite such concerns. "There are many out there who believe this [ungoverned flow of information] will destroy the planet," Tibbetts says. "But I believe it will free us."

Duncan agrees that information technology is leveling the playing field in a society where information increasingly equals power. He's just not so confident about the future of E-journals. "Maybe E-journals will fade as information access becomes faster and, arguably, as attention spans decrease."

Kevin M. Savetz is a freelance writer based in Arcata, California. He specializes in networks and telecommunications. You can reach him on BIX c/o "editors" or on the Internet at savetz@rahul.net.

conferencing systems provide you with the ability to create your own database of free-form messages that you can read, comment on, and search. Your discussions can be highly structured, as in a business meeting, chaotic like an idea session, or a mixture of the two. Discussions can be open to all, or you can set up small, closed-group discussions. You can augment these systems with straight data feeds generated internally or externally, and you can set up gateways to global E-mail systems, software file libraries, the Internet, and international news services.

Assuming that you have communications capabilities up and running, setting up a conferencing system is not that difficult at first—it is simply a matter of loading the program, organizing disk files, and setting up your discussion groups. But it gets complicated once you get going. One of the biggest problems is with storage. Disk space disappears faster than you believed possible as message after message are stored. Program libraries and supplementary news and data feeds quickly eat up more space. Both situations force you to cull out messages and data, which undermines the expansion of your knowledge base through electronic publishing. To get around this, you can add more storage capacity, but that gets expensive.

Another difficulty with running your own conferencing system arises when you are using it for communications between widely dispersed offices. To do this, you'll need external data-network connections or your own modem bank, both of which are notoriously finicky. With modems, you'd set up a bank of modems connected to a telephone router. The router redirects incoming calls through a series of modem connections to the first available open line. Depending on the number of callers you anticipate, you can run up quite a bill with your local telephone company. The rule of thumb is that you need one connection for every 10 system users.

Data networks come with their own problems. For example, response speed can be variable because of network usage, network relay failure, and the condition of the local telephone lines. The X.25 protocol, a common network communications protocol, has a variety of software settings that require knowledgeable experts to set and maintain properly.

Data networks can also be expensive. Pricing generally is based on such factors as time of day and location of the call, number of characters sent and received, and the number of data packets sent and received. Unless you anticipate huge usage, connecting to an external third-party data-network operator may be prohibitively expensive.

Rather than set up your own network and conferencing system, CompuServe (Dayton, OH), General Videotex (Cambridge, MA), and other on-line service companies will set up private conferencing facilities tailored to your specifications. You can select from a variety of facilities, such as private software file libraries to send your data back and forth, external news feeds, and the like. The beauty of using third-party service providers is that they handle all computer management, disk storage, software development, and other tasks related to running an electronic conferencing system, letting you stick to running your own business. You can also open up separate discussions for your customers and for potential customers.

Pricing for such private conferencing services varies depending on number of users, network usage, and services desired. For example, General Videotex charges $39.95 to set up a private service on its Delphi on-line system; custom features are extra. Additional users in your area would pay the normal Delphi subscription and telecommunications fees, but they would have access to all Delphi features, such as full Internet access and private E-mail. For large organizations with a number of users, fees would range from between $500 and $10,000 to set up a private conferencing service, dependent on the type and level of customization you require, according to General Videotex spokesman Rusty Williams.

Spreading Knowledge, Not Paper

The in-house document publishing business is growing rapidly. For example, looking only at desktop-based document management systems, the root of any in-house publishing capability, analyst Bamford at BIS Strategic Decisions projects growth from 59,000 users this year to 345,000 users in 1997.

Several companies have put off installing a document publishing system due to the lack of a complete, packaged solution for the problems confronting electronic publishing. But given the diverse range of needs, there may never be a single solution.

While electronic publishing is a fairly new field, and many of the products do not work well together, it's clear that more and more industry leaders such as Adobe, Microsoft, and WordPerfect are giving you the ability to spread your organization's knowledge base further than before through products that create platform-independent data files. The trick is to use your computers as a way to unlock the information in your documents and build your knowledge base rather than simply as a way to generate ever more paper to stuff into file cabinets. ■

Cary Lu is the author of The Apple Macintosh Book *(Microsoft Press, 1992). He has advised several companies on document management systems. He can be contacted on BIX c/o "editors."*

Two Thumbs Up For ALR's EVOLUTION V

BEST OF BYTE COMDEX Spring '93 Winner

"Best of Show, Spring Comdex, 1993"

BYTE Magazine - May, 1993

"ALR has built a screamer."

Computer Shopper - May, 1993

"Expect to hear a lot more about the EVOLUTION V... ALR did its homework when it came to optimization."

Computer Shopper - May, 1993

Now Shipping!



intel inside pentium

Pentium Processor Power from just $2495

The ALR EVOLUTION V



EVOLUTION V
System Board Technology

1. 60-MHz Pentium Processing Supports Pentium Write-Back Mode
2. 8-MB RAM (Expandable to 128-MB); True 64-bit Data/Memory Path
3. Integrated 256-KB Write-back Cache
4. Integrated MULTUS (Multi-seeking) IDE Controller
5. Six 32-bit ISA Expansion Slots
6. 3 VESA VL Local Bus Slots

System Also Includes: Six DriveBays & 200Watt Power Supply

Model 170DWM

MODEL 1
Powerful Pentium Processing plus the Advanced Features shown at left -- amazing power for such a low price **$2495**

MODEL 170DWM
COMPLETE SYSTEM includes above features plus: 170-MB IDE Hard Disk high-performance local bus video adapter14" SVGA monitor MS-DOS 6.0, MS-Windows 3.1 and Mouse **$3595**

MODEL 340DW
includes Model 1 features plus 340-MB IDE Hard Disk, MS-DOS 6.0, MS-Windows 3.1 and Mouse **$3445**

Also Shipping
50-MHz i486DX/2 Sytems starting at $1579

5 YEAR 15 MONTH warranty

Low Cost 3 Year On-Site Service Now Available (Call for Details)

For more information please call

800.444.4ALR

ALR can be reached on CompuServe -- GO ALR INC

ALR®

Advanced Logic Research, Inc.

9401 Jeronimo Irvine, CA 92718
(714) 581-6770 FAX: (714) 581-9240

"With memory and data paths wide enough to support the new chip, the EVOLUTION VQ becomes an excellent file server..."

Computer Shopper - May, 1993

The ALR EVOLUTION VQ/60

MODEL 8CM
ALR's high performance Quadflex Architecture, state-of-the-art Pentium Processing, tremendous expandability, -- the ultimate network server **$4495**
with 66-MHz Processor ... $4795

MODEL 480-16CVM
includes above features plus: 16-MB RAM total480-MB (Dual 240-MB) IDE Hard Disk ALR MULTUS™ multiseeking disk interfaceWD 90C31-based Local Bus Video Adapter **$5995**
with 66-MHz Processor ... $6295

MODEL 1.2-16CVS
includes Model 8CM features plus 16-MB RAM total1.2-GB SCSI Hard Disk with 32-bit SCSI Local Bus master controller WD 90C31-based Local Bus Video Adapter **$7595**
with 66-MHz Processor ...$7895

Some systems shown with optional monitors. Prices and configurations are subject to change without notice. Prices based on U.S. dollars. ALR is a registered trademark of Advanced Logic Research, Inc. Intel Inside logo is a trademark of Intel, Corp. All other brand and product names are trademarks or registered trademarks of their respective owners. ©1993 by ALR

Circle 286 on Inquiry Card (RESELLERS: 287).

UNLOCKING DATA'S CONTENT

The changing structure of data types lets you leverage the information content in your data in ways you never imagined. But exchanging data across platforms requires lots of hard work.

RANDALL D. CRONK



BARTON STABLER © 1993

Over the years, the amount and kinds of information you could store in a data type have evolved from the simple binary zeros and ones to hypermedia documents in which objects are just as capable of being computed as the records in a database or the numbers in a spreadsheet. Data types have come to mean ASCII characters, as well as multimedia documents containing text, graphics, sound, and video.

The trend is to expand the information content of data and leverage that content in ways never before possible. For example, a value in a record field may tell you more than how many widgets are in stock; it may tell your purchasing program when to order more. Or you can use the same document database to generate a technical manual or a parts list. And the same content driving the presses for *The Wall Street Journal* can resurface as a CBR (content-based retrieval) service and an on-line data feed to a brokerage.

To squeeze more content into data, the structure of data has had to evolve. Bit for bit, a document is one of the richest forms of content, yet only recently has it been put to work as a computable data type. "Only about 10 percent of all data is in a form computers traditionally deal with," says Bill Arms, vice president of computing services at Carnegie Mellon University in Pittsburgh, Pennsylvania. "The other 90 percent is in documents, and the vast majority of those are still of the paper rather than the electronic variety."

One reason for making documents computable is that most of your data is found in documents. Another reason is that documents are inherently richer and more flexible in their content than are more conventional data types, such as spreadsheet cells or relational database records. Still, simply using documents to store tabular data would miss the content advantages of documents, which include the use of graphics, document formatting, and text

Circle 181 on Inquiry Card.

E-mail That Works...!

More than just a leading multi-platform ***e-mail*** system, FirstClass features ***electronic conferencing*** and ***remote access***—all in the same package.

E-mail

Conferencing

Remote Access

Use FirstClass for internal mail, workgroup communication, and even as a public access tech support solution. All simultaneously from ***the same non-dedicated server!***



(Windows screens shown. Macintosh screens similar. ASCII interface also available.)

FirstClass™

- Built-in support for both Macintosh® and Windows machines on the same network (or via modem) *without* costly file servers
- Handles up to 250 users simultaneously per server, 20 of which may be via modem
- Simple network or modem connectivity to other FirstClass servers or other mail systems
- Remote or local administration with the same client all others use
- Messages with multiple fonts, styles, colors & unlimited file attachments
- Simultaneous multiple file transfers
- Background searching
- Gateways to other mail systems or the Internet with full Usenet newsgroup sending & receiving
- Fax gateway for individual or broadcast faxing and more!

FREE DEMO PACKAGE AVAILABLE UPON REQUEST

SoftArc Inc.
Global-Area Communications

805 Middlefield Road, Unit 102, Scarborough, Ontario, CANADA
M1V 2T9 Fax: (416) 754-1856 Internet: sales@saolgate.softarc.com
FirstClass: (416) 609-2250

PHONE: (416) 299-4723

styling to illustrate and enhance the meaning of your work.

This is not to say that documents are the only data types or that expanded data types are the only strategy for enriching the role and substance of content. Rather, it's to say that documents exist as a data structure that carries a lot of content. The problem is how do you unlock the content inside your documents so that dissimilar applications running in a multiplatform computing environment can access, manipulate, and process it?

In the old days, exchanging documents meant filtering text. But now that word processors and desktop publishing programs routinely include graphics with their documents, exchanging these files without a standard file format for interchange is becoming increasingly difficult. New, object-oriented technologies promise to change the way we create and interchange documents.

—Mark Walter, a consultant at Seybold Publications

Computable Documents

Tagging languages and compound document architectures are emerging as the two main strategies for making documents computable across applications and platforms. The most widely used tagging language is SGML (Standard Generalized Markup Language—ISO number 8879) (see "SGML Frees Information," June 1992 BYTE). The two leading compound document architectures are ODA (Open Document Architecture—ISO number 8893) and DEC's CDA (Compound Document Architecture).

Both ODA and CDA provide a set of standards for the interchange of complex documents made up of text, images, and graphics among computer platforms and applications. SGML gives your documents the same cross-platform abilities, but it only works with text. Of the two compound document architectures, CDA is more widely adopted at this time (see "Universal Content Access" on page 116).

Compound document architectures encode documents as in-memory arrays called *aggregates*. You use aggregates to represent audio, graphics, text, and video, as well as a document's physical formatting, logical organization, and text styling. You can process aggregates as a document or as an information database, such as a parts list, an index, a glossary, or an online technical diagram.

When SGML encodes a document, it accomplishes its task using a different technique than CDA or ODA. Rather than dynamically creating new and different data types, as do CDA and ODA, SGML uses special character sequences known as markup tags to embed control information within the text stream. Markup tags can separate a document's logical elements or specify processing functions to be performed on them.

An example of applying markup would be tagging the beginning and end of a character string with special codes to indicate that the character string is in a different typeface than the rest of the text. For example, you would use the character string <I>aggregates<D> to indicate that the word *aggregates* is in italics and that your normal typeface resumes after the final letter of the word.

Markup tags let you access, edit, manipulate, publish, and store document objects by specifying the structural and procedural information that the computer programs that perform those operations require. To do this, SGML uses DTDs (Document Type Definitions) that determine the specific processing rules for encoding or decoding a document's structure and the markup tags that express that structure. For instance, a DTD rule might specify that the markup tag <D> symbolizes both the end of a character string specified by some other markup tag and the resumption of your default typeface.

Rules are specified within the DTD itself. The language in which the DTD is written is SGML. Consequently, you can have two DTDs that conform to the common SGML standard yet are incompatible because they specify different rules. For example, instead of using <D> to indicate the conclusion of a markup tag as in the previous example, a DTD could specify <E> as the end of the markup tag.

SGML only describes text-handling

Now, creating a multimedia CD-ROM is as easy as point and click.

Introducing the Multimedia Formatter from Sony Electronic Publishing.

If you demand a simple, comprehensive solution to creating multimedia CD-ROMs, here's everything you need. The Multimedia Formatter software series from Sony Electronic Publishing combined with the Sony CDW-900E CD-ROM write-once recording unit gives you the premier multimedia CD-ROM mastering system. Available for both PC and Macintosh, Multimedia Formatter software enables you to output a real or virtual ISO 9660 premaster image, CD-XA, CD audio, electronic book (8cm) or CD-I. Plus, it supports the new Sony MMCD. Engineered to support Red Book audio and Mode 1 and Mode 2 files, Multimedia Formatter doesn't require a huge hard disc and accommodates 2X speed recording. Plus you can master multiple discs simultaneously. So if you're in the market for a multimedia CD-ROM solution, choose Multimedia Formatter for PC or Mac. It makes mastering your next CD-ROM as easy as point and click.

The Multimedia Formatter software and the Sony CDW-900E are available through the PDSC division of Sony Electronic Publishing, which specializes in software development products, training and engineering.

For further information:
TEL: (800) 654-8802
FAX: (408) 372-9267

On the PC, simple point and click CD-ROM mastering with Sony's Multimedia ISO Formatter.

Multi-track disc mastering, by simple point and click mouse control on the Macintosh.

Multimedia Formatter available for:

MS-DOS
Macintosh



The Multimedia Formatter with the Sony CDW-900E CD-ROM recording unit, delivers a total CD-ROM mastering system.

SONY
ELECTRONIC PUBLISHING™

Circle 294 on Inquiry Card.

tags. Non-SGML processes such as a video editor handle nontext data (e.g., video). This is true even if video data is part of a text document, such as with a screen menu.

Although it cannot construct nontext documents or parts of documents for different kinds of content, SGML may have the inside track when it comes to industry acceptance. One reason for this is the U.S. government's CALS (Computer-aided Acquisition and Logistical Support) program. CALS is an industry government project with an agenda to define a universal document encoding structure for the U.S. military. The CALS DTD mandates the use of SGML for encoding documents for the U.S. Department of Defense.

Mark Walter, a consultant for Seybold Publications (Media, PA), cites SGML's flexibility as a reason for its prominence. "SGML has caught on the fastest [of all the tagging languages], thanks to its versatility and adaptability to a variety of applications," says Walter.

SGML No Panacea

SGML has its weaknesses. For one, it does not actually specify documents. It specifies DTDs, and incompatible DTDs defeat the purpose of universal document exchange. Another shortcoming is that DTDs do not indicate how to process nontext objects. When nontext objects are encountered, DTDs simply specify special markup tags called *escapes* that cause the processing program to jump outside the SGML-defined process to an application that can cope with the nontext object. Also not standardized is how objects are tagged for transfer to those other applications or how those applications will interpret those objects once they receive them.

A partial remedy for this weakness is the Hypermedia/Time-based (HyTime) structuring language, currently under draft consideration by the ISO. HyTime provides a standard way to tag text or nontext objects so that they can be rendered as a complete document or processed as independent objects. However, HyTime does not specify how document objects are encoded or interpreted by computer programs. But by using standardized linking, alignment, and addressing methods, it ensures that those objects are made available to programs in a standardized way.

Other Possible Approaches

Formatting content according to an encoding standard is one way you can make it more computable. Another approach is to invent new data types that combine documents and more conventional record-oriented data.

Work on such hybrid data types is proceeding from two directions. First, traditional database vendors—including DEC, Informix, Oracle, and Sybase—have added limited document support to their relational databases. Meanwhile, document-processing vendors, such as Information Dimensions (Dublin, OH), are adding relational fields to objects that contain documents. This means that you can map objects from within documents to fields inside relational records, where you can manipulate them in a conventional data-processing manner.

About two years ago, relational database vendors introduced BLOBs (binary large objects) as an extension of RDBMS (relational database management system) technology designed to address nonrelational data. BLOBs are free-form data buckets embedded within relational data records that you can search on using key fields.

More recently, vendors have added CBR capabilities that let you search for text objects inside of a BLOB, rather than searching just for the BLOB itself. For their part, vendors in the content-delivery businesses of document management, electronic publishing, and videotex have invented new data types that combine aspects of documents and relational records.

Content-Directed Paradigm

Rather than force-fit content into either documents or conventional data-processing structures, content-directed software uses whatever content package fits its particular needs. For example, Lotus Notes is a collaborative application that gives you a great deal of flexibility over the manner in which documents are accessed and how information in those documents affects your work-flow processes. To facilitate document lookup and manipulation, Notes implements a record, called a *form*, that allows you to append relational keys to your documents. To aid interprocess cooperation, Notes lets you attach hypertext links to internal document objects of virtually any format, size, or type. Thus, you could link a controller's spreadsheet to a work-flow process that generates dunning letters to past due accounts, enhancing your work flow by combining both operations.

Even though it borrows from both data and document processing, the content-directed paradigm is more than the sum of its parts. Content-directed products, such as Notes, have capabilities you can't find in either pure document or data-processing applications. For example, DEC's VTX, a content-directed videotex product, lets you build infinitely large data types so that you can have as much content within a single document, over as many machines, and in as many locations as you want. In other



DEC's VTX *is a network-level videotex application that lets you organize data into knowledge bases called stories. A story is made up of one or more pages. A page can store any amount of data in any format. Pages can provide cues to external applications that process or present the data contained in the page. (Screen courtesy of DEC)*

The **NEW** under *$1000* TI microWriter PS23 is the best value in laser-quality PostScript printers.

23 SCalaBle PostScript typeface fonts in popular Adobe® PostScript® formats.

Crisp, *#Δ sharp graphics.

LED technology uses fewer Moving Parts than conventional laser printers for great reliability.

Automatically switches between **PostScript** and **HP LASERJET® II** printing formats.

☛ Easy to use front control panel.

"Plug and Play" convenience in both Mac® (Apple®) and Windows® (IBM®) environments.

With available options, can handle up to 3 trays of paper, including envelopes and labels.



YOU COULD SPEND A LOT MORE AND HAVE A LOT LESS TO SHOW FOR IT.

For years, capability and affordability were mutually exclusive features of laser-quality printers. But the new microWriter™ PS23 from Texas Instruments has changed all that. Now you can get sharp, crisp laser-quality images, rapid 5 page-per-minute operation and the reliability of LED technology. All in one very affordable printer. Thus enabling you to print more. Produce more. Do more. In other words, to extend your reach. The new TI microWriter PS23. It can make a small business look a lot bigger. And a big business look a lot smarter. For more information and your nearest dealer, please call *1-800-527-3500.*

EXTENDING YOUR REACH WITH INNOVATION™

TEXAS INSTRUMENTS

PC WORLD BEST BUY

POSTSCRIPT Software From Adobe

Adobe PostScript and the PostScript logo are registered trademarks of Adobe Systems, Inc. Apple and Mac are registered trademarks of Apple Computer, Inc. IBM is a registered trademark of International Business Machines Corp. Windows is a registered trademark of Microsoft Corp. LaserJet is a registered trademark of Hewlett-Packard, Inc. "Extending Your Reach With Innovation" and microWriter are trademarks of Texas Instruments. © 1993 TI.

Circle 149 on Inquiry Card.

Universal Content Access

The Code Behind the Screen

```
static Widget              viewer_id = 0;  /* CDA Viewer widget */
static MrmCount            regnum = 2;
static MrmRegisterArg      regvec[] = {
                           {"open_file_proc",  (caddr_t) open_file_proc)  );

                           {"open_file_proc",  (caddr_t) open_file_proc)  );

main(int argc, char  *argv[])
{
  unsigned long stat;  /* condition status */
  MrmInitialize ();    /* initialize Motif Resource Manager */
  DvrRegisterClass();  /* Register the CDA Viewer widget class.  */

  toplevel – XtInitialize ("examp", "examp", NULL, 0, &argc, argv);
  MrmOpenHierarchy  (uid_count, uid_filename_vec,NULL,&my_MrmHierarchy);
  MrmRegisterNames (regvec, regnum); /* Register our callback routines */
  /*
   *  The CDA Viewer widget has been defined in the application's
   *  UIL.
   */
  MrmFetchWidget (my_MrmHierarchy, "My_main",toplevel,
                  &main_window,&dummy_class);
  XtManageChild    (main_window);
  XtRealizeWidget  (toplevel);
  XtAppMainLoop    (XtWidgetToApplicationContext (toplevel));
}  /* end main routine */

/*
 *  This callback is called when the CDA Viewer widget is created
 *  while the UID hierarchy is fetched.
 */
static void create_viewer_proc  (Widget w,  caddr_t tag, caddr_t reason)
{
    viewer_id = w; /* save the CDA Viewer widget for future reference */
}

/*
 *  This callback routine is called when the user selects "Open" from
 *  the CDA Viewer's file menu.
 */
static void open_file_proc  (Widget w, caddr_t tag, caddr_t reason)
{
    /* Tell the CDA Viewer to display text1.doc */
    DrvViewerFile(viewer_id, "text1.doc", "ddif", NULL, NULL, NULL);
}
```

The CDA Viewer is a Motif widget. You use the bulk of the code here to get the CDA Viewer to come up.

This highlighted function call is the key to ensuring that your application can use the CDA Viewer.



DEC's CDA document-encoding scheme *ensures that compliant applications have enough information to render a document. Shown to the left is the complete code needed to display the compound document above using the CDA Viewer. (Screen courtesy of DEC)*

DEC's CDA (Compound Document Architecture) defines a set of ground rules and services for the interchange of compound documents between applications. CDA-compliant applications can revise each other's documents even if the applications are written in different languages, run under different operating systems, and are located on the far corners of a distributed network.

CDA was designed from the outset to be independent of computer platforms, according to Mark Walter, a consultant for Seybold Publications (Media, PA). Over the last two years, DEC's CDA has become the compound document architecture of choice for such heavyweights as Lotus Development, Microsoft, and WordPerfect.

CDA includes an overall strategy for compound document interchange. It encompasses both a specific set of encoding rules, or DDIF (Digital Document Interchange Format), and a set of run-time services to help programmers develop applications that support those rules. CDA run-time services give you tools such as the CDA Viewer, which allows applications to display compound documents.

CDA has been employed in a variety of applications, including document-format converters, real-time data acquisition, and work-flow management. Among the more well-known products supporting CDA are FrameMaker, Interleaf, Lotus Notes, and SAS.

CDA is an under-the-hood technology, meaning that applications developers work with CDA directly, while end

users benefit indirectly. One way that CDA benefits you as an end user is that it simplifies the task of working with graphics, text, images, and other data types in a single project. It also lets you receive and manipulate documents generated by foreign applications and from different computing environments. CDA opens up documents so that different applications can work on pieces of them. This gives you the ability to, say, publish all the diagrams in a repair manual as a separate book with its own table of contents.

How DDIF Works

DDIF's document-encoding scheme ensures that every application that understands the code has sufficient information to faithfully render a properly encoded document. Document encoding differs from document rendering, which is the job of PDLs (page-description languages) such as PostScript, in three key respects. First, document-encoding schemes determine the nature of a document's content and how that content is organized logically (i.e., by sections, paragraphs, chapters, and so on). Document encoding also determines how your content is organized physically (i.e., whether the document is organized into text blocks or galleys, or whether headings are used). Finally, document encoding determines how your content is presented—meaning it determines such styling information as italics, underlines, and bold headings.

Every digital document has three stages in its life cycle. In its first stage, a digital document exists as a rendered document—the printed page. Then, it is an encoded document existing as the sequence of bits transmitted in a data packet or formatted on a disk. Last, it's an in-memory structure that an application works on.

ASCII-encoded documents are considered flat, which means that they are a sequence of 7-bit character strings. Their in-memory structures are also flat. Document structure and styling information is carried in application-specific tags embedded within the ASCII. The meaning of these tags is defined using a DTD (Document Type Definition), which is specified using a markup language such as SGML (Standard Generalized Markup Language). To successfully interchange and edit each other's documents, applications must employ identical DTDs.

Unlike ASCII, DDIF conveys structural information such as layout and text styling, not just a document's contents. DDIF's in-memory structures consist of linked lists of entities called aggregates and items. Aggregates reserve and initialize space for document components, such as text and picture frames. Items are the values that size or populate aggregates. Therefore, an item specifies how large a frame should be, at what coordinates it should be positioned, and what text is enclosed within the frame.

DDIF uses ASCII to encode text. The above sample code shows a C-language version of an aggregate that defines a galley for some text. The sample code to the right shows an aggregate item that positions the galley on the page.

Values for these structures (the `status =` lines) are supplied by the application through an in-memory array defined earlier in the program. Aggregate definitions are not a part of C or any other language CDA supports. CDA provides a run-time service that is embedded in the compiled application to let the application create, populate, and delete aggregates.

The in-memory form of a CDA document is a link list of aggregates (some with items attached) that can be parsed from top to bottom to define content, logical structure, layout, and presentation style. To render a list of aggregates as a printed or screen-displayed document, CDA run-time services include a PostScript driver. To render this list on disk, CDA uses a TLV (type-length value) encoding scheme that is patterned after the ASN.1 (Abstract Syntax Notation One) standard, ISO number 8825. An aggregate list is encoded as a series of 8-bit data frames or octets. The type octet indicates the kind of information encoded (e.g., text or graphics). The length octet indicates how many octets are needed to encode the complete series of aggregates from this point in the list.

A value octet contains the value of this aggregate (e.g., ASCII text or a frame position) if it is "content only," meaning that this aggregate does not contain subaggregates or structural information. Otherwise, the value octet contains the TLV encoding of the next subaggregate attached to this aggregate (i.e., this aggregate is a structure containing subordinate structures, content, or both).

CDA can encode virtually any structure in a platform-neutral way. Because of this, when a document is sent between applications, the sender and receiver don't have to agree in advance on the size, type, or complexity of the data types involved. They just accept the document and let you get on with your work.

Aggregates Cast in ASCII

```
aggregate_type = DDIF$_TXT;
status = CdaCreateAggregate (   root_aggregate_handle,
                                aggregate_type,

        &aggregate_handle_stack[ahs_index]
```

Aggregates reserve and initialize space *for document components, such as text and picture frames. Here, sample code written in C shows how you can code an aggregate to define a text galley.*

Items Position Aggregates

```
aggregate_item = DDIF$_SGA_FRM_POSITION_C:
integer_value = DDIF$K_FRAME_GALLEY;
status = CdaStoreItem (  root_aggregate_handle

        aggregate_handle_stack[ahs_index],
                        aggregate_item,
                        integer_length,
                        & integer_value,
                        0, 0)
```

Items are the values *that size or populate aggregates, determining, for example, the size of a frame and where it should be positioned. Here, sample code written in C shows how you can code an item to position a galley.*

FIX YOUR PC FAST!

RECOVER DATA FROM PHYSICALLY DAMAGED FLOPPIES & HARD DISKS IN LESS THAN 60 SECONDS!

RESCUE DATA RECOVERY SOFTWARE™ is the FASTEST, EASIEST & SAFEST method in data recovery anywhere!

For the first time you can recover a file in less than 60 seconds even when DOS cannot read the disk or drive.

RESCUE DATA RECOVERY SOFTWARE™ Version 4.0 does all the work. No more complicated time consuming steps. No more manually reconstructing your file. **RESCUE DATA RECOVERY SOFTWARE™** does it all AUTOMATICALLY!

Recover Text, .Exe, Graphics files, etc…You can even recover entire sub-directories with a single key stroke. ***CALL NOW FOR PRICING!*** **Some failures may be beyond **RESCUE**'s ability to recover data.*

"In the past, General Failure messages left you few options. Norton, Central Point, or Mace Utilities weren't likely to help…Now there is a better solution… RESCUE can recover data from all but the most thoroughly trashed disk… RESCUE appears to work miracles…" INFOWORLD

PC DIAGNOSTICS THAT REALLY FIND THE BUGS!

THE TROUBLESHOOTER™, a self-booting disk, is unlike other diagnostic programs that rely on DOS. The Troubleshooter™ bypasses DOS and tests all major hardware directly for true accuracy while other programs frequently give erroneous test results. Loaded with all the tests you need to quickly and accurately isolate the source of PC failures. Full battery of tests included: Motherboard, RAM, Hard Drive, Floppy, Video, I/O plus full system information, benchmarks and utilities. UNIVERSAL APPLICATION: **THE TROUBLESHOOTER™** runs on any PC (with Intel or compatible processor) and under any operating system — UNIX, NOVELL, XENIX, O/S 2, DOS and others! Priced far below all competitors. The only diagnostic with I/O port map and device memory map.

THE DISCOVERY CARD™ is the only tool that truely ends the frustration of IRQ & DMA channel conflicts! Stop wasting time trying to "Figure-it-out" when it comes to setting up add-on cards. FACT: Software diagnostics cannot detect DMA usage and are often inaccurate in IRQ detection.

Testing for available IRQ/DMA is now FAST, EASY and 100% ACCURATE! Perfect for anyone who upgrades PC's, sets up networks, multimedia, etc….Call to find out how easy **THE DISCOVERY CARD™** is to use.
CALL NOW FOR PRICING!

The Troubleshooter Kit™

The Hard Drive Kit™

EVERYTHING YOU NEED TO INSTALL, SET-UP & MAINTAIN HARD DRIVES!

DRIVE PRO™ — The all-in-one software utility for the most efficient and correct installation and maintenance of any hard drive! • Install IDE Drives in less than 60 seconds! Automatically sets CMOS, Partitions, and DOS formats without re-booting or user intervention. • DOS Format any size drive in under 30 seconds! • Drive Table Override allows almost any BIOS to have a user definable drive type. • Drive Boot Fixer is a safe alternative to low level formatting bad IDE Drives. • No more DEBUG, FDISK, SETUP, or FORMAT. Plus too many other features to mention!

ENCYCLOPEDIA OF HARD DRIVES™ — 3 volumes with over 1500 pages! The largest compiled reference on Hard Drives ever published!

Volume One…*SET-UP GUIDE* • Interface Types and Installation • Hard Drive Specs for 2100 drives from 1984 to present: Make, Model, Formatted Capacity, Data Heads, Cylinders, Average Seek Times, Form Factor, Height, Interface, Encoding, Landing Zone, Sectors Per-Track, Write Precompensation Cylinder, Reduced Write Current and Mean Time Between Failure. • BIOS Drive Type Tables • Directory of Manufacturers • The Floppy Drive Cable • Power Connector • Pin Assignments and Specifications

Volume Two…*DRIVE SETTINGS* • Explanation of Jumper Types, Changes in Make & Model and Default Jumper Settings • Diagrams for over 1000 drives with: Specifications, Drive Sizes, Interface Types, Jumper Settings and Locations, Terminal Resistor Locations, Pin Assignments, Pin 1 Locations, Cable Type and Locations.

Volume Three…*CONTROLLERS* • Over 350 Diagrams of Controllers with: Specifications, Card Sizes, Largest Head and Cylinder Sizes, Interface Type, Detailed Jumper Settings, Pin Assignments and Cable Locations. • Controller to Drive Power Connections, Drive Activity L.E.D. Connections, Common Debug BIOS Format Codes and Default Jumper Settings.

THE HARD DISK TECHNICAL GUIDE™ — Comprehensive field version of the Encyclopedia with over 400 pages of vital specs! Compact to carry in the field. ***CALL NOW FOR PRICING!***

Version 3.0 RATED #1

FIX YOUR WINDOWS FAST!

PC MAGAZINE EDITORS' CHOICE July 1993

BEST Windows Trouble-shooting Program Available!

Skylight™

"…a model of elegance and clarity. Skylight's detailed reports on memory and resource usage are unique and useful, a wealth of detailed information…Skylight stands out as a product that exudes intelligence in function and design." **- PC Magazine 7/93**

TUNE, OPTIMIZE & TROUBLESHOOT WINDOWS for optimum speed & performance through hundreds of reports!

SKYLIGHT™ is the first true Windows troubleshooting utility written in Windows that reports information as Windows sees it! Uncover the mystery of how Microsoft Windows is using your computer's resources.

- All memory areas are displayed with a text display and graphic memory map.
- Increase performance through .INI file optimization. Safely edit any .INI file (WIN.INI, SYSTEM.INI, all 5 WordPerfect.INI files, Windows for Work Groups and Norton Desktop.INI files), CONFIG.SYS, and AUTOEXEC.BAT.
- Saves backup copies of the files it edits for easy restoring.
- Diagnose Windows from DOS Prompt even if Windows won't load.
- Detailed descriptions of hardware, CMOS, and the BIOS memory area, allowing you to troubleshoot DOS and hardware problems.
- GDI and USER heap details which aid in determining how Windows applications are performing and the resources they are using.
- Task Information screens so users can determine which programs perform the best.
- Testing of multimedia devices' output, including WAVE and MIDI devices.

"It can pay for itself with the first hour or two of time you save while troubleshooting a system." **- Windows Watcher 8/92**

"Unlike many other Windows snoopers, Skylight does an excellent job of analyzing your PC's upper and lower memory. Its innovative help system can aid you in understanding your AUTOEXEC.BAT, CONFIG.SYS, and .INI files and Skylight does a fine job of providing a system inventory." **- PC Computing 10/92**

MAXIMIZE THE ADVANTAGE OF WINDOWS!
CALL NOW FOR PRICING!

- **Free Tech Support**
- **Performance Guaranteed**
- **Next Day Shipping**

ORDER DIRECT — CALL
(800) 653-4933
800-OK-FIXED

AllMicro, Inc.
1250 Rogers St. • Suite D • Clearwater, FL 34616
(813) 446-6660 • Fax (813) 446-8075

Copyright © 1993. Rescue Data Recovery Software™, The Hard Drive Kit™, and The Troubleshooter's Kit™ are trademarks of AllMicro, Inc. All Rights Reserved. Other names are trademarks of their associated owners. Specifications subject to change.

Circle 170 on Inquiry Card (RESELLERS: 171).

products, such as Information Dimensions' docXform document database, you can do a relational database search not just on a document but in a document.

VTX is a network-level application that lets you create and publish on-line knowledge bases, called *information services*, of virtually any size. At the heart of VTX is a data structure called a *story*. A story is a structured set of information, such as a policy manual, that's carried over the network and is of unlimited size. What distinguishes VTX from other on-line applications is its ability to manage an unlimited number of stories, users, clients, and servers.

The structure of a VTX story is built around one or more pages. The key to VTX's extensibility is that each page can contain data of any format. In addition, you can tag pages with attributes that provide cues to external applications that process or present the data in the page. For example, an attribute tag can tell you that the page is a Lotus spreadsheet.

A story can also provide cues to such VTX routines as "set this up as a menu page" or "set this up as a query page." A menu page is an interactive screen that lets you select specific pages from a list (e.g., "current jobs listings" or "van pools"). A query page lets you construct ad hoc queries such as "list all jobs that pay over $75,000."

Stories can indicate whether a page is *remote*, meaning that the page seen locally is really a window through which you are viewing a page from a story physically located on another machine. If you select a remote story, VTX puts that story's topmost menu page on your screen and marks it as a remote page. You can then access the remote menu's selections as if they were extensions of your story's address space, which, in fact, they are until you break the remote link. Except for network delays, once you select a remote story, you have the perception of reading a local story.

Employees at Hughes Aircraft in Malibu, California, log in to their VTX service more than 40,000 times each month. Hughes installed the system seven years ago to maintain and distribute data on U.S. Air Force policies and practices. Today, it has more than 200 information services that publish everything from in-house job listings to surplus equipment inventories. Client systems connected to VTX include Windows, Macs, DOS-based PCs, and VT-100 terminals. In total, Hughes has 90 VTX server processes distributed among five clustered VAX 8800s. Everything is tied together over TCP/IP and Novell IPX networks. Hughes reports that in just the first six months of its operation, the surplus equipment service alone saved the company over $400,000.

The docXform Method

DocXform for MS-DOS, SunOS, and Unix systems uses a novel data type. Described by its manufacturer, Information Dimensions, as a "component-level document database," docXform's data type is a structure made up of 9000 sections, each of which can be 128 MB in length. You can assign a category of document content (e.g., chapters), which has been marked up using SGML tags, to a section.

Unlike BLOBs, where finding a document in a relational database is an all or nothing proposition (except for CBR), docXform lets you access individual parts

PUT A NEW FACE ON YOUR HOST DATA...

KEATERM VT EMULATION GIVES YOUR HOST DATA A FACELIFT—THE WINDOWS INTERFACE!

Before KEAterm, host data was dull, colorless, and limited by aging host applications. KEAterm transforms your host data—making it better looking, and more useable.

Apply the power and ease of Windows tools, like Excel, 1-2-3, WordPerfect, Visual Basic... to your host data using KEAterm's DDE, hot links, file transfer, and user-defined menus and dialog boxes. And you'll get more done faster with multiple KEAterm sessions.

Advanced features include a powerful macro language and definable on-screen button pads, to make your work even easier. KEAterm speeds your work with high throughput over your serial port or installed TCP/IP or LAT network. ■

KEAterm 420—a powerful link to your VAX and UNIX text applications.

KEAterm 340—for applications requiring ReGIS, Tektronix, or sixel graphics.

KEAterm—for **Windows NT** available soon!

Empower your desktop now!

Call 1-800-663-8702

KEA Systems Ltd.
3738 North Fraser Way, Unit 101
Burnaby, B.C. Canada V5J 5G1
Phone: (604) 431-0727
Fax: (604) 431-0818

KEAterm 340

KEA

KEAlink, KEAterm, ZSTEM, PowerStation, KEA and their respective logos are trademarks of KEA Systems Ltd. All other brand and product names are trademarks or registered trademarks of their respective holders. Copyright © KEA SYSTEMS LTD. 1993. All rights reserved.

Circle 105 on Inquiry Card.

of documents as if they were conventional database records. To mark up documents prior to loading into the database, docXform uses FastTag from Avalanche Development (Boulder, CO). FastTag scans a document, which can be a paper-based or a PostScript file, and creates a file of marked up content that docXform imports into its proprietary relational database.

"IDI makes better use of SGML structures because users can map them into a relational database," says Carl Frappaolo of Delphi Consulting in Boston. "Users can manage their document-bound information at the component level with the same speed and efficiency that they apply to managing their other information assets."

In the future, what we currently think of as separate applications, such as work flow, conferencing, and text retrieval, will become parts of a common service.

—Carl Frappaolo, executive vice president at Delphi Consulting

Extending Data's Domain

Electronic publishing, multimedia, videotex, and work flow are all part of a growing list of seemingly disparate applications that enable you to communicate your data in new and different ways. Since information content, especially document content, is no longer something that is just read or achieved, it has begun to control organizational work flow in the same way that data in "just-in-time" process-control programs affect the movement of a car engine on an automotive assembly line. The difference now is that human work flows are being automated, not conveyor belts.

For example, work-flow products such as Lotus Notes route and store information. But they can also determine who does what job and when it gets done. Thus, they don't simply remind you that, say, the vice president of your company must approve purchase orders of more than $50,000, they also route the purchase order to the vice president and keep it there until he or she acts on it.

The evolution of data types from elementary items of information to complex objects that can affect external events signifies the breakdown of the predefined limits that determined both the make up of a data type and how your information content could flow from one data type to another. Moving beyond computing that information packaging restricts means that your knowledge-based activities can use a common technology to exchange, expand on, and react to your data. Soon, the idea of building an application around a particular data type may seem arbitrary and, perhaps, even a bit primitive. ■

Randall D. Cronk of Boston, Massachusetts, is a freelance writer who has been researching and writing about document interchange for more than two years. You can reach him on BIX c/o "editors."

DATA COMPRESSION LIBRARIES™

PKWARE's® Data Compression Libraries™ allow software developers to add data compression technology to software applications. The application program controls all the input and output of data allowing data to be compressed or extracted to or from any device or area of memory.

- All Purpose Data Compression Algorithm Compresses Ascii or Binary Data Quickly with similar compression achieved by the popular PKZIP software, however the format used by the compression routine is completely generic and not specific to the PKZIP file format.
- Application Controlled I/O and memory allocation for extreme flexibility.
- Adjustable Dictionary Size allows software to be fine tuned for Maximum Size or Speed.
- Approximately 35K memory needed for Compression, 12K memory needed for Extraction.
- Compatible with most popular Languages: C, C++, Pascal, Assembly, Basic, Clipper, Etc.
- Works with any 80x86 family CPU in real or protected mode. $295.00
- No runtime royalties.

RUNNING OUT OF EXPENSIVE DISK SPACE?

PKZIP can help! PKZIP compresses your files to free up disk space and reduce modem transfer time. You can compress a single file or entire directory structures with a single command. Compressed files can be quickly returned to their normal size with PKUNZIP.

Software developers can reduce the number of diskettes needed to distribute their product by using PKZIP. Call for Distribution License information.

The included PKZIP utility lets you store compressed files as a single self-extracting .EXE files that automatically uncompresses when run. Only $47.00

PKWARE® INC. THE DATA COMPRESSION EXPERTS®

9025 N. Deerwood Dr.
Brown Deer, WI 53223
(414) 354-8699
Fax (414) 354-8559

BY993

Circle 134 on Inquiry Card.

DOCUMENTATION GOES DIGITAL

Digital documentation helps you find answers fast. But if you're considering publishing your own, prepare for a bewildering array of tools, interfaces, and data models.

PHILIP C. MURRAY

BARTON STABLER © 1993

Electronic reference documents, or ERDs, serve the same purpose as hard-copy reference documents. Also known by such names as *softcopy*, *enhanced documents*, and *hypertext*, ERDs let you use computer power to locate answers to your problems quickly. While they can contain graphics, sound, and video, ERDs differ from most multimedia documents in that their primary role is to give you fast access to data so that you can solve a problem efficiently. Most multimedia documents, on the other hand, are designed to assist with learning and mastery or to entertain.

ERDs offer a variety of features that are beyond the ability of hard copy. For example, some let you browse through a table of contents in one window while a synchronized companion window presents the text of the section under your cursor. Others offer graphical access tools to help you locate information. With careful analysis, you can tailor an ERD to the specific needs of your intended audience.

But ERDs are not a mature technology. For example, consistent end-user features and interfaces have not appeared. And ERD production practices and techniques still need standardization. Real growth in ERD use will occur only when improved authoring tools, clear data models, and product standards emerge.

Signs of Acceptance

Digital delivery of reference information is growing increasingly popular. For example, Shared Medical Systems (Malvern, PA), a health-care information-systems provider, produces electronic documentation for most of its IBM-based software, and the U.S. Department of Defense has mandated electronic delivery of maintenance manuals for new weapons systems.

Producing more than 30 million printed pages per year of supporting documentation, SMS is a large-scale commercial

information provider. Fred Drake, software product communications manager for SMS, is helping to transform the company's information delivery from paper to CD-ROM. SMS uses IBM's BookManager ERD publishing system for creating and delivering ERDs. BookManager's Build component serves as the engine that creates electronic documents that can be used with BookManager's Read software on five different operating systems commonly used in IBM environments, including MVS, OS/2, and DOS. BookManager's full-text search and hypertext linking features make it especially useful for organizations such as SMS that have applications requiring large reference documents.



IBM's BookManager *ERD publishing system has a Build component that converts word processing sources into ERDs. (Screen courtesy of IBM)*

Drake cites two reasons for SMS's switch to electronic document delivery: ease of updating and speed of information access. SMS's products change rapidly. Electronic documentation obviates the need for errata sheets, new typesetting and print runs, and the like. SMS applications are accompanied by comprehensive technical manuals; some applications have 10 or 12 400-page handbooks. This volume of information makes it difficult to find answers in the paper manuals, no matter how well-designed and written they may be. CD-ROMs unlock the barriers to better access and use up less shelf space.

Drake lists cost of delivery as last among the major reasons for SMS's transition to ERDs, but only because the company is phasing in documentation on CD-ROMs. Drake expects to also realize savings in publishing costs as ERDs become the company's primary method of documentation delivery.

SMS is also evaluating BookManager

Windows Help: Like a Book

The flood of applications available for Microsoft Windows is blurring the distinction between on-line help and electronic reference documents. While on-line help for character-based applications is often marked by extreme brevity and carefully crafted, fixed-size screens, on-line help for GUI-based applications is often structured and formatted more like a book.

The on-line help for Lotus's Freelance Graphics for Windows, for example, has help documents with relatively long topics and built-in browsing paths that maintain access to the linear organization of the document. The versatile formatting options of Windows Help and its ability to display text in a variety of fonts and sizes are the agents of this gradual transformation.

On-line documents for Windows Help can be prepared with any method that creates code compliant with Microsoft's RTF (Rich Text Format), an ASCII-based coding system that can be used to describe the appearance of word processor and desktop publishing documents. However, a spate of new applications dedicated to this purpose, including Blue Sky Software's (La Jolla, CA) RoboHelp and Softronics' (Colorado Springs, CO) Universal Help, simplify not only the coding but also the complexities of designing and maintaining hypertext links, including tracking the identity of target nodes for hypertext links, generating tables of contents, and recording browsing paths.



Help for the *Freelance Graphics' Toolbox uses a book-like format.*

Such tools are indicative of the growing level of interest in using the Windows Help viewer. In addition, commercial usage of the Windows Help viewer is growing. For example, DEC is using the viewer as a mechanism for its on-line support manuals. The viewer has even been used for such applications as the FAQ (frequently asked questions) file for the Internet's alt.hypertext news group.

The Windows Help viewer does not have all the features needed for many forms of ERD publishing. For example, the current version lacks full-text search capabilities, making it inappropriate for many long documents. However, the lack of run-time fees and its ready availability make it attractive to potential publishers.

Will the Windows Help viewer push innovative solutions from other vendors out of the market? It's still too early to say. However, the increasing sophistication of comprehensive on-line help for Windows and other GUI applications, coupled with an insistence on user-friendly interfaces, is producing a generation of computer users who often prefer on-line help to bulky printed manuals. The growing level of comfort with this particular form of electronic document may help win broad acceptance for ERDs in desktop publishing applications.

as a way to tie the documentation closely to its applications so that end users can have context-sensitive, on-line help instead of separate on-line reference manuals. The key requirement is adding code to the applications software that maps program states or contexts to specific points in the help system. This is the type of coding that lets you press, say, your F1 key to get help about the current drop-down menu in a Windows application.

However, help systems typically are compiled for a specific operating system, which poses thorny development and maintenance problems for multiplatform applications such as those from SMS. But if programs can invoke direct calls to specific sections of a BookManager document, then multiplatform ERD development and maintenance problems can be solved, because the same BookManager documents can be read with BookManager Read software on five different operating systems in the IBM product line.



Read software *in IBM's BookManager ERD publishing system can display graphics in resizable, movable windows. (Screen courtesy of IBM)*

SMS is not an isolated case. For example, the U.S. Postal Service supplies its employees with copies of the *Domestic Mail Manual*, the bible of U.S. postal clerks, in Window Book's (Cambridge, MA) format. And Folio's (Provo, UT) Folio Views is in use by more than 80 commercial publishers.

Obstacles to Acceptance

Many obstacles block broader acceptance of ERDs at the desktop level. For example, there are some 200 ERD authoring and publishing products. By contrast, a few well-known systems serve as yardsticks for desktop publishing software, making it easier to narrow and identify requirements when choosing such software.

Narrowing your choice of ERD systems to two or three can require substantial research. Requirements for multiplatform delivery and displaying complex material (e.g., display equations) may limit your choice of systems. Among the other considerations you have to weigh are the types of graphics and external program links you need to support, the types of search features that you can use, and the acceptability of the user interface.

For example, if you want to produce long reference documents but you don't want to hand-craft thousands of hypertext links, you'll want a product that supports full-text search. KnowledgeSet's (Mountain View, CA) Knowledge Retrieval System and Flambeaux Software's (Glendale, CA) xText would be appropriate for such an application.

To deliver documents digitally, you must first identify the principles behind ERD creation and choose the particular strategy that meets your objectives and then choose the best tool for the job. Most important, however, is to begin the process by carefully analyzing the needs and use patterns of those for whom your are creating your ERD.

For all but the smallest projects, extensive prototyping is a worthwhile investment. After you identify your objectives, you should create a sample ERD and test it on end users in the environment in which it will be used. Remember, ERDs are for finding information as rapidly as possible. You, not the ERD authoring software, might have introduced a problem by, say, using too few hypertext links. In addition, in any testing that compares the performance of printed documents to on-line documents, you should attempt to account for skewing factors. For example, people often perceive any change of routine as an improvement.

continued

Circle 108 on Inquiry Card.

Just Add Code.



The leading 32-bit Fortran language system for writing or downsizing Fortran applications. In addition to a complete toolset, EM/32 includes Phar Lap's 386|DOS-Extender with virtual memory and free runtimes. Now shipping version 5.1
$1195



Designed for professionals writing Fortran programs running under DOS. This language system's tools include an editor, debugger, profiler, linker, library manager, and make utility.
$295



This fast ANSI 77 compiler comes with an editor and debugger at an unbeatable price.
$99

(800) 548-4778

Free, Unlimited Technical Support
30-Day Money-Back Guarantee
Same-Day Shipping

Lahey Computer Systems, Inc.
Fortran is our forte

(702) 831-2500
Fax: (702) 831-8123
P.O. Box 6091
Incline Village NV 89450

Anatomy of an Electronic Document

Ntergaid's HyperWriter ERD authoring system converts documents that already exist in digital form into electronic documents complete with ❶ tables of contents, ❷ back-of-the-book indexes, ❸ chapter outlines, and ❹ maps of hypertext links. HyperWriter runs on DOS- and Windows-based computers. A Mac version is in development. (Screens courtesy of Ntergaid)



Finding and Using Data

Keeping what's good about printed books in your ERDs seems like a logical thing to do, but sometimes the wrong things are kept and the right things are discarded. Ironically, chief among the often-discarded features is the most frequently used method of information access in books: the back-of-the-book, or "conceptual," index.

Full-text searching is not an adequate replacement for indexes in electronic documents, as studies of the effectiveness of searching have shown. For example, writing in the December 1992 issue of *Communications of the ACM*, Peter W. Foltz and Susan T. Dumais report that keyword matching often fails because of the natural ambiguity of the English language. For example, a single word such as *chip* can have more than one meaning. Conversely, many different words can describe a single concept (e.g., *human factors* and *ergonomics*).

In an ERD that supports hypertext links, a conceptual index can provide direct access to all significant ideas in the document from any point in the document, not just the names of things that can be found easily by search features. In addition to familiar conventions that help you find information easily, such as directing you from synonyms to primary listings, good indexes include parent-child and "see also" entries that show relationships among the ideas.

The manner in which conceptual indexes point to information and describe relationships brings up other questions about how hypertext links should be used. For example, are one-to-many hypertext links essential? Is it essential to have one style of indicators for hypertext links that take the reader to more detail and a different style for links that take the reader to closely related information?

Information Navigation's (Durham, NC) Train of Thought supports most features of



BEFORE SURE!MAPS, THIS WAS THE ONLY WAY TO ACHIEVE PIN-POINT ACCURACY.



Expand Sure!MAPS with detailed information on major metropolitan areas.

Street maps let you pin-point locations by address or latitude/longitude.



Now there's a better way: Sure!MAPS™ **CD-ROM** based desktop mapping software from Horizons Technology. No more colored stick pins. No more holes in your office wall. Sure!MAPS brings detailed mapping capabilities directly to your DOS or Windows PC. Import your database into Sure!MAPS to reveal geographic trends that will help you make faster and better business decisions. Whether it's real estate listings, office locations, customer sites or virtually any kind of point-specific data, Sure!MAPS can open your eyes to a world of valuable insights.

The Sure!MAPS base product includes a continental U.S. map and two world maps. You can expand your map coverage by ordering full-color raster USGS Map Sets of major metropolitan areas, complete with terrain contours and details like airports, parks, rivers, buildings and bridges. Street-level maps and satellite imagery are available, too. All you have to do is pick the Map Set that contains your city or region and Sure!MAPS does the rest. It even imports spreadsheet and database files, calculates distance and area, and scrolls from map to map in one seamless presentation.

$199 RETAIL!

Pin-point mapping will never be the same after Sure!MAPS. So throw away those little pins and call **1-800-828-3808**. Or plot a course to your local distributor, reseller or computer store to get your copy today.

HORIZONS TECHNOLOGY, INC.®

Horizons Technology, Inc.
3990 Ruffin Rd.
San Diego, CA 92123-1826
(800) 828-3808

Sure!MAPS is a trademark of Horizons Technology, Inc.
Street-level maps are copyrighted by Etak, Inc.

Circle 296 on Inquiry Card (RESELLERS: 297).

conceptual indexes, but few other ERD authoring systems directly support the construction of conceptual indexes at the present time. But you can find ways to construct them. For example, Ntergaid's (Fairfield, CT) AutoLinker software can trap embedded indexing codes for print applications and convert them into indexes for ERDs produced by its HyperWriter ERD authoring system.

> **Everyone wants their documents published electronically. It's just a matter of how and when—not if.**
>
> **—Jeff Peoples, president, Window Book (Cambridge, MA)**

Limitations of the Page

While Thaumaturgy Software's (Redmond, WA) Eddars PostScript file-viewing system and Adobe's (Mountain View, CA) Acrobat technology promise to display complex pages on virtually any platform, the slavish adherence to a printed document model stays the course laid out by Gutenberg. It limits the implementation of new ways of providing access to data and transferring knowledge. In spite of their comforting familiarity, physical pages actually impede access to information in some cases. For example, pages often contain illustrations at locations that are far removed from their in-text references, and breaks in information can occur at awkward points. Pages also provide only a single view of the information, and they aren't easily resizable.

Yet to be defined are techniques for making documents more capable of responding to the needs of end users with substantial variations in skills, levels of understanding, and interests. However, some software that is now available hints at some of the many possible methods of making documents more adaptive. For example, Knowledge Garden's (Setauket, NY) KnowledgePro has expert-system features that allow end users to profile their own needs interactively.

Managing Document Development

Document production is only a small part of the overall process of generating digital documents. While the time that must be spent researching, writing, reviewing, and revising the content of long printed documents constitutes as much as 80 percent or 90 percent of the process, the time that's spent formatting them for delivery constitutes perhaps only 10 percent to 20 percent. Given the speed with which you can revise electronic documents, the purely mechanical tasks of building and formatting ERDs will become an even smaller component of the overall development process.

Valuable information often outlives the tools used to create and process it, making it important to store data in a format that accommodates technological change and multiple delivery modes. Document tagging and encoding standards are intended in part to address this need (see "Unlocking Data's Content" on page 111).

You can use documentation management systems, text-retrieval systems, and even customized relational database management applications to reduce your management effort. Unfortunately, outline processors, word processors, and other applications do not produce neutral data that's acceptable to all ERD publishing systems. Transferring textual content is generally not a problem, but important information about content architecture, as well as basic formatting, usually is lost in the translation. A universal, platform- and time-independent storage and interchange model for notes and ideas—not just documents—does not yet exist. In fact, such a standard may never exist because lack of transferability is not generally recognized as a problem.

The focus on documents as discrete, rigid, highly structured entities is another inheritance from print models that has outlived its usefulness. Adding a web of hard-wired hypertext links, which is comparable to adding extra crosspieces in a steel bridge, makes electronic documents more rigid and harder to change than printed documents. For example, what happens when you remove text that is a target of a

New Ways to Find Data

ERDs cannot match the feel of a book or the sense of context provided by browsing through pages and looking at illustrations or subheadings. But hard copy cannot match the new ways of finding data that ERDs give you.

FEATURE	WHAT IT DOES FOR YOU
Computed hypertext links	A full-text search specified by pointing at or marking one or more words in text, as opposed to authored or hard-wired hypertext links embedded in text or graphics.
Full-text searching	Using a full-text search, you can scan the entire length of a document for every instance of a word or phrase.
Graphical browsing	Available in some hypertext applications, graphical browsing tools display the logical connections between units of information by using connecting lines or other visual cues to turn relationships of meaning into easy-to-understand art.
Hypertext links	Hypertext links embedded in text give you live cross-references. This lets you hop directly from a word or a phrase to closely related information or to greater details in another part of the document.
Keyword searching	Keywords, added by a document's author and accessible through specialized search facilities, help you pinpoint ideas and data that might be missed by a full-text search.
Live tables of contents	Often coupled with an outliner-style expansion capability, a live table of contents helps you move quickly from general topics to details and back again.

COMPOSE BRILLIANT PROSE



20,000 QUOTATIONS FOR £49.95 PLUS VAT

For the first time Oxford's best selling quotations dictionaries are available for your computer in a fast access reference utility.

Over 20,000 quotations contained in the two dictionaries make this the fullest quotations package currently available.

With a juicy quote for every occasion, you can spice up your dullest document. Save yourself time by pasting quotes directly into your word processor document at the touch of a button.

"Genius is one per cent inspiration and ninety-nine per cent perspiration" – Thomas Alva Edison, 1903.

Not any more. With Oxford's electronic quotations dictionaries you'll write glowing prose, no sweat.

For further information, please contact: Janet Caldwell, Customer Service Manager, Electronic Publishing, Oxford University Press, Walton Street, Oxford, OX2 6DP.
Telephone: (0865) 267979. Fax: (0865) 56646

OXFORD

Makes brilliant writing a virtual reality

Circle 525 on Inquiry Card.

Finding Text Fast



Binary-tree indexes *store words by splitting them alphabetically. A search of a binary-tree index begins looking at the first letter of the first word in the index—in this case,* H. *It then uses a process of elimination to home in on its target.*

PETER WAYNER

The purpose of a search engine in any indexing system is simple: to find every item that matches your query, no matter where it is located in your file system. The trick for the software designer is to create a search engine that carries out this job quickly and accurately while taking up as little disk space as possible.

To accomplish accuracy and conserve disk space, some text-indexing software uses *file-level* information to structure words stored in your index. This means that each indexed word is complemented by a list itemizing all the files in which that word appears at least once. A file-level index does not carry any additional information about the location of words within files. Such an index uses disk space economically, usually taking up about 10 percent of the size of the main text that it indexes.

More sophisticated indexing software uses *word-level* information about the location of every instance of a word. Word-level indexes let you search for complete phrases or words that are in close proximity. ZyIndex from ZyLab (Buffalo Grove, IL) is an example of a word-level index program.

Operationally, there is a vast difference between file- and word-level index searches of a document database. For instance, say you entered a query on President Clinton into a file-level index. Such an index might return the sentence "in 1805, George Clinton was the U.S. vice president." A word-level index, on the other hand, contains the location of each word in your file system, so it avoids such mistakes by ensuring that *President* and *Clinton* are adjacent.

The problem with word-level indexing schemes is that all the extra information they contain gobbles up a lot of disk space—anywhere between 35 percent and 100 percent of the size of the original text. They also can be slower than file-level indexes because they have more information to search through.

Faster Searches

Indexes are really just lists of lists. Lists are a sensible way to store information in alphabetical order. But they are slow for text-indexing purposes, because the average search has to go through about half of your word list before finding the word you want. Enhancements, such as binary-tree index structures, can make list searches faster, especially on rapid-access media such as RAM disks.

Binary-tree structures work by splitting your indexed words alphabetically so that words beginning, say, with the

letters *A* through *L* are on the left-hand side of the tree while those beginning with *M* through *Z* are on the right. If the tree is well balanced, the search time is proportional to the logarithm of the total number of words in the tree—that is, the number of bits in the binary expansion of the total number. When the trees are unbalanced, however, they begin to act like lists, which, in turn, slows down search-response times.

The problem with binary-tree structures is that each word in the index needs to have pointers to find words on its left and right. A list, on the other hand, has to store directions only to the next word—50 percent less overhead. More important, binary-tree structures often store the left and right branches in separate segments of a disk file. This fragmentation slows searches when the data is stored on a slow-access medium such as a CD-ROM. A list, however, can be stored in a linear fashion without pointers, lessening disk-space consumption and increasing speed. Additionally, the next element in a list is almost always in the same disk block as the current element. When these practical considerations are taken into account, lists will often perform substantially faster than a binary-tree structure.

Depending on the medium holding your index, the space you save by storing only the directions to the next word is not always worth the increased speed. CD-ROM searches, for example, are slower than hard disk searches anyway, because a laser takes more time to align with its data track than the head of a hard drive takes to align with its data track. Consequently, your CPU might be able to run through a list of 1000 words in the time it takes to load the data pointed to by the binary tree.

Converting Words

Hashing functions, such as those used in On Technology's (Cambridge, MA) On Location, produce the smallest indexes. Unfortunately, they are also the most error-prone indexing approach.

Hashing functions work by converting words into short integers. For example, a function might convert each letter of a word into numerical equivalents and add these values together: *A* would be equal to 1, *B* would equal 2, and so on, with *Z* equaling 26. Thus, the numerical equivalent of the name *Abby* would hash to 30, because 1+2+2+25=30, and the number 30 would become a surrogate for the four-letter word, taking up less storage.

However, hashing functions can fail when two words have the same hashed value. For example, such functions do not discriminate between anagrams like *Elvis* (5+12+22+9+19=67) and *lives* (12+9+22+5+19=67), because both have the same numeric value. While this confusion can be significantly minimized with hashing functions that are statistically tuned to the structure of English, it is never completely eliminated.

Text-indexing systems such as the public domain WAIS (Wide-Area Information Server) system on the Internet give you the ability to input long phrases for partial, fuzzy matching. With WAIS, you can search for words and rank the matches according to a complex formula of the number of matches and their proximity to each other. These fuzzy-logic solutions can also use, say, the contents of a magazine article as the basis of a query to find other articles in the database with similar contents.

Consequently, you can find documents even if they don't contain the keyword for which you are searching. If you do a fuzzy search on a 100-word phrase, your search can take a great deal of time. Searches of this nature can be prohibitive on some CD-ROM databases, but they are reasonable on databases that are maintained on fast hard drives.

The process of indexing data is a simple problem in theory. While software engineers go through many different iterations to determine the best way to create the smallest, fastest indexes, your best bet is to evaluate indexing software based on the type of storage medium you intend to use and the amount of disk space you can allocate to indexing your data.

Peter Wayner, a BYTE consulting editor, has written several text-indexing systems. You can contact him on BIX c/o "editors" or on the Internet at pcw@access.digex.com or at pwayner@bix.com.

hypertext link? The process of finding and fixing a few resulting dangling links may not be any problem, but repairing hundreds of such connections can become a nightmare.

Systems such as Information Dimensions' (Dublin, OH) BasisPlus document management system can help large publishing environments overcome some of these problems. For example, BasisPlus stores building blocks of information in a relational database and provides features that allow publishers to build documents, including ERDs with hypertext links, from these building blocks.

You may not be able to afford an off-the-shelf solution, which can cost tens of thousands of dollars, but adopting a clear strategy for treating information as building blocks will help. Implementing a formal scheme for classifying those building blocks according to their meaning—a form of conceptual indexing—can help you replace the ad hoc generation of hypertext links that might prove costly whenever changes are made or new documents are created.

What's Needed

At one time, desktop publishing systems were better suited for producing newsletters than they were for producing long documents, because they lacked long-document-handling features. What made the difference with desktop publishing? Vastly improved software, such as PageMaker, QuarkXPress, and Ventura Publisher, helped. But the growing base of experience with the principles of good design and understanding of efficient methods of production helped more.

ERDs have not yet reached that stage of development, because the development and use of electronic documents of all kinds are still in their earliest phase. ERDs are a new delivery mechanism. Consequently, a knowledge base from which you can learn about past mistakes and successes has not yet been assembled. ERD technology awaits the kind of focus and standardization that experience brings to technology. ■

Philip C. Murray, president of Knowledge Management Associates (Virginia Beach, VA), is an ERD consultant. He is the author of From Ventura to Hypertext *(Knowledge Management Associates, 1991) and the editor of ACM SIGLINK's hypertext/hypermedia newsletter. You can contact him on BIX c/o "editors" or on the Internet at p00327@psilink.com.*

C++ Does Windows

The BYTE Lab tests five C++ compilers to find out if C++ really simplifies Windows development

RICK GREHAN

The ultimate benefit of an object-oriented language like C++ depends on how well it can be made to simulate the system in which you're working. Windows is an event-driven system whose respiration is the flow of messages triggered by devices and windows and sent to menus, scroll bars, and suchlike. An object is just a useless lump of code and data until it's wired into that flow. Windows, which is a world of objects and events where procedural development requires back-breaking work, appears to be a perfect target for the object-oriented wonderland that C++ promises.

In this review, I'll cover the latest crop of C++ compilers for Intel's 80x86 series of processors (including the Pentium) and the Windows 3.x operating environment. This harvest includes Microsoft's Visual C/C++ 1.0, Borland C++ 3.1, Symantec C/C++ 6.0, MetaWare's High C/C++ 3.1, and Watcom C/C++32. Each simplifies Windows to some degree, but they mostly fall into two camps: The Microsoft, Borland, and Symantec compilers come with a rich set of tools aimed at easing the burden of Windows programming, while the compilers from MetaWare and Watcom focus more on speed than on comfort.

Microsoft's Visual C/C++ 1.0

Microsoft's Visual C/C++ 1.0 will probably be your first stop in the search for a development system. After all, this is the company that makes Windows, and you might reasonably assume that the Microsoft compiler would be the most tightly woven into the Windows environment.

As far as the set of development tools goes, that's truly the case. Visual C/C++'s IDE (Integrated Development Environment), Visual Workbench, is a concert of development tools that includes AppWizard, AppStudio, and ClassWizard. AppWizard is the jump-starter in program



▶ **Borland C++ 3.1's Windows-based IDE provides an excellent development environment with good tools. Application Frameworks class libraries are Borland C++'s greatest strengths. In this screen, Borland's ObjectBrowser provides a graphical view of class hierarchies within an application.**

◀ **MetaWare's High C/C++ is built for speed more than comfort. MetaWare's extended-DOS debugger allows access to 32-bit flat-model executable files running under Phar Lap's DOS extender. Multiple windows allow views of C++ source code, the equivalent assembly language, and processor and coprocessor registers.**



▶ **Microsoft's Visual C/C++ provides unique tools and great integration between them. In Microsoft's class browser, not only can you examine class hierarchy, you can also view member functions and locate source code where the class is defined.**



◀ **Symantec C/C++ 6.0 is a strong newcomer to the Windows C++ field. Its IDE is built around a workspace paradigm and incorporates tear-off tool palettes. Here, the current workspace is "Editing," but the "Debugging" workspace is instantly available by clicking the folder tab near the topmost menu bar.**



▶ **Watcom C/C++32 supports a wide variety of platforms. Although Watcom C/C++32 has no Windows-hosted IDE, the package comes with Windows-based tools. Dr. Watcom is a crash-analysis tool, Watcom Spy lets you examine messages headed for a selected window, and the Heap Walker permits exploration of an application's local or Windows' global heap.**

development. With it, you can quickly create a skeleton of classes and associated source code filenames for your application. You can then move on to the other tools to fill those files with actual code.

AppStudio is Visual C/C++'s resource toolkit, where you build user-interface objects (e.g., dialog boxes and menus). It is tightly coupled to ClassWizard, where you bind executable code to those interface objects.

All these tools work together on a single project. Visual C/C++ works directly with make files that can be built within the IDE or externally by Microsoft's NMAKE. The process of building user-interface objects and binding them to code goes something like this: You select a class in ClassWizard, and you're shown the object IDs of objects built in AppStudio. You click on an object, and a listbox shows messages to which the object can respond. Select the message, click on the Add Function button, and enter a function name in another listbox. ClassWizard automatically adds the function declaration to the class, writes an empty function header in the source file where the class is defined, and ushers you quickly to the editor, where you fill out the function body.

The Microsoft Foundation Classes 2.0 are the behind-the-scenes wiring that make this work. Within MFC, you'll find class definitions for all Windows objects. More important, MFC also provides the connections necessary to enable the event handling that's at the heart of every Windows program. MFC's fundamental component is the message map. This is a data structure that holds the routing information of messages to class member functions. In MFC's base classes, many of these member functions simply call Windows API functions directly.

As you build derived classes, you can define your own message-handling member functions that override those of the base class. Using macros that Microsoft supplies, you build a message map for this derived class, linking the functions to the message IDs. A specific member function of MFC's base class, `CWinApp`, gets all messages sent by Windows to the current application. This function routes the message to its target object. When a Window object defined by MFC receives a message, it searches its own class definition's message map for a function to handle that message. If that function can't be found, a special entry in the local message map points to the message-map table of the parent class.

MFC follows this link up the chain to the parent class and searches the parent's message map. This process continues until MFC either encounters a map entry corresponding to a handler function that can deal with the message or "pops out the top" of the class hierarchy. In the latter case, the message is passed to the equivalent of the default message-handler procedure.

AppStudio and ClassWizard together form a simple environment for quickly building complex applications, and MFC 2.0 makes a solid foundation for professional-level applications. One significant addition to Visual C/C++ is a Windows-hosted debugger. (Visual C/C++ also includes CodeView.

At $495, the Visual C/C++ Professional Edition falls somewhere in the middle of the price range. Counting all the supporting tools—there are so many it's sometimes hard to find the compiler among all the icons—the price is quite good. Programmers interested in a less expensive route into Windows programming might want to look at the Standard Edition, a $195 product that lacks CodeView, a profiler, and DOS target compilation.

Borland C++ 3.1

Borland C++ 3.1 comes with two IDEs: one for DOS and one for Windows. The DOS-based IDE can generate Windows and DOS applications; the IDE for Windows produces either Windows executable files or DLLs. Both of these IDEs allow rapid development of application projects; you add files to a project by selecting them from file lists, and the IDE handles the chore of chasing down dependencies for you. You can convert a project into a make file.

Although Borland's C++ environment doesn't include an equivalent to Microsoft's AppWizard and ClassWizard, it comes with plenty of Windows tools, including Borland's Resource Workshop, help compiler, and resource compiler. Borland C++ also has a free copy of ProtoView Development's ProtoGen, a reasonably useful code generator that lets you rapidly build menus and link their components to dialog boxes. ProtoGen will crank out the corresponding user-interface code for you.

Borland C++ includes class libraries for both DOS and Windows: TurboVision and Object Windows Library. TurboVision can build DOS applications under a character-based windowing system, while OWL targets the Windows environment. Unfortunately—and this is a major gap—the two class libraries are completely incompatible.

Although the ultimate goals of OWL and MFC are quite similar, OWL builds a thicker layer between the programmer and the Windows API than does MFC. By thicker, I don't mean less efficient—in fact, OWL does a better job of abstracting Windows objects than MFC does. You can generally construct OWL programs in less source code than MFC equivalents. OWL achieves this goal thanks to Borland's modifying its compiler to accept new (and nonstandard) syntax that expresses the connection between a function within an object and the Windows message to which that function responds in a single line of code. MFC, on the other hand, requires two or three lines to express the same connection.

This nonstandard syntax gives OWL another advantage over MFC, in that the documented coupling of message ID to function is recorded in one place. MFC forces you to declare message-handling functions in one place and associations elsewhere.

Internally, OWL operates much like MFC: The compiler builds tables in the executable file that link the message ID to a function address. Because OWL is built into Borland's C++, it has access to the language's internal pointers that link derived classes to parent classes and thus doesn't need MFC's additional links further up in the class hierarchy. Dispatching Windows messages is potentially faster under OWL than under MFC, because OWL uses optimized assembly language for table searching, while MFC must search using C++ code.

However, Borland may be willing to sacrifice OWL's conciseness for portability's sake. The upcoming OWL 2.0 abandons the language extensions of OWL 1.0 and takes a strict C++ approach, with the addition of (among other things) support for templates and true C++ exception handling.

OWL is an outstanding class library. In a direct comparison of Borland C++ 3.1 to Microsoft's Visual C/C++, however, Borland C++ suffers primarily from its lack of an equivalent to ClassWizard. Additionally, at $749, the price is somewhat steep. But where Borland has equivalent tools, they are excellent. The real strengths of Borland C++ are OWL, an excellent IDE, and accompanying DOS and Windows development tools that make for a kingly development system.

continued

C++ COMPILERS COMPARED

Naturally, compilers vary in the types of tools they supply. However, these packages also vary in the nature of the code they produce. Executable files built by High C/C++ 3.1 and Watcom C/C++32 include pure 32-bit code: Consequently, the DOS executable files run under DOS extenders, and the Windows 3.x executable files must be bound with a supervisor that translates from the 32-bit code to the 16-bit API of Windows. (Symantec C/C++ 6.0 can also produce 32-bit code running under a DOS extender). Borland C++ 3.1 and Visual C/C++ can create DOS executable files that exceed the 640-KB boundary via an overlay mechanism. Finally, Microsoft's compiler optionally emits p-code that can optimize space savings. (● = yes, ○ = no; N/A = not applicable.)

	MICROSOFT VISUAL C/C++	BORLAND C++ 3.1	WATCOM C/C++32	METAWARE HIGH C/C++ 3.1	SYMANTEC C/C++ 6.0
Host platforms					
Windows 3.1	●	●	○	○	●
DOS	●	●	●	●[2]	●
OS/2[1]	○	○	●	○	○
Target platforms					
Windows 3.1	●	●	●	●	●
DOS	●	●	○	○	●
Extended DOS	○	○	●	●	●
OS/2	○	○	●	○	○
Other	Overlaid DOS, p-code	Overlaid DOS	.NLM, Pen Windows, NT	N/A	Win32s, NT
Processor support					
808x	●	●	○	○	●
386/486	●	●	●	●	●
Pentium[3]	○	○	●	●	○
Language support					
Cfront 3.0	●	●	●	●	●
ANSI C	●	●	●	●	●
Unix C (K&R)	○[4]	●	○	○	●
Included tools					
Assembler	○	●	○	○	○[5]
Symbolic debugger	●	●	●	●	●
Remote debugging	○	●	●	●	●
Profiler	●	●	●	●	○
Run-time source	Option	●	○	Option	●
Class library source	●	●	○	Option	●
Precompiled headers	●	●	○	○	●
Class browser	●	●	○	○	●
Memory[6]	6 MB	2 MB	4 MB	2.5 MB[7]	8 MB
Disk space[6]	52 MB	45 MB	25 MB	15 MB[7]	50 MB
IDEs	Windows	Windows, DOS	N/A	N/A	Windows
Debugger environments	Windows, DOS	Windows, DOS	DOS	Windows, Extended DOS	Windows, DOS[8]
Windows specific					
Class libraries	MFC	OWL	None	None	MFC
Utilities					
Heap walker	●	●	●	○	○
Message spy	●	●	●	○	●
Crash analysis	●	●	●	○	●
Resource builder	●	●	○	○	●
Help compiler	●	●	●	○	●
Price	Professional: $495 Standard: $195	With Frameworks, $795 No Frameworks, $495	32-bit: $599 16-bit: $495	$795[9]	Professional: $499 Standard: $129

Notes:

[1] Many vendors support OS/2 with other compiler products.
[2] High C/C++ produces DOS programs that require Phar Lap's 386|DOS-Extender package, an additional $495 cost.
[3] The entry in this field indicates whether the compiler produces code structured for Pentium execution.
[4] No strict Kernighan and Ritchie support, but it will support K&R function headers.
[5] Although Symantec C/C++ does not include a separate assembler, it has a full-featured in-line assembler.
[6] Memory and disk requirements are approximate.
[7] Windows development requires Microsoft's Windows SDK, which brings the total disk requirement to 24 MB.
[8] Symantec C/C++ lets you debug DOS applications from within Windows.
[9] Price does not include Phar Lap's DOS extender. A DOS extender/compiler package is available for $995.

Symantec C/C++ 6.0

As this article headed for press, Symantec was deep into the final stages of its new Windows-based C++ compiler. I worked with a late beta version of the package that should match the functionality of the final product. Symantec expects to release version 6.0 in August, so it should be available as you read this.

This product is a vastly updated version of Zortech C++. It's so heavily rewritten that the only similarity might be that both are C++ compilers. The Symantec compiler is also escorted by so many tools that it rivals Visual C/C++ in ancillary support. And unlike Zortech C++, Symantec C/C++ provides a solid class library—a licensed version of MFC 2.0—to provide a framework for Windows development.

Symantec C/C++ takes its Windows-based IDE to new heights, breaking from the usual MDI (Multiple Document Interface) approach and instead creating an environment of loosely coupled windows and toolbars organized within workspaces. Each workspace (you can have several active simultaneously) offers you a particular view into a project (e.g., one workspace may be where you do your compiling and editing; another may have all your debugging tools active).

Symantec's IDE incorporates tear-off tool palettes that you can position and resize to customize your workspace. Icons within these palettes operate on a drag-and-drop paradigm. For example, you can grab the source tool icon, drag it out of the palette, and drop it on the desktop. An empty edit window opens. Go into the file list within your project view window, grab a filename, and drag it into the new edit window. The file's source code appears, ready for work.

The Visual Programmer is Symantec's answer to ClassWizard. Many of the functions that you would find in a resource editor are here. You can create dialog boxes and menus from within the Visual Programmer. The real strength of the Visual Programmer, however, is its ability to rapidly associate Windows controls with messages and to define actions for events. For example, your program may respond to an OK button by launching the Windows Edit program. In the Visual Programmer, you can quickly build all the code needed to accomplish this by mousing through dialog boxes. (The only typing you have to do is to enter Edit's path.)

Symantec's debugger is also well developed. You can examine changing data structures, as you can in most debuggers'



Notes:
a) Times shown for Borland C++ are using its Windows-based IDE.The DOS-based IDE took nearly 1 min. 50 secs. longer to compile.
b) MetaWare's engineers did not suggest a size optimization.
c) Times for Visual C++ are for running MAKE from the DOS prompt. Running the compiler under windows added nearly 50 seconds. Creating class browsing information added about 5 seconds.
d) The NIH results for Symantec C/C++ were derived using MAKE from the DOS prompt, generating a 32-bit large-model DOS executable.
e) N/A=not applicable.

Compiler benchmark results. (a) *These tests involve the compilation of nearly 98,000 lines of source code based on the National Institutes of Health class library. The intent is to measure compilation speed, as well as the size of the generated executable file. Compilation was performed twice, once optimizing for speed and then for size. All compilers were required to emit 32-bit code. Headers were not precompiled.*
(b) *This benchmark uses the CPU and FPU portions of BYTE's portable benchmarks. As above, all compilers were required to generate 32-bit code. All compilers were set so that they emitted floating-point code that searched the machine for a coprocessor and used that coprocessor for floating-point-intensive operations. The results for each test were normalized to the lowest score of all compilers for that test. These results were then combined using a nonweighted average to generate a CPU index and an FPU index for each compiler.*

watch windows; however, Symantec's debugger also lets you explore those structures graphically. Suppose your program builds a binary tree in memory. Symantec's debugger will show that structure as a block diagram with boxes and arrows. As you single-step through your program, the displayed structure will be automatically updated to reflect the goings-on in RAM.

All in all, Symantec's C/C++ compiler is an enticing entry. A full-blown system costs $499, but entry-level developers can get started with the more reasonably priced $129 version. Although the latter's compiler is not an optimizing compiler and doesn't produce 32-bit code, it still provides a full Windows 3.x development and debugging environment, as well as the Visual Programmer.

MetaWare's High C/C++ 3.1

MetaWare's High C/C++ package is the most Spartan of all the products reviewed here. You'll find no heap walkers or message spy programs. It's just a C++ compiler that produces 32-bit code compatible with either Phar Lap's DOS extender or Windows 3.x, a 32-bit debugger for extended DOS or Windows applications, and a handful of Unix-like DOS command-line tools (e.g., `cat`, `ls`, and `fgrep`).

Because High C/C++ emits only 32-bit code that uses the flat addressing model, creating a Windows application involves binding resources and protected-mode executable files with a Windows extender supplied as part of MetaWare's Windows ADK (application development kit). This supervisor acts as an intermediary between your 32-bit flat-memory-model MetaWare application and the 16-bit segment/offset Windows environment.

Wherever a call to a Windows routine appears in your application's source code, the High C/C++ compiler aims that call at a function in the supervisor. The supervisor function makes any adjustments to arguments, switches to 16-bit mode, and calls the corresponding Windows routine. Because callback functions require that Windows be able to call functions in your application, the supervisor must also perform translation in the other direction:

Extending the Language

At the time of this writing, the ANSI C++ committee was at work producing a standard description of C++ that is often referred to as C++ 3.0. C++ 3.0 includes all the features of Cfront 3.0, a version of C++ from AT&T implemented as a preprocessor.

Cfront 3.0 includes two new syntactic elements: templates and nested classes. All the compilers reviewed here support both. Exception handling, a third new C++ construct, is part of the ANSI specification but not part of Cfront 3.0.

Class templates let you specify a kind of class recipe. That is, you spell out how the class works—its member variable names, member function names, and how the member functions operate—but you leave out type-specification details. Those are filled in only when you instantiate a class built from the template.

For example, suppose you've built a class that defines array objects that sort themselves. Without templates, if you want to define such a class for arrays of integers, longs, and floats, you'd have to type in (and maintain) three class definitions. With templates, you type in the class definition once, leaving a placeholder wherever a type specifier would have appeared in the definition. When you define an object of such a class, you specify not only the class name, but also the type specifier to be filled into the placeholders you wrote into the template.

Cfront 3.0 also extends the idea of templates to functions. Continuing with the example, function templates would allow you to write a single function template for sorting an array of any numeric type.

A nested class is a class defined within another class. The enclosed class has scope only within the enclosing class. Nesting can provide relief from name-space pollution. Since a nested class is invisible outside its enclosing class, it won't clutter your program by adding another global name you'll have to keep track of. Nesting provides yet another dimension in the factoring of objects into their component parts.

Finally, the latest addition to the C++ language syntax is the `catch-throw` exception-handling construct. A class that supports exception handling includes exception class names as public members. A member function that can trigger an exception "throws" the exception to one of the exception classes. The exception class "catches" the exception as part of a `try...catch` structure.

For example, assume you've defined an `Array` class. `Array` includes the exception-handling class `RangeError`. Additionally, you've overridden `Array`'s subscript operator ([]) so that any out-of-bounds references will throw an exception to a function that is designated as the `RangeError` handler. Examine the following code:

```
Array av(100);
try {
      read_array(av);
}
catch (Array::RangeError) {
// Handle array range error
}
```

Should an out-of-bounds error occur anywhere inside `read_array`, an exception will be thrown to the `RangeError` handler (i.e., the code defined after the `catch()` statement).

The beauty of exception handling is that no matter where inside `read_array()` the exception is triggered, no matter how deep the stack nesting, the stack will be unwound so that the `RangeError` code executes at the proper stack level. Most important, unlike a `setjmp...longjmp` structure, C++ unleashes the proper destructors on any temporary objects that come from the stack as it is unwound. In essence, dealing with an exception won't leave bits and pieces of incompletely initialized objects lying around taking up memory.

Of the compilers reviewed here, only Watcom supported C++ exception handling, even though the other vendors promised such support in upcoming releases. Borland expects exception handling to play a major role in the next release of Object Windows Library.

from Windows to 32-bit mode.

High C/C++ can also build a 32-bit DLL. In this case, you must bind into your code a special DLL supervisor whose job is similar to the supervisor described above.

At the time of this review, MetaWare's High C/C++ was one of only two C++ compilers that could emit code optimized for the Pentium. Other compilers should follow suit shortly.

High C/C++ is definitely a compiler for the high-octane, 32-bit programming crowd. It turned in the best performance results for CPU-intensive operations. However, its $795 price certainly won't break any price barriers, and that price doesn't include the Phar Lap DOS extender that you'll need to create extended-DOS applications.

Watcom C/C++32

Watcom C/C++32 is a compiler that emits code for more operating systems than most developers will ever target. At the top of the list of supported systems are extended DOS—Watcom C/C++32 can produce code for Rational Systems, Ergo Computing, and Phar Lap DOS extenders —and Windows, where Watcom C/C++32 can generate Windows 3.x and Win32s code.

You perform all compilation from the DOS prompt. Also, because the output of the compiler expects to execute in a 32-bit flat address space (referred to as a linear executable file), you must bind your application and resources to a supplied Windows extender. The company does produce a 16-bit version of C/C++ that can create 16-bit Windows 3.x applications directly.

You won't find an IDE in Watcom's package, although the software does come with some useful tools. Watcom's capable debugger, Video, is at home in as many

Essential Development Tools At Your Fingertips.

MKS Toolkit — All the Tools of the Trade for Professional Programmers and Application Developers.

MKS Toolkit puts a powerful suite of easy-to-use development utilities within your grasp. MKS Toolkit was designed by developers for developers. That's how we knew precisely which programming instruments to give you — and how to make them work together so you can achieve levels of productivity you've only dreamed about — until now!

Developers working on DOS can now get the extraordinary power of tools that were once available only on UNIX. Only MKS Toolkit delivers a full suite of these essential tools on your PC, and allows you to switch quickly back to your DOS applications. For multi-platform environments, MKS Toolkit is fully compatible with UNIX systems, and tracks both POSIX and *x*/Open standards.

Now it's easy to take hold of all the tools of your trade. MKS Toolkit enables you to develop the technology of tomorrow — today.

Start shaping the applications of the future! ***Call now to order your copy of MKS Toolkit.***

Some of the 180+ utilities in MKS Toolkit 4.1:

- A **new**, easy-to-use, efficient UUCP communications package that connects you to the world. *
- MKS AWK, the fast prototyping and report generating language, now with a **new** AWK compiler.
- MKS KornShell, the full-featured programming language that allows you to interchange scripts with UNIX and POSIX systems.
- MKS Make, the software construction utility that lets you update files automatically.
- MKS Vi, the full-screen editor.
- **New** Windows icons for frequently used commands.
- Full on-line reference manual.
- Interoperability with Open VMS, CTOS and MPE/iX.
- A full array of commands for profiling, compression, archiving, file processing and customizing your PC environment.

Now available for **NT** and **OS/2**

MKS

35 King Street North
Waterloo, Ontario, Canada
N2J 2W9

Call for multi-user pricing. *30 day money-back guarantee.*
For information on how to order, call MKS at 1-800-265-2797 (US and Canada) or (519) 884-2251 • Fax (519) 884-8861. *International customers please call:*
AUSTRALIA +61 03 580 1333 • **BELGIUM** +32 02 732 40 20 • **BRAZIL** +55 83 333 1904 • **DENMARK** +45 45 87 72 00
FINLAND +358 90 506 2600 • **FRANCE** +33 1 48 77 22 44 / +33 1 39 46 16 16 • **GERMANY** +49 0721 988 280 / +49 0551 50762 0
ITALY +39 02 4801 6053 • **JAPAN** +8103 3293 4711 • **KOREA** +82 02 561 1021 3 • **NETHERLANDS** +31 020 6 14 24 63
NORWAY +47 22 11 09 50 • **SINGAPORE** +65 747 2266 • **SWEDEN** +46 013 111588 • **SWITZERLAND** +41 061 421 32 01
UK +44 029 689 911 / +44 071 833 1022 / +44 036 465 4100
* MKS UUCP not available on NT and OS/2.

MKS and MKS Toolkit, MKS KornShell, MKS AWK, MKS Make, MKS UUCP and MKS Vi are trademarks of Mortice Kern Systems Inc., UNIX is a registered trademark of UNIX System Laboratories, Inc. All other trademarks are acknowledged.

Circle 120 on Inquiry Card.

PERFORMANCE TESTS

I passed all products through two waves of tests. The first wave was designed to measure each product's compilation time and the resulting size of the executable files. For these tests, I used a subset of the public domain National Institutes of Health (NIH) C++ class libraries tacked onto a couple hundred lines of exercising code. All told, building this project required the compilers to chew through nearly 98,000 lines of source code.

The second wave was designed to measure the efficiency of the code the compilers generated. These tests were strictly C code and consisted of the CPU and FPU portions of BYTE's portable systems benchmarks.

In both waves, I ran the compilers through the wringer twice: once with compile and link switches set to generate the fastest code, and once with those switches set to generate the smallest code. Consequently, each compiler ran the gauntlet at least four times. (Some took more trips. For example, I performed an additional set of tests to explore Visual C/C++'s p-code generation.)

All compilers were required to generate 32-bit code. The performance tests were run under DOS, so that none of the overhead of Windows would corrupt the execution times. Three of the packages—MetaWare's High C/C++, Watcom C/C++32, and Symantec C/C++—produced code that ran in conjunction with a DOS extender. In the case of High C/C++, I used version 5.0 of Phar Lap's 386|DOS-Extender. For Watcom C/C++32, I used the bundled run-time version of Rational Systems' DOS/4GW. Zortech's DOS extender (DOSX) was also bundled with the compiler.

The results of the tests are shown in the figure on page 133. In the NIH-class tests, all compilers generated code in the range of 100 to 150 KB. Three of the compilers—Visual C/C++, Symantec C/C++, and Watcom C/C++32—turned in compilation times that were startlingly close to one another. Borland turned in the best compilation time, and High C/C++ was significantly slower than the others. Interestingly, Borland's fastest compilation time was from its Windows-hosted IDE (Integrated Development Environment); Microsoft's fastest compilation time was from the DOS command line. Note that High C/C++ has no compile options for optimizing for size.

BYTE's portable benchmarks for CPU and FPU formed the basis of performance tests. It's obvious from the results that those compilers using a 32-bit DOS extender (High C/C++, Symantec C/C++, and Watcom C/C++32) had an easier time of things in the CPU tests than did Borland C++ and Visual C/C++, which had to deal with the segment/offset overhead of the huge memory model.

In the FPU tests, all compilers generated emulation code that used a coprocessor if one was present (one was in our test system). MetaWare's compiler appeared to have the hardest time with the FPU test, with Watcom C/C++32 at the top.

operating-system platforms as is the compiler.

Watcom's offering fits in a niche somewhere between MetaWare's High C/C++ and Microsoft's Visual C/C++. Still, Watcom's compiler has a different kind of plenitude: the vast number of supported platforms. This support exacts a high toll: $995 for the 32-bit version, and $599 for the 16-bit version.

Plus-Pluses and Minuses

The C++ compilers covered here partition themselves into two categories: Those operating primarily from the command line (High C/C++ and Watcom C/C++32), and those providing GUI-based development environments (Borland C++, Visual C/C++, and Symantec C/C++). In addition, Borland C++, Visual C/C++, and Symantec C/C++ make available class libraries designed specifically for Windows development, while the others are satisfied to provide access to the Windows API.

Neither OWL nor MFC holds a clear advantage. Both at least hold a source code advantage over the strict C approach to Windows programming and its miles of switch statements. On the execution side, neither is an improvement over tradition, because they add a layer of decision making that messages must navigate. OWL is more concise; MFC does not require extensions to the language.

For sheer executable performance, High C/C++ and Watcom C/C++32 are probably the best choices. Watcom C/C++32 is a likely choice for programmers whose target environments are in flux, given the range of target platforms Watcom supports.

But programming for Windows is about more than all-out performance. If you are looking for a development environment that will truly simplify Windows programming, choose between Borland C++ 3.1, Visual C/C++ 1.0, and Symantec C/C++ 6.0. My choice is Symantec C/C++. With its full complement of excellent tools and good performance, it strikes the proper balance between a high-performance compiler and a full-featured, Windows-hosted development environment. ■

Company Information

Borland International, Inc.
(Borland C++ 3.1)
1800 Green Hills Rd.
Scotts Valley, CA 94067
(408) 438-8400
fax: (408) 439-9119
Circle 1159 on Inquiry Card.

MetaWare, Inc.
(High C/C++ 3.1)
2161 Delaware Ave.
Santa Cruz, CA 95060
(408) 429-6382
fax: (408) 429-9273
Circle 1160 on Inquiry Card.

Microsoft Corp.
(Visual C/C++ 1.0)
1 Microsoft Way
Redmond, WA 98052
(206) 635-7007
fax: (206) 936-7329
Circle 1161 on Inquiry Card.

Symantec Corp.
(Symantec C/C++ 6.0)
10201 Torre Ave.
Cupertino, CA 95014
(408) 253-9600
fax: (408) 366-7430
Circle 1162 on Inquiry Card.

Watcom International Corp.
(Watcom C/C++32)
415 Phillip St.
Waterloo, Ontario,
Canada N2L 3X2
(519) 886-3700
fax: (519) 747-4971
Circle 1163 on Inquiry Card.

Rick Grehan is technical director of the BYTE Lab. Before coming to BYTE, he worked as a professional programmer. He has a B.S. in physics and applied mathematics and an M.S. in mathematics/computer science. You can reach him on BIX as "rick_g."

The Choice Is
No Longer
Black And White.

inches. Its footprint measures
only 11.7 x 8.5 inches, and it weighs just 5.4 pounds.

486 Power

You don't have to sacrifice performance to have color, either. ColorBook models are based on Intel® 486 processors. Both ColorBook models include a floppy drive, 4MB or 8MB of RAM (upgradeable to 20MB), and a large, fast hard drive. These notebooks are powerful enough to become your only computer!

Integrated Track Ball And PCMCIA Slots

The ColorBook includes a built-in track ball, which is much easier to use than a mouse in most portable situations. You also get two PCMCIA Type II card slots so you can plug in dozens of available PCMCIA peripherals.

Greener Pastures

The grass *is* greener on
fence! It's an extraordinar
standards — and we wrote
a reputation for offering th
products with exceptional
the Midwest. That's why
supplier is black-and-white
color notebook! Give us a

GAT

"You've

800-84

Introducing The ColorBook!



For the same money, you can have a black-and-white 486 notebook. Or you can have a color 486 notebook. Which is it going to be? Hay, it's not too hard to spot the best deal: the ColorBook from Gateway 2000! The new ColorBook has everything you're looking for in a portable at a price you'd expect to pay for a monochrome system. That's a special breed!

Exploding The Myth

Why do you expect to pay so much more for a color portable? Because other manufacturers always charge a plump premium for color. They've been milking the market, brainwashing you into thinking high-quality color costs a lot more to manufacture. It doesn't! We're selling the ColorBook for our usual cost-plus-small-margin. Now other companies will have a hard time perpetuating the color portable price myth. (Competitors absolutely *hate* us! Isn't it great?)

Experts' Reaction

We gave several PC trade publication editors a sneak preview of the ColorBook. Here's what they said about it: "Way cool!" "Dead on." "You won't be able to make enough of these."

Dazzling Color Display

The editors were impressed by the bright, crisp color graphics from the latest-technology, dual-scan STN display. It's a 9.4-inch VGA LCD, backlit for use in any lighting conditions. The editors said the ColorBook has the best STN color display they had ever seen! When they learned one model was priced *less than $2,000*, they were convinced the ColorBook will cause a stampede in the industry.

No Compromise On Size

Adding color to a portable usually means adding weight and bulk. Not so with the Gateway 2000 ColorBook. The ColorBook is the thinnest color notebook on the market — 1.77

Introducing The ColorBook!



The ColorBook is the thinnest color notebook on the market — 1.77 inches. Its footprint measures only 11.7 x 8.5 inches, and it weighs just 5.4 pounds.

You'll appreciate the convenience of using PCMCIA cards. They're as easy to carry as credit cards, and they plug right into your ColorBook.

The integrated track ball slides out from a compartment by the space bar on the keyboard. You simply pull it out and go to work. Finished? Just slide the track ball back into the ColorBook.

FEATURES

Size

With the ColorBook, you get great color at a great price while maintaining excellent portability.

Intel® 486 Processor

ColorBook notebooks are based on Intel 486 microprocessors, which makes them powerful enough to serve as your desktop PC with an external mouse, keyboard and monitor. Supports simultaneous video, up to 1024 x 768 resolution.

Dual-Scan STN Color Display

Dual-scan STN color is the latest technology in portable color displays, and it looks fabulous! You get 256 colors with the ColorBook running in VGA mode (640 x 480 resolution).

PCMCIA Type II Slots

Add a modem, network card or any of dozens of available PCMCIA-compatible peripherals. The ColorBook's two Type II slots can also be used for one Type III PCMCIA card.

COLORBOOK 486SX-25

- Weight: 5.4 Lbs.
- Dimensions: 11.7" x 8.5" x 1.77"
- Intel 25MHz 486SX Processor
- 4MB RAM (expandable to 20MB)
- 3.5" 1.44MB Diskette Drive
- 80MB IDE Hard Drive
- 9.4" Backlit VGA Dual-Scan STN Color Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 2 PCMCIA Type II Slots
- Integrated Track Ball (2 Buttons)
- 85-Key Keyboard
- Parallel, Serial & PS/2 Mouse Ports
- External CRT Port
- MS-DOS® and Windows™

$1995

COLORBOOK 486SX-33

- Weight: 5.4 Lbs.
- Dimensions: 11.7" x 8.5" x 1.77"
- Intel 33MHz 486SX Processor
- 4MB RAM (expandable to 20MB)
- 3.5" 1.44MB Diskette Drive
- 170MB IDE Hard Drive
- 9.4" Backlit VGA Dual-Scan STN Color Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 2 PCMCIA Type II Slots
- Integrated Track Ball (2 Buttons)
- 85-Key Keyboard
- Parallel, Serial & PS/2 Mouse Ports
- External CRT Port
- MS-DOS and Windows

$2395

TRAVELER'S PACK

- Carrying Case
- Extra NiMH Battery
- PCMCIA Fax/Modem

Call For Details

COMBO PACK

- 124-Key AnyKey Keyboard
- MS Mouse
- 15" Color CrystalScan 1572FS

$499

Options include: PCMCIA fax/modem cards, PCMCIA network cards, 4MB or 16MB RAM upgrades, carrying case and extra NiMH batteries. Call for details.

intel inside®

GATEWAY2000

"You've got a friend in the business."®

800-846-2010

610 Gateway Drive • P.O.Box 2000 • North Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (Central Time)

©1993 Gateway 2000, Inc. Black-and-white spot design, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and Gateway 2000 is a trademark of Gateway 2000, Inc.
The Intel Inside Logo and Intel are registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies.
Prices and configurations are subject to change without notice. Prices do not include shipping.

The Littlest Notebooks

Next-generation subnotebooks from CompUSA, Hewlett-Packard, and Zenith maximize portability—with one or two compromises

STEVE APIKI

Sometimes, innovations in technology really do have a direct impact on day-to-day life. Personal systems like Apple's Newton remain on the horizon, but technologies like PCMCIA 2.0, 3.3-V processors, and 2½-inch disk drives are driving portable system design today—and the results are practical Windows machines that are genuinely portable.

The CompUSA 4SL/25 Subnote, Hewlett-Packard OmniBook 300, and Zenith Data Systems Z-Lite 320L represent this next generation of ultra portable, high-power subnotebooks. All three are smaller than a three-ring binder, less than 1.6 inches thick, and under 4 pounds. Yet each has at least the performance of a 20-MHz 386, as well as the high-resolution screens and pointing devices necessary to run GUI applications designed for the desktop.

In addition to running the usual complement of BYTE Lab tests, I took each of these machines on the road. All are capable travelers, but they have different strengths: The Subnote is the most powerful, the OmniBook is the most portable, and the Z-Lite has the best screen. But a week on the road also exposed some significant compromises, like the Subnote's unworkable trackball, the Z-Lite's frustratingly small keyboard, and the OmniBook's reliance on PCMCIA and other technologies that are still developing.

New subnotebooks *from ZDS, CompUSA, and HP (left to right). HP easily captures the title of "most portable," weighing in at just under 3 pounds and with a profile smaller than that of most three-ring binders. However, CompUSA's Subnote packs quite a bit more processing power, and both the Subnote and ZDS's Z-Lite make fewer compromises for portability.*

The Cutting Edge

All three subnotebooks owe their combination of small size and high performance to a collection of state-of-the-art technologies. Among these, the most significant are PCMCIA 2.0, 3.3-V processor systems, and high-capacity 2½-inch hard drives. But with the exception of 2½-inch drives, where reliable 80-MB devices are no longer hard to find, these technologies have a few limitations.

Using PCMCIA devices with any of these machines is not a plug-and-play operation. I tested each with a Xircom CE-10BT CreditCard Ethernet adapter. I couldn't get the OmniBook to recognize the Xircom card at all, and HP was unable to offer a solution. As of this writing, HP doesn't officially support the CE-10BT, or any other network adapter. ZDS's and CompUSA's machines worked with the card, but both took some tweaking of drivers that wasn't always obvious.

Drivers for PCMCIA I/O cards are supposed to hook in through an interface called PCMCIA Socket Services, which should make every driver work on every PCMCIA-capable machine. But Socket Services is a new specification, and not all machines support it, or support it properly. So I/O card drivers often support PCMCIA controller hardware directly; the most common controller is Intel's 82365 PCIC.

Of these three, the Subnote and the OmniBook support Socket Services. The Z-Lite does not. The Z-Lite and the Subnote use the 82365 as a peripheral controller, but the OmniBook has an HP proprietary controller. So except for the Subnote, you have only one out of two chances at eventually getting third-party cards to work. But you're still only completely safe with PCMCIA I/O peripherals supplied by the system manufacturer.

These subnotebooks provide 3.3-V processors; the Subnote includes an Intel 486SL, the Z-Lite runs on a 3.3-V Intel 386SL, and the OmniBook runs on AMD's equivalent 386 part. Low-voltage parts mean a great deal in terms of power savings (and weight savings, if you consider battery size), since power varies with the square of the voltage. But full 3.3-V peripheral support is not completely in place

SUBNOTEBOOKS: A COMPARISON OF FEATURES

	COMPUSA 4SL/25 SUBNOTE	HP OMNIBOOK 300	ZDS Z-LITE 320L
CPU	25-MHz 486SL	20-MHz 386SXLV	20-MHz 3.3-V 386SL
RAM	4 MB	2 MB	4 MB
Storage	80-MB internal IDE	10-MB flash disk	60-MB internal IDE
Video	64-gray-scale backlit LCD	16-gray-scale reflective LCD	64-gray-scale backlit LCD
Display size (inches)	7.5	9	8.5
Resolution (pixels)	640 × 480	640 × 480	640 × 480; 800 × 600
Size (H x W x D; inches)	1.57 × 10 × 7.1	1.4 × 11.1 × 6.4	1.5 × 9.9 × 7.6
Weight (lb.)	3.9	2.9	3.9
Expansion	PCMCIA 2.0 slot; internal modem (option); external 3½-inch floppy drive	Four PCMCIA 2.0 slots; internal modem (option)	Two PCMCIA 2.0 slots; external 3½-inch floppy drive
Price	$1999	$2375	$1799

yet. The OmniBook is almost entirely a 3.3-V machine; CPU, memory, video memory, and the main system controller all run at 3.3 V. However, the Subnote runs only CPU and RAM at 3.3 V, and the Z-Lite's only 3.3-V component is the 386SL processor.

CompUSA 4SL/25 Subnote

The Subnote is a high-powered machine manufactured for CompUSA by Taiwan-based Twinhead. Of the three reviewed systems, the Subnote is the only one built around a 486-class processor, and the only one with an FPU. Although not as radical in innovation as the others, the Subnote is a solid performer, easily portable, and inexpensive—a 4-MB RAM, 80-MB hard drive model costs just $1999.

Not surprisingly, the 25-MHz Subnote was the fastest machine of the group. But although strict CPU tests like BYTE's DOS CPU benchmark rated the Subnote as nearly twice as fast as the second-place Z-Lite, the overall system was not that much faster than the Z-Lite running real Windows applications.

The Subnote is reasonably miserly with power. Battery-life tests placed the Subnote's running time at just under 5 hours on a full charge. Intel's 3.3-V 486SL lets the machine support the usual complement of CPU power management functions, including standby mode.

I had a little trouble getting the contrast setting to "stick" where I wanted it for Windows—the "hard" power switch resets the contrast. Once the level was set properly, the display looked great. The screen is tiny—at 7½ inches, it's at least an inch smaller on the diagonal than the other machines' LCDs—but it's bright and easy to read at 640 by 480 pixels.

The keyboard, though not as pleasantly laid out as the OmniBook's, makes touch typing easy. However, the trackball is horrible; either my fingers are too long or the buttons aren't far enough away from the ball.

The Subnote is nice and portable. It's thicker than the rest, but squarer, and it carries easily. You'll need to carry both the external floppy drive and the AC adapter when traveling. Both are small: The charger measures 1.8 by 4.4 by 2.5 inches, and the external floppy drive is only slightly larger and heavier than a 3½-inch floppy disk.

The Subnote has a single PCMCIA slot. I got the Xircom Ethernet adapter to work with little trouble.

I had only one negative experience. After a few weeks, the 80-MB internal drive (which is removable, although the process requires a screwdriver) developed a whine that sounded like a bearing problem. However, I had no problems actually using the drive.

Hewlett-Packard OmniBook 300

In contrast to the Subnote, the OmniBook is a real departure from traditional notebook designs. It's incredibly small—at 1.4 by 11.1 by 6.4 inches, it's more like a tall novel than a notebook. The odd form factor and its sub-3-pound weight make it so easy to carry that I chose the OmniBook whether I needed to take a machine on a plane or just down the hall.

HP left out a lot to get the size down. The OmniBook has no floppy drive support, not even as an option. It relies on Traveling Software's LapLink Remote and a serial cable to mount drives on other systems. LapLink Remote can send itself over the wire, so you need never carry a floppy disk. Once I got it set up on my desktop system, I just left the cable hooked up and treated it like a docking station.

LapLink Remote, like most of the functions in the OmniBook, includes a Windows Control Panel for configuration. The OmniBook is a Windows machine: If you don't like Windows and Windows applications, you can scratch this one off your list. Power management settings and all OmniBook configurations are handled through Windows Control Panels, and there are no DOS equivalents.

More significant, the OmniBook is the first machine to include Windows 3.1 in ROM. ROM holds all the core software, including Windows itself, LapLink Remote, DOS, and some OmniBook-specific DLLs. The OmniBook also includes Microsoft Word, Microsoft Excel, and an HP calculator utility—all ROM-based.

Besides saving on hard disk power, this ROM Windows design provides some nice enhancements. The most noticeable is that Windows, Excel, Word, LapLink Remote, and many other utilities are all available at the touch of a function key. Also, the Windows start-up sequence is fast, given the machine's relatively low-speed processor.

The OmniBook has four PCMCIA 2.0

Two PCMCIA 2.01 Slots, Type II (5mm) and 16mm: Twice the expandability. Easily accepts multiple cards including hard disk drives, modems and networking adapters.

LCD Status Bar: Delivers an instant read of the battery life remaining, power-saving mode, and a host of other key notebook settings.

BallPoint™ Mouse with QuickPort™: Attaches easily, without messy cords, for ergonomically ideal input—perfect for Windows® applications.



Replace Your Desktop: Just snap your notebook into the Desk Station IV, and you're instantly connected to your printer, VGA monitor, mouse, and full-size keyboard. Now you only need one computer.



Some say the T4600 is better than life itself. Because in life, there is compromise.

Introducing the T4600 Series. Make no compromise.

Get the awesome power of a 33MHz i486™SL processor, and don't sacrifice battery life. Add a 9.5" color active matrix TFT-LCD screen, and access all 185,193 eye-popping VGA colors. Pack a massive 320MB hard drive and never have to leave a file at home. Get your hands on the BallPoint™ mouse, snap it into its QuickPort™, and never waste a moment or a motion.

Carry two slots for industry-standard PCMCIA cards—including one large enough for the new generation of removable hard drives—and take the next big step in peripherals.

Glance at the QuickRead LCD status icon bar for an instant read of battery life, power management, keyboard settings, and more. This is no time for compromise. This is the time to get your hands on the T4600 Series.

For a dealer near you, call 1 (800) 457-7777.

Blazing 33MHz i486™SL: With built-in coprocessor support, delivers the ultimate in notebook processing power.

T4600C
- 9.5" color active matrix TFT-LCD screen
- 120/200/320MB HDD
- 6.9 lbs.
- NiMH battery

T4600
- 9.5" high-contrast, black and white LCD screen
- 120/200MB HDD
- 6.4 lbs.
- NiCd battery

BOTH MODELS
- Intel 486SL/33MHz, 3.3 volt processor with 8K cache
- 4MB RAM expandable to 20MB
- Two PCMCIA 2.01 slots, Type II (5mm) and 16mm
- Toshiba MaxTime™ Power Management system.
- Pre-installed software: DOS 6.0, Windows® 3.1, and UltraFont™.

intel inside

In Touch with Tomorrow

TOSHIBA

© 1993 Toshiba America Information Systems, Inc. The Intel Inside logo is a trademark of Intel Corporation. All products indicated by trademark symbols are trademarked and/or registered by their respective companies.

Circle 151 on Inquiry Card.



Performance testing highlights *the trade-offs between performance and portability chosen by CompUSA, HP, and ZDS. CompUSA's 4SL/25 Subnote has the most capable processor (its integrated FPU was responsible for the unbalanced results on the floating-point-intensive spreadsheet application test), but it was outperformed on disk-related tasks by the OmniBook and its fast but expensive flash storage system. Its 3.3-V operation, no rotating storage, and no display backlight also combined to give the OmniBook an unprecedented 12½-hour duration on BYTE's battery-life tests.*

slots. Two of these are "system slots": One is occupied by the ROM card that holds the system software, and the other holds either a 10-MB flash memory card or a 40-MB Type III hard drive. My test machine was the flash version. Although it has less capacity, it's slightly more expensive than rotating storage; however, the hard drive will use up two PCMCIA 2.0 slots. The OmniBook uses a modified version of DOS 5.0 that includes Microsoft's DoubleSpace compression to effectively double the space on any storage medium (so the storage on the flash disk was 20 MB).

With the flash model, two sockets are available for more storage, memory card interchange, or I/O cards. You generally can't use DoubleSpace on a card you intend to use in another machine. As mentioned above, I couldn't get a Xircom I/O card to work in the OmniBook, which was

THE NEXT GENERATION MISSION CRITICAL FAULT TOLERANT RAID SYSTEMS



While many companies are releasing their first generation RAID storage products, CORE International is shipping it's fourth generation of RAID storage system, the LAN Array™. The state-of-the-art LAN Array™ incorporates fault-tolerant features including 5 hot pluggable® 3.5" high performance, high capacity CORE drives, ECC cache memory and redundant load sharing power supplies along with several popular features such as a 5 year warranty, RISC array processor, 2MB hardware cache and 1MB processor storage.

LAN Array™ offers 2GB or 4GB configurations for workstations or networks running on Novell®, OS/2®, DOS® and UNIX®. As your needs change, LAN Array can be daisy chained with other LAN Arrays™, SCSI devices or other CORE array products to increase storage capacity and performance. Built in operating system independence assures easy installation and compatibility with any server that supports SCSI-2.

If your business requires MISSION CRITICAL data storage, from Mirroring & Duplexing to HOT-PLUGGABLE® Fault-tolerant RAID systems, demand the quality, reliability and performance of CORE products.

©1993 by CORE International, Inc. CORE International, MicroArray® & Hot Plug® are registered or proprietary trade marks of CORE International. Others referenced are the property of their respective owners. Novell makes no claims to this product.

For product information call 800/688-9910

CORE INTERNATIONAL

7171 North Federal Highway
Boca Raton, FL 33487
407/997-6044

Circle 508 on Inquiry Card (RESELLERS: 509).

yes It runs with NetWare

LAN MAGAZINE 1992 PRODUCTS OF THE YEAR

One of The Corporate Computing 50 BEST BUYS for 1993

disappointing. HP's current list of supported PCMCIA I/O peripherals includes only four modems and fax modems.

The ROM DOS installation is not complete. It lacks utilities like MORE, EDIT, EDLIN, and MEM; I couldn't bear using Microsoft Word just to edit AUTOEXEC.BAT, so I downloaded a full DOS installation to the flash card. After that, the OmniBook handled DOS tasks well.

The OmniBook's screen is not backlit, but the contrast is outstanding, and the screen is larger than the other systems'. The keyboard is full-size and virtually indistinguishable from a full desktop model. HP's pointing device is a real (but tiny) mouse that pops out of a socket on the side of the machine—instead of a wire, it uses a mechanical arm connected to an internal sensor. It's the best solution to be found in these three machines, but it doesn't compare to a desktop mouse for usability.

With no backlight, no rotating storage, and 3.3-V design, the OmniBook's battery life is incredible. Lab testing measured it at over 12 hours. But the single feature I liked best about the OmniBook was its instant resume from standby. You can let the machine go into standby at any time, and a key press brings the screen up just as you left it—instantaneously. I found myself sending the machine into standby as a habit, even for very short breaks.

The standard OmniBook's worst feature is its 2-MB configuration combined with emphasis on Windows. The OmniBook runs only in standard mode, and 2 MB is not enough for real applications. BYTE's DOS application benchmarks (e.g., dBase IV, which can use a built-in disk cache) really suffered from the memory limit. All the benchmarks were hampered by lack of memory, although the speed of reads from flash memory (versus mechanical memory) put the OmniBook ahead in some categories. You can upgrade the OmniBook to 4 MB for $179, and you probably should.

There are other features, such as an infrared link for 115.2-Kbps connection to other HP infrared devices (although few are installed), and the ability to run on AA batteries. Besides PCMCIA, the machine also has a proprietary card slot for internal modems. The $2375 OmniBook is the best choice if you run Windows applications. But some of the technology on which it depends—such as PCMCIA, the infrared link, and RAM cards instead of floppy drives—is a little too new and uncommon to be fully exploited.

Zenith Data Systems Z-Lite 320L



Although only a few months older than HP's and CompUSA's portables, ZDS's well-built Z-Lite 320L is already a few steps behind the competition. The Z-Lite is a handsome machine, with an innovative external floppy drive design, the best of the screens in this collection, and a tolerable trackball as a mouse replacement. But the Z-Lite reaches neither the peak of performance set by the Subnote nor the level of portability established by the OmniBook. ZDS promises performance enhancements in the very near term, but the current Z-Lite takes only the middle ground between the other systems.

The Z-Lite is certainly a capable Windows portable. It comes with Windows installed and system documentation on-line. ZDS sells two models of the Z-Lite, the one I tested ($1799, which includes 4 MB of RAM, a LitePoint pointing device, and an external floppy drive) and a stripped-down model with a 2-MB base configuration and none of the external options.

The screen on the Z-Lite is the best provided by these systems; although somewhat smaller than that of the OmniBook, the Z-Lite's LCD is backlit. Unfortunately, the keyboard is just too small to use for touch typing, with key spacing a very noticeable 1.2 millimeters tighter than it is on the OmniBook.

Performance testing put the Z-Lite somewhere between the very fast CompUSA Subnote and the OmniBook. Subjectively, the system runs Windows and Windows applications at a comfortable clip, at least with 4 MB installed. I ran Microsoft Excel and Lotus Ami Pro and never found it wanting for performance. ZDS plans both a Z-Lite based on the 486SL, which will compete squarely against the Subnote, and an 80-MB replacement for the 60-MB drive. The company claims that both the storage upgrade and the new 486SL model will be out by the time you read this.

The Z-Lite is indeed light, at just under 4 pounds. It's thinner, though a little deeper, than the Subnote. The LitePoint device is a plug-in bar that fits on the front of the machine, with a trackball and buttons slightly off center. The external floppy drive is designed to serve as both a drive and an AC connector. The floppy drive plugs into a jack at the side of the machine—if you connect a small AC adapter to the back of the floppy drive, the Z-Lite also draws its power through the cable. This lets you set the floppy drive on a desk, connected to a power outlet, where it can act as a home base for the notebook with just a single connection.

The floppy drive, built-in hard drive, and relatively simple PCMCIA support make the Z-Lite a suitable desktop replacement, if you can get past the keyboard. It's certainly easier to work with on that basis than the OmniBook. But despite the innovative floppy drive, the Z-Lite is perhaps the most difficult subnotebook to actually pack. It has as many pieces as the Subnote, and if you leave the LitePoint attached, there are a lot of irregular edges to handle.

Sub Culture

Choosing between these tiny, innovative machines means choosing between compromises. The choice is between the powerful Subnote, the innovative but sometimes inconvenient OmniBook, and the Z-Lite, somewhere between the other two.

I'll take the OmniBook, with a 4-MB upgrade, please. Despite some gaps between technology and real-life requirements, this is the best machine if you run Windows applications on the road. ■

Steve Apiki is director of the BYTE Lab. He has worked as a programmer and engineer and has a B.S.E.E. from Rensselaer Polytechnic Institute. You can reach him on BIX as "apiki" or on the Internet at apiki@bytepb.byte.com.

Company Information

CompUSA Direct
(4SL/25 Subnote)
15167 Business Ave.
Dallas, TX 75244
(800) 862-3082
(214) 702-0055
fax: (214) 888-5743
Circle 1081 on Inquiry Card.

Hewlett-Packard
(OmniBook 300)
1000 Northeast Circle Blvd.
Corvallis, OR 97330
(800) 443-1254
(503) 757-2004
Circle 1082 on Inquiry Card.

Zenith Data Systems
(Z-Lite 320L)
2150 East Lake Cook Rd.
Buffalo Grove, IL 60089
(800) 553-0331
(708) 808-5000
fax: (708) 808-4434
Circle 1083 on Inquiry Card.

Discover how easy it is to break the 640K DOS barrier with Phar Lap's 286|DOS-Extender™

FREE IN VISUAL C++ 286|DOS-EXTENDER LITE!

Try out Extended-DOS programming — 286|DOS-Extender Lite.

Here's some great news for DOS developers: every copy of Microsoft®'s new Visual C++™ Professional Edition includes a FREE trial-sized Phar Lap® DOS extender! Phar Lap's 286|DOS-Extender™ Lite is a special version of Phar Lap's award-winning 286|DOS-Extender. With 286|DOS-Extender Lite, you can write DOS programs that break the 640K barrier, access up to 2 MB of memory, and run under DOS, DESQview™, Windows™ and OS/2®. It's the easiest introduction you'll find to Extended-DOS programming.

PHAR LAP'S 286|DOS-Extender Lite
BREAK THE 640K DOS BARRIER

Build multi-megabyte, full-featured DOS programs — 286|DOS-Extender SDK.

Professional developers can purchase Phar Lap's full-featured 286|DOS-Extender SDK for $495. With the 286|DOS-Extender SDK, you can access up to 16 MB of memory — with the standard Microsoft or Borland tools you already use! The new Version 3.0 of 286|DOS-Extender now supports Visual C++ as well as Microsoft C/C++, Borland® C++ and Microsoft Fortran. You can even use Microsoft's CodeView® or Borland's Turbo Debugger® to debug your Extended-DOS programs. 286|DOS-Extender programs will run on any DOS-based 80286, 386, 486 or Pentium PC. There's no special programming required to use a Phar Lap DOS extender; your program can access extended memory just as if it were conventional (below 640K) memory.

1989 BYTE AWARD OF EXCELLENCE

1991 BYTE AWARD OF DISTINCTION

COMPUTER LANGUAGE PRODUCTIVITY AWARD 1990

COMPUTER LANGUAGE PRODUCTIVITY AWARD 1991

286|DOS-Extender is one of the most widely used 16-bit DOS extenders available. If you'd like to know why, take a look at what our customers and other industry experts have to say about the 286|DOS-Extender SDK . Then find out for yourself by trying the free 286|DOS-Extender Lite — or get started right away on your multi-megabyte DOS applications with the professional 286|DOS-Extender SDK!

What the experts say about Phar Lap's 286|DOS-Extender SDK:

"Great tools for Visual C++ programmers who need more memory"
- Denis Gilbert, Microsoft Corp.

"A no-compromise solution for Borland C++ developers"
- Paul Gross, Borland International

"An excellent product technically"
- Glenn Axworthy, Brøderbund Software

"Gives our customers the memory they need"
- Bert Love, Galacticomm, Inc.

"A superb way of utilizing all available memory"
- Dave Jewell, Program NOW, August 1991

New virtual memory support.

NEW VERSION 3.0

In addition to Visual C++ support, 286|DOS-Extender, Version 3.0 now includes Phar Lap's 286|VMM virtual memory manager. 286|VMM is completely integrated into 286|DOS-Extender (you invoke 286|VMM with a command-line switch) and enables you to transparently access more memory than is physically available in your computer. 286|VMM can improve the performance of applications that previously relied on loading and unloading dynamic link libraries (DLLs). And it's fully DPMI-compatible, so programs running under Windows automatically use the virtual memory provided by Windows.

386|DOS-Extender — Your 32-bit DOS development solution.

If you want 32-bit speed and power, as well as megabytes of memory for your DOS applications, Phar Lap's award-winning 386|DOS-Extender™ is your solution. With 386|DOS-Extender, your programs can access all available memory and run in a workstation-like, unsegmented 32-bit address space. 386|DOS-Extender programs will run on any DOS-based 80386, 486 or Pentium PC. 386|DOS-Extender supports a wide range of 32-bit compilers, including Microsoft's 32-bit Windows NT™ C/C++ compiler. It runs the NT compiler under DOS (no NT system required) to build 32-bit Extended-DOS programs — the only 32-bit Microsoft DOS development solution available.

Phar Lap Software, Inc.

60 Aberdeen Avenue, Cambridge, MA 02138 617-661-1510 FAX 617-876-2972

DOS-Extender and 386|DOS-Extender are trademarks and Phar Lap is a registered trademark of Phar Lap Software, Inc. Borland and Turbo Debugger are registered trademarks of Borland International. Visual C++,Windows and Windows NT are trademarks and CodeView and Microsoft are registered trademarks of Microsoft Corp. Other product and company names are trademarks or registered trademarks of their respective holders.

Circle 130 on Inquiry Card.

When it comes to computing ... we wrote the book.

Rely on Osborne to deliver computer books with the information and insights you need...on virtually every hot topic. With our books, you'll find the answers fast, so you can become more knowledgeable, productive, and confident.

Check out our two-color text that highlights important information: chapter titles, page numbers, special tips and illustrations

Special icons call attention to unique shortcuts, great tips and professional advice



Abundant screen displays are clear and crisp, and marked for easy identification

Osborne McGraw Hill

Get Answers—Get Osborne
For Accuracy, Quality and Value

AVAILABLE NOW AT THE FOLLOWING STORES:

Waldenbooks **Waldensoftware** *Barnes & Noble* Booksellers Since 1873



The Annotated ANSI C Standard
by the American National Standard for Programming Languages—C
Annotated by Herbert Schildt
Covers ANSI/ISO 9899-1990
$39.95
ISBN: 0-07-881952-0



DOS: The Complete Reference, Fourth Edition
by Kris Jamsa
Covers All Versions Including DOS 6
$29.95
ISBN: 0-07-881904-0



How Computers Really Work: A Guide for the Insanely Curious
by Milind S. Pandit
$21.95
ISBN: 0-07-881936-9



Novell NetWare 4: The Complete Reference
by Tom Sheldon
$39.95
ISBN: 0-07-881909-1



Sound Blaster: The Official Book
by Rich Heimlich, Golden, Ivan Lu
Peter M. Ridge
$29.95 (Book/
ISBN: 0-07-8

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address
Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

Fill out this coupon carefully. ***Please Print.***

Name

Title

Company

Address

City Country Code

Phone Fax

A. What is your primary job function/principal area of responsibility? (Check one)
1 ❑ MIS/DIP
2 ❑ Programmer/Systems Analyst
3 ❑ Adminstration/Management
4 ❑ Sales/Marketing
5 ❑ Engineer/Scientist
6 ❑ Other

B. What is your level of management responsibility?
7 ❑ Senior-level 9 ❑ Professional
8 ❑ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?
10 ❑ Yes 11 ❑ No

D. What operating systems are you currently using? (Check all that apply)
12 ❑ PC/MS-DOS 15 ❑ Unix
13 ❑ DOS + Windows 16 ❑ MacOS
14 ❑ OS/2 17 ❑ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?
18 ❑ 1-25 20 ❑ 51-99
19 ❑ 26-50 21 ❑ 100 or more

September 1993 93 96 98
Card Valid Until November 30, 1993

Inquiry Numbers 52–238

52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238

Inquiry Numbers 239–425

239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374
375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425

Inquiry Numbers 426–612

426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612

Inquiry Numbers 613–799

613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748
749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765
766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782
783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799

Inquiry Numbers 800–986

800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935
936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952
953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969
970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986

Inquiry Numbers 987–1151

987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001
1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016
1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031
1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046
1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061
1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076
1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091
1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106
1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121
1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136
1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151

Inquiry Numbers 1152–1316

1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166
1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181
1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196
1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211
1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226
1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241
1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256
1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271
1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286
1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301
1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316

Inquiry Numbers 1317–1481

1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331
1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346
1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361
1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376
1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391
1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406
1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421
1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436
1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451
1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466
1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481



Product Category Information

Circle the numbers below for additional information on the products you're interested in.

Hardware

Accessories/Supplies	1
Add-in Boards	2
Bar Coding	3
Communications/Networking	4
Computer Systems	5
Data Acquisition	6
Disks & Optical Drives	7
Diskettes/Duplicators	8
Fax Boards/Machines	9
Graphics Tablets/Mice/ Pen Input	10
Keyboards	11
LAN Hardware	12
Laptops & Notebooks	13
Mail Order	14
Memory/Chips/Upgrades	15
Miscellaneous Hardware	16
Modems/Multiplexors	17
Monitors & Terminals	18
Multimedia	19
Printers/Plotters	20
Programmable Hardware	21
Scanners/OCR/Digitizers	22
Tape Drives	23
UPS	24

Software

Business	25
CAD/CAM	26
Communications/Networking	27
Data Acquisition	28
Database	29
Educational	30
Engineering/Scientific	31
Entertainment	32
Graphics	33
Macintosh	34
Mail Order	35
Mathematical/Statistical	36
Miscellaneous Software	37
On-Line Services	38
Operating Systems	39
Programming Languages/ Tools	40
Security	41
Shareware	42
Software Duplication	43
Spreadsheets	44
Unix	45
Utilities	46
Windows	47
Word Processing	48

General

Books/Publications	49
Recruitment	50
Miscellaneous	51

BYTE

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

See reverse side for card.

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!



BYTE

READER SERVICE
P.O. BOX 5110
Pittsfield, MA 01203-5110
USA

Place Postage Here

BYTE McGraw Hill

A Giant Leap to OS/2 2.1

From running Windows 3.1 applications to providing hardware support, version 2.1 is truly a better OS/2 than OS/2

BARRY NANCE

IBM has been working on OS/2 for years, and the various problems and detours the company has experienced in its drive to establish this operating system are well known. With OS/2 2.1, IBM's sixth incarnation of this operating system, IBM has delivered a 32-bit environment that seamlessly multitasks DOS, Windows 3.1, and OS/2 applications. Version 2.1 of the operating system offers a definite step up from the confines of DOS or Windows-on-DOS, as well as an improvement over OS/2 2.0.

To effectively run OS/2, you'll need at least a 386 processor, a minimum of 6 MB of RAM, and 20 to 45 MB of hard disk space. What you'll pay for OS/2 is not so much the price of the package itself but the training and potential hardware upgrades you'll require.

OS/2 2.1 offers the same features present in 2.0: crash protection, virtual memory, preemptive multitasking, fast disk I/O, more DOS memory, the HPFS (High Performance File System), and the object-oriented Workplace Shell. Enhancements in version 2.1 include the ability to run Windows 2.1, 3.0, and 3.1 applications in both enhanced or standard modes, support for a range of Super VGA adapters in various resolutions, more printer drivers (over 260 printers are now supported), and compatibility with more SCSI cards and CD-ROM drives. Version 2.1 supports the APM (Advanced Power Management) and PCMCIA specifications, has extensions for pen-based computers, and includes IBM's multimedia software, MMPM/2. You can install OS/2 2.1 from a CD-ROM drive, instead of from floppy disks. Other features include a limited fax send/receive applet (the size of a fax goes just to one page) and a mah-jongg game. The documentation, provided in book form, is well written.

For less than the cost of buying DOS ($129.95) and Windows ($149.95) each, OS/2 offers both DOS and Windows for $249.The number of native OS/2 applications continues to grow. Recent notable arrivals that support the Workplace Shell, multithreading, and HPFS include Lotus's cc:Mail and WordPerfect 5.2. Through September, if you order through (800) 342-6672, you can buy OS/2 2.1 for $99 (CD-ROM) and $119 (floppy disks). With OS/2 2.1, you get the usual Windows 3.1 accessories, including Sound Recorder, Character Map, Media Player, Notepad, Paintbrush, and Write. If you prefer to manage your computer through Windows, you can use the Windows 3.1 File Manager and Print Manager included in OS/2. IBM also offers the system-diagnostic tools MSD.EXE and DRWATSON.EXE with OS/2.



OS/2 2.1's WorkPlace Shell *at a resolution of 1024 by 768 pixels and running Word for Windows, Lotus 1-2-3 for OS/2, and a few other applications. The WorkPlace Shell hasn't changed from version 2.0, but Windows support and device support has certainly improved. When this shot was taken, the system was simultaneously printing and playing an audio file.*

OS/2 2.1 Picks Up the Pace

I ran OS/2 2.1 on a 486 notebook, an NEC PC on a NetWare LAN, and an IBM PS/ValuePoint 486/25. All have 8 MB of RAM and either VGA or Super VGA monitors. OS/2 2.1 installed easily from floppy disks and from a CD-ROM using a Toshiba 3301 drive. However, due to a BIOS problem, OS/2 2.1 failed to install on a clone computer with a Phoenix BIOS labeled V1.10 M6. IBM has acknowledged that certain early versions of the Phoenix BIOS code might not work with OS/2 2.1. Interestingly, that same clone ran version 2.0 without a hitch.

The most noticeable change from earlier versions is speed. I found that version 2.1 runs Windows software 10 percent to 50 percent faster than Windows-on-DOS. An IBM spokesperson said that IBM's developers tuned the Win-OS/2 environment considerably and used the Watcom C compiler rather than the Microsoft C compiler to produce the Windows portion of OS/2 2.1.

You can even launch DOS sessions from within Win-OS/2. OS/2 allows you to have several Windows sessions under way on your desktop, with each session running a unique copy of Windows separately in its own address space or sharing a single instance of Windows. You can select whether you want DDE and the Clipboard to operate in public mode or private mode. In public mode, OS/2 Presentation Manager software can share data with Windows software through DDE or a global Clipboard. The Win-OS/2 environment offers TrueType and Adobe Type Manager fonts.

Super VGA: The Magnificent Seven

Probably the biggest complaint about OS/2 2.0 was the lack of support for Super VGA. IBM answers the complaints with version 2.1 by offering 32-bit high-resolution video drivers for seven chip sets, in either 800- by 600-pixel or 1024- by 768-pixel resolutions in 256 colors. You can choose from VGA, XGA, 8514, and Super VGA adapter drivers as you install OS/2 2.1.

The seven Super VGA chip sets that OS/2 supports are ATI Technologies' VGA Wonder XL, Headland Technology's Video Seven, Trident Microsystems' 8900, Tseng Labs' ET4000, Western Digital's Paradise,

Cirrus Logic's CL-GD542X, and IBM's 256c SuperVGA chip. Immediately after installing OS/2 2.1, and with a Tseng Labs ET4000-equipped video adapter in place, I ran the OS/2 utility DSPINSTL to switch from the default 640- by 480-pixel resolution VGA screen to 1024- by 768-pixel resolution Super VGA screen. The DSPINSTL utility automatically detected the ET4000. The 32-bit video driver provided fast screen updates, and OS/2 automatically updated the Win-OS/2 environment to also use the higher resolution I had chosen.

OS/2 2.1	WINDOWS NT
• Requires at least a 16-MHz 386SX	• Requires at least a 25-MHz 386DX
• Needs at least 6 MB of RAM	• Needs at least 12 MB of RAM, and 16 MB of RAM on a RISC system
• Consumes at least 15 MB of hard disk space	• Consumes at least 70 MB of hard disk space
• 32-bit	• 32-bit
• Walkaway password protection	• Requires you to log in
• Preemptive multitasking	• Preemptive multitasking
• Not yet portable to other processors	• Is portable to other processors
• Only one message queue	• One message queue per process
• Workplace Shell interface	• Windows interface
• Runs DOS, OS/2 16 bit and 32 bit, and Windows 3.1 applications	• Runs DOS, Windows 3.1, Posix, OS/2 16-bit text mode, and Win32

Better Peripheral Support

OS/2 2.1 offers more printer drivers than version 2.0, including support for the Hewlett-Packard LaserJet 4 and Desk Jet 500 series. In addition, version 2.1 supports Hitachi, IBM, NEC, Panasonic, Sony, Texel, and Toshiba CD-ROM drives connected through an Adaptec, DPT, Future Domain, or IBM SCSI controller.

OS/2 2.1 supports Microsoft's MS-DOS CD-ROM extensions, or MSCDEX, in each DOS session via a VCDROM virtual device driver. VCDROM allows DOS and Windows multimedia applications that are MSCDEX-aware to process audio and other digital data concurrently under OS/2 2.1.

If your notebook's BIOS supports APM, OS/2 will cooperate with the hardware to help you conserve battery power. You can double-click on an icon to determine how much battery life remains or to change your power management settings. Version 2.1 also supports PCMCIA 2.0, so you can insert or remove PCMCIA peripherals (perhaps a modem, hard drive, or network adapter) while the PC is still running.

Improving on DOS

IBM says that OS/2 2.1 improves on DOS in many ways, and I found the improvements worthwhile. In one situation at my office, OS/2's illegal instruction message, complete with offending address, register dump, and button for clean termination, gave a programmer the information she needed to fix a stubborn bug. On plain DOS-based PCs, the program simply locked up the computer and required a hard reboot. In addition, OS/2 2.1 declared the following DOS batch file statement invalid: "IF ERRORLEVEL 1000 GOTO BADRESULT." The statement is in error—DOS return codes must be in the range of 0–255—but DOS versions 3.3, 5.0, 6.0, and even OS/2 2.0 didn't detect the error.

However, I found the NetWare Requester for OS/2 didn't properly detect file sharing violations when one user (using the Copy command) tried to write to a file in use by another workstation. I realize that the Requester is a Novell product, not an IBM product, but Novell and IBM should have worked more closely to produce a more reliable LAN environment for OS/2 users. Novell says it is aware of the problem and is working on a fix.

To my delight, I discovered that OS/2's HPFS option automatically remaps bad sectors on a disk to allow write operations to proceed normally. When you set up a partition, HPFS creates a pool of spare sectors that stand ready to replace bad disk sectors. When a program attempts to write a file to a damaged area on the disk, HPFS displays a message informing you that a spare sector was used to store the data and advises you to run CHKDSK to replenish HPFS's reservoir of spare sectors. This smart file allocation logic within HPFS is a vast improvement over the simple-minded, error-prone "Abort, Retry, Ignore, or Fail?" messages that you get from DOS.

About the Product

OS/2 2.1.....$249
Upgrade from OS/2 2.0 (after rebate)
.....(CD-ROM) $69
.....(floppy disks) $89

IBM Corp.
1 Old Orchard Dr.
Armonk, NY 10504
(800) 633-8266
Circle 977 on Inquiry Card.

Multiple Multimedia

OS/2 2.1 has built-in multimedia support in the form of MMPM/2 1.01. I found MMPM/2 a joy to use—once I obtained a driver for my MPU-401 adapter from the IBM National Support BBS. MMPM/2 will play standard MIDI (.MID) files, and I have configured OS/2 to generate attention-getting sound effects when OS/2's alarm clock needs to tell me I have a meeting or some other appointment.

DOS-based multimedia programs run well in a DOS session as a result of IBM adding dual-thread DOS session support in version 2.1. As a multimedia-based program reads or writes to a disk file, the multimedia program needs to service sound card interrupts on a timely basis. Dual-thread support, in effect, allows DOS applications to multitask along two threads within a single DOS session. The second processing thread within a DOS session allows the program to handle sound card interrupts at the same time file read or write operations take place. The support is automatic; the DOS program does not have to do anything different to take advantage of the extra multitasking. Dual-thread support helps improve playback performance of a multimedia CD-ROM title that's playing music through a sound card. A DOS session settings notebook entry, INT_DURING_IO, enables the dual-thread feature.

Still Missing

There are still one or two gaps in OS/2 2.1. It doesn't maintain a separate message queue for each application. Implementing this would reduce the time spent staring at an hourglass cursor. You still have to boot two installation disks if you need to run CHKDSK against your OS/2 boot partition. And official on-line support remains limited to CompuServe.

But OS/2 2.1, when installed on the proper hardware, is a definite step up from the confines of DOS or Windows-on-DOS. I find version 2.1 a productive environment when I want to run DOS, Windows, or OS/2 software. It is speedy, gives me about 630 KB of DOS memory (with network drivers loaded), and supports my ET4000 video adapter. Unless you need a prohibitively expensive hardware upgrade, you should think seriously about replacing DOS or Windows-on-DOS with OS/2 2.1. I've even grown attached to the object-oriented Workplace Shell. ■

Barry Nance, a programmer for the past 20 years and BYTE contributing editor, is the author of Using OS/2 2.1 *(Que, 1993),* Network Programming in C *(Que, 1990) and* Introduction to Networking *(Que, 1992). Barry is the Exchange Editor for the IBM Exchange on BIX, where you can reach him as "barryn."*

Our print systems have the extras built in.

The QMS® 420 and the QMS-PS® 410 Print Systems make options unnecessary! Both printers easily accommodate DOS/Windows,™ Macintosh® and Unix® systems while supporting your Windows and other applications by automatically selecting the correct printer language from those available (ESP). They simultaneously receive data on serial, parallel and LocalTalk™ ports for greater efficiency (SIO) and can print PostScript™ language, HP PCL® and HP-GL® documents.

The QMS 420 Print System. At $1,995, it's your best value in high resolution printing.
It features 600x600 dpi printing and is compatible with PostScript Level 2 and Level 1, HP PCL and HP-GL print languages. With its 39 fonts for PostScript language printing, resident HP PCL compatible fonts, the efficiency of SIO and the convenience of ESP, it sets new standards of satisfaction for individual users and small workgroups.

The QMS-PS 410 Printer. At $1,595, it's the value leader in 300 dpi printing.
It features Adobe's PostScript Level 1 and compatibility with HP PCL (HP-GL is optionally available). It has 45 standard fonts for PostScript language printing, HP PCL compatible fonts, and the efficiency and convenience of ESP and SIO.

QMS®

Call 800 841-0760 or 205 633-4300 for more information about the QMS 420 and QMS-PS 410.

QMS, QMS-PS and the QMS logo are trademarks or registered trademarks of QMS, Inc. PostScript is a trademark of Adobe Systems Incorporated which may be registered in certain jurisdictions. All other products and company names mentioned are trademarks or registered trademarks of their respective companies.

Circle 109 on Inquiry Card (RESELLERS: 110).

The only Windows™ statistics package you'll ever need.

PC MAGAZINE EDITORS' CHOICE
May 11, 1993
Systat 5.01/Windows

NEW
SYSTAT® for WINDOWS

#1 for DOS and Windows

Rated "the best general-purpose statistics program" for the PC by *Software Digest*®, SYSTAT for DOS is now joined by SYSTAT for Windows. This addition to the SYSTAT family takes full advantage of Windows, with pull-down menus, dialog boxes, sizable windows, and the ease of use you expect in a Windows package.

SYSTAT for Windows runs in standard and 386 enhanced modes and can take advantage of Windows advanced memory management. No matter how large or complex your analysis is, you can use SYSTAT.

SYSTAT delivers a balance of power and simplicity. It lets you analyze and manipulate data with a comprehensive range of advanced statistical procedures, and present your results with stunning graphics.

Just point and click

SYSTAT is a full-fledged Windows application. Just point and click. SYSTAT's QuickStat™ buttons give you simple, single-click shortcuts to common statistical analyses.

More statistics, from the basic to the most sophisticated

A full range of univariate and multivariate statistics–from *t* tests to multidimensional scaling. With a few clicks you can turn most statistics into graphs and perform:

- multiway crosstabs with log linear modeling
- nonparametric statistics
- principal components and factor analysis
- cluster analysis
- time series
- nonlinear estimation
- correlation matrices
- means, effect, and dummy models
- post hoc tests

SYSTAT offers the most advanced multivariate general linear model available for Windows.

The most graphics

No other statistical or graphics package can produce all the scientific and technical graphs that SYSTAT can–nor surpass its ease of use. Graphics capabilities include:

- histograms
- single, multiple, stacked, and range bar graphs
- single and grouped box plots
- stem-and-leaf diagrams
- pie charts
- scatterplot matrices
- 3-D data and function plots
- contour plots
- control charts
- maps with geographic projections
- Chernoff faces
- complete color spectrum
- log and power scales
- confidence intervals and ellipses
- linear, quadratic, step, spline, polynomial, LOWESS, exponential, and log smoothing

A compatible family of products

Whichever you choose–SYSTAT for Windows, SYSTAT for DOS or both–you'll enjoy the most powerful statistics and scientific graphics software available for the PC.

For more information, special offers for current users, and demo disks, call:

708-864-5670

For Windows circle 146,
For IBM/DOS circle 147.











For more information call or write: **SYSTAT, Inc.**, 1800 Sherman Avenue, Evanston, Illinois 60201-3793. Tel: 708.864.5670, Fax: 708.492.3567

SYSTAT®

Australia: Hearne Marketing 61.3.8661766, **BeNeLux:** Oasis 31.3402.66336, **Denmark:** Agrolab 45.64.406575, **France:** Deltasoft 33.76.418508, **Germany:** STATCON 49.55.4272075, **Italy:** PiSoft 39.587.213640, **Japan:** HuLinks 81.33.5902311, **New Zealand:** Hoare & Assoc. 64.78.562675, **Poland:** COMPANION 48.12.360791, **Spain:** AddLink 34.3.4590722, **Switzerland:** F & P 41.31.215151, **SYSTAT UK:** 44.81.4620093

© 1992 SYSTAT®, Inc. *Software Digest Ratings Report/8.5*, May, 1991. Software Digest is a registered trademark of NSTL, Inc.

A FirstClass Experience

SoftArc's FirstClass E-mail and conferencing system goes multiplatform with Mac, Windows, and terminal support.

RAYMOND GA CÔTÉ

The longer I work with computers, the less I'm impressed with splashy graphics, thundering multimedia demonstrations, and benchmark figures that zoom off the chart. What impresses me more is ease of use, a near-zero learning effort, and immediate payback in productivity.

SoftArc's FirstClass E-mail and BBS product meets these requirements, and it's flashy, too. FirstClass is an integrated E-mail and conferencing system that works equally well over LAN and dial-up connections. Regardless of transport, users connect to the FirstClass server through a graphics-based (Windows or Macintosh) FirstClass client. Remote users with less-capable hardware can also log on through a menu-driven command-line interface using generic VT100 terminal emulators.

With its latest release, SoftArc has broadened FirstClass's reach with the addition of a Windows client as strong as the original Mac implementation. FirstClass remains a Macintosh-centered system—the FirstClass server still runs under the Mac OS—but its new multiplatform focus pits it squarely against mail systems like QuickMail, Microsoft Mail, and cc:Mail.

FirstClass blends conferencing and mail together under a remarkably clean interface that goes far beyond the capabilities of most mail systems. It easily outperforms its new competitors on those fronts. What it lacks is solid support for large networks, including multi-hop mail (i.e., mail that must be routed through several servers), a full complement of gateways, and distributed directories.



Mac, Windows, and command-line clients *for FirstClass (front to back) present a full graphical interface to Macs and Windows PCs and a dial-in terminal option for machines with more limited graphics capability. On the Mac and under Windows, the client's initial window presents a familiar desktop metaphor, with folders that open hierarchically to show subfolders and messages. E-mail and conference messages can be grouped by date, topic, name, icon, or size. Navigation is similar to using the Macintosh Finder or the Windows File Manager. As is obvious from the Mac client screen (showing a connection to the MAGIC BBS), a little work on the part of the mail or BBS administrator can convert a normally plain interface into a pleasing view without cluttering up the screen.*

Although it doesn't have the graphical power of the other two interfaces, the command-line client offers access to all conferencing and mail services from text-mode clients, including DOS and Unix machines.

Client Side

The graphics-oriented clients are where FirstClass shines most noticeably. From the first time you sit down in front of the Mac or Windows interface, you'll know how to drive FirstClass. Most communication and conferencing functions are right where you expect them to be. Finding the rest requires only minimal hunting or a quick check of the documentation.

FirstClass grants direct (though controlled) access to files stored in actual hard disk folders (or directories). This allows you to download and upload files directly to and from the server. The target folder need not reside on the FirstClass server—it can be any machine to which the server has access, such as other Macs sharing files on the network or any NetWare server. This feature, combined with careful use of System 7 file sharing and network permissions, can allow users who work on the network when locally attached to log in via dial-up and obtain direct access to their own private disks and directories.

The clients present a truly graphical interface, not just a windowing application using text. The configuration databases that define the "look" of a client screen are stored on the FirstClass server on a per-user basis; administrators can customize an interface, and user changes (e.g., changing the location of icons) are permanently stored.

The clients' built-in text editor provides full text manipulation—font, size, style, and color. Although I wouldn't call it full-featured, it exceeds anything available with



FirstClass multitasks communication sessions, *allowing you to maintain several active transfers simultaneously while browsing conferences and reading mail. FirstClass shares the communication line by splitting time slices between sessions.*

other messaging and conferencing systems I've seen. Besides text, FirstClass also supports graphics display and sound on both the Mac and Windows platforms.

Beyond the Obvious

There's considerably more to the FirstClass client than the well-designed interface. Underneath the smooth presentation lies a remarkably efficient communication engine that lets you make the most of every second you spend on-line. With FirstClass, you rarely wait for operations to complete; you'll hardly glimpse a watch or an hourglass cursor during any session.

Historically, interactive conferencing systems have been inefficient. You read messages, compose replies, scan a few conferences—all low-bandwidth operations. If you use most of the bandwidth by, say, initiating a download, your keyboard is rendered inoperative for as long as the file transfer takes to complete.

FirstClass is a "multitasking" communication system. Multiple communication sessions, running in both directions, can be active at the same time. That means you can start a download and then move over to browse a conference while the download completes. Or you can start uploading mail replies, start downloading a few files, and then go on to read new messages as the transfers proceed in both directions.

Naturally, file-transfer speed degrades as you use up more sessions. However, the transfers never stop; they continue to run as quickly as they can over the shared communications line. If all you're doing is browsing conferences, which consumes very little bandwidth, you'll scarcely notice a degradation in transfer speed.

FirstClass's multitasking ability also improves your overall performance when using slow modems. For example, when you open a busy conference, you will immediately see a list of messages being built as each title is downloaded. If you see a message you want to read, you don't need to wait for FirstClass to build the entire list. You just immediately double-click on the item of interest. A window will open with that message, and the list update will continue in the background.

Something to Start With

Installation of both clients and server is straightforward. Each FirstClass server is delivered with the full complement of capabilities: Macintosh, Windows, and command-line interface services; NetWare IPX interface for Windows; and unlimited users. Each of these capabilities is activated using a license floppy disk. A simple Installer script loads the server files, and you're ready to come on-line with a five-user AppleTalk network system.

The Mac and Windows client software is freely distributable. If you intend to use FirstClass for customer support, you can ship a client with each software package. In-house users can have clients loaded on their desktop machines, portables, and home machines without having to worry about license violations. Licenses apply only to the number of active users registered on the server and the types of clients supported.

Network administration for the Mac is trivial. Install clients and servers on all your machines, make sure AppleTalk works, name your server and select that server on each client machine, and you're up and running.

Configuring for Windows operation is only slightly more difficult. First, you need the NetWare IPX option for your FirstClass server. Then NetWare client software must be installed on each Windows machine and the server name configured as above. Notice I didn't say you needed a Novell server. The IPX option on the FirstClass server provides an IPX interface that allows direct communication between the server and networked Windows clients.

Administering FirstClass

All system administrative actions are performed using the standard client software (any client type) logged in with administrative privileges. Although the server is delivered with an administrator account, any account can be given administrative privileges. This removes the need to give out a single special password when you need someone else to perform administration. It also means that administration does not need to be done locally. Administrators can call in from remote locations or log in anywhere on the network.

FirstClass permission and privilege designations are complex and will take some getting used to. Privileges are assigned on a per-user (or, more commonly, per-group) basis; these define the type of services to which users are allowed access. Several privilege groups, such as All Users, Network Users, Telecomm Users, and Auto-registered Users (self-registered users on a public system), exist by default. Privilege groups may also be grouped hierarchically. For example, a single user can be a member of the All Users, Network Users, Management, and Secret Project groups, all of whose privilege settings combine to provide actual privileges.

Permissions operate on a much finer level. While privileges determine whether a user has access to the conferencing system at all, permissions define the level of access an individual (or group) has to specific conferences. Over 17 individual permission flags are available, from the relatively standard decisions as to whether to allow uploads and downloads, to the more specific abilities to create conferences or folders.

Privileges and permissions are complicated subjects and may require a bit of fine-tuning for best operation. However,

With MusicTime™ Your Sound Card Plays More Than Games.

Create Songs on Your Sound Card with MusicTime.

Whatever your musical ability, MusicTime will inspire you to create your own breathy love songs, foot-tapping jazz or head-slammin' rock 'n' roll. With MusicTime and either a sound card or a MIDI instrument, you can compose, edit, play back and print sheet music on your PC.

Bring Your Music to Life.

Use your mouse to click musical notes and symbols onto a staff sheet. If you've got a Miracle™ or MIDI keyboard, MusicTime will record and transcribe your live performance into music notation in real time—right before your eyes!

Easy to Play Back, Edit and Print.

Play back instantly through your sound card or MIDI gear. Editing is easy with MusicTime's cut, copy and paste commands. Automatically transpose notes into any key. Add guitar chords. Write beautiful lyrics. Print out publishing-quality sheet music.





MusicTime couldn't be easier to use.

Windows, Mac and MIDI Compatible.

MusicTime is available for PC's with Windows™ or the Macintosh,® and is compatible with The Miracle Keyboard, Sound Blaster Pro,® Media Vision Pro Audio Spectrum™ and Thunder Board,™ AdLib Gold™ and most popular PC sound cards.

For your copy of MusicTime, call Passport or visit your nearest computer or music store. If you're tired of just playing games with your sound card, get MusicTime and turn your beeps and blasts into be-bop and hip-hop.

MICROSOFT® WINDOWS™ COMPATIBLE

PASSPORT®



Passport Designs, Inc. • 100 Stone Pine Rd. • Half Moon Bay, CA 94019 USA • Phone: (415) 726-0280 • Fax: (415) 726-2254

Passport MusicTime is a trademark of Passport Designs, Inc. All other products and brands are trademarks or registered trademarks of their respective holders.

Circle 126 on Inquiry Card.

the default settings let you get a small- or medium-size network operational quickly.

The Outside World

FirstClass servers can communicate with each other to transfer mail and conference messages. Conference messages can be replicated across any number of servers, so all sites can see the same information.

E-mail currently operates only in a point-to-point mode. This is a serious deficiency because it requires the server at the sending site to call each destination server. SoftArc promises multi-hop mail for future releases, and I've seen a version in beta test that delivers this capability.

There is also no systemwide user directory, nor any way to receive a list of subscribers at a foreign server. You have to know the person's name and ensure that you spell it properly. Solutions to the directory problem are also promised.

Gateways are available from SoftArc and from third-party vendors for communicating with a number of other messaging systems. Microsoft Mail, QuickMail, fax, and FidoNet gateways are available. Third-party vendors provide Internet and UUCP connections that support E-mail and network news.

SoftArc claims that MHS (Message Handling Service), AppleLink, and CompuServe gateways are also in the works. But if you desperately need an interface to some system that is not currently supported, SoftArc provides a series of toolkits for building gateways and other interfaces to messaging systems.

About the Product

FirstClass
Five-user base system.....$395
Windows client option
(per server).....$295
(other configurations and options available)

SoftArc, Inc.
805 Middlefield Rd., Suite 102
Scarborough, Ontario,
Canada M1V 2T9
(416) 299-4723
fax: (416) 754-1856
Circle 1080 on Inquiry Card.

FirstClass Upgrade

FirstClass is a mail and conferencing system fully deserving of its name. It is easy to set up and use and does not require a lot of computing power for a small or medium system. I ran a small network using a Mac Color Classic as the server. However, having a larger system will come in useful as the number of concurrent clients grows. SoftArc actually recommends old Mac II systems as servers since they have a large number of available expansion slots that can be filled with multiport modem cards.

FirstClass is fast, provides an intuitive interface for users, and is a regrettably rare example of a useful piece of software. Unfortunately, the current version won't scale up easily for very large WAN (wide-area network) systems. The next release should address some of the directory and multiserver issues. In any case, if you are setting up a mail system for your business, I can't stress how much a well-designed system like FirstClass, especially with its sophisticated conferencing features, can boost productivity over simple E-mail. ■

Raymond GA Côté is a consultant, freelance writer, and publisher of The Robot Explorer *newsletter. He has extensive experience in Macintosh and Windows program development. You can reach Ray on BIX as "rgacote" and on the Internet at rgacote@bytepb.byte.com.*

Introducing the $139 investment no computer user can afford to be without...

"Don't take chances...Get the ultimate protection...Back-UPS from APC."

PC World Top 20 Upgrade



Blackouts, brownouts, sags... if you use computers, your bottom line is directly linked to your power line. The fact is, your data and hardware are vulnerable to problems that surge suppressors and power directors just aren't equipped to handle.

Call for your FREE 60 page PC power protection handbook!

Now there's an Uninterruptible Power Supply (UPS) to suit any budget. **Back-UPS®** are perfect protection for LAN servers, personal computers, phone/fax systems, POS equipment, or any other device that can go down when the power does. If lightning is a concern, Back-UPS are even **backed by a $25,000 insurance policy** against surge damage to your equipment (see details).

So don't wait for the inevitable power problem to rob your business. Protect your productivity with Back-UPS, available where quality computer products are sold.

APC Back-UPS provide instantaneous battery power during power disturbances, so your data and hardware are safe!

American Power Conversion

800-800-4APC, dept. A2

Businessweek's #1 Hot Growth Company!(NASDAQ:APCC)

© 1993 Trademarks are property of their respective owners. * Suggested list price.

Circle 64 on Inquiry Card.



In Life,
Only A Few Things
Inspire Passionate Loyalty.

Your HandBook® 486!

Real Intel® 486 Power

People using the original HandBook asked for more power. They asked for a HandBook that would run Windows.™ We gave them both in the HandBook 486. It's the smallest Windows PC in the world — and when using a 486DX2 processor, the HandBook 486 is by far the most powerful PC of its size. New HandBook models include Intel's 3.3v 486 processors and come with 4MB RAM, expandable to 20MB, and large hard drives.

Backlit VGA, Built-In Pointer, PCMCIA

Users asked for VGA. The new HandBook's screen is a black-and-white VGA display, backlit for use in any lighting situation. No need to carry a mouse with your HandBook 486. The built-in pointing device is convenient and easy-to-use. The HandBook 486 also includes one PCMCIA Type II slot, and the card fits entirely within the footprint of the HandBook.

The Bottom Line

HandBook 486 models start at only $1,495, an extraordinary value even by Gateway's standards — and we wrote the on value! We have a reputation for offering the be prices on high-quality products with exceptional se from friendly folks in the Midwest. Give us a call. you get your hands on a HandBook, you'll wonder you ever lived without one!

intel inside

GATEWAY2000

"You've got a friend in the business."®

800-846-203

Your Hawg, Your Dog, And

"You'll have to pry my cold, dead fingers off to get it away from me." That's what an editor told us once about the Gateway 2000™ HandBook we sent him for evaluation.

A journalist covering the conflict in Somalia called to tell us his HandBook was so popular among his colleagues that he could sell dozens of them for us.

Another user wrote, "The HandBook has changed my life in a way that only a few other products ever have. I take it everywhere with me — something I never did with other notebooks."

This is a tiny sampling of the response to the original HandBook. Clearly, the HandBook — the pioneer product in an entirely new category dubbed "subnotebook" computers — inspired the kind of loyalty usually reserved for Harley-Davidson® motorcycles and man's best friend.

Introducing The HandBook 486

Now we are proud to introduce the next generation of the HandBook — the HandBook 486. Since we began marketing the original HandBook a little over a year ago, we've been asking customers to finish this statement: "I'd like my HandBook better if _____." The HandBook 486 includes most everything anybody asked for while retaining all the things people love.

The HandBook 486 still weighs under three pounds and is smaller than the day planners many people carry. The new HandBook still has a great keyboard, excellent battery life, a backlit screen, and that wonderful HandBook suspend/resume feature. But the new HandBook has some important features the original didn't have.

Introducing The HandBook® 486!

The HandBook 486 has a handy, integrated pointing device.



Even though the HandBook is very small, it has an excellent, touch-type keyboard. You'll also appreciate the sturdy, heavy-duty plastics used in the case.

Options: PCMCIA fax/modem cards, PCMCIA VGA card, PCMCIA network cards, external floppy drive, 4MB or 16MB RAM upgrades, alkaline battery pack, carrying case and extra NiMH batteries. Call for details.

FEATURES

Size

The difference between a 3-pound portable and a 4-pound portable doesn't sound like very much until you lug one around for hours. Then every ounce counts! HandBook users swear by the size of this product. It's big enough to be fully functional, but small enough to take anywhere effortlessly.

Intel® 486SX or DX2 Processor

Your HandBook 486 includes a genuine 32-bit Intel 486 processor — not some chip that's *almost* a 486. Those who crunch numbers will love the high-performance numeric coprocessor in the DX2.

Backlit VGA Display

The HandBook's VGA display is easy on your eyes. The screen is backlit for use in all lighting situations so you won't ever be left in the dark.

PCMCIA Type II Slot

A PCMCIA slot is a great way to add a modem, network card or any of dozens of available PCMCIA-compatible peripherals.

HANDBOOK 486SX-25

- Weight: 2.9 Lbs.
- Dimensions: 9.75" x 5.9" x 1.6"
- Intel® 25MHz 486SX Processor
- 4MB RAM (expandable to 20MB)
- 80MB IDE Hard Drive
- 7.9" Backlit VGA Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 1 PCMCIA Type II Slot
- Integrated Pointing Device
- 78-Key Keyboard
- Parallel, Serial & PS/2 Ports
- MS-DOS,® Windows,™ Interlink and Serial Download Cable

$1495

HANDBOOK 486DX2-40

- Weight: 2.9 Lbs.
- Dimensions: 9.75" x 5.9" x 1.6"
- Intel® 40MHz 486DX2 Processor
- 4MB RAM (expandable to 20MB)
- 130MB IDE Hard Drive
- 7.9" Backlit VGA Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 1 PCMCIA Type II Slot
- Integrated Pointing Device
- 78-Key Keyboard
- Parallel, Serial & PS/2 Ports
- MS-DOS, Windows, Interlink and Serial Download Cable

$1995

TRAVELER'S PACK

- Carrying Case
- Extra NiMH Battery
- Alkaline Battery Pack
- PCMCIA Fax/Modem

Call For Details

PRESENTER'S PACK

- PCMCIA VGA Adapter
- Asymetrix® Compel
- Carrying Case

Call For Details

intel® inside

GATEWAY2000

"You've got a friend in the business."®

800-846-2039

610 Gateway Drive • P.O.Box 2000 • North Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (Central Time)

©1993 Gateway 2000, Inc. Black-and-white spot design, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and Gateway 2000 is a trademark of Gateway 2000, Inc.
The Intel Inside Logo and Intel are registered trademarks of Intel Corporation. Harley-Davidson is a registered trademark of Harley-Davidson, Inc. All other brands and product names are trademarks or registered trademarks of their respective companies. Prices and configurations are subject to change without notice. Prices do not include shipping.

Video Machine: True Desktop Video

Video Machine's professional tools support video editing, audio mixing, titling, and digital effects

BOB LINDSTROM

Don't confuse desktop video with the jerky, grainy, animated postage stamps that Apple's QuickTime and Microsoft's Video for Windows put on your computer screen. While this emerging technology will eventually become a staple of personal computing, it still isn't ready for prime time. The image quality just isn't there.

True desktop video brings high-quality video production to the personal computer. A desktop video system should support on-line and off-line A/B roll editing (i.e., two players feeding into a single recorder), digital effects, audio mixing, titling, and graphics generation. Most of all, it should provide professional quality at a relatively affordable price.

Desktop video systems appeared initially on the Commodore Amiga in the form of NewTek's Video Toaster, and then on the Apple Macintosh. Now Fast Electronic of Munich, Germany, has developed the Video Machine (VM for short), a software/hardware combination that links with VCRs and video monitors to turn a PC into a Windows-based desktop video editing system and effects generator.

VM's overall concept and design are excellent, although the software betrays some first-version instability. Still, with a few fixes to the software, VM will challenge the competition with a powerful professional desktop video solution.



The DVE Editor (above) imposes digital effects such as mosaic, tumble, and fade, and determines the size and movement of video elements within the effect. The VM Titler (right) opens up as a printer driver within Windows applications. It provides a preview mode, as well as a full set of editing options including color, antialiasing, position, and title type.

Video Time Line

VM is a fully equipped audio/video editing and mixing suite. In addition to a 386 or higher PC with 4 MB of RAM, you'll need Windows 3.1, two video players, and a video recorder to flesh out an A/B roll setup. VM can drive the VCRs using Control-L/Control-S or five-pin Syncro Edit control protocols. An optional Multi I/O option adds three high-speed RS-232/RS-422 serial ports for controlling the video decks.

VM streamlines the drudgery of video editing. The software helps you create and organize source material as objects. These objects may be video or audio clips, still graphics, titles, or screen captures. You position the objects in a Time Line along with transition effects (e.g., wipes, tumbles, and fades) to preview your presentation. When the prototype is satisfactory, VM assumes control of your VCRs and automatically assembles the final edit.

But VM does much more than turn VCRs on and off on cue. It is also a DVE (digital video effects) editor and character generator capable of producing title crawls and rolls, tumbles, fades, dissolves, slides, and other effects. In addition, the board contains a genlock, a chroma key, a digital frame capture, and a mixer controlling four stereo pairs of audio.

Making the Connections

The VM hardware is a 16-bit ISA-bus board that occupies a single slot in the PC. The optional RS-232/RS-422 interface mounts to a second position on your backplane and connects to the main board by a small cable. Audio/video and sync connections to external devices are handled by a 62-pin cable splitter that plugs into the VM board and feeds out an octopus of cables for VM's inputs and outputs.

The cable splitter boasts no less than 17 female connectors, all of which are active and accessible by the system: four S-video inputs, two BNC composite inputs, one S-video output, one BNC composite output, one BNC external sync input, four stereo miniplugs for stereo audio inputs (eight channels in all), one stereo miniplug for stereo audio output, and three miniplugs for A/B-roll VCR control outputs.

A significant plus for VM is its two onboard frame synchronizers, which function as TBCs (timebase correctors). As owners of NewTek's Video Toaster discovered, the Toaster is not plug-and-play unless you plug in TBCs, too. While the VM costs $1500 more than a Video Toaster, its integral TBC functionality makes it

more convenient as a desktop video system. But VM is not a slave to its internal sync. As the sync-in connector implies, VM can be synched to an external source.

With everything connected, you'll have quite a tangle of cables behind the PC. Fast Electronic plans to sell an optional Studio Control Box that will consolidate all connections into an outboard black box with balanced audio inputs. The Studio Control option will also support linear time code, a capability missing in the standard version of VM. Note, though, that out of the box, VM supports VITC (both SMPTE and EBU), RCTC, and Rapid Time Code. VM will write VITC code to the master recorder even if the recorder lacks time-code hardware. The optional control box will also provide two video preview outputs. The stock VM lacks any preview outputs, but you will probably want to use the preview outputs of your professional-level video players anyway.

VM is compatible with PAL, NTSC, and SECAM input. The board outputs NTSC and PAL signals to a full 5.5-MHz bandwidth, with screens of up to 625 lines at 576 pixels per line. I tested it only with NTSC. VM can also accept mixed video standards during editing or convert from one standard to another.

I verified that VM can edit to half-frame accuracy when attached to capable video equipment. Although VM does not support true digital video recording (other than single-frame capture), Fast Electronic says that it hopes to offer digital, nonlinear editing capabilities as an option. That option will include a digital JPEG video-compression board.

Putting the Pieces Together

A presentation in VM begins with the Project Manager. In this window, you prepare and organize the raw resources for the project: video clips, still images, titles, audio, special effects, and so on. Each object has its own editor that lets you define the object and attach pertinent settings to it (e.g., tweaking color temperature in a video clip).

For instance, using the Clip Editor, you might define as a clip a 10-second segment on videotape starting at 04:23:28 and customize playback parameters including color saturation, brightness, and contrast. You then attach a name and explanatory notes. The newly defined clip is placed in a window assigned to the specified videotape segment. Thumbnails of the Mark-In image for the clip are displayed in the reel window for later visual identification. During assembly, if your clip length doesn't quite fit the presentation, you can alter the Mark-In/Mark-Out settings for that clip without changing the basic clip definition.

If you need still video images, you can capture them directly from source material using the Graphic Editor. You choose the source and click on Capture. The Editor grabs individual frames and stores them in a wide variety of graphics formats, from PCX to BMP to JPEG, in color resolutions up to 32-bit. Like video clips, these screen captures are placed in a graphics group window and displayed as thumbnails. When capturing images in less than true-color resolutions, VM optionally can calculate custom palettes and apply Floyd-Steinberg and Bayer dithering techniques to maximize image quality.

All objects can be organized into racks. For example, you might want to place all the objects for a single scene into a scene rack. By assigning audio/video settings to each rack, you can not only match clip appearance but also establish an overall video "look" for a particular scene.

A Few Terms

NTSC: National Television Standards Committee; U.S. video standard.

Off-line editing: A process in which the final product is an edit list that can be assembled later.

On-line editing: A process in which the final product is committed to tape.

PAL: Phase alternate line; European video standard.

RCTC: Time code used with Hi-8 camcorders.

SECAM: Sequential Color and Memory; the French video standard.

SMPTE: Society of Motion Picture & Television Engineers; sets time-code standards for the U.S. broadcast industry (EBU is the European equivalent).

Time code: An encoding scheme where each frame on the tape is assigned an 8-digit code for hours, minutes, seconds, and frames (00:00:00:00).

VITC: Vertical Interval Time Code; time code embedded vertically into each frame for enhanced accuracy.

Special Effects

With the pertinent objects for a scene readied, you're almost prepared to assemble the scene. However, you can also select the DVEs you'll frequently use for the scene and place them in a selection bar for easy access and editing. VM comes with dozens of prefabricated effects, from wipes to dissolves to elaborate zooms and picture-in-picture trailing effects. Even so, you'll quickly find some effect that wasn't included. Hopefully, Fast Electronic will make more DVEs available in the future.

Until then, you can design or edit DVEs in VM's DVE Editor (see the screen on page 153). The Graphical Effects Editor provides four adjustable screen-aspect ratios: two for the effect creation and two to represent the effect's appearance on-screen. Although the DVE Editor doesn't provide tools to design all the effects that VM can produce (most of the tools are based on squares and rectangles and therefore could not generate some of the effects bundled with VM), it does let you customize fades, tumbles, strobes, wipes, and so on. You can preview the results with a preview button in the Editor or with a T-bar emulator in the Time Line. Note that VM does not support true 3-D digital effects (e.g., spinning cubes with video images), although some simulated 3-D effects are available.

Fast Electronic arrived at a unique solution for the Titler module (see the screen on page 153). It is attached to the Windows environment as a printer driver. You create titles by entering any Windows-based word processor or graphics editor and identifying the VM Fast system as the printer driver. You create your choice of graphic or text and then print the results. The Fast Titler screen appears, with available settings for color, type of title (e.g., still, crawl, or roll), wipe, antialiasing, position, transparency, and so forth. A preview mode lets you see the title against a video background if the VM software is multitasking in Windows. When you have the correct results, the driver saves the object to disk.

The VM Titler provides real flexibility by making an object of almost anything. In addition to the normal titling functions, for instance, you can produce logos or other small graphics to superimpose on the screen. Flexible color-mapping controls let you assign different levels of transparency to color groups, opening the door to a wide variety of color/chroma-key-like effects. The drawback is that the Titler requires you to leave VM, load another

Oh, it's not a total downer. We stored our data on Verbatim, didn't we?

LOOK FOR FREE MICROSOFT® GAMES PROMOTION WITH VERBATIM PRODUCTS



Verbatim® tapes, optical and floppy disks. Your best defense against data loss.

Circle 154 on Inquiry Card (RESELLERS: 155).

Assembling a Video Clip

❶ Video editing starts by capturing a clip with VM's Clip Editor (top). Thumbnails of the Mark-In image for the clip are displayed in the reel window for later visual identification (center). ❷ You can then select a clip from the reel window and drop it onto the Time Line (bottom). Positioning the clip in a player track (V1) assigns the object in and out times based on its length. ❸ Next, you drop a second clip onto track V2. ❹ To create a transition between tracks, you simply drag the desired effect (in this case, a dissolve) from the project window and drop it onto the FX track of the Time Line. With a few simple mouse-clicks, you've assembled two video clips with a dissolve between them.



program, and move between applications to create a simple title or graphic. Despite its output flexibility, I'd have preferred an integral titler within the VM environment.

Perfect Timing

With clips, racks, and DVEs prepared, creating a video production is almost as easy as drag-and-drop. While VM has the power to satisfy video professionals, its basic design puts the techniques of video editing well within the grasp of newcomers.

To place an item into a presentation, you use the mouse to click and drag objects from the Project Manager into tracks in the Time Line window (see "Assembling a Video Clip" above). The tracks represent the two video player sources, a DVE track, and the audio tracks, which can be linked to video tracks in stereo pairs. (You cannot access the audio mixer as eight discrete inputs, only as four stereo pairs.)

Positioning an object in a player track will assign the object in and out times based on its length. The process is aided by options in the toolbar, such as a "magnet" tool that automatically butts Mark-Out times of an object to the Mark-In time of the next object. To create transitions between objects, you drag a DVE into the track in which you want the effect to end.

For example, to dissolve between V1 (Video 1) and V2 (Video 2) at 10 seconds, you drag the dissolve DVE icon into the V2 track at 00:00:10:00. The program places it in the DVE track with instructions to begin with V1 and dissolve to V2. You can lengthen the effect by dragging its right end further along the Time Line, or you can relocate the effect entirely.

With the Time Line complete, you can preview the work or commit it to tape. Click the record symbol, and the computer does the final edit.

Video Performance

To test VM, I put together an A/B roll system using professional hardware from JVC, including the BR-S525U player and the BR-S822U and BR-S622U recorders. These are S-video units designed for studio use. VM supports a thorough cross section of video hardware from several manufacturers.

continued

Why Not Keep Them All In One Place?

Getting PCs to co-exist with diverse computing standards means keeping a lot of balls in the air.

As the pioneer in developing X Servers for Microsoft Windows™, VisionWare™ understands how to unite Windows, X™, NT™, networks, UNIX™ and VMS™ to bring all your computing standards together at the PC desktop.

XVision 5 sets a whole new standard for PC X Servers as a smart, environment-aware server. XVision 5 *automatically* detects underlying network transports, *automatically* optimizes graphics speed to any PC hardware configuration, *automatically* aliases fonts and *automatically* eases the installation process.



Not stopping there, XVision also features transport-independent file transfer, local terminal emulation and an object-oriented, *drag & drop desktop integrating DOS/X/Windows*.

XVision 5 ties it all together. Instead of another ball to keep in the air, XVision provides a *real* solution that finally frees you from the whole juggling act.

XVision 5
The Smart PC X Server from VisionWare.

VISIONWARE

US Headquarters
1020 Marsh Road, Suite #220 • Menlo Park, CA 94025
1-800-949-8474 • Tel: (415) 325-2113 • FAX: (415) 325-8710

Corporate Headquarters
57 Cardigan Lane • Leeds LS4 2LE • United Kingdom
Tel: +44 532 788858 • FAX: +44 532 304676

All Trademarks are the property of their respective companies.

Circle 280 on Inquiry Card: Call me, I'm interested

Circle 281 on Inquiry Card: Send Literature

I connected the devices through the optional RS-422 ports. Inexpensive preview monitors were attached to the VCRs' composite video preview ports. The master monitor was the JVC TM-1400SU, an S-video studio monitor. I assembled a variety of source objects and developed a half-dozen test presentations.

The Project Manager editors worked smoothly. VM exhibited seamless VCR control as I browsed tapes, creating video clips with two mouse-clicks to set the in and out points. I rate the object-creation process as one of VM's best features.

Less satisfactory was the Time Line. The editing and assembly software exposes VM as a first-generation product. Automated assembly was inconsistent and unpredictable, particularly during DVEs. In one case, a dissolve previewed properly but only flickered the screen during final edit. Some special effects edited correctly to the S622U but not the S822U (the two models have different VM setups and so are controlled somewhat differently, but the effects should work the same on both). Some effects functioned during one assembly and not during another, even though I made no change in the Time Line. During one session, the toolbar disappeared entirely and returned only after I reloaded the program.

The VM manual could be improved by more thorough explanations of setup and operation, as well as by adding an introductory walk-through.

My features wish list includes the ability to use VM as a video output card for laying animations to tape, support for playing back animations as objects, and the ability to use the VCR controller to record single-frame animation (currently listed as a future option).

About the Product

Video Machine for PC: $3995

Video Machine with Multi I/O Professional:.. $4995

Studio Control Box: $2500

Fast Electronic US, Inc.
5 Commonwealth Rd.
Natick, MA 01760
(508) 655-3278
fax: (508) 650-0447
Circle 1075 on Inquiry Card.

JVC Co. of America
41 Slater Dr.
Elmwood Park, NJ 07407
(800) 526-5308
(201) 794-3900
Circle 1076 on Inquiry Card.

The Final Cut

Video professionals who use VM at this point will be opting for a pioneer experience, with all the joy and frustration that implies. During my evaluation, however, as evidence that it is sincere about perfecting and improving the system, Fast Electronic released a major software update that added several new features, including the VITC striping.

Despite some flaws in this initial release, VM's overall execution is sound, well designed, and effective. The automated editing seems like magic and can produce stunning results.

VM is an outstanding achievement with tremendous potential. Its future success is linked to those necessary software upgrades; if they proceed efficiently, Fast Electronic's Video Machine looks like a sure bet to make the video-editing PC an essential part of professional and semi-professional video studios. ■

Bob Lindstrom (Eugene, OR) is a nationally syndicated columnist and composer. He is a former creative director for Dynamix. You can reach him on BIX c/o "editors."

Your Choice of Keyboard Monitor Switches

Access multiple computers with a single keyboard and monitor to cut equipment costs, save valuable space, and end clutter



Manually controlled unit

- Simple pushbutton operation for quick selection
- Four, eight, or twelve ports per unit
- Daisy-chaining connects unlimited number of CPUs
- Compatible with EGA, VGA, Macintosh, Sun, and others
- Optional keyboard booting for 286, 386, and 486
- Optional RS232 or PS/2 mouse interface
- PCB construction for high reliability and low crosstalk
- Rack mount, matrix, and customized units available

Typical Application



- Switch by keystroke, from front panel, or RS232 port
- Two or four ports per unit
- Cascade units to support up to 255 CPUs
- Supports monochrome, EGA, and VGA
- Includes keyboard booting for 286, 386, and 486
- Includes RS232 and PS/2 mouse interface
- LEDs display selected CPU and CPU power-on
- Scan function switches among CPUs automatically

Keyboard controlled unit

Call toll-free now for your copy of our Switching and Sharing Solutions catalog.

Other Rose products: Print servers, printer sharing units, print buffers, keyboard monitor extenders, video splitters. All Rose products are US-made and have a 1-year warranty.

Make the Rose Connection

ROSE ELECTRONICS

10850 Wilcrest Drive • Houston, Texas 77099 • Phone (713) 933-7673 • Fax (713) 933-0044

1-800-333-9343

Circle 140 on Inquiry Card.

The First Pan-European Computer Postcard Deck Targeting the Exploding European Market!!!

BYTE EURODECK

If you are a BYTE subscriber in Europe, watch for the new EURODECK coming to you in September! The BYTE EURODECK contains a selection of state-of-the-art products important to you and your business.

Advertisers!

The BYTE EURODECK offers you a unique direct mail approach to increasing sales in this fast-paced computer market.

Circulation of the BYTE EURODECK is targeted to 50,000 computer buyers in over 20 countries in Western Europe. Take full advantage of the benefits BYTE provides you with this affordable direct channel to Europe. For information on the next BYTE EURODECK,

Call Jim Bail today at 603-924-2533!

Fax 603-924-2683.

Companies outside of North America, please contact your local representative.

THE FOCUSED, FULL-TEXT DATABASE WITH MCGRAW-HILL CREDIBILITY...

McGraw-Hill Publications Online

Business Week
Aerospace Daily
Airports
Aviation Daily
Aviation Week & Space Technology
Biotechnology Newswatch
Byte
Chemical Engineering
Clean-Coal/Synfuels Letter
Coal Week
Data Communications
Electric Utility Week
Electrical World
Engineering News-Record
Federal Technology Report
Hazardous Waste Business
Independent Power Report
Industrial Energy Bulletin
Inside Energy/with Federal Lands
Inside F.E.R.C.
Inside N.R.C.
Integrated Waste Management
Lan Times
Modern Plastics
Nucleonics Week
Platt's International Petrochemical Report
Platt's Oilgram News
Platt's Oilgram Price Report
The Physician & Sportsmedicine
Postgraduate Medicine
S&P'S Emerging & Special Situations
S&P's Review of Banking & Financial Services
S&P'S Review of Securities & Commodities Regulation
Securities Week
Utility Environment Report
The Weekly of Business Aviation
Unixworld

And More...

It's all there, word for word, an unedited electronic library containing the full-text of articles (except graphics) exactly as they are published in McGraw-Hill magazines and newsletters. And because it's from McGraw-Hill, the world's leading provider of information services, you also get unparalleled excellence and reliability of content.

Plus, you can search the entire McGraw-Hill database (over 45 leading publications) faster with more user-friendly ease than any other text. There are no cumbersome indexes, no summary words to look up and learn...so you can get right into your hunt for the information you need about companies, people, and products on any topic.

Make the connection to McGraw-Hill Publications Online today. For more information and our latest, complete list of publications, contact Andrea Broadbent at ***(609) 426-5523***. Or fax this coupon to ***(609) 426-7352***. Or send it to the address below.

Available through • Dialog® • NewsNet® • Dow Jones News/ Retrieval® • Lexis/Nexis® • F.T. Profile (U.K.)

McGraw-Hill Publications Online

Princeton-Hightstown Road
Hightstown, NJ 08520 U.S.A.

Please send me the complete list of your publications online. BY

Name

Title

Company

Company Address

City State

Zip/Postal Code Country

Tel.

Your network buy for today's business technology market.

McGraw-Hill TechNet

McGraw-Hill Magazines. Your Best Business Partners.

■ 4– Architectural Record ■ 7– A/C Flyer, Aviation Week & Space Technology, AW & ST China Quarterly, AW & ST USSR, Business & Commercial Aviation, World Aviation Directory and Buyer's Guide ■ 20– Business Week, Business Week China, Business Week Hungary, Business Week International, Business Week USSR ■ 28– Chemical Engineering ■ 32C– BYTE, Data Communications, Data Communications International, LAN Times, UnixWorld ■ 39–Electrical World ■ 41– ENR, Construction News Publishing Network (11 magazines, 4 newspapers) ■ 46– Global Finance ■ H6– The Physician & Sportsmedicine, Postgraduate Medicine ■ 114– Modern Plastics, Modern Plastics International ■ 117– Power, Power International

ÆGIS: The World's Best Anti-Piracy Protection in Minutes.

The ÆGIS System protects both DOS and Windows applications.

Only ÆGIS protects programs plus data files and overlays.

File Edit Format Options Window

ÆGIS SYSTEM — DOS

INPUT FILENAME:	TEST. EXE
OUTPUT FILENAME:	AEGISTST. EXE
ENCRYPTED FILES:	*.OVL *.DTA
ENCRYPTION KEY:	1234ABCD
MESSAGES:	ENGLISH
SELF TEST:	Y
PERIODIC CHECK:	30 SEC.
EXPERT MODE:	N

PRESS ENTER TO START PROGRAM CONVERSION...

ÆGIS automatically checks for code changes due to viruses or hackers.

Selling in other countries? Specify English, Spanish, German or other languages.



ÆGIS automatically monitors the hardware key's presence.



Your application is enclosed in a highly secure encrypted shell, fully protected—with no programmer coding—in less than 7 minutes!

End of Story.

800-841-1316

SOFTWARE SECURITY INC.

1011 HIGH RIDGE ROAD STAMFORD, CT 06905 203-329-8870 Fax: 203-329-7428 BBS: 203-329-7253
Software Security International, Ltd.: +44-784-430-060 Fax: +44-784-430-050

Circle 143 on Inquiry Card.

All product names are trademarks of their respective companies.

LANtastic 5.0 vs. Invisible LAN 3.4

Upgraded peer-to-peer LANs with high performance and capable Windows clients reduce the strain of networking Windows workstations

BARRY NANCE



Both Invisible LAN (top) and LANtastic for Windows integrate networking features into the Windows environment. Invisible LAN's Windows client, called Network Manager, allows you to assign drive letters and parallel ports to shared resources, manage print jobs, control security, send and receive messages, and perform other network tasks. LANtastic for Windows has better overall Windows integration. Two of its more sophisticated Windows functions are a Windows Network Scrapbook, which allows users to share information between networked applications, and a strong graphical E-mail interface. Unlike the Clipbook Viewer in Windows for Workgroups, LANtastic's Windows Network Scrapbook lets you share only static data.

Windows for Workgroups has kindled a higher level of competition in the peer-to-peer LAN marketplace. Only a year ago, people talked about Windows and networks as if they were oil and water. Now, Windows and LANs seem inseparable.

But you have choices other than Windows for Workgroups. You can, of course, choose a server-based system for high performance and the highest level of reliability. For smaller LANs, however, especially where price is a primary consideration, a peer-to-peer solution makes more sense. In this review, I'll look at LANtastic 5.0 for Windows and Invisible LAN 3.4, two peer-LAN staples that have recently undergone major revisions for improved performance and better Windows integration.

Both Invisible LAN and LANtastic have features that make them good peer-to-peer network operating systems for DOS and DOS/Windows environments. They're reliable and more or less easy to install and use. Both are good at sharing disk space, files, and printers. Both come with capable E-mail systems. In the end, the choice comes down to the high performance of Invisible LAN 3.4 versus the easier configuration and use of LANtastic 5.0.

Distinguishing Features

Both Artisoft and Invisible Software offer starter kits (which include hardware) as well as software-only packages; I evaluate only the software in this review. Starter kits are convenient, but Ethernet cards and cables are cheap and plentiful. It's the software features that distinguish peer-LAN products.

On a server-based network, a separate, unattended computer acts as a file server. On smaller LANs, a workstation can be a file server and a workstation at the same time. This is a peer-to-peer LAN, or peer network. If you are on a tight budget, you can save the cost of a separate file server by using a peer LAN. Be aware, though, that performance may not be entirely satisfactory, because the file server is using DOS and is also acting as a workstation.

You put your data somewhat at risk with a peer LAN. If someone is using an application at a workstation that is also a file server and that application crashes, your network will crash. However, you can make a peer-LAN node a dedicated server just by not using it as a workstation.

A peer LAN has to support shared resources properly. The first thing I checked in both products was support for file sharing, record locking, and machine name identification, as well as proper functioning during the concurrent transfer of large files and files with odd sizes (e.g., copying a 65,536-byte file). LANtastic and Invisible LAN passed these tests with flying colors. You can share resources and run multiuser applications on these networks with confidence.

INVISIBLE LAN 3.4

Invisible LAN is a simple, fast, peer-LAN operating system. Although it lacks the frills of LANtastic 5.0, Invisible LAN offers better performance and a "server" option for speed-sensitive or larger peer environments.

Invisible LAN includes a Windows interface program called Network Manager. To install Network Manager, you run the DOS-mode Windows setup utility and then manually add the program and its icon to a Windows program group. Network Manager offers six categories of management tasks—Mappings, Local Station, Information, Print Spooler, Administration, and Electronic Mail. It allows you to share drive letters and parallel ports, manage print jobs, send and receive messages, and control security from within Windows. Invisible LAN doesn't install in a Windows environment as automatically as LANtastic does, but the process

INVISIBLE LAN 3.4	LANTASTIC 5.0
• 250-node maximum	• 500-node maximum
• 45 KB for workstation, 65 KB for server, 100 KB for combination	• 27 KB for workstation, 53 KB for combined workstation/server
• Works with a dozen Ethernet and Token Ring cards	• Supports NDIS network adapters
• Supports CD-ROM sharing and UPSes	• Supports CD-ROM sharing and UPSes
• Automatic reconnect	• Automatic reconnect
• Outstanding performance	• Better Windows integration
• Ultra Server option twice as fast as LANtastic for Windows	• Scrapbook for communication between networked applications
• Conferencing system	• Sophisticated security
• High-performance protocol	• Mac connectivity
	• Routable protocol

is not difficult if you follow the manual.

The Invisible LAN installation program offers simple (default) and advanced modes. During advanced-mode installation, you edit a configuration file. Invisible LAN uses the parameters in the file to control just about every feature of the network operating system. You can create multiple configuration files for different setups.

Administration

LAN administrators work with two Invisible LAN utilities, one for DOS and another for Windows. Administrators perform tasks such as customizing and tuning initialization settings through a DOS-based setup utility.

For monitoring and modifying shared resources, administrators turn to Network Manager. To maintain the roster of people authorized to use the network, the administrator creates log-on accounts and assigns these accounts to groups. Each person uses a log-on account and a password to gain access to the LAN.

A shared resource can have one of six different access rights: read, write, create, list, execute, and share. Invisible LAN controls a workstation's access to resources with access rights assigned for each shared resource in a group. Initially, each user has full rights to all the shared files on each server. To implement privacy and security, the administrator must systematically deny a group or user access to a shared resource, by setting restrictions on a group or individual or by limiting the access rights available for a named shared resource.

Workstations running Invisible LAN can be part of a larger NetWare LAN by using third-party Crynwr (formerly Clarkson) packet drivers to run dual Invisible LAN/IPX stacks. Support for Microsoft LAN Manager and IBM LAN Server is built into Invisible LAN. Macintoshes can't connect to Invisible LAN at all.

High Performance

The $399 Ultra Server option for Invisible LAN helps the product make up for a lack of administrative niceties. Ultra Server is a 32-bit file management module that is licensed on a per-network basis. Theoretically, you can use Ultra Server on a nondedicated machine, but in most cases you'll want to turn one PC into an unattended file-sharing engine. The performance will be worth the cost of the extra PC. Ultra Server boosts performance in a variety of ways, including 32-bit, protected-mode hard disk access and fast disk caching. As measured by benchmark tests, Ultra Server doubles Invisible LAN's performance.

Invisible LAN uses a network protocol called TransBIOS, which is much like the IBM/Microsoft NetBEUI standard. TransBIOS negotiates a packet window between workstations and servers. The window is the number of file-read packets the server can send to a workstation, or the number of file-write packets the workstation can send to a file server, without requiring acknowledgment from the other party. This mechanism lets Invisible LAN transfer more information in a given amount of time, thus improving performance.

User's View

Invisible LAN offers a reasonable set of printing, mail, and conferencing features to each client. Network users can monitor, hold, and reprioritize print jobs sent to shared network printers. Invisible LAN can display print jobs by job title, time, or size, and you can use Windows Print Manager to manage print jobs from your own workstation (but not those jobs submitted by other workstations).

When you want to communicate with your coworkers over the LAN, you can send E-mail or use Invisible LAN's BBS-style conferencing. Invisible LAN's E-mail system offers a text editor for creating electronic interoffice memos. In addition to sending and receiving over-the-wire correspondence, you can print, save, and reply to incoming mail.

With conferencing, you leave messages in a message base that the other team members can read; other participants can also attach comments to messages. The message base maintains threads among



I tested these operating systems *on a four-node peer LAN. The test configuration included four 25-MHz 486 machines (made by IBM and Compudyne) running Windows 3.1 on DOS 5.0 or DOS 6.0, and four Noderunner Ethernet adapters (made by Artisoft) hooked up through thin-wire Ethernet. The benchmark results are shown as file I/O performance relative to a stand-alone machine; therefore, 1.0 represents a perfect score. I found Invisible LAN slightly faster than LANtastic (with both LANcache and Alone) when I didn't use Invisible Software's Ultra Server option. With Ultra Server, however, Invisible LAN was—amazingly—twice as fast as LANtastic.*

WHY OUR INTELLIGENT MODEMS ARE A WISE INVESTMENT.





With the ZyXEL U-Series modems, you're sure to save. Time. Effort. Money.

The savings begin with the U-Series' ultra-high speed—16.8Kbps data, 14.4Kbps fax (send and receive). And our new **PLUS** Series runs at 19.2Kbps.

But what keeps you saving are the U-Series' intelligent features—features that save you effort and ensure reliable communications.

Like *Fast Retrain* with *Auto Fall-Forward/Fall-Back.* And multi-level security features *Call-Back Security* and *Password Protection.* You can even answer calls selectively with *Caller ID.*

Want to save by having one phone line do the work of three? Get the U-Series. It adds *Digitized Voice Capability with Speech Compression* to its fax and data capability. And, *Distinctive Ring* and *Auto Data/Fax/Voice Detection** for intelligent access to all three.

And now there's a *Cellular Option* for our **PLUS** Series.

Everyone can save with the U-Series modems. Because they're smart enough to work in all environments including DOS™, Windows®, OS/2®, Macintosh®, NeXT®, UNIX®, and Amiga™—and with async/sync systems. The U-Series modems support V.32bis/V.32, as well as industry-standard data compression and error correction protocols.

But in case you believe all this intelligence is expensive … relax.



The U-Series are the lowest-priced, high-performance modems around. And they come with Voice/FAX software and a 5-year warranty.

Which means now is the perfect time for smart people to save—by getting the ZyXEL U-Series modems.

To start your wise investment, just call today for the name of your nearest ZyXEL dealer.

(800) 255-4101

ZyXEL

The Intelligent Modem

4920 E. La Palma Avenue, Anaheim, CA 92807. (714) 693-0808
BBS: (714) 693-0762 FAX: (714) 693-8811

COMPUTER SHOPPER
July 1993
ZyXEL U-1496E Plus
ZyXEL U-1496 Plus Enhanced
Top 10 List

BOARDWATCH MAGAZINE
November 1992
ZyXEL U-1496
ZyXEL U-1496E

Winter 1992
ZyXEL U-1496
Awarded 5 NeXTWORLD Cubes

PC Computing HARDWARE 200 TOP RATED
June 1993
ZyXEL U-1496E

PC MAGAZINE EDITORS' CHOICE
June 29, 1993
ZyXEL U-1496 Plus

The All-In-One Small Business Solution
ZyXEL's intelligent modem integrates data, fax and voice/digital answering capability.

PC PROFESSIONELL EMPFEHLUNG DER REDAKTION
February 1993
ZyXEL U-1496E Plus

Data Comm MAGAZINE Top Performer JULY 1993
ZyXEL U-1496 Plus

JULY 1993 BYTE BEST VALUE HIGH-SPEED MODEM

JULY 1993 BYTE BEST TWO-WAY ALL-AROUND MODEM

*Auto Data/Fax/Voice detection available on DOS™ version. Window/Mac® version available with Auto Fax/Voice detection. Specifications are subject to change without prior notice. All trademarks are the property of their respective owners.

Circle 172 on Inquiry Card (RESELLERS: 173).

Circle 142 on Inquiry Card.

SUNDAY 10-5

PROMPT DELIVERY

LASER PRINTERS
HP Desk Jet 500 .....339.99
HP Desk Jet 500 Color 493.99
HP Desk Jet 550 Color 679.99
HP Laser Jet 4L 649.99
HP Laser IIIP 829.00
HP Laser Jet 4 w/Toner .1364.99
HP Laser Jet 4 Si.....2999.00
HP Laser 4 M.....1849.99
HP Laser Jet 4M 394.99
HP Desk Jet 500 220V ...734.99
HP Desk Jet 550C 220V ...949.99
HP Laser IIIP 220V 1449.99
HP LaserJet 4 220V..694.99
HP Laser Jet 4L 220V .....CALL
HP Laser 4M 220V 629.00
LM Win Jet 1200 ..629.00
Win Printer 8001029.00
Win 600 XL IIXI 2399.00
NEC Model 95F 879.00
Oki Laser 400... *After Rebate* *469.99
Oki Laser 830 Plus .....CALL
Oki Laser 850 .....519.99
Pana. KXP 4410 .....639.99
Pana. KXP 4430 .....CALL
Pana. KXP 4450i 119.99
Postscript f/HP IIIP 59.99
25 Fonts f/All Laser 59.99

MONITORS
NEC 3 FGE 599.99
NEC 4FGE 709.99
NEC 5FGE 1079.99
NEC 6 FG 21 .....2249.99
Pana C 1381 i 299.99

SCANNERS
HP ScanJet IIP 699.99
HP ScanJet IIC Color .1199.99

NOTEBOOKS
IBM Think Pad 720C .....CALL
HP Omni Book 300
386 SX 2/40 MB Hard Dr. .1699.00
386 SX 10 MB Flash Card .2049.00
Olivetti Quaderno
2 Lbs. 1/20 MB H/D 549.99
Texas Instrument TM 4000
486 SX Win/25 4/120 1849.99
486 SX Win/25 4/120 2375.99
486 DX Win/25 MHZ 8/200 MB .2899.99
486 DX 2/50 MHZ 8/200 MB .2999.99
486 SX 4/120 Color ...2499.99
Toshiba
T-1900 4/80 MB 1649.00
T-1900 4/120 MB 1775.00
T-1900-4/120 MB 1999.00
T1900 Color 4/120 .....2399.00
T-1900 Color 4/200 .....2599.00
T-1900 Color 4/200 .....3299.00
T-4400 Clr 4/120 .....3799.00
T-4400 DX Clr 4/200 .....1999.00
T-4400 4/120 MB 2799.00
T-4500 Clr 4/120 .....3099.00
T-4500 Clr 4/120 .....3999.00
T-4600 4/200 MB 5399.00
T-4600 Color 4/120
T-4600 DX Clr 4/200
T-6400 DX Clr 4/200

MODEMS
MHZ PCMCIA XJack 24/96 ..299.00
UDP PCMCIA 24/96 ....174.99
UDP PCMCIA XJack 14.4 ...449.99
MHZ PCMCIA XJack 14.4 ...89.99
Pocket 24/96 .....179.99
Boca 14.4/Fax Modem Int. .209.99
Boca 14.4 Ext. 219.99
Boca 14.4 Fax Modem Ext. .219.99
Boca 14.4 Fax Modem Int. .179.99
Supra 14.4 Fax Modem Int. .194.99
Supra 14.4 Ext. Fax .689.99
US Robotics 14.4 Ext. Fax
US Robotics Dual Standard

EXECUTIVE ORGANIZERS
CASIO SF 8300 64 K 94.99
CASIO SF 9300 64 K ....CALL
CASIO SF 9600 64K 139.99
CASIO SF R10 128K ...179.99
CASIO SF R20 256 K ...219.99
CASIO SF 512 K 369.99
HP 95 LX 1 MB 549.99
HP 95 LX 1 MB 689.99
HP 100 LX New 359.00
4 MB UPgrade .....In Stock
10 MB Flash Card 219.99
Sharp IQ 8500 256 K ...CALL
Sharp OZ-9600 256 K ...419.99
Sharp OZ-9600 II 512K ...174.99
Sharp YO 610 128K

NETWORK/PERIPH.
Novell 3.11 5 User 539.99
Novell 3.11 10 User ...1229.99
Novell 3.11 20 User ...1499.99
Novell 3.11 50 User ...2249.99
Novell 3.11 100 User 3149.99
Novell 4.0 5 User 799.00
Novell 4.0 25 User 2699.00
Novell 4.0 25 User Starter ..419.99
Lantastic 10 MBPS Starter ..159.99
Lantastic Noderunner ..119.99
3 Com Etherlin III 3C509 ..279.99
Xircom Ether Net II 359.00
ATI Graphics Ultra Plus 2 MB 149.00
Diamond Stealth 1 MB 149.00

MULTI-MEDIA
Pro Audio Spectrum 16 .149.99
Sound Blaster Pro Basic ...89.99
Sound Blaster Pro Delux .129.99
Sound Blaster Pro 16 ASP .199.99
Fusion CD Int. w/ Spkr .449.99
Media Vision Pro 16 CD Int. 629.99

IN USA & CANADA & P.R. INCLUDING NY STATE
1-800-874-1235
(Include Voice & Fax #)
Fax: (212) 463-8335
S & W COMPUTERS & ELECTRONICS
31 West 21 Street, New York, NY 10010
NYC (212) 463-8330
HOURS Sun. 10-5 Mon.-Thurs. 9-6 Fri. 9-1:45 Saturday Closed

• DISCOVER • M.C. VISA C.O.D. w/Deposit • No surcharge for credit cards. Ship. addtl. Handling 2% Qty. Ltd. Prices subject to change. Returns w/written authorization. Free Parking Sunday. Meter parking available. Prices for consumers

PRICES HARD TO MEET — SERVICE HARD TO BEAT! World Wide Inquiries Promptly Filled

Images in Your Computer

FROM VIDEO OR FULL PAGE SCANNERS. BOOST YOUR PRODUCTIVITY IN DESKTOP PUBLISHING AND MULTIMEDIA APPLICATIONS.

ColorSnap PC Pro

- Best Quality, real time, image capture for desktop publishing and video digitizing.
- 16.7 million colors
- NTSC/PAL compatible
- 640 x 480, Max video resolution
- Video-For-Windows compatible
- Digitize movies at 15/30 frames per second

ColorSnap PC Pro $699.00

Artiscan-Full Page Color



- 16.7 million color flatbed scanners with true hardware resolution and Twain universal driver.
- Top Media Ratings
- FREE Image Processing Software

AS6000 (600 x 600 dpi).....799.00
AS8000 (800 x 800 dpi).....999.00
AS12000 (1200 x 1200 dpi) 1499.00
Slide Scan Kit 545.00/685.00
Recognita OCR Software.....call

LifeView Victor
- Best Genlock, overlay graphics
- TV Tuner combination with Video Authoring and Image Manipulation software.

LifeView Victor and LifeView Tuner....349.00

LifeView Encoder
- Record your computer presentations to VCR or displayon TV.
- Flicker-Free, NTSC/PAL in one unit. 800 x 600 resolution

249.00



PA-100 Personal Archiver

- 600 dpi, 256 gray-scale levels
- FREE 10-page automatic document feeder
- FREE Image Processing Software, Archiving database, Recognita OCR software $699.00

Computer Friends, Inc. 14250 NW Science Park Drive - Portland, OR 97229
To Order 1-800-547-3303 Tel (503) 626-2291 Fax (503)

Reviews

messages, so you can easily find comments to a particular message. You can address a conference message to a single person or to a group. Conferencing is available only under Windows.

LANTASTIC 5.0

LANtastic has been a market leader for a number of years, and with good reason. LANtastic isn't the fastest network you can buy, but the software is easy to install, easy to use, and feature-rich. I review LANtastic for Windows here, but Artisoft sells a DOS-only version for a little less ($119 versus $139 for a single workstation).

Artisoft's support for Microsoft Windows is complete, although not quite as highly integrated with Windows as Microsoft's own Windows for Workgroups. LANtastic gives you an over-the-wire scrapbook for the Windows environment, called Windows Network Scrapbook, that works something like Microsoft's Clipbook Viewer. You can share text, image, and sound files with other Windows clients.

The LANtastic scrapbook is static, not dynamic: Other workstations get a copy of the data you want to share, not a connection to the original data on your PC. In contrast, Windows for Workgroups' NetDDE feature allows dynamic, real-time data connections between Windows applications running on different systems. To its credit, LANtastic's Windows Network Scrapbook can send messages that include a DDE macro that launches a given application when the recipient opens his or her mail.

The Windows E-mail component of LANtastic provides automatic notification of incoming mail, drag-and-drop capabilities, and cut-and-paste functions in the text editor. You can attach only a single file to an E-mail message.

Under Windows, you connect to a shared printer by simply clicking on the printer's icon and then clicking on the parallel port icon. You can monitor print jobs in the queue or those print jobs currently being serviced (i.e., printed). You can see printer status (on-line or off-line) and the estimated time to finish the printout. You can prioritize, hold, or delete print jobs, and even schedule print jobs for off-hours printing. With a feature called *immediate despooling*, a print server can begin printing a spool file even before the workstation completes the print operation.

continued

Circle 75 on Inquiry Card.

Discover the basic principle of connectivity...

Look to SmarTerm® for visionary emulation and multi-platform connectivity.

It's a basic principle worthy of Galileo:
SmarTerm's stellar PC-to-host connectivity puts you at the center of your system. New SmarTerm emulation software for Windows will expand your vision with a galaxy of UNIX, VMS, and DG host applications. SmarTerm 420 for Windows and SmarTerm 340 for Windows have both been upgraded. We also offer SmarTerm 470 for Windows, the first full-featured Data General 470 emulation product for Windows. And coming soon—SmarTerm for Windows NT!

New Windows Sockets TCP/IP and more!
Assure your system a window on the future with great new features like SmarTerm TCP/IP as a Windows Sockets DLL, drag-and-drop FTP, a dialing directory, a script recorder, and *SmartMouse*™ enhanced mouse support!

Test a proven theory for reducing support costs.
It's a fact. You'll save money and time with SmarTerm's pioneering corporate support tools and utilities.

These corporate support tools include simplified keyboard remapping, pop-up keyboard, toolbox, customizable help system, and enhanced button palettes with icons or text.

Discover SmarTerm.
It's the only emulation software that includes LAT and SmarTerm TCP/IP as a Windows Sockets DLL (a $199 value) FREE in every package. Discover the basic principle of connectivity today.

Call **1-800 EMULATE (1-800-368-5283).**

persoft®
CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

Persoft U.S.A. 465 Science Dr. • Box 44953 Madison WI 53744-4953 • Phone (608) 273-6000 • FAX (608) 273-8227
Persoft Europe World Trade Center • Beursplein 37 • Box 30237 • 3001 DE Rotterdam, The Netherlands • Phone +31 10 405.3560 • FAX +31 10 405.5073

©1993 Persoft, Inc. SmartMouse is a trademark and Persoft and SmarTerm are registered trademarks of Persoft, Inc. Other trademarks mentioned are properties of their respective companies.

Circle 129 on Inquiry Card.

Circle 84 on Inquiry Card.

For DOS And Windows!

Checking Out Hot Multimedia Products?

Check Out The 'Eyes!

ComputerEyes/RT

- Accurate, true 24-bit color video frame grabber
- Plug-and-go product with no hardware limitations, no setup hassles
- Capture images and movies for hundreds of applications - desktop publishing, image databases, paint and presentation programs, graphic arts, Video For Windows, etc.
- Excellent, easy-to-use DOS and Windows control software
- Developers software package available
- ComputerEyes/RT - $399.95 Monochrome-only version also available - $299.95

New Lower Prices!

New! TelevEyes/Pro

- New, no-compromise video scan converter with genlock converts any computer video output to high-quality composite for display to large-screen TV monitors, video projectors, or to video tape
- Works with all IBM PC DOS and Windows modes and all Macintosh computers
- Simultaneous display to both computer and TV
- Full genlock for overlaying computer output over live video
- Great tool for computer video titling, presentations and demonstrations, video editing, special effects, etc.
- TelevEyes/Pro - $799.95
  TelevEyes - $299.95

See Your Dealer Or Call For More Information

Digital Vision, Inc.
270 Bridge St., Dedham, MA 02026
(617) 329-5400 (800) 346-0090

Reviews LANtastic 5.0 vs. Invisible LAN 3.4

Significant Features

Artisoft includes with LANtastic a disk-caching utility called LANcache. LANcache boosted LANtastic's performance in my tests, but not nearly as much as Ultra Server did for Invisible LAN. Artisoft also bundles Alone, a module that allows you to dedicate a PC as a LANtastic server. Alone restricts users from running applications on dedicated machines.

Although Alone and LANcache together don't add up to Invisible LAN with Ultra Server, LANtastic has connectivity features that more than make up for its lack of speed. For example, LANtastic's NetBIOS packets are routable—through readily available IPX routers. According to Artisoft, LANtastic NetBIOS packets contain source and destination ID data at the same packet offset at which the information would reside in an IPX packet. I didn't test it, but the company claims that the packet structure makes LANtastic routable through any device that can route IPX.

LANtastic workstations can also share modems, using NetBIOS-aware communications software, through Artisoft's optional Articom Modem Sharing product. Artisoft offers gateways to NetWare and to TCP/IP networks. Last but not least, a version of LANtastic runs on Macs, although connecting Mac and PC LANtastic nodes requires a dedicated PC.

However, the most notable feature of LANtastic is its sophisticated file-by-file security. You administer LANtastic security through ACL (access control list) groups. These groups let you assign and change access rights for a group of users at a time. If you wish, you can designate file-access permissions for a particular user. You can set access rights at the directory level (affecting all files in the directory) or for a given file. The access rights you set include permissions to read, write, create, and modify files. By default, the rights are in effect 24 hours a day; however, you can also set up time-of-day and duration-specific rights. LANtastic's security system can force users to change passwords periodically and can encrypt passwords over the wire.

LANtastic also includes some nice administrative touches. A LANtastic network administrator can operate a LANtastic file server through remote control. The administrator can set up log-on accounts on one server and have all workstations authenticate against that central directory. The administrator doesn't have to add a new log-on account to every file server, as would be necessary under systems like NetWare 3.11.

Between Peers

How do LANtastic for Windows and Invisible LAN play against Windows for Workgroups? Windows for Workgroups has much better overall integration with Windows than either of these products, with a more capable NetDDE and seamless linking to File Manager and Print Manager. It also includes scheduling and other productivity applications. But Windows for Workgroups is much slower on all but the most trivial networks.

If your organization is new to LANs and you have users who aren't comfortable with DOS, I recommend that you buy LANtastic 5.0 for Windows. You'll also want to get LANtastic instead of Invisible LAN if you have Macs or if the peer LAN you create is part of a larger NetWare network.

If your group is already familiar with DOS and will forgo some of the niceties of point-and-click for pure speed and responsiveness, you'll definitely want to buy Invisible LAN with the Ultra Server option. LANtastic is a Cadillac, but Invisible LAN is a hot rod (and Ultra Server is a fuel-injection and turbocharger option). Both peer LANs are reliable and handle the basics well, and pricing is similar; choosing between the two is mostly a matter of deciding between speed and comfort. ■

About the Products

Invisible LAN 3.4
Single workstation: $149
Five or more workstations: $99 each
Ultra Server: $399
(other configurations available)

Invisible Software, Inc.
1215 North Highway 427, Suite 135
Longwood, FL 32750
(800) 982-2962
(407) 260-5200
fax: (407) 260-1841
Circle 1077 on Inquiry Card.

LANtastic 5.0 for Windows
Single workstation: $139
Six-user version: $779
(other configurations available)

Artisoft, Inc.
2202 North Forbes Ave.
Tucson, AZ 85745
(800) 846-9726
(602) 670-7100
fax: (602) 670-7101
Circle 1078 on Inquiry Card.

Barry Nance, a programmer for the past 20 years and a BYTE contributing editor, is the author of Using OS/2 2.1 *(Que, 1993),* Network Programming in C *(Que, 1990), and* Introduction to Networking *(Que, 1992). Barry is the Exchange Editor for the IBM Exchange on BIX, where you can reach him as "barryn."*

CorelDraw 4.0: The Word Is More

Path-based animation, multiple pages, an object database, and even OCR and forms generation: The latest CorelDraw packs in the features

G. ARMOUR VAN HORN

More. That's the central theme of CorelDraw 4.0, the market-leading illustration software for Windows—more fonts, more clip art, more modules, more common interface among modules, and more pages. The box includes two CD-ROM disks, but the video tour that introduced new users to the program for the last two versions had to be eliminated—there just wasn't room for it.

For many professionals, CorelDraw 4.0 ($595) will be the first choice for graphics creation and editing. Corel will continue to offer CorelDraw 3.0 at $199 for those who don't require quite so much "more."

The 12 1.44-MB floppy disks install about 36 MB of files on your hard drive, including Corel's seven modules, symbols, and a small number of fonts. If you are really voracious, you can install from the two CD-ROMs and get all 18,000 pieces of clip art and over 750 fonts. The font collection includes both TrueType and PostScript Type 1 formats. You can run CorelDraw 4.0 from a CD-ROM drive, reducing the hard disk space requirement to about 2 MB, but performance will suffer noticeably.



Powerlines can create teardrops and trumpets. The screen shows these objects with solid, graduated, and fractal fills, along with the fill rollup. In the lower right corner, note the tracing results from CorelDraw's autotrace and from CorelTrace. The original TIF image serves as a reference. The author's logo shows simple text, line, and rectangle styling.

A Striking Resemblance

CorelDraw 4.0's interface has no immediately apparent differences from that of version 3.0: The status bar and menus appear across the top of the screen, nine tools run in a column down the left side, and the fill palette continues across the bottom of the screen. This should comfort experienced CorelDraw illustrators, because the new features and commands in version 4.0 require enough attention without a new interface to learn as well.

CorelDraw 4.0 maintains commands from earlier versions, which allow the creation of lines, shapes, and text, and still requires substantial mouse motion and keyboard exercise for the commonly used commands. Relatively few common commands are available as mnemonic keyboard shortcuts, so you'll either have to memorize Shift, Control, or Alt combinations with the F1 to F12 keys or make many trips to the toolbox or menus. Version 3.0's pick, shape, and alignment tools are also included in the new version.

With so many like features between the two versions, you could work in version 4.0 and not notice the differences at all—until you undo a change. Unlike in CorelDraw 3.0 where you only have one level of Undo, version 4.0 defaults to four levels of Undo, and it's configurable to up to 99 levels.

NEW FEATURES

- **up to 999 pages per file**
- **99 levels of Undo**
- **powerlines—customized shapes from the pen tool**
- **fractal fills**
- **755 fonts and 18,000 pieces of clip art**

Another bonus feature in CorelDraw 4.0 is an Insert Pages command in the layout menu, which allows up to 999 pages in a single file. CorelDraw can work as a simple page-layout program for the occasional brochure, but the speed with which it manipulates text will not threaten QuarkXPress or PageMaker. Multiple pages are convenient for assembling a series of ads for a customer or for generating several variations of a single illustration, largely making up for the lack of an MDI (Multiple Document Interface).

Offering convenience and power with minimal screen clutter, CorelDraw 4.0's *rollups* now control more features. These floating palettes allow you to specify many attributes of an object; at the press of a button, the palettes roll up into a simple bar showing only the title and the control box. Rollups control text, layers, styles, text envelopes, powerlines, contours, node editing, symbols, and data.

Powerlines are an outgrowth of the effects available with pressure-sensitive tablets (but you do not need a tablet to take advantage of powerlines). Woodcut shapes, teardrops, bullets, and trumpets are available at the stroke of the pen tool. Once you have created a shape with powerlines, control handles let you edit it.



CorelChart screens showing the data view, with chart elements tagged by pressing the AutoScan button, and the resulting bar chart, probably the simplest of CorelChart's wide variety of presentation options.

Fractal fills have also been added to the new version. You may find fractal fills a welcome and powerful addition to illustrations, or you may find yourself wasting more time than with any program since Windows Solitaire. There are 42 basic patterns (e.g., aerial photographs, minerals, paper, clouds, fibers, and flames), and each has a range of editable options for a total pattern count in the millions.

Stylish Text

Text creation and modification has always been powerful in earlier versions of CorelDraw, featuring editable text envelopes, spelling and thesaurus, extrusion, and the ability to convert text to curves. CorelDraw 4.0 dramatically expands text handling. It delves into the realm of desktop publishing with a staggering variety of automatic bullets and better control over tabs, indents, and character spacing. If you need to work with large bodies of text, version 4.0 lets you export blocks of text for editing in your favorite Windows word processor; you then can merge the text back into the illustration file, and most text attributes will remain intact.

NEW FEATURES

- **automatic bullets**
- **text and graphics styles**
- **merge from Windows word processors**
- **object database**
- **more floating palettes (Corel rollups)**

The right mouse button exposes other new features. You can create styles for both text and graphics for specifying fills, outlines, fonts, tabs, indents, bullets, and spacing. Clicking on any object with the right mouse button adds its characteristics to your style sheet, or you can apply an existing style to the object. With an existing style selected in the style menu, clicking on an object with different characteristics presents the Update Style option, which then updates all objects in that style to match. Not only is it a powerful tool for editing complex files, but it's fun to watch. The Control + numeral combinations can rapidly apply your 10 most common styles.

An object-database feature has also been added, again only noticeable if you click on an item with the right button. You can associate part numbers, costs, dates, and text with drawing elements and display them in a spreadsheet. Alas, you can't export the spreadsheet to other applications.

CorelDraw 4.0 can import most common formats, including JPEG compressed images and Kodak's Photo CD format. Although the program can open only its own files, it can import Adobe Illustrator, Micrografx Draw, Windows metafile, and WordPerfect graphics files directly. CorelDraw can turn Mac EPS files that Adobe Illustrator creates into editable illustrations. You can place EPS files that other Mac applications create in a Corel document, but the files aren't editable. The distinction between importing and placing a file is not well documented.

CorelDraw 4.0 can export all the formats it can import, and it can export selected items only rather than the entire document if desired. It is both an OLE server and client.

NEW FEATURES

- **direct scanning control**
- **special-effects filters**
- **fills, patterns, and textures available in charts**
- **graphical time line in CorelShow**
- **transitional effects applied to any object**

Enhanced Image Editing and Charting

Corel introduced the Photo-Paint module, an image-editing package based on Photo-Finish from ZSoft, in CorelDraw 3.0. In that version, the ZSoft module was bundled with few changes. Now, in version 4.0, the toolbox is on the left, and many editing options appear as rollups. Photo-Paint has direct scanning controls for common scanners and acts as an OLE server.

Effects filters include emboss, motion blurs, psychedelic, solarize, sharpen, unsharp mask, rotation, color-balance controls, and Van Gogh or Seurat effects. Although the default file format is PCX, Photo-Paint can read and write BMP, GIF, Targa, and TIFF files, as well as save EPS files and read some JPEG compressed files. The image editor works only with RGB format files, but it supports color separation and prepress functions and can save CMYK files for process color printing.

CorelChart is a module that creates 18 different chart types (the same amount that's in version 3.0) and includes a minimal—although expanded—spreadsheet for arranging data. You can now apply fills, patterns, and textures to charts from any other module. CorelChart is an OLE server, allowing other applications to use the resulting charts; therefore, you can establish DDE links to any Windows spreadsheet to build charts quickly from existing data. You can export CorelChart's data sheets to Excel, Lotus, and several ASCII formats.

CorelShow, a presentation module, creates overhead transparencies, 35mm slides, and on-screen presentations. New features include branching to different slides depending on audience response and setting transitions for different elements on an object-by-object basis instead of slide-to-slide. The CorelShow module is an OLE client and ships with a run-time component, allowing you to provide

A chain is as strong as its weakest link.

Picture your Hardlock™ key as a bike lock, and the accompanying software routines used to implement the copy protection as the chain. You can own the best lock that money can buy, but that lock is useless if the chain is weak.

Introducing **HL-Crypt**, a major breakthrough in copy protection. HL-Crypt is not just a shell or simple conditional response checker. Using our proprietary Patcher Technology, HL-Crypt encrypts and binds the application to your Hardlock™ device. HL-Crypt features many protection modules that secure the application against piracy, reverse engineering, and debugging, to name a few.

Picture HL-Crypt as an ironclad chain. The only ironclad chain in the industry today. For more information, call

1-800-562-2543

HL-Crypt

The Fortified Protection Linker for Hardlock



SHOWN ACTUAL SIZE

The only product that combines fortified software encryption with the Hardlock™ family of copy protection devices for single user and network implementation. Made in the USA.

For a distributor in Europe contact Fast Electronic GmbH, Tel: 49-89-539-800-20 Fax: 49-89-539-800-40
In Korea contact Finecom, Tel: 82-2-690-5811 Fax: 82-2-605-5729
In Brazil contact HT-MACH, Tel: 21-257-0314 Fax: 21-235-6808
In Chile contact Datasoft S.A., Tel: 562-246-7443 Fax: 562-208-0591
In Peru contact V.C.H.I., Tel: 51-14-440537 Fax: 51-14-475984
In Uruguay contact Sofec, Tel: 90-60-10-92-30-08 Fax: 0598-2-92-16-13

GLENCO
ENGINEERING INC.
SERVING THE SOFTWARE INDUSTRY SINCE 1979
270 Lexington Drive
Buffalo Grove, IL 60089-6930
Phone 708/808-0300
Fax 708/808-0313

For International information circle 86, For Domestic information circle 87 on Inquiry Card.

Circle 507 on Inquiry Card.

COMPUTER QUICK™

Backup
Colorado 250MB 205
Trakker 250MB Parallel . . 416
HP DAT 3.5" 2G SCSI . 1000
HPDAT 3.5" 5G SCSI . . 1150
Python 4/8G DAT 1275
WangDat 2/4G DAT . . . 1075
WangDat 4/8G DAT . . . 1275

CAD
AutoCad Rel 12 DOS . . 2925
AutoCad Rel 12 WIN . . 2925
AutoCad Rel 12 AME . . . 3425
Calcomp 12x12 Cordless . 295
Calcomp 12x18 Cordless . 600
Calcomp PS E Size . . . 3840
Calcomp CM B Size . . 7130
Design CAD-The Expert . 521
Numonic AccuGrid 20x24 1585
SummaSketch III 12x12 . 324
SummaSketch III Pro 12x18 542

Chips & Memory
All Upgrades - AST, Apple, Compaq, DEC, HP, IBM Silo-con Graphics, SUN, Toshiba
MathCoprocessors . . . CALL
CPU . . . . . CALL
SIMM 4MBx9 145

Computers
We custom-build any system to your specifications.
APPLE . . . . . CALL
AST . . . . . C ALL
COMPAQ . . . . . CALL
HP . . . . . CALL
IBM . . . . . CALL
TOSHIBA . . . . . CALL
TEXAS INSTRUMENTS CALL

Hard Drives
Maxtor 345MB IDE 315
Maxtor 1.2G 5.25" SCSI . 935
Maxtor 1.2G 3.5" SCSI . 1175
Micropolis 1.05G IDE 3.5" 1250
Micropolis 1.75G SCSI 3.5 1995
Micropolis 6G Array . . . 12505
PLI 88MB Removable . . . 533
Quantum 1GSCSI 3.5" . . 990
Toshiba 1G SCSI 3.5" . . . 935
Toshiba 877M SCSI 3.5" . 845

Graphics Cards
ATI Gr Ultra Pro 2MB VLB 349
ATI Gr Ultra Pro 2MB EISA 385
Artist XJ1000 1065
Diam Stealth 24 1MB /VLB 158
Diam Stealth Pro 2MB /VLB 333/340
Diam Viper VLB 2MB . . . 407
Matrox Impress 3MB /VLB 960
Orchid FH+ 1MB/VLB . 176/195
Mylex GLE911 EISA 1MB 351

Modems/FAX
Hayes Optima 14.4/14.4 Ext 382
Hayes Ultra 14.4/14.4 Ext . 630
Intel Satisfaxtion 400 Ext/Int 402
SHIVA NET Modem WIN 1435
Supra 14.4/14.4 Ext 226
Supra 14.4/14.4 Int 175
USR DS 16.8 EXT 695
USR DS 16.8+Fax Ext . . 715
Zoltrix 14.4/14.4 Ext 218
Zoltrix 14.4/14.4 Int 162

- Quantity Discounts
- Dealer Discounts

International Orders our Specialty

Controllers
Adaptec 1542C 199
Adaptec 1542C w/Corel . 315
Adaptec 1742A EISA SCSI 355
Adaptec 1744 EISA SCSI 855
Mylex EISA SCSI 4MB . . 690
DPT Smt Cache EISA/SCSI 452
Orchid VLB IDE 58
UltraStor EISA SCSI Cache 395
UltraStor SCSI VLB . . . 285
UltraStor IDE Cache 1MB 237

Network
Novell Netware . . . . CALL
CNET NE2000 Combo 5pk 503
D-Link DE-2000 TP & BNC 118
D-Link DE-220C 16 Bit BNC 97
Etherlink III 16 Bit 127
Etherlink III 16 Bit 5 Pack 575
Etherlink III EISA 5 Pack . 975
Etherlink III MCA 5 Pack . 875
IBM 16/4 TR MC & AT . CALL
NE 2000 TP & BNC . . . 130
NE 2000 5 Pack 585
NE 2000 Plus 5 Pack . . 510
NE 3200 EISA 667
SMC EtherCard Elite 16 Combo 135
SMC Ethercard Elite 16 . 113
SMC Ethercard Elite 32 . 592
Thos C 16Bit Fiber Optic . 705
Thos C EISA Fiber Optic . 942
Thos C 16/4TR 6pack . . 1952

OS
MS DOS 6.0 Upgrade . . . 80
OS/2 2.1 CD-ROM 128
SCO UNIX OS MultiUser 840
SCO UNIX Dev System . 840
SCO ODT Pers Sys CDR 915
SCO ODT DEV Sys CDR 1125
Windows 3.1 Upgrade . . . 42
Windows NT 315
Windows NT Adv Srvr . . 810
Windows for WG Start Kit 458

UNIX
Fox Base MultiUser . . . 775
MS Word MultiUser . . . 970
SCO NFS v1.2.0 450
TCP/IP Runtime MultiUser 450

CD-ROM/ OPTICAL
Panasonic MPC CDR Int . 217
Pinnacle RW 128MB 3.5" 1690
Pinnacle RW 650MB 5.25" 2915
Ricoh RW 128MB 3.5" . . 1270
Ricoh RW 650MB 5.25" . 2470
Tosh 3401 SCSI Int/Ext 475/585

23,000 Item Reference Program with Current prices
*
FREE with order

PHONE: (415) 861-8330
Español (415) 861-8376
FAX: (415) 861-8380

Low freight rates - No handling charge Prices are for cash prepayment • VISA/MC/AMEX accepted • Products may be USA versions • No returns on opened software • Prices are FOB USA and subject to change • 15% restocking charge for non-defective returns

Computer Quick, 165 - 8th Street, No. 309
San Francisco, CA 94103, USA

Reviews CorelDraw 4.0: The Word Is More

stand-alone presentations to Windows users without CorelDraw 4.0.

Trace, Mosaic, and Move

CorelTrace, the module for importing bit maps and generating vector images that CorelDraw can manipulate, has changed substantially for version 4.0. In addition to including the outline and centerline options of the previous version, CorelTrace generates silhouettes of bit-map images, an interesting woodcut effect that looks more like a coarse line screen, and supports two options for OCR.

NEW FEATURES

- **bit-map silhouettes**
- **OCR capability and forms creation**
- **drag-and-drop file management**
- **path-based animation**

The basic OCR process converts a scanned document to text, and CorelTrace does a reasonable job of it. A Form method goes even further: It first recognizes text, then scans lines, and finally traces other objects. This allows rapid development of replacement forms in CorelDraw, perhaps the most direct and efficient process I've seen.

CorelMosaic is a module that creates thumbnail images of any files you edit in the other modules and saves them in catalogs. You can attach text to catalog entries, and CorelMosaic can search across multiple catalogs. While preparing files for the catalog, CorelMosaic compresses any file that is not already in a compressed format. You manage files by simply dragging and dropping them.

The new version also adds a slick animation module called CorelMove. You can start with any "actor" or "prop" from a bundled library or create your own in CorelDraw or Photo-Paint. By using version 4.0's blend feature, you can automatically create a series of steps for your actor. A CorelMove checkbox lets you assign these steps to animation cels. The actors travel along a path you create. Nodes on the path can be added, deleted, or automatically smoothed for a less jerky motion. You can customize WAV sound files with the CorelMove Sound Editor and attach them to the animation, and you can export the final creation to .FLC or AVI (Audio Video Interleave) format or distribute it with a stand-alone player.

The Kitchen Sink

It is almost criminal to purchase version 4.0 without using a CD-ROM drive. Without either a CD-ROM player or lots of hard disk space, the 489-page catalog of color and black-and-white clip art is just a tease. There are 755 fonts on the CD-ROM disks; installing from floppy disk limits you to about 50 TrueType fonts.

Despite so many new features, CorelDraw 4.0 still does not support multiple-open documents, a significant deficiency. In a welcome accommodation to Windows 3.x, Corel has finally adopted the Windows conventions for common editing commands, although the old commands are still available.

Corel has always supported many operating platforms and was expected to support the Macintosh by this time. The program's designers decided to take advantage of features in Apple's promised QuickDraw GX but delays in the release of Apple's upgrade derailed development of the Mac version of CorelDraw. To make significant moves into the professional graphic-arts market, CorelDraw will need to operate on both Windows and the Mac, and Corel intends to take that direction. A good first step would be to allow the Windows version to export Mac EPS files (and vice versa when the time comes). Corel's previewless EPS files appear only as gray rectangles when placed in Mac layouts.

I ran into two significant problems when installing CorelDraw 4.0. Besides space for the Corel program files, the installer requires space on the drive with your Windows directory for TrueType fonts. I discovered that you can't install the program without having enough room on the Windows drive to place the 50 TrueType fonts; if you don't, you will never get to the selection dialog box to deselect enough fonts to make the program fit. Also, it turned out to be impossible to install from a floppy drive across Windows for Workgroups, a problem that Corel plans to address in a maintenance upgrade. Corel has an excellent record, however, for supporting early buyers with free maintenance upgrades.

For a number of professionals, CorelDraw 4.0 will be a valuable toolbox. No other program comes close to offering this range of function at Corel's price. CorelDraw 4.0 is an impressive piece of work. ■

About the Product

CorelDraw 4.0.....$595
Corel Corp.
The Corel Building
1600 Carling Ave.
Ottawa, Ontario,
Canada K1Z 8R7
(613) 728-8200
fax: (613) 728-9790
Circle 976 on Inquiry Card.

G. Armour Van Horn is a writer and graphics consultant in Freeland, Washington. He can be contacted on BIX as "vanhorn."



Don't Jump to a Graphic Conclusion

If you're about to take the plunge on a new graphics accelerator, get one that won't limit your future. ATI's GRAPHICS ULTRA+ and GRAPHICS ULTRA PRO give you no-regrets performance with all of today's applications. And they're perfectly poised for the leap forward into 32-bit operating systems and multimedia applications.

Get the Jump on the Latest Technology

Don't let inadequate technology give you or your PC a nervous breakdown. Our *mach32* Accelerator Chip and 2.0MB of standard memory accelerate graphics to heights that others can't match. And ATI's newest accelerators are multimedia-ready, with hardware-assisted scaling of motion video images under Windows for full screen playback.

accelerated by mach32 ATI TECHNOLOGIES INC.

indeo™ INTEL VIDEO TECHNOLOGY

MULTIMEDIA ACCELERATION



Software Safety Net

Software driver support shouldn't have to be a giant leap of faith... but without it, an accelerator is just an expensive VGA card. ATI gives you the best driver selection with the full security of 8514/A-compatible acceleration, plus up-to-the-minute ATI drivers for all major applications, including 32-bit environments, like OS/2 2.1 and Windows NT.[1]

Don't Fall Behind

ATI helps you stay on the leading edge, without going over the brink financially. Our new upgrade plan[2] lets you move up to the latest hardware... at a fraction of the regular price.

GRAPHICS ULTRA+

- True color at 800x600 and 65,000 colors at 1024x768
- Non-interlaced 1280x1024 in 256 colors
- Flicker-free Windows, up to 76Hz refresh rate
- 2.0MB memory
- Fast DOS and graphics performance
- Enhances and accelerates Video for Windows
- **$299.00**[3]

GRAPHICS ULTRA PRO adds

- VRAM for better performance at higher refresh and greater colors
- Non-interlaced 1280x1024 graphics at 74Hz refresh
- ISA, EISA and Micro Channel versions available[4]
- **$499.00**[3]

So look before you leap. Drop in to your local ATI dealer and let our counselors help you avoid a graphic mistake.

GRAPHICS ACCELERATORS · MULTIMEDIA · COMMUNICATIONS

MICROSOFT WINDOWS COMPATIBLE · PC MAGAZINE EDITORS' CHOICE · PC MAGAZINE EDITORS' CHOICE · PC Computing MVP 1 WINNER · FAX info (416) 882-2600 press 2

ATI TECHNOLOGIES INC. Perfecting the PC

ATI TECHNOLOGIES INC.
33 Commerce Valley Dr. E.
Thornhill, Ontario
Canada L3T 7N6
Tel: (416) 882-2600
Fax: (416) 882-2620

Copyright © ATI Technologies Inc., 1993. ATI, GRAPHICS ULTRA+, GRAPHICS ULTRA PRO and *mach32* are registered trademarks of ATI Technologies Inc. All other company and/or product names are trademarks and/or registered trademarks of their respective manufacturers. Features and specifications are subject to change without notice. Products may not be exactly as shown. [1]32-bit OS/2 2.1 drivers will be available in August 1993; 16-bit OS/2 2.1 drivers currently included. ATI drivers included in Windows NT package. [2]Tradeup plan to latest ATI products; call or fax for further information. [3]Suggested US retail prices, dealers may sell for less. [4]Mouse included with ISA versions only.

Circle 66 on Inquiry Card.

Powerful, Fast And Loaded With Features.

ZEOS® LOCAL BUS UPGRADABLES.

Upgradable to Intel's Pentium™ OverDrive™ architecture

Intel tested and approved for compatibility and thermal compliance!

Local bus video—VESA standard!

Local bus IDE hard drives



"It's hard to imagine a brighter upgrade picture."
—PC World

Flash BIOS

On-board Adaptec SCSI option

.28mm non-interlaced SVGA color monitor in every package!

More power. More speed. More features than ever before—and more than you'll get anywhere else in a local bus upgradable system!

We start with a *brand-new motherboard*—one that's faster, more integrated, and gives you even more reliability. We've increased the size of our local bus hard drives (all the way to 528MB!) so your hard disk data throughput is faster than ever before. Even better, we've taken one of the two VESA local bus slots (which can also be used for standard 16-bit cards) and added a screaming local bus video card…for Windows performance that *"blows all competitors away"* (PC Magazine).

So that you can easily upgrade your system as new technology is developed, we include such features as CPU upgradability to Intel's Pentium OverDrive; a Zero Insertion Force (ZIF) socket; Flash BIOS for easy BIOS upgradability, and room to expand as well—with eight expansion slots and plenty of drive bays. With ZEOS local bus upgradables, you're investing in a bright future!

Circle 289 on Inquiry Card.

STANDARD WITH EVERY ZEOS LOCAL BUS UPGRADABLE:

- RAM expandable to 64MB on the motherboard.
- Upgradable processors that let you upgrade to Intel's Pentium OverDrive architecture.
- Zero Insertion Force (ZIF) socket makes upgrading easy.
- 14" ZEOS color SVGA non-interlaced monitor, .28mm dot pitch.
- Two serial ports and one parallel port integrated on the motherboard.
- Flash BIOS for easy upgradability.
- Eight expansion slots: two VESA local bus, five 16-bit and one 8-bit.
- ZEOS six-bay desktop case.
- Two cooling fans for increased reliability and product life.
- High-capacity 200W power supply with built-in suppression; switchable between 115/230V.
- Socket for inexpensive optional on-board SCSI.
- Shadow RAM support.
- ZEOS 101-key Reduced Size (RS) keyboard.
- FCC Certified Class B; UL Listed.
- 24-Hour-Toll-Free Technical Support, 30-Day Money-Back Guarantee, complete ZEOS Customer Satisfaction Package.

intel inside

SYSTEM HIGHLIGHTS NOW: Hard drives up to 528MB and new lower prices!	PACKAGE 1	PACKAGE 2	PACKAGE 3	PACKAGE 4
	■ ZIF socket upgradability to Pentium OverDrive CPU ■ 2MB high-speed RAM ■ 107MB local bus IDE hard drive w/32K cache ■ Windows-accelerated VL local bus video with 1MB RAM ■ Your choice of floppy drives ■ MS DOS 6.0 plus Enhanced Tools	■ ZIF socket upgradability to Pentium OverDrive CPU ■ 4MB high-speed RAM ■ 214MB local bus IDE hard drive w/128K cache ■ Windows-accelerated VL local bus video with 1MB RAM ■ Both 1.2MB and 1.44MB floppy drives ■ MS DOS 6.0, Tools, Windows & new Microsoft Mouse, plus choice of Lotus Windows applications	■ ZIF socket upgradability to Pentium OverDrive CPU ■ 8MB high-speed RAM ■ **426MB,** 13ms local bus IDE hard drive w/128K cache ■ Windows-accelerated VL local bus video with 1MB RAM ■ Both 1.2MB and 1.44MB floppy drives ■ MS DOS 6.0, Tools, Windows & new Microsoft Mouse, plus choice of Lotus Windows applications	■ ZIF socket upgradability to Pentium OverDrive CPU ■ 16MB high-speed RAM ■ **528MB,** 12ms local bus IDE hard drive w/256K cache ■ Windows-accelerated VL local bus video with 1MB RAM ■ Both 1.2MB and 1.44MB floppy drives ■ MS DOS 6.0, Tools, Windows & new Microsoft Mouse, plus choice of Lotus Windows applications
486SX-25	**$1395**	**$1695**	**$1995**	**$2495**
486SX-33	**$1495**	**$1795**	**$2095**	**$2595**
486DX-33	**$1695**	**$1995**	**$2295**	**$2795**
486DX2-50	**$1795**	**$2095**	**$2395**	**$2895**
486DX2-66	**$1895**	**$2195**	**$2495**	**$2995**

FAVORITE OPTIONS

15-INCH MONITOR UPGRADE
SVGA non-interlaced, 1024x768, flat screen **$95**

VERTICAL CASE UPGRADE
Includes ten bays **$95**

DIAMOND VIPER VIDEO CARD
Combine it with the ZEOS motherboard and you'll get speed that PC Magazine said "blew all competitors away"!
Includes 1MB VRAM **$149**
with 2MB VRAM **$249**

INTERNAL CD-ROM DRIVE **$199**

ARCHIVE 51250A INTERNAL TAPE BACKUP
80 to 250MB (with compression), includes EZTape for DOS ... **$249**

ADAPTEC SCSI CONTROLLER CHIP **$49**

SPECIAL OFFER: WE'LL REPLACE YOUR 5¼" DRIVE IN ANY PACKAGE WITH A CD-ROM PLAYER! **$99**

Hundreds of other affordable upgrades and options available. Call for details!

SERVICE & RELIABILITY · PC MAGAZINE · READERS' CHOICE

AWARD-WINNING SERVICE & SUPPORT.

We're the only company to win *PC Magazine's* Readers' Choice for Service & Reliability—for both desktops and notebooks—*twice!*

TOLL-FREE TECH SUPPORT AT ANY HOUR.

We're here for you 24 hours a day, 365 days a year, and always a toll-free phone call away.

WARRANTIES & GUARANTEES.

All ZEOS systems come with a One Year Limited Warranty, Express Parts Replacement Policy and a 30-Day Money-Back Guarantee. You're going to be very satisfied. *We guarantee it!*

CALL NOW TOLL FREE
800-554-5226
24 HOURS A DAY

ZEOS INTERNATIONAL, LTD.

Fax Orders: 612-633-1325, Government: 800-245-2449, TDD Orders: 800-228-5839, Outside U.S. and Canada: 612-633-6131. MasterCard, VISA, Am Exp, Discover, Z-Card, COD and Leasing programs. Open 24 Hours a Day, 365 Days a Year!

Purchase orders from Fortune 1000 companies, governments and institutions subject to approval. Leasing programs available. All prices and specifications are subject to change without notice. Please call to confirm pricing, specifications and warranty details. All products and company names are trademarks or registered trademarks of their respective holders. The Intel Inside logo is a registered trademark of Intel Corporation. ©1993 ZEOS International, Ltd., 1301 Industrial Blvd., Minneapolis, MN 55413 USA. ZEOS is a publicly traded company (NASDAQ symbol: ZEOS). UPGR-BYT-9309

HANDS-ON

32 HIGH-SPEED HARD DRIVES

New benchmarks identify the best SCSI and IDE hard drives from 250 MB to 2 GB

HELEN HOLZBAUR AND JIM HURD

Fast hard drives at affordable prices: From the diminutive 2½-inch Maxtor 7245AT to the screamingly fast Seagate ST12550N (also known as the Barracuda), the class of '93 has pushed the envelope on speed and capacity. We stress-tested 32 IDE and SCSI hard drives ranging in capacities from 250 MB to 2 GB to find the leading performers, whether you're expanding your current storage capacity or specifying a hard drive for a new PC, workstation, or Macintosh.

We rank the performance of each drive using a suite of custom benchmarks that identifies the fastest drives in three capacity classes. The benchmark suite consists of 24 tests that run the gamut from simple reads and writes to multithreaded tasks that challenge a drive's caching abilities.

The BYTE Lab Reports rate the best products based on application rather than product categories. But for hard drives, we decided there were no clear-cut ways to typify how hard drives are used, because even single-application computer users will need to read and write sequential and random data over the course of a day. Instead, we built a model based on DOS, Windows, Unix, and Macintosh applications and from that made the following assumptions: You run your hard drive with a disk cache, the ratio of reads to writes is 60 to 40, and your drive won't be so fragmented that your data is scattered randomly across the disk. Even if this

How to use this guide

To find the right hard drive, compare the drives ranked in the capacity categories that match your requirements. In each category, we select best overall, best low-cost, and best IDE and SCSI drives. In each category, we also list a number of close competitors. If you are not sure which interface to use, see "IDE and SCSI: Contrasting Styles" on page 190.

All performance measurements are in milliseconds. For response times, lower numbers indicate better performance. A 10 percent difference in performance between drives is almost indistinguishable, while a 30 percent or greater performance difference will be noticeable to most users in real-world conditions.

For IDE drives, the cost per megabyte consists of retail drive price plus $25 (for controller), divided by capacity; for SCSI drives, the cost equals retail drive price plus $200 (for controller), divided by capacity.

BEST OVERALL Seagate Technology ST3390A

This IDE drive is the fastest under 400-MB drive we tested, thanks to a 4500-rpm spindle spin rate. Its SCSI cousin, which came in second in performance, also benefited from the fast spin rate and the 256-KB cache that comes standard with these Seagates, which is twice the size of the third-place Western Digital Caviar. The ST3390A produces the best response times for all the single-threaded sustained performance measurements, but the Western Digital Caviar drive beats it in tests that allow the drives to prefetch data and in multithreaded operations with four active threads. Seagate's two-year warranty is average.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	Seagate Technology ST3390A	IDE	340	$390	$1.22	10.6	2	4500
RUNNER-UP	Seagate Technology ST3390N	SCSI	344	$420	$1.80	11.4	2	4500
RUNNER-UP	Western Digital Caviar 2340	IDE	340	$400	$1.25	12.1	3	3322
RUNNER-UP	Fujitsu M2622FA	SCSI	329	$1525	$5.24	12.7	—[2]	4400

[1] Consists of drive price plus controller, divided by capacity. [2] Up to five years, varies with individual dealers.

Rotational speed of the drive platters.

A composite measurement based on 24 different tests and weighted according to a profile of DOS and Windows use.

PHOTOGRAPHY: STEVE BELKOWITZ © 1993

Hard Drive Essentials



doesn't fit you exactly, remember that a fast hard drive remains fast no matter how you use it.

Our tests showed that today's drives are the best-performing hard drives ever. Over 80 percent of the drives we tested operate at spindle rates greater than the traditional 3600 rpm. Fast spin rates mean you spend less time waiting for the disk to position itself correctly to read or write data. Thanks to its 7200-rpm spin rate, the 2-GB Barracuda ran more than 15 percent faster than its closest competitor, the 6300-rpm Maxtor MXT-1240S, a 1.2-GB SCSI drive.

Today's drives use write caching to improve performance (within our main sample, only Seagate's 245-MB ST3283A IDE drive and Hitachi's 418-MB DK314C SCSI drive did not support write caching). But 15 SCSI and four IDE drives arrived with write caching disabled, and enabling it usually required firmware updates.

The long-term durability of today's faster spinning drives remains a question. The high spin speeds mean harder impact whenever a head hits a platter. Faster hard drives can run hot. It's wise to choose a drive with a multiyear warranty (a third of our test sample offered five years).

Many IDE drives can run five times faster than what a standard ISA bus can handle. Local-bus interfaces promise an end to this bottleneck, but some drives in our sample showed only minor performance improvements with local-bus technology (see "Local-Bus IDE" on page 180).

We only tested drives from manufacturers, rather than from VARs that relabel OEM drives. We believe this gives you the best basis for comparing hard drive performance. Note that Quantum and Hewlett-Packard declined to participate in this evaluation because they couldn't supply their new drives in time for testing.

SEPTEMBER 1993 BYTE BEST HARD DRIVES

BEST

250 TO 350 MB

Seagate Technology ST3390A

The 4500-rpm spin rate of this 340-MB IDE drive was among the highest in this capacity class, which translates into fast response time when the disk head positions itself for reading or writing data. The spin rate, along with a cache twice the size of many competitors, helped the ST3390A log the fastest overall response time in this group. With a cost per megabyte of $1.22, this was the most economical drive in this class.

PAGE 179

400 TO 600 MB

Maxtor MXT-540SL

The Maxtor MXT-540SL, like other speed leaders in this category, took advantage of such performance-improving techniques as voice-coil head positioning. This drive differentiated itself by also offering a spin rate of 6300 rpms, which only one other drive in our entire test sample could beat. This 546-MB SCSI drive's overall response time outperformed the next fastest runner-up by 1.2 ms, which was one of the largest speed differences we saw. This is an excellent high-performance drive for PC, Mac, and Unix users.

PAGE 185

1 TO 2 GB

Seagate Technology ST12550N (Barracuda)

Aided by a 7200-rpm spin rate and an average latency time of only 4.2 ms, this 2.1-GB SCSI drive is in a performance class by itself. In many tests, the Barracuda accessed random data faster than many of its competitors accessed sequential data. What's more, the drive's value extends beyond raw performance: The cost per megabyte of $1.05 is the lowest of any drive we tested, and the drive comes with a five-year warranty.

PAGE 189

ILLUSTRATION: BRUCE SANDERS © 1993

THE BEST DRIVES IN CAPACITIES FROM

250 TO 350 MB

This capacity is the size of choice for entry-level and general-business PCs and Macs. Because of their mass-market appeal, these drives often favor low price at the expense of performance.

In each of the "Best" categories, we ranked winners based on their performance scores. Low-cost winners and runners-up are those with the lowest cost per megabyte.

On the PC side, IDE remains the standard interface for low-range and midrange systems, and not surprisingly, seven of the 10 drives we tested in this class were IDE-based. Cache sizes tend to be small to limit cost; many of the drives provide just 64 KB of cache. Contrast this with the usual 128- or 256-KB caches on higher-capacity drives.

The Seagate ST3390 IDE and SCSI drive series includes the fastest-spinning drives (4500 rpm) and provides the largest caches (256 KB); not concidentally, these hard drives proved to be the best-performing drives throughout this category. Although the Seagate ST3283 drives have the same spin rates as that of their larger cousins, they are two of the slowest drives in this category. The ST3283A (IDE) performance is particularly bad due to its lack of write caching. Only the 251-MB Samsung 3122A is slower. The ST3283N's performance is good, but its relatively small capacity for a SCSI drive puts it at a performance disadvantage compared to large SCSI drives, which can pack data more densely. Nevertheless, its performance was faster than all the IDE drives except that of the Seagate ST3390A.

Western Digital's 340-MB Caviar 2340 is second in speed only to the two Micropolis drives among all IDE drives in reads using four threads. Excellent four-segment performance is important to database applications, as well as for multitasking multiple applications using OS/2 or Unix.

Conner's CP-30254 is the fastest IDE drive under 300 MB, and it even outperformed the 345-MB Maxtor 7345AT. The Conner's speed is partly due to its spin rate: 4542 rpm, the fastest in this capacity class. The Conner drive implements write caching, which boosts its performance significantly over noncaching drives like the Seagate ST3283A. The Conner was also one of the most improved drives when used with local bus; it was 30 percent faster on sustained reads using local-bus IDE.

GLASS-PLATTER DRIVES

We tested two 2½-inch IDE drives that use new glass-platter technology: the 180-MB Areal A180 and the 251-MB Maxtor 25252A. Areal has been a force in bringing glass-platter drives to market and makes only glass drives. The Maxtor 25252A hard drive marks Maxtor's first glass product.

Glass platters are lighter and stiffer than aluminum platters. As low-fly heights of modern drives make head-to-platter impacts inevitable, the smoother and stiffer glass platter may be better suited to survive these impacts. Glass is particularly useful for notebooks and other portables, where head impacts are more likely to occur, and in fast-spinning drives, where the head impacts the platter with much more energy. Glass platters are also lightweight, so it takes less energy and time to spin them, which are advantages in notebooks and for "green" PCs.

Our tests showed the Areal drive to be optimized for cost, while the Maxtor drive focuses on performance. However, the Maxtor drive's performance could easily be better: It currently doesn't offer write caching. Maxtor says it plans to add this in the near future, which could put the performance of this little drive close to that of the top-ranked Conner CP-30254. In its present design, the Maxtor drive averaged 15.8 ms in our composite test scores, which places it in the performance midrange of 250-MB IDE drives. The Areal drive, which offers lower capacity for $90 less, achieved a composite score of 19 ms, which places it among the slower low-capacity drives we tested.

The glass platters in the Areal A180 (left) and the Maxtor 25252A drives work well with today's faster spin rates.

Fujitsu's 329-MB M2622FA SCSI drive is the only other fast-spinning drive in this capacity class, but it could not sustain good write performance in our tests. Fujitsu is aware of the problem but could not deliver a fix in time for testing. On the plus side, this and the higher-capacity Fujitsu drives all have high drive-to-host data transfer rates for prefetched data. The Fujitsu M2622FA transferred data over 50 percent faster than the Seagate ST3390N. All the Fujitsu drives handle two- and four-threaded operations flawlessly; the only drives faster than the Fujitsu M2622FA at the four-threaded read tests were the bigger Fujitsu drives. Some Fujitsu drives also offer five-year warranties, which is tops in this category.

Clearly, Maxtor is seeking to optimize price and not performance in its 245- and 345-MB drives. The 64-KB cache is too small to efficiently handle segmented operations (e.g., file compares). The relatively slow spin rate of 3551 rpm translates into slower performance on nonsequential operations typical of database operations, virus scanning, and defragmentation. The company claims the highest MTBF (mean time between failures) at 300,000 hours (over 34 years) but warrants this drive for only one of those years.

The Maxtor drives are not without strengths, however. They are notable for their unique jumper-selectable write cache (other IDE drives require special software to change write-cache settings). Maxtor also packs many modern IDE-drive features into its products, including block mode, write reallocation, power management, and automatic geometry translation.

As the slowest drive in this class, we can't recommend the 251-MB Samsung 3122A IDE drive. While random access times were nearly equal to that of the 245-MB Maxtor drive, the sequential operations took nearly twice as long. This suggests that the drive controller is not doing a good job of managing the host-to-drive interface.

BYTE BEST — 250 TO 350 MB

Is speed essential?

BEST OVERALL — Seagate Technology ST3390A

SEPTEMBER 1993 BYTE BEST 250-350 MB HARD DRIVE

This IDE drive is the fastest under 400-MB drive we tested, thanks to a 4500-rpm spindle spin rate. Its SCSI cousin, which came in second in performance, also benefited from the fast spin rate and the 256-KB cache that comes standard with these Seagates, which is twice the size of the third-place Western Digital Caviar. The ST3390A produces the best response times for all the single-threaded sustained performance measurements, but the Western Digital Caviar drive beats it in tests that allow the drives to prefetch data and in multithreaded operations with four active threads. Seagate's two-year warranty is average.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	**Seagate Technology ST3390A**	IDE	340	$390	$1.22	10.6	2	4500
RUNNER-UP	**Seagate Technology ST3390N**	SCSI	344	$420	$1.80	11.4	2	4500
RUNNER-UP	**Western Digital Caviar 2340**	IDE	340	$400	$1.25	12.1	3	3322
RUNNER-UP	**Fujitsu M2622FA**	SCSI	329	$1525	$5.24	12.7	—[2]	4400

Want the best for Macs, Unix, and SCSI PCs?

BEST SCSI — Seagate Technology ST3390N

The ST3390N's performance lags behind that of its IDE sibling by half a millisecond. The ST3390N narrowly defeats the Fujitsu in single-threaded sustained performance measurements, except in sustained writes, where the ST3390N was over three times faster. The Fujitsu M2622FA was faster than the ST3390N when the drives prefetched data.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	**Seagate Technology ST3390N**	SCSI	344	$420	$1.80	11.4	2	4500
RUNNER-UP	**Fujitsu M2622FA**	SCSI	329	$1525	$5.24	12.7	—[2]	4400
RUNNER-UP	**Seagate Technology ST3283N**	SCSI	249	$320	$2.08	13.6	1	4500

The best for standard PCs?

BEST IDE — Seagate Technology ST3390A

The performance results that make this the Best Overall winner in this capacity class helped the ST3390A also take top honors for IDE drives, although the competition was strong. Western Digital's Caviar 2340 (340 MB) manages its four-segment, 128-KB cache well, and the Conner Peripherals CP-30254 (251 MB) offers the fastest spin rate of all drives in this category.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	**Seagate Technology ST3390A**	IDE	340	$390	$1.22	10.6	2	4500
RUNNER-UP	**Western Digital Caviar 2340**	IDE	340	$400	$1.25	12.1	3	3322
RUNNER-UP	**Conner Peripherals CP-30254**	IDE	251	$375	$1.59	13.5	2	4542

Which drive offers the most economy?

LOW COST — Seagate Technology ST3390A

The Seagate ST3390 series sweeps this capacity class thanks to the IDE version's ability to combine unexcelled performance and a low cost per megabyte of $1.22.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	**Seagate Technology ST3390A**	IDE	340	$390	$1.22	10.6	2	4500
RUNNER-UP	**Western Digital Caviar 2340**	IDE	340	$400	$1.25	12.1	3	3322
RUNNER-UP	**Seagate Technology ST3283A**	IDE	245	$300	$1.33	16.0	1	4500
RUNNER-UP	**Maxtor 7345AT**	IDE	345	$445	$1.36	14.4	1	3551
RUNNER-UP	**Maxtor 7245AT**	IDE	245	$343	$1.47	15.7	2	3551

[1] Consists of drive price plus controller, divided by capacity.

[2] Up to five years, varies with individual dealers.

How to Choose a Hard Drive

1 Buy a hard drive with at least 250 MB for your primary system and at least 120 MB on a notebook. Beyond that, buy the largest capacity and fastest hard drive you can afford. It's safe to assume that you will always wish you had more storage space.

2 Don't assume that local-bus IDE will deliver better performance. Our tests show that drives designed to take advantage of local-bus technology ran 30 percent faster than with standard IDE connections, but not every drive was able to take advantage of local-bus technology.

3 Don't pay for performance you can't use. Match the speed of the controller and the drive; slow controllers can seriously degrade performance of fast drives, but 32-bit bus-master controllers can't make slow drives any faster. For fast SCSI drives, you will need an adapter that can support SCSI-2 fast speeds. The built-in SCSI support in many Macs can't support SCSI-2. Several companies make fast SCSI-2 adapters for PCs and Macs with NuBus slots. You will need a 32-bit PC bus (i.e., EISA, Micro Channel architecture, or VL-Bus) to take full advantage of the fastest drives.

4 Watch out for vendor throughput claims that are based on transferring data from the drive cache to the host memory or from the host memory to the drive cache. For example, the SCSI-bus bandwidth may be 5 MBps to up to 40 MBps, but few drives can sustain throughput at this level. Look for sustained throughput speed to get a good picture of drive performance. Access-time calculations also vary from manufacturer to manufacturer, so you will want to know how the access time is calculated. The most accurate way is to measure command service times by performing actual reads and writes.

5 Choose a drive that can write cache as well as cache more than one segment. Write caching noticeably improves performance, especially in the DOS, Windows, and Mac environments. A segmented cache allows the drive to effectively prefetch when an application simultaneously accesses more than one file at a time. (Be sure to turn off write caching on database servers and be cautious on network servers, which may use logging and rollback for network information.)

6 IDE drives that support a write cache typically come with the write cache enabled. If you do not want to use write caching, you may want to request that the dealer disable it. It is rarely as simple as moving a jumper and generally requires a special program from the manufacturer.

7 For digital audio and video applications, you need fast, large-capacity drives (e.g., the Micropolis 2217) that smoothly handle TCAL (thermal recalibration). Sustained throughput numbers will not necessarily tell you anything about the frequency of TCAL glitches, but your eyes will tell you when you play back jumpy video.

8 SCSI cabling and termination can be troublesome, and for the uninitiated, a task that the dealer may best handle.

9 IDE drives from different manufacturers can be troublesome to get to work together, although progress is being made on standards. If you need multiple drives, you may be better off with SCSI.

10 Consider using a small-capacity IDE drive to boot from, along with larger SCSI drives for storage. This takes maximum advantage of IDE compatibility and SCSI flexibility and performance. SCSI drives are also faster if you don't boot from them, because SCSI controllers have to imitate the standard PC drive interface for compatibility when the drive is configured as a boot drive. This slows performance.

LOCAL-BUS IDE

Modern drives can produce data faster than the ISA bus can transfer it. Local-bus technology promises to close this gap by accelerating data transfer rates from the 2-MBps rate of ISA-based IDE to 10 MBps. This could make IDE drives faster than SCSI, but for now, standards in this area are lacking.

Several of the drives we tested are capable of operating at speeds faster than standard ISA. We used an Appian local-bus interface in an Intergraph 486 system to test drives to determine maximum data transfer rates under local bus. Future versions of the IDE command set will include a protocol for querying an IDE's optimal speed. For now, the Appian device driver attempts to determine the optimum speed by trying several different speeds.



The Conner CP-30254 and the Seagate ST3550A show significant gains from local bus. But many drives showed only minor or no improvement, including the Maxtor 7245AT and the Samsung 3122A.

"So there I was, playing with my Nintendo® and Dad was all spazzed out. No one at his office thought they could handle one of those storage

things. You know, the disk deals. Well, Dad said these guys at Conner told him it's so simple a kid could do it. So I did. Dad got a raise, I got a suit, and I'll be home late. O.K. Mom?"

85 MB, 120 MB, 170 MB, 250 MB Internal Disk Drives
Available in 3.5" x 1" form factors to fit the latest, most advanced PCs.
All are up and running with a simple DOS command.

CONNER®
The Storage Answer
Maynard is now Conner.

Call 1-800-755-0535 for the Conner dealer nearest you.

All trademarks or registered trademarks are of their respective owners. © 1993 Conner Peripherals, Inc.

Circle 114 on Inquiry Card (RESELLERS: 115).

How We Tested

Testing hard drives is complex: Variable-zone recording contributes to dramatic performance changes over the surface of the same disk; thermal recalibration can kick in to cause a temporary but sharp increase in response time; the biggest drives have 512 KB of cache that can be tuned with more than a dozen parameters. Write and read performance varies dramatically depending on how or if write caching is enabled.

Our test-bed handled 10-MBps data transfers.

To account for this complexity, we designed a set of custom benchmarks called PLATT (Page Level Availability Time Test)—so named because it models hard disks as a linear array of "pages," which are the units of reads and writes. Most modern operating systems, including DOS and System 7, view the disk in this fashion (Berkeley Unix is a prominent exception; its file system uses a more complex disk model in terms of cylinders and tracks). We call PLATT an availability test, because it measures response time from when a command is issued until the time when data is available in system memory. PLATT closely models a 486 machine running DOS 5.0, Smartdrive 4.0, and a combination of DOS and Windows applications.

We tested every hard drive on a Compaq Deskpro/M 66-MHz 486. For IDE drives, we used the built-in interface; for SCSI drives, we used an Adaptec 1742 EISA bus-master adapter. The 1742 is capable of 10-MBps drive transfer and 33 MBps across the EISA bus. We also tested using an Intergraph 66-MHz 486 system with an Appian local-bus IDE adapter. Our Mac Quadra 700 test system ran with a SCSI-2 FWB JackHammer NuBus adapter.

ADDITIONAL TESTS

In addition to PLATT, we ran BYTE's disk benchmarks, which evaluate drives at the DOS file level. We were able to configure these benchmarks to run an infinite variety of profiles; we ran a profile created to model typical DOS use and a second one to model typical Unix use. We also ran BYTE's file-level benchmark tests, which perform common operations such as creating, deleting, opening, closing, reading, and writing files. Our profile description specifies the number of times each operation is run, as well as the size of reads and writes. We tested using profiles developed to simulate typical DOS usage and Unix usage.

Testing team (from left): Helen Holzbaur, Jim Hurd, and Alan Joch

Finally, for the IDE drives, we ran QBench, a low-level test that accesses the drive through the ROM BIOS and measures time for reading and writing for a variety of block sizes spread across the disk. QBench is too low level for testing high-end SCSI drives; these drives are faster when used without BIOS support.

OTHER CONSIDERATIONS

Because this roundup includes only "bare" hard drives that are not necessarily intended for retail channels, features and ease-of-use considerations typical of our other BYTE Lab Reports could not be weighted here. By comparing bare drives, end users can specify their models of choice from system vendors and companies that package OEM drives as external subsystems or in upgrade kits.

Our Core Benchmarks

PLATT (PAGE LEVEL AVAILABILITY TIME TEST)

This custom benchmark suite, consisting of 24 tests, measures hard drive response time from when a command is issued to the computer to when data is available in system memory. The suite evaluates hard drives in three important areas:

Processor delays

The periods of time when the computer is not requesting anything from the hard drive. The drive should use this time to continue to read ahead so that data is ready should the processor request it. If a write has been cached, these pauses can be used to flush the cache and get ready for the next write.

Localized access

Swap files, databases, help files, and applications directories are examples of localized areas that tend to receive bursts of nonsequential activity. These localized regions do not grow in relationship to the size of the disk. For example, a swap file grows in relation to system RAM. Also, doubling the number of platters in a drive does not improve the random-access time of the drive, but it can cut localized access times in half because the same locality spans half the number of cylinders.

Segmented sequential activity

Hard drives are designed with a strong tendency to read the next sequential block, even when it is not read on the next operation. For example, a DOS file compare is a common operation that interleaves two file loads. Good cache management can speed this activity through prefetching and then maintain the data until it is requested.

Our Test Team

Helen Holzbaur, *Project Manager/NSTL, became proficient with storage products as a network manager and systems administrator for Temple University.*

Jim Hurd, *Vice President of Research and Development/NSTL, has directed evaluations of storage and other hardware products, as well as operating systems and applications software, during the last 10 years at NSTL.*

Alan Joch, *Senior Editor/BYTE, coordinates the combined testing between the BYTE Lab and NSTL.*

The Lab Report is an ongoing collaborative project between BYTE Magazine and National Software Testing Laboratories (NSTL). BYTE Magazine and NSTL are both operating units of McGraw-Hill, Inc.



Windows users are opening up a new world of possibilities.

The new Bernoulli® 150. Get increased performance with fast cache built in.

FREE Now, get a free 90 or 150MB disk when you buy the Bernoulli 90 or high-performance 150 Insider, Transportable or Dual drive.

Ah, the things you can do with software these days. Amazing, isn't it?

That's why we created the new Bernoulli 150 removable drive. So you can get more out of your storage than ever before—more freedom. More excitement. And frankly, more storage.

With the new Bernoulli, you'll get a free 150MB disk included with your drive. So you can explore new ideas without running out of space. Then just add inexpensive disks as you need them—in 150, 105, 90, 65 or 35MB sizes. That's what we call MultiDisk™, a feature you can only get with the Bernoulli 150.

What's more, you can take your data where you need it, when you need it. Free from worry.

And since no one has time to sit on their hands, we've included new 256KB fast cache firmware for even better performance.

As you might have guessed, only award-winning Bernoulli Drives give you this much potential.

Call 1-800-777-6649.

Or visit your local dealer. And from now on, expect the world out of your storage.

IOMEGA®
Makers of Bernoulli

©1993 Iomega Corp. The Iomega logo and Bernoulli are registered trademarks, and MultiDisk is a trademark of Iomega Corp. All other products are trademarks of their respective holders. For customer service in U.S.A. and Canada, call 1-800-456-5522. In Europe, call 49-761-45040. For worldwide customer service, call 1-801-778-3000. For accessory items, call IOMART at 1-800-723-3770.

Circle 103 on Inquiry Card.

THE BEST DRIVES IN CAPACITIES FROM

400 TO 600 MB

Drives in this class fell into two categories: 500-MB and higher drives, which offer fast spin rates, large caches, and awesome speed, versus 400- to 450-MB drives, which favor low cost per megabyte over absolute performance. (As further proof of cost-consciousness in the 400-MB hard drive market, our tests showed the 424-MB Western Digital Caviar to be marginally slower than its 340-MB sibling, the Caviar 2340.) For example, the slowest drive above 500 MB is faster than the fastest 400-MB drive. What's more, SCSI dominates in the drives above 500 MB (due to its fast data transfer rates), while most 400-MB hard drives were IDE-based.

Winners and runners-up in each category were those drives with the fastest response times. The low-cost winners were those with the lowest cost per megabyte.

We found that drive makers in the 400- to 600-MB range share implementations of voice-coil head-positioning technology and similar recording technology, so the performance winners differentiated themselves with the fastest spindle spin rates, which cuts drive latency times. The 6300-rpm Maxtor MXT-540SL SCSI drive was Best Overall.

Both of the Conner SCSI drives we tested contained a firmware bug that prevented write caching from being effective when the SCSI drive is not allowed to disconnect. Conner acknowledged the bug and will have a fix by the time you read this; however, it was not available at the time of testing. Mac users will want to upgrade to the fixed firmware since the Mac SCSI manager does not support disconnect.

The Adaptec 1742 adapter used for testing didn't work with Conner's firmware; the adapter's enhanced-mode BIOS does not allow the drive to disconnect even when configured to do so. To allow the Conner CP-30540 to disconnect, we configured the 1742 into its standard mode. Using standard mode and allowing disconnect would normally degrade performance, but the CP-30540's performance improved dramatically due to write caching: 300 percent in the case of sequential writes.

Among the IDE drives, the Maxtor MXT-540AL fails to equal the Conner drive's ability to squeeze data through the IDE bus. Driving the Maxtor IDE drive through our local-bus IDE didn't help much; presumably, the Maxtor engineers didn't have local-bus speeds in mind when they created the MXT-540AL. The drive is clearly not configured to do multithreaded sequential operations.

The Micropolis 2105A was the slowest of the 5400-rpm IDE drives, but it was considerably faster than any of the slower-spinning IDE drives. The Micropolis drive's data transfer rate was worse than that of the Conner's but roughly equal to the Maxtor's. This stayed consistent using local-bus IDE; each drive improved by approximately 20 percent. The Micropolis drive was the only one of the three configured with four cache segments: It was 65 percent faster than the Conner drive at four-segment activity, such as a four-file database join.

The Seagate ST3550A and ST3655A drives have similar performance. Each scored well considering their 4500-rpm spin rate, but their performance was noticeably slower than the faster-spinning drives. Both do well with two sequential threads (e.g., a file compare) but poorly with four-segment tasks (e.g., Unix multitasking).

MATCHING DRIVE AND ADAPTER PERFORMANCE

Matching the performance of your drive and SCSI adapter is important for getting the best bang for your buck. We tested both a slow and a fast drive using an Adaptec 1542, a popular 16-bit ISA SCSI adapter, and a 1742, a top-of-the-line 32-bit EISA bus-mastering model. Note that the 16-bit adapter is a good match for the Hitachi: The difference in speed between 16- and 32-bit performance for each block size is minimal. But the 16-bit adapter strangles the faster Seagate ST12550N: The difference between 16- and 32-bit performance in each block size is more than double.



The Fujitsu drives are looking long in the tooth. Fujitsu was one of the first vendors to ship faster-spinning drives to the marketplace, but its 4400-rpm speed is slow compared to the 5400- and 6300-rpm speeds of its competition. We also saw slow response times for sustained writes to the disk, although this problem goes away if delays are inserted after each write. This problem is consistent with the smaller-capacity Fujitsu drives we tested, but it is not evident in the Fujitsu 1-GB M2694ESA. Fujitsu was aware of the problem but couldn't provide a fix in time for this report.

The Western Digital Caviar 2420 is nearly identical in design and performance to the smaller-capacity Caviar 2340. They have similar spin rates, a 128-KB cache, and excellent firmware. Western Digital appears to have taken the Caviar 2340 drive and tweaked it to pack as much data as possible onto the same basic design; the Caviar 2420 uses the same number of heads (four) but nearly 500 more tracks.

The slightly slower spin rate of the Caviar 2420 (3314 versus 3322 rpm for the Caviar 2340) probably allows the 2420 to use more aggressive variable-zone recording; the Caviar 2420 packs 396 sectors on the first 324 cylinders where the Caviar 2340 puts 356 to 384 sectors on the same cylinders.

This aggressive packing of data pays off in the short-stroke scores; the Caviar 2340 is 1 to 2 ms faster on localized drive activity than its smaller sibling. The Caviar 2340 can't compete with faster-spinning drives due to its conservative 3314-rpm spin rate; however, it produces well-balanced performance overall. The Caviar 2340 excelled in the four-segment tests due to its four-segment cache design. The Caviar drives were second only to the Micropolis drives among IDE drives in reads using four threads.

The Hitachi drive produces some of the worst response times of any drive we tested. It does not use write caching, so sustained write performance is abysmal.

BYTE BEST — 400 TO 600 MB

Need high performance for PC, Mac, or Unix?

BEST OVERALL — Maxtor MXT-540SL

SEPTEMBER 1993 BYTE BEST 400-600 MB HARD DRIVE

The MXT-540SL is the fastest drive in this size range, and it ties for the third-fastest drive on the entire test sample. It is especially fast for random and sequential reads and writes and short stroking. It also excelled in multithreaded operations (i.e., after we tweaked its cache table size up to four).

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	**Maxtor MXT-540SL**	SCSI	546	$1077	$2.34	7.2	2	6300
RUNNER-UP	**Conner Peripherals CP-30544**	IDE	527	$816	$1.60	8.6	2	5400
RUNNER-UP	**Maxtor MXT-540AL**	IDE	527	$1077	$2.09	8.4	2	6300

When only SCSI will do...

BEST SCSI — Maxtor MXT-540SL

This drive's overall response time clearly distinguished it from its two closest competitors and was more than three times faster than the slowest drive in this class, Hitachi's 418-MB DK314C. However, the Maxtor drive's cost per megabyte ($2.34) is significantly higher than the second-place Conner's ($1.86).

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	**Maxtor MXT-540SL**	SCSI	546	$1077	$2.34	7.2	2	6300
RUNNER-UP	**Conner Peripherals CP-30540**	SCSI	545	$816	$1.86	9.0	2	5400
RUNNER-UP	**Seagate Technology 3600N**	SCSI	524	$900	$2.59	9.1	2	4500

No-compromise IDE...

BEST IDE — Conner Peripherals CP-30544

The Conner engineers are masters of squeezing performance out of the IDE interface. Among Conner's IDE performance-improving techniques is interrupt staging: The time from data availability in the drive buffer to interrupting the PC is less than 40 nanosecond. The Conner CP-30544 provides the fastest sustained sequential throughput of any IDE; its throughput using a local-bus adapter rivals a fast SCSI drive.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	**Conner Peripherals CP-30544**	IDE	527	$816	$1.60	8.6	2	5400
RUNNER-UP	**Maxtor MXT-540AL**	IDE	527	$1077	$2.09	8.4	2	6300
RUNNER-UP	**Micropolis 2105A**	IDE	557	$1172	$2.64	9.6	5	5400

Price conscious?

LOW COST — Seagate Technology ST3550A

The ST3550A was the fastest IDE drive under 500 MB we tested. With a cost per megabyte of $1.12, the ST3550A delivers exceptional price/performance for this range of drives. Besides low cost, the two Conner drives are among the fastest drives in this category for sequential operations, such as loading or saving files.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	**Seagate Technology ST3550A**	IDE	451	$480	$1.12	10.5	2	4500
RUNNER-UP	**Western Digital Caviar 2420**	IDE	424	$550	$1.36	12.6	3	3314
RUNNER-UP	**Seagate Technology ST3655A**	IDE	527	$800	$1.57	10.2	2	4500
RUNNER-UP	**Conner Peripherals CP-30544**	IDE	527	$816	$1.60	8.6	2	5400
RUNNER-UP	**Conner Peripherals CP-30540**	SCSI	545	$816	$1.86	9.0	2	5400

[1] Consists of drive price plus controller, divided by capacity.

Write Caching: Boon or Threat?

Caching writes on a hard drive has become a standard feature on most new hard drives. Write caching can double speeds in single-tasking systems like DOS and the Mac OS, and it even achieves better performance in more advanced multithreaded systems like NetWare, OS/2, Windows NT, and Unix.

A standard write operation begins with the computer signaling the drive that it has begun a write operation. Immediately, the drive begins to reposition the drive heads to the correct location. Concurrently, the system copies the data from memory to the memory on the drive. When the system completes this copy operation, it is free to do other things. The drive signals the system when it completes the actual write operation.

On a PC, disk operations are usually handled through the INT 13 ROM BIOS routine. All popular ROM BIOSes offer only simple implementations of INT 13—the routine simply does not return until the drive signals that the write is complete and the system has safely stored the data on the disk. After the computer copies the data to the drive, it waits for the operation to complete, which can mean that the computer spends a fair amount of time idly looping instead of getting real work done. A similar situation exists for those running a Mac.



Write caching can more than double performance on PCs and Macs.

Two approaches have been used to get around this delay. One is to attack the problem at its root: Have INT 13 return as soon as the system copies the data to the drive and not wait for write completion.

A higher-performance approach is to adapt the hard drive to the limitations of DOS by caching writes on the drive. The drive signals the completion of the write immediately after it receives the data and before the data is actually written to the disk. The system then continues to process data while the hard disk is actually writing the data. Performance is significantly better, because subsequent write operations can overlap getting data from the system to actually storing the cached information on disk. This approach allows subsequent sequential writes to be recorded without unnecessary drive rotations.

For most applications, caching writes poses no danger of data loss. The data write is not delayed, so data is written to disk at least as quickly as noncached drives.

Hard Drive Glossary

ATA (AT Attachment) Interface The formal name for what is popularly called the IDE interface. ATA is the dominant form of interfacing hard drives to PCs.

ARRE (Auto Read Reallocation) The ability of a drive to move data to a spare location when it detects a (correctable) read error (see sparing).

AWRE (Auto Write Reallocation) A drive's ability to remap sectors to spare locations when it detects a write error (see sparing).

command queuing A SCSI feature that allows the computer to send multiple commands to the SCSI peripheral and control the order in which they are processed. The computer can specify that a command be placed at the front of the queue, or it can allow the drive to do commands in any order.

contingent allegiance A SCSI feature to allow the drive to report deferred errors (i.e., errors that occurred after the drive reported "good," which is possible with write caching).

differential SCSI A SCSI variant that allows cables up to 75 feet long by signaling with voltage differences between two wires.

IDE Formally any drive that integrates the drive controller onto the drive itself. In popular usage, IDE refers to the ATA form.

latency The time in which the drive must wait for the correct sector to spin under the drive head.

SCSI An evolving international standard communication protocol between computers and peripherals.

segmented cache A drive cache that can maintain prefetched data for several areas on the disk. An unsegmented cache will overwrite prefetched data whenever the disk head is repositioned. A typical operation that can benefit from a segmented cache is a database join that reads from two files simultaneously.

single-ended SCSI The standard form of SCSI cabling.

sparing A formatting scheme where spare sectors and tracks are allocated to replace sectors that go bad during use. When formatting the disk, spare sectors are allocated and hidden from the user.

TCAL (thermal recalibration) A periodic procedure where the drive recalibrates for mechanical changes due to changes in the internal drive temperature.

transaction processing Transaction-processing algorithms guarantee that a group of changes are always made in an all-or-nothing fashion: Either all changes are made or none of them are made. For example, a common banking transaction requires subtracting money from one account and adding it to another. A hardware failure (e.g., a power loss) can interrupt a transaction but will never leave it partially completed.

variable-zone recording See ZBR (zoned-bit recording).

zero latency read An interesting feature that could have a big impact on performance if widely adopted. When a drive is instructed to perform a zero latency read, it starts the read as soon as any block of the request passes under the head, rather than wait for a particular block to spin around. When the system is requesting an entire track as a cache might, it is guaranteed that read will start right away, hence, the name. (Note that the read is zero latency only if the system is requesting an entire track; the latency of accessing a particular block is a physical reality that cannot be changed.)

ZBR (zoned-bit recording) A technique for storing more information on the longer outer tracks by pulsing the drive electronics faster. Since the outer tracks are "longer" than the inner tracks, using ZBR allows the disk electronics to place more information on the outer tracks.

SAVE $100 ON ONE LAN CONNECTION. GET ANOTHER ONE ABSOLUTELY FREE.

$295.00

The Versatile Yet Affordable Pocket Ethernet LAN Adapter.
The Kingston Pocket Ethernet Adapter features both popular Ethernet LAN interfaces and is priced $100 less than the competition's single interface adapters. It connects to the parallel port of any laptop, notebook or desktop PC and is compatible with most popular network operating systems including Novell Netware, Microsoft Windows for Workgroups and LAN Manager.

Individual Product Testing.
As a member of the EtheRx network products family, every Pocket Ethernet Adapter is bench tested before it's shipped. Our exclusive loopback transmit/receive test suite evaluates each adapter 32 times to assure data integrity. This unequaled quality control process leads to many years of reliable service.

QUALITY 100% TESTED RELIABILITY

Convenient Dual Interface Connectivity.
The new Kingston Pocket Ethernet Adapter supports both twisted pair and thin coaxial cabling for 10BASE-T and 10BASE2 networks. It's like getting one adapter for the low price of $295 and another one absolutely free.

Kingston Reliability.
Pocket Ethernet Adapter users enjoy the same reliability customers have come to expect from Kingston memory and processor upgrades. Every product is supported by free comprehensive technical assistance and backed by a full five-year warranty.

Another Free Connection.
Contact your nearby Kingston dealer or call us at (800) 435-2620. We'll be happy to answer your questions about our full line of EtheRx networking products or any of our other 625 upgrade products.

[800]

Kingston TECHNOLOGY CORPORATION

THE INSIDE NAME IN UPGRADES

17600 Newhope Street, Fountain Valley, California 92708 (714) 435-2600 Fax (714) 435-2699

All Trademarks and Registered Trademarks are of their respective holders. Kingston and Kingston Technology are Registered Trademarks of Kingston Technology Corporation.

Circle 106 on Inquiry Card (RESELLERS: 107).

THE BEST DRIVES FOR CAPACITIES FROM

1 TO 2 GB

Seagate Technology has thrown down a gauntlet with the 2-GB ST12550N SCSI drive (also known as Barracuda). Based on our tests, this is the fastest drive on the market.

Although the Barracuda's sequential performance is good, where the drive really distinguishes itself is in how quickly it accesses data from 64-MB "localized" regions throughout the disk. In our tests of reads to localized regions, the drive produces response times of 13.1 ms for a 16-KB read and 10.3 ms for a 16-KB write. To put this in perspective, the fastest 250-MB drive we tested produced response times of 12.6 and 14.7 ms for sequential reads and writes.

The 1.2-GB Maxtor MXT-1240S was the second-fastest-spinning drive at 6300 rpm and the second highest-performing drive in this category. It is essentially the 546-MB MXT-540SL with twice the platters for double the capacity. The MXT-1240S's nonsequential performance is a little better than the MXT-540SL's, because the extra platters allow the drive to access more data without moving the head. Other performance gains over the MXT-540SL reflect the fact that we tested 1-GB and greater drives with the SCSI BIOS disabled, which speeds up the drives because compatibility translation overhead is eliminated. The downside of disabling the BIOS is that you cannot boot from the drive. To get the most from these drives, we recommend you boot from a floppy drive or, better yet, from a small inexpensive IDE drive. This isn't practical for applications that require small-capacity drives, but it's cost-effective for gigabyte-class drives.

All other SCSI drives in this class spun at 5400 rpm and produced similar performance. The relatively small-capacity 1-GB Fujitsu M2694ESA was unsurpassed in multithreaded operations, which explains its popularity in Unix machines. The 1.4-GB Conner CP-31370 and the two Micropolis drives (the 1-GB 2112A and the 1.8-GB 2217) were the slowest of the group due to poor results in

THERMAL RECALIBRATION



The heat generated by drive activity can force the drive controller to adjust its operations periodically, a process called thermal recalibration, or TCAL. While a drive is doing TCAL, it is unavailable to process commands from the host. TCAL takes place periodically, usually at 2 to 10 minute intervals and can disrupt data transfer for up to half a second. While these brief interruptions are rarely noticed for most applications, they represent serious problems to digital-video applications like QuickTime. Drive firmware varies widely in its handling of TCAL.

Part of the problem stems from the single-threaded nature of DOS and the Macintosh SCSI Manager. In theory, a digital-video application such as QuickTime should be able to buffer data in memory to hold it through TCAL pauses in the data stream. But with just a single thread at work, the system ends up waiting for the drive to finish TCAL. TCAL pauses translate directly into lost video frames.

The easiest TCAL algorithm to implement is a straight timer approach. This approach causes the drive to simply recalibrate all its heads at regular time intervals. For example, the Seagate ST3390N typically takes 100 ms to recalibrate itself every 2 minutes. For a drive with many heads, this can result in significant gaps in the data stream. If you're running full-motion video at 30 frames per second, this 100-ms recalibration time represents a loss of three frames.

Big drives with many heads tend to be more sophisticated about TCAL. The Seagate ST12400 family does TCAL on only one head at a time. In between head recalibrations, the host is serviced, limiting the worst-case pause to the time needed to recalibrate a single head. Recalibrations are also delayed if a command is currently being processed.

The Micropolis 2217 is a drive often specified for video applications because of its extremely polished approach to TCAL. The figure compares the response time during a seek "ramp" test of the 2217, the Seagate ST12550N, and the Maxtor MXT-1240S. The "wobble" in the scores is due to normal latency variations due to disk spinning, but the large spikes are due to TCAL. We did not note any spikes for the 2217 (ample time was given between operations for the 2217 to do its TCAL), but the spikes for the other two drives are obvious.

the multithreaded read tests. The Conner drive has a single-segment cache design, which makes it a poor choice for a multitasking or multithreaded operating system. The Micropolis drives were tested with two sets of firmware. The firmware that did great with multithreading tests performed poorly in the more heavily weighted single-threaded tests. The results shown in the summary tables are for the firmware that performs better in single-threaded activities because the overall scores were better.

The Micropolis 2217's performance is not as good as that of the faster-spinning Maxtor and Seagate drives, but it still offers response times within 20 percent of the performance-leading Seagate ST12550N. The Micropolis mechanism has been around longer and seen a lot of use in digital-video applications. The Micropolis hard drive is a favorite among video professionals because of its ability to maintain consistent response time even while undergoingTCAL (thermal recalibration).

In contrast, the Maxtor drives and the Seagate ST12550N drive exhibited periodic TCAL spikes in the performance. These short lapses in performance are meaningless in most applications, but for digital video any lapse can mean a missed frame and jerky motion.

In this capacity range, the Micropolis 2112A was the sole IDE drive we tested. As the summary tables show, the drive ran significantly slower than its SCSI counterparts. But Micropolis says it will offer a new version that could make the drive's performance more competitive with SCSI. For now, the 2112A is attractive for cost reasons. A high-performance SCSI system requires a wide bus such as EISA and a high-performance adapter such as the Adaptec 1742. This can add $900 to the cost of the system over an ISA design with built-in IDE.

We ranked winners and runners-up based on response time. "Low-Cost" winners were those with the lowest cost per megabyte.

BYTE BEST — 1 TO 2 GB

Want the top in size and performance?

BEST OVERALL — Seagate Technology ST12550N (Barracuda)



SEPTEMBER 1993 BYTE BEST 1-2 GB HARD DRIVE

This drive is really in a class by itself as far as random-access performance is concerned. The fastest spin rate on the market helps: 7200 rpm means only 4.2-ms average latency. This low latency combined with a superfast actuator lets the drive access random data faster than many drives can access sequential data. Sequential performance is also very good, about the same as that of the smaller-capacity Maxtor drives.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	Seagate Technology ST12550N	SCSI	2139	$2050	$1.05	5.6	5	7200
RUNNER-UP	Maxtor MXT-1240S	SCSI	1234	$1539	$1.41	6.2	3	6300
RUNNER-UP	Seagate Technology ST12400N	SCSI	2100	$1900	$1.00	6.7	5	5400
RUNNER-UP	DEC DSP-3160S	SCSI	1600	$1995	$1.37	6.7	5	5400
RUNNER-UP	Fujitsu M2694ESA	SCSI	1078	$2130	$2.16	6.9	—[2]	5400
RUNNER-UP	Micropolis 2217	SCSI	1777	$2170	$1.70	7.2	5	5400
RUNNER-UP	Conner Peripherals CP-31370	SCSI	1370	$2000	$1.61	7.3	2	5400

Need high capacity and IDE?

BEST IDE — Micropolis 2112A

The Micropolis drive was the only IDE drive we tested in excess of 1 GB. The drive is noticeably slower than the SCSI drives, even when used with a local-bus adapter. However, Micropolis is in the process of slashing interface timings to match the higher throughput of local-bus IDE. The next generation of this drive is expected to achieve double the data transfer rate, or 10 MBps, which is competitive with SCSI. The Micropolis five-year warranty is among the best available in this capacity range. The 2112A provided performance second only to that of the faster-spinning and smaller-capacity Maxtor MXT-540AL.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	Micropolis 2112A	IDE	1048	$1775	$1.88	9.5	5	5400

Does economy matter?

LOW COST — Seagate Technology ST12550N



This Seagate drive sets the standard for hard drive performance; what's equally impressive is that this drive costs $1.05 per megabyte, which comes to a total cost of approximately $150 more than the most economical drive in this capacity range, Seagate's $1.00-per-megabyte, 2.1-GB ST12400N. Although less expensive, the latter drive runs an average of a millisecond slower than the ST12550N, a performance difference that outweighs the cost advantage in our eyes.

		INTERFACE	FORMATTED CAPACITY (MB)	PRICE	COST PER MEGABYTE[1]	OVERALL RESPONSE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)
BEST	Seagate Technology ST12550N	SCSI	2139	$2050	$1.05	5.6	5	7200
RUNNER-UP	Seagate Technology ST12400N	SCSI	2100	$1900	$1.00	6.7	5	5400
RUNNER-UP	DEC DSP-3160S	SCSI	1600	$1995	$1.37	6.7	5	5400
RUNNER-UP	Maxtor MXT-1240S	SCSI	1234	$1539	$1.41	6.2	3	6300
RUNNER-UP	Conner CP-31370	SCSI	1370	$2000	$1.61	7.3	2	5400
RUNNER-UP	Micropolis 2217	SCSI	1777	$2170	$1.70	7.2	5	5400
RUNNER-UP	Micropolis 2112A	IDE	1048	$1775	$1.88	9.5	5	5400

[1] Consists of drive price plus controller, divided by capacity.

[2] Up to five years, varies with individual dealers.



DALE GLASGOW © 1993

HONORABLE MENTIONS



At 7200 rpm, the Seagate ST12550N, or Barracuda, is the fastest-spinning and fastest-performing 3½-inch hard drive on the market. The drive is also notable for its flex-board circuitry that fits more controller electronics onto the board by wrapping the flexible printed circuit board around the drive mechanics. (This same technology is often found in notebook computers.)

The tiny 2½-inch Maxtor 25252A is a dynamo. It is markedly faster than any other notebook drive we have tested. This little overachiever could even find a place in your desktop—it was second only to the Conner CP-30254 among drives of any size with its 251-MB capacity.

Micropolis offers a five-year warranty on all its drives. Seagate offers a five-year warranty on its drives bigger than 1 GB. (Depending on individual dealers, some Fujitsu drives also carry a five-year warranty.) You are finally guaranteed a piece of equipment that will outlive its depreciation.

The Micropolis 2217 drive offers excellent all-around performance but is truly outstanding for its consistency. It is impossible to catch this drive taking a thermal-recalibration nap. This makes this drive a natural candidate for multimedia and digital-video applications.



For Starters, Our Drives and Arrays Offer You *100MB* to ***490GB*** of Raw Computing Power

5GB-490GB MR/RAID Disk Array

Mega Drive's 100MB to 2.1GB shock mounted SCSI-2 drives are fully plug-and-play with our MR/RAID fault tolerant disk arrays, and our Mercury internal and external removable drive systems. They are ideal for networks, large databases, security, full motion video, imaging and much more.

100MB-14GB Mercury Removable Drive System

100MB-2GB Removable Drive



At Mega Drive, we believe in high performance. Which is why we've built scorching fast, 20 MB/sec, Fast & Wide SCSI-2 in our drive systems and disk arrays.

But there's a lot more to computing than sheer horsepower. You need bulletproof reliability, freedom from O/S and hardware, and true affordability.

Mega Drive brings it all to you in a scalable, fits-it-all, open architecture. On your PC, Mac and Novell servers. Or Sun, DEC, HP, and RS/6000 workstations.

Better yet, our MR/RAID disk arrays come fully loaded with fault tolerant features like RAID 0, 1, 3 and 5 support; "hot swap" drives, power supplies and fans; remote paging. Even built-in tape backup and UPS.

As for our Mercury removable drives, they offer you rock solid data security and portability in internal and external formats. Which makes them ideal for mirroring and duplexing under Novell. In fact, Mercury uses the same fully sealed and shock-protected drives as our MR/RAID arrays. For zero cost upgradability to you.

For more information please call toll free: **800-322-4744**

or contact us at: Mega Drive Systems, 489 S. Robertson, BH, CA 90211 • Tel. (310) 247-0006 • Fax (310) 247-8118

MADE IN USA

MEGADRIVE™
The Power of Critical Mass Storage

Patents pending on Mega Drive products. Mega Drive, Mercury, MR/RAID, and their respective logos, are trademarks of Mega Drive Systems, Inc. All other brand and product names are trademarks of their respective owners. Specifications subject to change without notice. © 1991 Mega Drive Systems, Inc., Beverly Hills, CA. Phone (213) 556-1663. All rights reserved.

Circle 295 on Inquiry Card.

ROLL CALL OF HARD DRIVES

MANUFACTURER	MODEL	INTERFACE	FORMATTED CAPACITY (MB)	PRICE	HEIGHT (INCHES)	OVERALL RESPONSE TIME (MS)	SHORT SEEK READ (MS)	SHORT SEEK WRITE (MS)
2½-INCH FORMAT								
Areal Technology	A180	IDE	181	$350	0.7	19.0	34.5	36.1
Maxtor	25252A	IDE	251	$595	0.7	15.8	28.4	26.4
250 TO 350 MB								
Conner Peripherals	CP-30254	IDE	251	$375	1.0	13.5	31.1	27.7
Fujitsu Computer Products of America	M2622FA	SCSI	329	$1525	1.6	12.7	27.3	25.2
Maxtor	7245AT	IDE	245	$343	1.0	15.7	34.7	31.4
Maxtor	7345AT	IDE	345	$445	1.0	14.4	31.7	27.4
Samsung Electronics America, Inc.	3122A	IDE	251	$250	1.0	22.1	33.9	33.6
Seagate Technology, Inc.	ST3283A	IDE	245	$300	1.0	16.0	27.9	36.8
Seagate Technology, Inc.	ST3283N	SCSI	249	$320	1.0	13.6	30.7	26.3
BYTE Seagate Technology, Inc.	**ST3390A**	**IDE**	**340**	**$390**	**1.0**	**10.6**	**24.2**	**24.3**
Seagate Technology, Inc.	ST3390N	SCSI	344	$420	1.0	11.4	25.9	23.1
Western Digital Corp.	Caviar 2340	IDE	340	$400	1.0	12.1	28.1	28.4
400 TO 600 MB								
Conner Peripherals	CP-30540	SCSI	545	$816	1.0	9.0	20.8	18.6
Conner Peripherals	CP-30544	IDE	527	$816	1.0	8.6	20.3	22.2
Fujitsu Computer Products of America	M2623FA	SCSI	425	$1615	1.6	11.8	25.2	23.4
Fujitsu Computer Products of America	M2624FA	SCSI	520	$1700	1.6	11.8	25.3	23.9
Hitachi America	DK314C	SCSI	418	$995	1.6	21.6	40.5	43.5
Maxtor	MXT-540AL	IDE	527	$1077	1.0	8.4	17.9	13.6
BYTE Maxtor	**MXT-540SL**	**SCSI**	**546**	**$1077**	**1.0**	**7.2**	**17.2**	**13.9**
Micropolis	2105A	IDE	557	$1172	1.6	9.6	21.1	21.1
Seagate Technology, Inc.	3600N	SCSI	524	$900	1.0	9.1	22.0	18.8
Seagate Technology, Inc.	ST3550A	IDE	451	$480	1.0	10.5	23.8	23.7
Seagate Technology, Inc.	ST3655A	IDE	527	$800	1.0	10.2	22.6	23.7
Western Digital Corp.	Caviar 2420	IDE	424	$550	1.0	12.6	26.7	26.4
1 TO 2 GB								
Conner Peripherals	CP-31370	SCSI	1370	$2000	1.6	7.3	18.1	17.6
DEC	DSP-3160S	SCSI	1600	$1995	1.6	6.7	16.8	14.2
Fujitsu Computer Products of America	M2694ESA	SCSI	1078	$2130	1.6	6.9	17.6	16.6
Maxtor	MXT-1240S	SCSI	1234	$1539	1.6	6.2	15.5	13.7
Micropolis	2112A	IDE	1048	$1775	1.6	9.5	20.4	20.9
Micropolis	2217	SCSI	1777	$2170	1.6	7.2	16.4	15.7
BYTE Seagate Technology, Inc.	**ST12550N**	**SCSI**	**2139**	**$2050**	**1.6**	**5.6**	**12.3**	**10.3**
Seagate Technology, Inc.	ST12400N	SCSI	2100	$1900	1.6	6.7	15.7	14.6

BYTE = BYTE Best. [1] Up to five years, varies with individual dealers.

RANDOM READ TIME (MS)	RANDOM WRITE TIME (MS)	SEQUENTIAL READ TIME (MS)	SEQUENTIAL WRITE TIME (MS)	WARRANTY (YEARS)	SPIN RATE (RPM)	PHONE NO.	TOLL-FREE NO.	INQUIRY NO.
38.1	40.8	12.8	32.3	2	2981	(408) 436-6800	None	1105
33.0	30.5	13.5	24.1	1	4247	(408) 432-1700	(800) 262-9867	1106
35.1	31.1	12.6	14.7	2	4542	(408) 456-4500	(800) 426-6637	1107
30.8	28.3	7.8	21.0	—[1]	4400	(408) 432-6333	(800) 626-4686	1108
39.5	36.0	15.9	13.9	1	3551	(408) 432-1700	(800) 262-9867	1109
37.5	32.3	14.9	11.8	2	3551	(408) 432-1700	(800) 262-9867	1110
37.6	37.1	26.1	27.1	2	3600	(201) 347-8004	(800) 446-0262	1111
32.0	40.0	11.7	28.5	1	4500	(408) 438-6550	None	1112
35.0	29.7	11.2	14.5	1	4500	(408) 438-6550	None	1113
28.6	**29.0**	**8.8**	**9.2**	**2**	**4500**	**(408) 438-6550**	**None**	**1114**
31.5	27.8	6.9	6.4	2	4500	(408) 438-6550	None	1115
33.4	34.0	10.6	12.1	3	3322	(714) 932-5000	(800) 832-4778	1116
24.5	21.0	6.0	5.8	2	5400	(408) 456-4500	(800) 426-6637	1117
23.0	25.6	6.8	8.0	2	5400	(408) 456-4500	(800) 426-6637	1118
28.9	26.7	7.6	21.0	—[1]	4400	(408) 432-6333	(800) 626-4686	1119
29.0	27.7	7.6	21.0	—[1]	4400	(408) 432-6333	(800) 626-4686	1120
45.6	47.9	17.5	30.2	5	3600	(415) 589-8300	(800) 448-2244	1121
22.6	18.0	9.0	8.9	2	6300	(408) 432-1700	(800) 262-9867	1122
21.2	**18.1**	**5.4**	**5.9**	**2**	**6300**	**(408) 432-1700**	**(800) 262-9867**	**1123**
26.0	26.2	9.6	9.8	5	5400	(818) 709-3300	(800) 395-3748	1124
25.7	23.9	6.3	7.1	2	4500	(408) 438-6550	None	1125
28.6	27.8	8.7	8.9	2	4500	(408) 438-6550	None	1126
29.6	29.1	8.7	8.9	2	4500	(408) 438-6550	None	1127
33.3	33.0	12.1	12.8	3	3314	(714) 932-5000	(800) 832-4778	1128
22.1	21.6	5.1	4.8	2	5400	(408) 456-4501	(800) 426-6637	1129
22.0	19.5	5.3	4.8	5	5400	(508) 841-6330	None	1130
22.5	21.1	5.0	4.8	—[1]	5400	(408) 432-6333	(800) 626-4686	1346
19.7	18.0	4.8	5.5	3	6300	(408) 432-1700	(800) 262-9867	1347
25.7	26.4	9.6	9.7	5	5400	(818) 709-3300	(800) 395-3748	1348
21.1	20.4	4.7	4.9	5	5400	(818) 709-3300	(800) 395-3748	1349
17.5	**16.6**	**3.8**	**4.8**	**5**	**7200**	**(408) 438-6550**	**None**	**1350**
21.6	20.4	4.6	5.2	5	5400	(408) 438-6550	None	1351

From parallel 860s, to coprocessors and workstations-

NDP™ Fortran Drives Them All!



Microway's industry-leading 32-bit Fortran produces the highest quality numeric code and supports all x86 operating systems, processors and numeric devices. NDP Fortran was used to port industry standards like SRAC's COSMOS/M to the 486 and is required to use AspenTech's ASPEN PLUS, IBM's OSL, and Fluid Dynamics' FIDAP. The compiler uses advanced numeric optimizations and instruction scheduling which favor fast numerics and RISC devices.

QuadPuter®-860 . . . 200 Megaflops

The 200 megaflops of Microway's QuadPuter-860 are optimally harnessed using NDP Fortran-860, libraries from IMSL, NAG and KUCK, and the PSR Vectorizer.

NDP Fortran, C|C++, Pascal and our new **Fortran 90** for the 386, 486, Pentium, and 860 run under either Extended DOS, OS/2, NT, UNIX V.3/4, SOLARIS, or COHERENT.

The extended DOS compilers feature GREX, Microway's proprietary device-independent graphics library. To run large applications on DOS, our VCPI-based, demand paged virtual memory is superior to all alternatives. We also offer DPMI support for the OS/2 and the Windows DOS Prompt Box. The OS/2 compilers include support for OS/2's 32-bit graphics engine.

Microway's NDP Fortran 90 is a full implementation of the ANSI Fortran 90, which includes the entire array syntax notation, dynamic memory allocation, module definitions, and a complete library of intrinsics. Call for your free demo disk and white paper.

If you plan to use a 386, 486, 860 or Pentium and require portability across operating systems, numeric speed, precision and superior technical support, then NDP Fortran, C|C++ or Pascal is the only solution.

GIGACUBE ™

Microway can build you a customized one gigaflop NFS computational server using five QuadPuters® running in one of our industrial grade Towers for under $50K. We also configure less expensive 486 workstations. All feature industrial grade American power supplies based on Todd cores and flow-through filtered cooling.

To learn why more government research labs, universities and engineers worldwide specify "Microway" call our Technical Support Department at 508-746-7341. To sign up for our free October Seminars in London, Portugal, Italy, Germany Greece or France, please call the appropriate number below.

Microway®

Technology You Can Count On

Corporate Headquarters, Research Park, Box 79, Kingston, MA 02364 USA • TEL 508-746-7341 • FAX 508-746-4678
U.K. 081-541-5466 • Germany 081-541-5466 • Greece 01-291-5672 • India 11 681 0645 • Israel 3-751-2929
Italy 2-749-0749 • Japan 079 822 5855 • Poland 22-414115 • Portugal/Spain 1-60 4049 • Russia 095 155 030

Pentium: More RISC Than CISC

The Pentium moves Intel closer to true RISC, but 80x86 compatibility has forced some compromises

DICK POUNTAIN

Since the launch of the 486 in 1989, all of Intel's high-end competitors have been won over to the RISC computing philosophy. Each has designed its own RISC processor from scratch, and each has reaped substantial performance gains, as demonstrated by DEC's 200-MHz, 40-MFLOPS Alpha AXP architecture.

When Intel's engineers sat down to design the Pentium, they had their work cut out for them. And they might have felt a bit boxed in by the success of the 80x86. In a world where workstations and multimedia PCs have converged, Intel's Pentium had to offer a performance boost that could compete with RISC. But Intel didn't have the luxury of starting from scratch: Any new chip had to be binary-compatible with Intel's CISC 80x86 predecessors.

This is more than a matter of ethics for Intel, because the ability to run the hundreds of thousands of already-existing PC applications is also a powerful marketing weapon. RISC processors such as the Alpha, the PowerPC, and the SuperSparc have so far been locked out of the lucrative desktop PC market because they're not 80x86 compatible.

The design that Intel's Pentium team finally arrived at is a canny compromise that adopts as much RISC technology as possible without sacrificing 80x86 compatibility. And it yields a worthwhile, though not spectacular, performance boost of around 100 percent over that of a 486DX2 (at the same internal 66-MHz clock rate).

The 486 borrowed a few RISC ideas, such as on-chip caches and highly pipelined execution, so you might say that it's a CISC processor with RISC-like aspects. The Pentium tips the scales even further; its RISC-like aspects have shoved the CISC aspects (literally) into a corner; nearly all the silicon real estate on the Pentium die is devoted to caches and pipelined execution units. Only 3 percent of it is devoted to complex instruction support for microcoded instructions.

The most important RISC technique that the Pentium adopts is *superscalar execution*, the ability to execute more than one instruction at once. Only RISC-like simple instructions (discussed later) can be issued in parallel, so while the Pentium remains fully 80x86 compatible, it separates the 80x86 instruction set into fast-executing and slower-executing instructions.

New optimizing compilers that make proper use of simple instructions are crucial to extracting the full potential speed increase. Borland has already updated its C++ compiler to support Pentium optimizations, and Microsoft will soon follow suit. A speed increase of roughly 30 percent can be attained by merely recompiling existing applications to exploit the Pentium's superscalar execution.

The one area where the Pentium does not follow RISC practice is in its register-file architecture. Where RISC processors always incorporate large register files—which typically consist of 32 integer and 32 floating-point registers—the Pentium has to maintain the AX/BX/CX/DX register structure that is common to the entire 80x86 family of microprocessors.



ROBERT BURGER © 1993

BYTE presented an overview of the Pentium in the May issue (see "Intel Launches Rocket in a Socket"). In this article I will discuss the RISC-like elements of the Pentium's architecture in more detail: its superscalar execution units, caches, and branch-prediction logic. I will also compare these elements with those of the 486 and RISC competitors such as the IBM/Motorola PowerPC 601, the DEC Alpha AXP, and the Sun Microsystems/Texas Instruments SuperSparc.

continued

PHOTOGRAPHY: TONY SLEEP © 1993



The bus structures in the Pentium's integer pipeline region—*between the control unit and the data cache—have been greatly simplified in this diagram to more clearly show the branch-prediction circuits. These circuits predict the outcome of conditional branch instructions before they even enter the pipeline and so reduce delays caused by bubbles. The predictions are based on the previous execution history.*

Superscalar Execution

The Pentium contains three pipelined execution units—two integer and one floating-point—and can issue either two integer operations or one floating-point operation in a single clock cycle. Intel calls the twin integer-instruction pipelines the U-pipe and the V-pipe.

The five stages of each integer pipeline perform the same functions on the Pentium as they do on the 486: prefetch (PF), decode1 (D1), decode2 (D2), execute (EX), and write back (WB). On the Pentium, however, these stages have more complex implementations. For example, each pipeline has its own ALU and address-generation logic and is therefore capable of executing an instruction independently of the other pipeline (see the figure "The Pentium Architecture").

A pipelined execution unit works just like a Detroit production line; it doesn't reduce the total time needed to perform an individual operation, but it overlaps several operations simultaneously to increase overall throughput. Once filled, a five-stage pipeline can issue a new instruction and produce a finished result every cycle, even though each instruction takes five cycles to complete. The Pentium's twin pipelines can produce two results per cycle (see the figure "The Pentium's Instruction Flow"). The downside to this, however, is that anything that interrupts the flow of instructions into the pipeline causes a delay of several cycles.

The decision to issue two instructions simultaneously in the U- and V-pipes occurs at the D1 decoding stage, where two parallel decoders determine whether the two current instructions meet the Pentium's pairing rules. Several conditions must be met for the instructions to execute in parallel: Both instructions in the pair must be simple (as defined below); there must be no data dependencies (via either memory or registers) between the instructions; neither instruction may contain both a displacement and an immediate value; and instructions with prefixes can be issued only in the U-pipe.

Simple instructions are those that are hard-wired, require no microcode support, and execute in one clock cycle. These instructions include register-to-register ALU operations; `movs`, `inc`, `dec`, `push`, `pop`, `lea`, and `nop`; and the `near jmps`, `calls`, and `jccs`. In addition, all the ALU memory-to-register and register-to-memory instructions (e.g., `add [BX],CX`) are considered simple, even though they require two or three clock cycles.

Special sequencing logic in the control unit stalls any single-cycle instructions that pair with multiple-cycle simple instructions; this keeps everything in step. Conditional and unconditional branches can only be the second of a pair—that is, they must

Availability and Low Prices

A Powerful Combination

ujitsu Keyboards
01-key enhanced keyboard
art no.: 9B17128
roduct no.: FKB4700
79.95

Jameco Adapters
DE9 female to DB25
male serial adapter
Part no.: 9B10305
Product no.: AD925
$4.95

Memory
Part no.: 9B41769
Product no.: 421000A9B-80
SIMM Module
Function: 1MB 80ns
$40.95

Jameco Power Supplies
150 watt 8088
Part no.: 9B19465
Product no.: JE1030
$69.95

Jameco Desktop Slide Case with 200 Watt Power Supply
Part no.: 9B20503
Product no.: JE2020
$149.95

Toshiba Floppy Disk Drives
1.44MB 3.5" Internal
Floppy Disk Drive
Part no.: 9B40774
Product no.: 356KU
$99.95

Jameco Cables
6-foot parallel DB25-pin male to
Centronics male printer cable
Part no.: 9B28716
Product no.: PPC6
$7.95

80387-33 Math Coprocessor
Part no.: 9B51941
Product no.: 80387-33
$79.95

Metex Digital Multimeters
5 digit w/frequency &
apacitance & data hold switch
art no.: 9B27158
roduct no.: M4650
99.95

Jameco 80386SX 33MHz Motherboard
Part no.: 9B81664
$199.95

12" VGA Monochrome Paper White Monitor
Part no.: 9B67491
Product no.: MVGA
$89.95

Circle 104 on Inquiry Card.

Call for your free Jameco Catalog
1•800•637•8471

JAMECO™
ELECTRONIC COMPONENTS
COMPUTER PRODUCTS

1355 Shoreway Road, Belmont, CA 94002
Sales: 1•800•831•4242
FAX: 1•800•237•6948
International Sales: 1•415•592•8097
International FAX: 1•415•592•2503

Same-Day Shipping
Priority orders before 2:00PM PST are shipped the same day.

V.I.P.#9B3

Always Prompt Courteous Service
Jameco phone staff quickly connect you with the products and services you seek.
Technical Support:
1•800•831•0084

QUALITY

Guaranteed Top Quality
Products tested & backed by 30-day money-back guarantee.

Over 5000 Products in Stock

20 YEARS OF EXCELLENCE 1973•1993

20 Years of Full-Service
Product selections & customer service based on solid business experience.

24-Hour Toll-Free Ordering
Shop day or night by phone or FAX.

JAMECO ServiceLine UPTIME

Computer & Printer Repair
ServiceLine quick-turn repairs, parts installation & tech assistance.
Jameco ServiceLine:™
1•800•831•8020

execute in the V-pipe. The instruction-issue algorithm looks like the following in pseudocode:

```
IF    I1 is simple
  AND I2 is simple
  AND I1 is not a JUMP
  AND Destination of I1 is not Source
      of I2
  AND Destination of I1 is not Destination
      of I2
THEN Issue I1 to U-pipe
     Issue I2 to V-pipe
ELSE Issue I1 to U-pipe
```

The "no data dependencies" rule is relaxed for `push/pop` pairs (which implicitly depend on the shared stack pointer) and for some commonly used compare/branch pairs.

If pairing fails and only the first instruction is issued to the U-pipe, the second instruction remains in D1 and gets tested against the next instruction to see if they are pairable. If not, the second instruction gets issued alone into the U-pipe (Pentium instructions can never be executed out of order).

The Pentium's EX stage, like its equivalent in the 486 pipeline, performs ALU operations and data fetches so that those instructions that require both will have to spend more than one clock cycle in EX. The pipelines are interlocked, so paired instructions always leave the decode stage and enter the execution stage in step. If one instruction stalls in any stage, for whatever reason, its partner gets held back by the logic so that both stay in step. Much of the Pentium compiler writer's art revolves around ordering instructions to avoid such stalls.

The Pentium's on-chip FPU is also deeply pipelined. It has eight stages, five of which are shared by both integer pipelines. The integer write-back (WB) stage doubles as the first floating-point execution stage X1, which converts floating-point numbers from external memory format and writes them to FPU registers. This is followed by a second execution stage, X2, then by rounding and write-back in WF, and finally by ER, where error reporting and status updating occur.



After a four-cycle latency *to fill the twin integer pipelines, two instructions are completed per cycle—so long as no instruction stalls.*

Both the integer ALUs work together to fetch a 64-bit double floating-point operand in a single cycle. Consequently, the Pentium cannot pair floating-point instructions with integer operations. Floating-point instructions cannot be paired together and must always execute in the U-pipe, with one exception: the FXCH instruction, which swaps the top of the floating-point stack with a lower item and can be paired with all the simple arithmetic operations (e.g., FADD, FSUB, FMUL, and FDIV) to speed up complex expression evaluations. A paired FXCH comes absolutely free—that is, it takes zero clock cycles.

So how does the Pentium's superscalar execution scheme stack it up against its RISC rivals? Unlike the Pentium, both the Alpha and the PowerPC can pair integer operations with floating-point operations, but neither can issue two integer instructions per cycle. Both the Alpha and the PowerPC support a limited degree of out-of-order execution and hence allow some parallel operations that the Pentium forbids. The SuperSparc can issue *three* instructions per cycle—two integer and one floating-point. It also features radical "cascaded" ALUs, which can execute two instructions in parallel, even when those instructions have a direct data dependency.

All three of these RISC processors make heavy use of register bypass, or *feed-forwarding*, to reduce the delays caused by data dependencies. Finished results get forwarded directly to waiting instructions earlier in the pipeline, bypassing the register file. This saves an extra cycle stall that reading the destination register would incur. The Pentium implements bypassing for the WF and X1 stages of its FPU, but not for its integer pipelines. The PowerPC does just the reverse, forwarding integer but not floating-point instructions.

Feeding the Pipeline

Benchmark results from both the BYTE Lab and Intel show that the Pentium performs almost exactly twice as fast as an equivalent 486 on integer code—just the improvement that you would expect from issuing two instructions at once. These numbers emphasize that the Pentium's twin superscalar pipelines are the processor's crucial architectural innovation. But there's absolutely no point in executing more instructions at once if you can't supply the instructions quickly enough to keep both units busy. Therefore, most of the other innovations in the Pentium exist to support the pipelines by increasing the available bandwidth into memory.

The Pentium doubles the width of the 486's data bus to 64 bits and replaces the 486's unified cache with separate instruction and data caches (a so-called Harvard architecture) so that the instruction fetch can proceed in parallel with data access. (On the 486, a cache data access would stall any instruction fetch attempted in the same cycle.) The Pentium's 8-KB instruction and data caches are organized into 32-byte lines—twice the size of the 486's lines—and the bus interface can fill these lines with a single burst-mode read of four 64-bit chunks from external memory. An ultrawide, 256-bit bus out of the instruction cache allows the 32-byte prefetch buffers to fill in a single cycle. Only the address bus and the

Break the Found Barrier

Find Anything, Anywhere with ZyIMAGE™ Document Imaging or ZyINDEX™ Text Retrieval Software



ZyIMAGE and ZyINDEX provide a quick, precise, easy way of accessing information in letters, memos, email, manuals, or legal documents regardless of location or format. Turn paper, fax or electronic files into dynamic information systems. Unlock the hidden potential in your file cabinets, CD Roms, or hard disk drives with the click of a button.

Call for more information on ZyIMAGE, for a ***free*** ZyINDEX demo disk, or about our Authorized Reseller program.



ZyLAB • 100 Lexington Drive • Buffalo Grove, Illinois 60089
800•544•6339 708•459•8000 FAX 708•459•8054

©1993 ZyLAB

Circle 162 on Inquiry Card.

integer-register file remain 32 bits wide.

The Pentium's instruction cache and data cache are two-way set-associative; they are subdivided into 128 two-line sets. Contrast that with the 486's single, four-way associative cache. Using larger sets (i.e., four-way rather than two-way) can improve the hit rate for a given cache size, because lines that are still useful need not be overwritten so often. But you need more search logic, and lookup is slower. The Pentium's caches are twice as large as the 486's, so they can maintain a similar hit rate with half the associativity.

In an attempt to justify the above explanation, I checked on the cache associativity of some of the Pentium's RISC rivals. I found little comfort. Sun's SuperSparc uses a 20-KB, five-way instruction cache and a 16-KB, four-way data cache; DEC's Alpha 21064 uses 8-KB direct-mapped (i.e., not associative) instruction and data caches; and Motorola's PowerPC 601 uses a unified 32-KB, eight-way cache. From this I concluded that cache design is still one part mathematics and two parts magic (like audio speaker or racing-engine design), although, presumably, engineers prove all designs empirically by studying the results of many simulations.

The Pentium's caches use a write-back design to reduce external bus traffic, and since the chip is destined for use in shared-memory multiprocessors, the data cache supports the MESI (modified/exclusive/shared/invalid) cache-coherency protocol in hardware. MESI is a scheme for ensuring the consistency of a shared memory when several processors are holding cached copies of it; for more details, see "The Multiprocessor Solution," June BYTE. The data cache can also be configured to be write-through, on a line-by-line basis, by way of external hardware or software.

The MESI protocol maintains coherence between caches by *bus snooping*: The cache-control logic watches the external memory bus, looking for reads and writes from other processors (i.e., it "snoops" on bus transactions). When such a transaction is detected, the cache logic initiates an inquire cycle to find out whether there's a copy of the target address in its own cache. If there is, a write-back or an invalidation might be needed to maintain coherency. This means that up to three different agents may all be trying to access the Pentium's data cache in the same clock cycle because a pair of integer instructions might both want to fetch an operand during an inquire cycle.

To prevent such contention from stalling the Pentium's pipelines, the designers provided the data cache's tag memory with three ports. One port is devoted to snooping; the other two are used to look up data addresses for the pipelines. Everything happens in a single cycle. The cache's actual data memory is not dual-ported but interleaved in eight banks, on 4-byte boundaries. This enables two simultaneous data accesses to be made to the same cache line, so long as they fall in different banks. It also allows a bank-conflict detect gate to trap and resolve address dependencies between parallel instructions.

The Pentium's instruction cache is read-only to prevent code corruption, but this raises a potential problem for self-modifying

Run windows here. And feel like you're here.

Even if you're in the most remote area where there's a phone, you can run Windows from your office LAN. And nothing will get lost along the way. Commands will zip back and forth-screen updates will occur in real-time. Just like you're in the office. And Windows will be just as easy to use.

WinAccess™ Server: A communication server for multiple users/locations to run real-time windows/ DOS/OS2 applications on any PC from 286 to a 486.

Until now, running Windows remotely was impossible. Our unique communications server, WinAccess™, makes it possible. Each unit supports up to 8 ports, stackable to 96 ports. Just plug and play. No complicated manual to study. No hardware or modem settings to worry about. It's all pre-configured for you- a nice feeling.

Call today and place your order.

XINETRON

2302 Walsh Avenue, Santa Clara, CA 95051
Tel: 408-727-5509 FAX: 408-727-6499

1-800-345-4415 Ext. 114

The Intel Inside logo is a trademark of Intel Corporation. Windows is a registered trademark of Microsoft. All other product names are registered trademarks of their respective companies.

Circle 299 on Inquiry Card.

V.32b42i:

The ideal modem for good data over bad lines

With signal-to-noise performance of −43db, near- and far-end echo cancellation, adaptive line equalization and trellis coding, the Motorola/UDS V.32b42i becomes the modem of choice when datacomm capability outstrips line quality. It has already been selected for applications in China, in Egypt, and in other areas where the telephone infrastructure has not kept pace with datacomm developments.

The modem is fully compatible with CCITT V.32 *bis* for 14.4 kbps communication. MNP® level 5 data compression increases throughput to 28.8 kbps; V.32 *bis* compression pushes it all the way to 57.6 kbps. For error control, users may select MNP levels 2-4 or V.42 LAP-M.

The V.32b42i automatically senses the speed of the remote modem it's connected to and adjusts to that speed. It has auto-dial and auto-answer capability for synchronous communication. When installed on private networks, it provides automatic dial back-up in the event of leased-line failure. It is available as a standalone unit or as a plug-in card.

Modem configuration and performance are user controlled from a front panel that includes a liquid crystal display and just three set-up buttons.

For detailed specifications and pricing on this remarkable new modem, or for information on becoming an authorized distributor contact Motorola/UDS in
Belgium: 32-2-253-2010,
Brazil: 55-11-815-4200,
Canada: 1-416-495-0008,
France: 33-1-4117-4130,
Germany: 49-611-3611-850,
Hong Kong: 852-512-4471,
Japan: 81-3-3280-8442,
Mexico: 525-280-4146,
Singapore: 65-4745011,
U.K.: 44-628-39121 or
U.S.: 1-205-430-8000.

Registered trademarks are the property of their respective owners.

REGISTERED ISO 9001 SUPPLIER

MOTOROLA UDS

Circle 531 on Inquiry Card (RESELLERS: 532).

programs. Code that's modified by a write to the data cache may also exist in the instruction cache in its unmodified form. To maintain consistency, the instruction cache snoops on the data cache using a subset of the MESI protocol (it uses just the shared and invalid states), and a write to any instruction invalidates it in the instruction cache. The Pentium also checks to see if the modified instruction has already been prefetched for execution. If this is the case, it flushes the prefetch queue. The instruction cache also sports triple-ported cache tags. One port is for snooping; the other two enable split line accesses.

The Pentium's architecture displays at least as much data parallelism as it does parallel execution. For example, during a single clock cycle, the processor can prefetch 32 bytes of instruction code, provide operands to two executing instructions, and snoop into both caches.

Branch Prediction

Flow-control changes are the enemy of efficient pipelining. When a branch instruction is taken, it renders all the following instructions—which may have already been prefetched and decoded—irrelevant. Flushing the pipeline to discard these instructions creates a "bubble" in the pipeline until valid instructions can be fetched from the branch target address. The deeper the pipeline, the more cycles are wasted.

Always prefetching the branch target as well as the next sequential instruction is only a partial cure, because one must still be discarded. The 486, for example, speculatively prefetches from conditional branch target addresses. But because there are two pipeline stages between prefetch and execution, the processor still incurs a two-cycle delay whenever the branch gets taken.

A better solution is to calculate the result of conditional branches earlier, before any unusable instructions have been prefetched. First-generation RISC processors achieved this by using delayed branches. With this method, the CPU always executes the single instruction that immediately follows a branch. This keeps the pipeline full while the CPU fetches a new instruction stream. Unfortunately, the introduction of superscalar execution and two-cycle instruction caches made delayed branching unworkable. The reason: So many instructions need to execute in the "delay slot" that more problems are raised than solved.

Today the preferred method is *branch prediction*—guessing which way a branch will go and then acting as if it has already happened. The prize for guessing right is zero branch overhead; the penalty for a wrong guess is a complete pipeline flush.

Static branch prediction is the simplest solution to implement. The most commonly used algorithm predicts that backward branches are always taken and forward branches are not. This makes sense because most backward branches represent conditional loops, which are taken for every iteration but the last. Forward branches are less obvious and require compiler technology.

Optimizing compilers try to arrange things such that, for an IF...THEN...ELSE structure, for example, the most frequent outcome is the one generated as in-line "fall-through" code. The less frequent outcome is placed at the branch target address. The

Links you anywhere, anytime!

New! PCMCIA KeepInTouch™ modem

Send/receive data and faxes at 14,400 bps from your PCMCIA portable computer via the cellular or standard telephone networks. Why tie yourself to a desk!

With AT&T's exclusive Enhanced Throughput Cellular (ETC™) protocol* and Optical Line Interface* (OLI™), you get:

- Fastest speeds possible
- Increased connectivity and productivity
- Reduced cellular and line charges

Plus, the KeepInTouch Card lets you easily download modem enhancements to protect your investment. It uses a software-defined architecture similar to that of our COMSPHERE® 3800 Modems that won these awards:

PC MAGAZINE EDITORS' CHOICE March 17, 1992 AT&T Paradyne COMSPHERE 3810

PC MAGAZINE EDITORS' CHOICE June 29, 1993 AT&T Paradyne COMSPHERE 3830

JULY 1993 BYTE BEST OVERALL DATA-ONLY MODEM

1993 NETWORK WORLD SHORT LIST

Competitively priced! Visit Computer City, Elek-Tek, and Fry's. Or for the name of the dealer nearest you, or to order direct, call us at **1 800 554-4996 ext. 9699.**

AT&T

Circle reader service #174 **Outside US or Canada circle #175**

* Pat. Pending KeepInTouch, KeepInTouch Card, ETC, and OLI are trademarks of AT&T. © AT&T 1993

Choose The Right Performance.

Getting the best performance often means choosing the next generation of technology.If you're looking for leading edge performance from a personal computer, take a look at DIGICOM's new P5 system. Based on Intel's Pentium™ Processor 60/66MHz, this system delivers the power needed for demanding networking, multimedia and graphical workstation applications.

PRODUCT NAME	ITEM	CPU	I/O BUS	MEMORY	CASE DIMENSION
DG-P5-60/66	DIGIS-P5 60/66MHz	Intel Pentium™ Processor 60/66MHz	ISA+VESA BUS	1-64MB	TOWER CASE 432mmx190mmx620mm

The Intel Inside Logo is a trademark of Intel Corporation

intel inside

pentium™ PROCESSOR

DIGICOM

EUROPE:
DIGICOM EUROPE B.V.
RIDDERPOORT 4,
2984 BG RIDDERKERK
THE NETHERLANDS
FAX: 31-1804-19815
TEL: 31-1804-11888

ASIA:
ANPRO INC.
DIGICOM GROUP
9FL, NO. 2, LANE 235,
PAO-CHIAO ROAD,
HSIN-TIEN CITY, TAIPEI COUNTY,
TAIWAN, R.O.C.
FAX: 886-2-917-9099
TEL: 886-2-917-8555

U.S.A.
AMERICAN DIGICOM CORP.
CALIFORNIA OFFICE:
1233 MIDAS WAY
SUNNYVALE,
CA 94086 U.S.A.
FAX: 408-245-1584
TEL: 408-245-1580

NEW YORK OFFICE:
125 MICHAEL DRIVE
SUITE 103 SYOSSET,
NY 11791 U.S.A.
FAX: 516-496-2366
TEL: 516-496-2323

TEXAS OFFICE:
610 PRESIDENTIAL
DR. SUITE 104
RICHARDSON
TX 75081 U.S.A.
FAX: 214-480-0199
TEL: 214-480-9998

Circle 163 on Inquiry Card.



The BTB's history bits *operate as a finite state machine. Every time a branch in the buffer executes, its history bits are updated according to this state-transition diagram. Three of the four possible bit combinations (11, 01, and 10) predict that a branch will be taken; only 00 predicts that a branch will not be taken.*

PowerPC 601 and DEC Alpha use this type of static prediction.

A second level of compiler-assisted static-branch prediction uses spare bits in the branch instruction's op code to convey hints as to what the most likely branch target will be. The DEC Alpha makes 14 such bits available. That's not enough for a full target address, but it is sufficient to identify an offset within a page so that a read can be started several cycles before the exact target is known. One of the PowerPC 601's three superscalar execution units is a dedicated BPU (branch processing unit) that contains special registers so that conditional branches no longer depend on the main register file. Compilers can use a single hint bit to predict branches taken or not taken.

The Pentium eschews both these forms of static branch prediction in favor of a more radical dynamic prediction scheme. A dedicated BTB (branch target buffer) remembers the target address and the outcome of each branch and predicts their future direction on the basis of their execution history. The Pentium's U- and V-pipes actually have two 32-byte prefetch buffers each, only one of which is active at any time.

Normally the active buffer fetches sequential instructions, but when a branch instruction appears in the buffer, the BTB predicts which way it will go. If the prediction is "branch taken," then the second prefetch buffer becomes active and starts fetching instructions from the branch target address. If the BTB's guess is correct, then the pipeline carries on executing instructions; a wrong guess incurs a three- or four-clock delay, during which both pipelines are flushed and the correct target instruction is fetched.

The Pentium's BTB is actually another 1-KB, four-way set-associative cache with 256 lines, each holding a branch target address and 2 "history bits" and tagged by the address of the branch instruction. Whenever a new branch is taken, the Pentium puts its target address into the BTB, replacing an existing entry at random. Each history bit can have one of two values: 1, for taken, or 0, for not taken (see the figure "The Branch Target Buffer"). The four possible states of these 2 bits record what happened on the last two executions of that branch. A new entry's history gets set to 11, and each subsequent execution of the branch updates the history. The BTB predicts that a branch will be taken unless its history is 00 or it misses the BTB (i.e., it's not recorded there).

The Pentium's dynamic prediction scheme needs less compiler support than does static branch prediction, where an optimizing compiler may have to execute and profile the program code to get sensible hint information. The Pentium in effect profiles code on-the-fly in hardware and in its real-life environment.

Diminishing Returns

Intel quotes an amusing example to show off superscalar execution with branch prediction at its best. The inner loop of the Sieve of Eratosthenes, which BYTE used for many years as a benchmark, looks like this in C:

```
for(k = i + prime; k <= SIZE; k += prime)
    flags[k] = FALSE;
```

A popular C compiler generates the following assembly code from this fragment :

```
;; prime in ecx, k in edx, FALSE in al

inner_loop:
   mov byte ptr flags[edx],al
   add edx,ecx
   cmp edx, FALSE
   jle inner_loop
```

On a 486 system, this code consumes six clock cycles (of which two are due to the branch), but on the Pentium it runs in just two cycles. The `mov` and `add` instructions get paired and executed in parallel for one cycle, the `cmp` instruction pairs with `jle` for another cycle, and the BTB correctly predicts the branch taken, so it requires no cycles at all.

This threefold speedup represents only the most favorable possible case for the Pentium, however. On average it achieves twice the 486's speed on integer code, rising to around three times its speed for floating-point operations. Welcome though it is, this boost is the smallest performance step yet at the launch of a new generation of Intel products.

Future Pentiums will get faster as clock speeds rise above 100 MHz and feature sizes fall to the 0.65-micron level, but this was equally true with the 486 through its life cycle. With the Pentium, Intel may have reached a level of diminishing returns with the 80x86 architecture. Adding a third integer unit or a second FPU will probably not produce cost-effective improvements. Intel's next generation after the Pentium must be full-blooded RISC, with an 80x86-compatible subunit. ■

Dick Pountain is a BYTE consulting editor. He specializes in programming languages and system architectures. You can reach him on BIX as "dickp," or on the Internet at dickp@bix.com.



Choose The Right Solution.

Looking for a fully equipped PC that doesn't hog precious desktop real estate? DIGICOM's Digilight system is the perfect answer, It offers all the flexibility and power of a desktop plus the convenience of a notebook. You can use it in the office and in the evening carry it home with you on your bicycle. Just plug in your favorite monitor and keyboard and get down to work.

intel inside

PRODUCT NAME	ITEM	CPU	I/O BUS	MEMORY	CASE DIMENSION
DL-486SX/DX	DIGIS-486DL 33/50MHz	Intel i 486SX-33 i 486DX-50	ISA BUS	1-16MB	BOOK SIZE CASE 331mmx225mmx70mm

The Intel Inside Logo is a trademark of Intel Corporation

DIGICOM

EUROPE:
DIGICOM EUROPE B.V.
RIDDERPOORT 4,
2984 BG RIDDERKERK
THE NETHERLANDS
FAX: 31-1804-19815
TEL: 31-1804-11888

ASIA:
ANPRO INC. DIGICOM GROUP
9FL, NO. 2, LANE 235,
PAO-CHIAO ROAD,
HSIN-TIEN CITY, TAIPEI COUNTY,
TAIWAN, R.O.C.
FAX: 886-2-917-9099
TEL: 886-2-917-8555

U.S.A.
AMERICAN DIGICOM CORP.
CALIFORNIA OFFICE:
1233 MIDAS WAY
SUNNYVALE,
CA 94086 U.S.A.
FAX: 408-245-1584
TEL: 408-245-1580

NEW YORK OFFICE:
125 MICHAEL DRIVE
SUITE 103 SYOSSET,
NY 11791 U.S.A.
FAX: 516-496-2366
TEL: 516-496-2323

TEXAS OFFICE:
610 PRESIDENTIAL
DR. SUITE 104
RICHARDSON
TX 75081 U.S.A.
FAX: 214-480-0199
TEL: 214-480-9998

Circle 164 on Inquiry Card.

WINDOWS
WINDOWS NT
OS/2
MACINTOSH
OPEN LOOK
OSF/MOTIF
CHARACTER SYSTEMS

Develop Cross-Platform GUI Applications in a Single Stroke.



Master the art of multi-platform GUIs.

XVT Software is the leading choice of world-class developers for one reason: It is the simplest, quickest path to building quality applications that port to every GUI without compromises in look-and-feel or performance. Plus, it's easier to learn and use than native toolkits, so your time and effort goes into your application, not your GUIs.

XVT gives you simultaneous original GUIs.

Because XVT uses native GUI objects, your application is indistinguishable from one written directly to the native toolkit. Through our layered architecture, you achieve equivalent cross-platform functionality appropriate to each GUI, without the overhead and inflexibility of proprietary emulation-based systems.

XVT puts complete C/C++ solutions at your fingertips.

The XVT Solutions for C and C++ each include an Interactive Design Tool and the XVT Portability Toolkit.

Our Design tools let you use your mouse to design and lay out your GUI, using native and custom controls, then test it on all your target platforms before generating and compiling your code.

When combined with in-depth consulting, training and support, plus a wide range of Partners products, XVT forms the most comprehensive and advanced solution for developing completely portable GUI applications.

Developers judge XVT to be a masterpiece.

XVT is the base document for the IEEE's GUI standardization effort. Our thousands of customers include internal and commercial developers like: Alcoa, Amoco, AT&T, Avis, Ford, General Motors, Grammatik/Reference Software, Kodak, Lockheed, NCR, NEC, NIST, Novell, Rockwell, Siemens, Sony, Southwestern Bell, Tandem, Uniplex, Unisys, US Army and US West.

Call now for a free XVT Technical Overview and Demo.

Ask about XVT training in FL, NY, WA, TX, NJ, and more.

XVT SOFTWARE INC

The portable GUI development solution.

1-800-678-7988

XVT Software Inc. 4900 Pearl East Cir. Boulder, CO 80301
(303) 443-4223 FAX (303) 443-0969
For European inquiries, contact: Precision Software GmbH
Phone: 49 0 61 03/37 94 0 Fax: 49 0 61 03/36 95 5

XVT, XVT-Design, XVT-Design++ and XVT Portability Toolkit are trademarks of XVT Software Inc. Other product and company names are trademarks or registered trademarks of their respective holders.

Circle 159 on Inquiry Card (RESELLERS: 160).

Debugger Support in Windows 3.1

Good debugging support at the OS level is essential to writing good tools and applications. Here's how Windows 3.1 stacks up.

MATT PIETREK

Three years into the 1990s, DOS is finally starting to make its exit. A multitude of contenders stand ready to take its place as the new king of the operating-systems hill. These days, the primary contenders are Windows 3.1, Windows NT, and OS/2 2.1.

With each new operating system comes a new set of APIs to master. For the most part, an API call in one operating system has a counterpart in the others. However, when you get down to the level of the operating-system kernel, this rough equivalence starts to fall apart. This is particularly true in the case of operating-system support for debuggers.

I focus here on the system support for debuggers that is provided by Windows 3.1 (I'll cover OS/2 2.0 and Windows NT next month), but it's important to note that this information is relevant to more than just the small group of people who write debuggers. Having a good knowledge of debugging support is crucial for writing certain classes of tools and applications.

For example, under Windows 3.1 many programmers need a way to start another application and wait for it to finish before continuing the original program. The typical way of accomplishing this is to hook into the notification stream used by the debugger to know when a process exits, when a DLL loads, and so on.

The Basics

There are certain basic services that a debugger requires from any operating system. These services are relatively few in number, but they are absolutely essential for a usable debugger. For the purposes of this article, the basic operating-system support for debuggers includes the following services:

- loading a new process for debugging (known as the child process)
- execution control (the ability to make the child process step through instructions or run)
- reading and writing memory in the child process's address space
- reading and writing the register set of the child process
- notification of significant events (including DLL loads and unloads, the creation and destruction of child-process threads, and the termination of the child process)
- address mapping (the ability to convert a logical address in the debugging information to a real physical address as used by the child process)
- isolating the child process from external events when the process is stopped (primarily a concern for event-driven programs that process messages)
- miscellaneous support (hardware breakpoints, access to system data structures, and so on)

Much of what makes a truly outstanding debugger includes things that the debugger doesn't need the operating system for. Examples of such elements are the data inspectors and browsers that are becoming commonplace these days. The magic of these features is performed by sophisticated lookup mechanisms and manipulation of debugging information. No operating-system support is needed for these portions of the debugger.



JOSEF GAST © 1993

Another example is statement stepping. The CPU and the operating system know nothing about the C or C++ statements in your program. Instead, it's up to the debugger to interpret the debugging information. From this information, the debugger synthesizes a statement step out

PHOTOGRAPHY: SCOTT PARKER / PAUL AVIS STUDIO © 1993



Flow control *during a breakpoint or single-step interrupt.*

of a series of instruction steps and lets the child process run until it hits a breakpoint.

The Windows 3.1 View

In some respects, writing a debugger under Windows 3.1 is not that different from writing a debugger under MS-DOS. In other words, there's not much operating-system support. The debugger is responsible for intercepting INT 1 for single-step and hardware breakpoints, and INT 3 for code breakpoints. As under DOS, all Windows 3.1 tasks share the same address space because they use a common LDT (local descriptor table). And because Windows and DOS are both 16-bit operating systems, debugger code that manipulates addresses can often be ported easily from DOS to Windows.

On the other hand, there are significant differences between a DOS debugger and a Windows debugger. A Windows debugger has to be acutely aware of protected mode. If the user of a debugger inspects a garbage pointer, the debugger can't blindly try to dereference the pointer, possibly generating a general protection fault in the process. Instead, it has to put on the surgical gloves and treat everything about the child process as potentially dangerous.

The addition of DLLs makes the life of a Windows debugger even more difficult than that of a DOS debugger. A DOS debugger can assume that the symbol table for the child process is the only symbol table. A Windows debugger needs to juggle around the symbol tables of any DLLs it's debugging in addition to the symbol table of the main program. The correct symbol table to use often depends on the context in which the child process is executing.

In Windows 3.1, most of the operating-system support for debuggers and debugging utilities comes in the form of TOOLHELP.DLL. Although TOOLHELP was introduced with Windows 3.1, it's backward compatible with Windows 3.0. It exports upwards of 30 functions, but only a small subset is truly essential for debugging support. The two most important APIs in TOOLHELP are `InterruptRegister()` and `NotifyRegister()`. The former lets you see all CPU interrupts and exceptions of interest to a debugger, and the latter is how the debugger finds out about DLL loads, task termination, and so on.

The interrupts, exceptions, and notifications your TOOLHELP-installed handlers receive are from all tasks in the system, not just the task you're debugging. In addition, TOOLHELP multiplexes the interrupts and notifications among all programs that register handlers with it. Because of these two points, it's important that your handler routines inspect each interrupt, exception, and notification to see if it's of interest to the debugger, and chain it on if not.

Loading a New Process

Windows 3.1 offers no explicit support for loading a program for debugging. Instead, a debugger uses the standard Windows APIs `LoadModule()` or `WinExec()` to execute a child process. The difference in loading a child process for debugging is that the debugger needs to force the process to stop at the first instruction, rather than executing until it yields. The trick in stopping the child process at its first instruction is finding out where the new process will begin executing. By setting a temporary breakpoint at that location, a debugger can gain control before any child-process code is executed.

There are two approaches to finding the starting address of the child process. The first method is to read the NE (new executable) file of the program to be debugged and extract the starting CS:IP (code segment:instruction pointer) as a logical address. The debugger can then watch the segment-load notifications (i.e., the NFY_LOADSEG notification from `NotifyRegister()`). When it sees that the appropriate segment has been loaded into memory, the debugger inserts a temporary breakpoint into the segment. The second approach is a more elegant variation on the first method. It requires the debugger to look for the NFY_STARTTASK notification. The `dwData` argument for this notification is the starting CS:IP of the child task.

Execution Control

While being debugged, a Windows process is either executing its code normally or executing inside an interrupt handler in the debugger's code. A child process halts execution when it finishes stepping an instruction or when it encounters a breakpoint op code. Either of these events causes an interrupt, which transfers control to the debugger's interrupt-handler code. However, just because an exception has occurred does not mean that Windows switches tasks. As a result, you can have a strange state where the child process is still the active process but is running in code owned by the debugger process. The child process remains "suspended" in this interrupt handler until the user instructs the debugger to step through or run the program again. The figure above shows the situation graphically.

A Windows debugger controls whether the "debuggee" will step or run when it resumes by selectively modifying the trap flag in the copy of the child process's FLAGS register. This register is saved on the stack when the child process encounters INT 1 or INT 3. To make the child process single-step the next instruction, the debugger sets the trap flag in the image of the process's FLAGS register. The debugger then switches task

STATISTICA/w

Windows, DOS, Macintosh























STATISTICA/w™ (for Windows) Complete Statistical System with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Complete Windows 3.1 support, DDE, OLE, TT-fonts, multiple toolbars, right mouse button support ■ Unlimited numbers of data-, results-, and graph-windows ■ Inter-window integration: data, results, and graphs can be treated as objects and converted into one another in a number of ways ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques; multiway tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; time series modeling; forecasting; lags analysis; quality control; process analysis; experimental design (with Taguchi); and much more ■ Manuals with comprehensive introductions to each procedure and examples ■ Hypertext-based Stats Advisor expert system ■ Extensive data management facilities (spreadsheet with long formulas, block operations, advanced Clipboard support, DDE hot links, relational merge, data verification, powerful programming language) ■ Batch command language and macros also supported, "turn-key system" options ■ All output displayed in Scrollsheets™ (dynamic, customizable, presentation-quality tables with toolbars, pop-up windows, and instant 2D, 3D and multiple graphs) ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megafile Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE or an extensive selection of file import/export facilities ■ Hundreds of types of graphs, including categorized multiple 2D and 3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom design new graphs and add them permanently to menu ■ On-screen graph customization with advanced drawing tools, interactive stretching and resizing of complex objects, interactive embedding of graphs and artwork, special effects, icons, maps, multi-graphics management, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of all 3D and 4D graphs ■ Extensive selection of tools for graphical exploration of data: fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price **$995**.

Quick STATISTICA/w™ (for Windows) A comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/w ■ Price **$495**.

STATISTICA/DOS™ (for DOS) A STATISTICA/w-compatible data analysis system ■ Price **$795**.

Quick STATISTICA/DOS™ (for DOS) A subset of STATISTICA/DOS statistics and graphics ■ Price **$295**.

Domestic sh/h $10 per product; 14-day money back guarantee.

Circle 145 on Inquiry Card.

StatSoft™

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376

STATISTICA/Mac™ (for Macintosh) A STATISTICA/w-compatible, comprehensive data analysis and graphics system designed for the Macintosh ■ Large selection of statistical methods fully integrated with presentation-quality graphics (incl. EDA, multiplots, a wide selection of interactively rotatable 3D graphs; MacDraw-style tools) ■ Unlimited size of files ■ Full support for System 7, incl. "Publish and Subscribe" ■ Price **$595**.

Quick STATISTICA/Mac™ (for Macintosh) A subset of STATISTICA/Mac: a comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/Mac ■ Price **$295**.

Overseas Offices: Statsoft of Europe (Hamburg, FRG), ph: 040/4200347, fax: 040/4911310; **StatSoft UK** (London, UK), ph: 0462/482822, fax: 0462/482855; **StatSoft Pacific** (Melbourne, Australia), ph: (03) 663 6580, fax: (03) 663 6117; **StatSoft Canada-CCO** (Ontario), ph: 416-849-0737, fax: 416-849-0918. Available From: CORPORATE SOFTWARE and other Authorized Representatives Worldwide: Holland: MAB Julsing, 071-230410; France: Version US (1) 40590913; Sweden: AkademiData 018-240035; Hungary: Dagent Kft 186-5782; Belgium: TEXMA 10 61 16 28; South Africa: Osiris 12 663-4500; Japan (Macintosh): Three's Company, Inc., 03-3770-7600; Japan (DOS and Windows): Design Technologies, Inc., 03-3667-1110.

StatSoft, STATISTICA/W, Quick STATISTICA/W, STATISTICA/Mac, Quick STATISTICA/Mac, STATISTICA/DOS, Quick STATISTICA/DOS, and Scrollsheet are trademarks of StatSoft, Inc.

contexts to the debuggee's context with `DirectedYield()` and drops out of the suspended-state loop. The child process eventually uses an IRET (return from interrupt service routine) to return to its own code, causing the modified copy of the FLAGS register to be restored to the FLAGS register. If the trap flag is set when the FLAGS register is reloaded from the IRET, the CPU executes one instruction before generating an INT 1, forcing execution to return to the debugger's interrupt handler.

To make the child process run (as opposed to stepping), the debugger simply does the opposite, clearing the bit in the trap-flag image. This ensures that the trap flag *won't* be set when the child process does the IRET back to its code.

Windows presents an interesting situation with regard to breakpoints. Since Windows can demand load and discard segments as necessary, a debugger needs to watch the segment-load notifications (NFY_LOADSEG, discussed below) to see if a segment with a breakpoint in it has been discarded and then reloaded. If so, the debugger needs to reinsert the breakpoint before letting the child process resume.

Memory and Register Access

Because Windows has a single address shared by all applications, it's possible for a debugger to directly read any memory belonging to the child process. However, a debugger that does this has to be extremely careful and perform segment limit and access checking for any address it attempts to read or write. Additionally, if the debugger wants to write to a code segment (e.g., to set a breakpoint), it needs to create an alias data selector. (An *alias selector* is a data selector that has the same address and limit as a code selector, or vice versa.)

Since doing access checking and creating aliases are "surgical glove" work, Microsoft mercifully provided the `MemoryRead()` and `MemoryWrite()` APIs in TOOLHELP. If you use these APIs, you can eliminate all the hassle of doing your own address validation. Instead, you call these APIs and just check the return value to see if they were successful.

A properly designed interrupt/exception handler in Windows will save the complete register set when the debuggee generates an exception and will restore all the registers before the child process does the IRET to resume execution. Typically the registers are saved by PUSHing them on the stack. If the user wants to change a register value while the child process is stopped, the debugger just changes the saved copy of the register value. When the child process resumes, the saved copy will be restored instead of the original register value.

The issue of 32-bit registers in Windows is interesting. The kernel scheduler in Windows saves only the 16-bit set of registers, ignoring the high halves of the extended registers. However, the child process may be using 32-bit registers, so it's important that the debugger interrupt handler save and restore the full 32-bit register set.

Event Notification

Event notifications such as DLL loads come through the handler routine installed by `NotifyRegister()`. Of particular interest to debuggers are the following notifications.

NFY_STARTTASK gives the debugger the ability to regain control before the child process executes the first instruction. NFY_EXITTASK tells the debugger that the child process has terminated. A debugger typically indicates this event to the user and cleans up internal tables as necessary.

NFY_STARTDLL tells the debugger about DLLs that are loaded while the child process is executing. A debugger might use this notification to update its internal tables. Note that this notification will not be generated for DLLs that are already in memory when the child task loads.

NFY_DELMODULE tells the debugger that a DLL has been unloaded from the system. The debugger might clean up tables at this time as well. Finally, NFY_LOADSEG tells the debugger that a particular segment has been brought into memory. If the debugger supports virtual breakpoints in code that's not yet loaded, it inserts breakpoint op codes at this time.

Address Mapping

Segments in a Windows .EXE or .DLL file are ordered, starting with segment 1, then segment 2, and so on. If you look at a .MAP file produced by a Windows linker, you can see this segment ordering. Like the addresses in .MAP files, the addresses of functions and variables in the debugging information are stored in terms of these logical segments. The actual selector values that will be used to access these segments when loaded into memory simply aren't known at link time. Therefore, a Windows debugger needs support from the operating system to map a logical segment number to the actual selector value that the loader allocated for the segment. It's also necessary to be able to work in the opposite direction—that is, to convert a selector value to an `hModule` and a logical segment number.

There are two ways to perform this address mapping. The supported method is to use the TOOLHELP `GlobalEntryHandle()` and `GlobalEntryModule()` APIs. `GlobalEntryHandle()` takes a selector as an input and, if possible, returns a GLOBALENTRY structure containing an `hModule` and a logical segment within the module. `GlobalEntryModule()` performs the inverse mapping, taking an `hModule` and a logical segment number and returning the corresponding selector as part of the GLOBALENTRY structure.

If you don't want to rely on the TOOLHELP functions (which can be somewhat slow), your other alternative for address-mapping services is to directly read the segment table in the module tables. A module table is simply the segment for which an `hModule` is the selector. If you know the format of the data in the module table, you can quickly look up just the information you need. My book *Windows Internals* (Addison-Wesley, 1993) and Andrew Schulman's *Undocumented Windows* (Addison-Wesley, 1992) contain the layout of a module table.

Isolating the Child Process

A fundamental tenet of debugger writing is that when the child process stops for some reason, no child-process code should be executed. However, when the process is stopped because it's suspended in the debugger's interrupt handler, it can't be processing messages. A Windows program that doesn't call `GetMessage()` or `PeekMessage()` regularly will freeze the input system. Buried inside the `GetMessage()` and `PeekMessage()` code is where Windows tasks yield to other tasks.

If you don't call these functions, other tasks will never get the opportunity to be switched to the foreground or to execute. This has serious ramifications. If you put a 20-second delay in the message handler of your Windows application, your keyboard and mouse are useless until the delay finishes. No other application can be switched to the foreground or run until the current task starts processing messages again.

continued

New Northgate® Superb™ Series Featuring...

A Full-Featured 486SX/25 Color System For Only $999!

(Back to the drawing board, Dell.)

If you think Dell's Performance 333s/L is the best value going, Northgate has a real eye-opener for you.

Presenting the Northgate Superb 486SX/25...a gutsy, power-packed system that gives you genuine 486SX performance, a generous 120MB hard drive and i486™ upgradability...for the same price as Dell's Performance 333s/L.

And there's even more! You get a VGA color monitor, DOS 6.0, Windows 3.1, a mouse and more. To top it off you get our award-winning service featuring our legendary 24-hour toll-free technical support.

When you add it all up, the choice is clear. For you it's the Northgate Superb 486SX/25. For Dell, it's back to the drawing board.

Compare...Northgate Beats Dell Cold!

	Northgate Superb 486SX/25	Dell Performance 333s/L
Processor	i486SX/25	i386SX/33
i486™ Upgradability	Yes; full range	No
Hard Drive	120MB	80MB
RAM	2MB	2MB
Video	14" VGA; 640x480	14" VGA; 640x480
Floppy	One	One
MS-DOS, Windows 3.1 and mouse	Yes	Yes
Price	$999	$999

Offer available for a limited time, so...

Call To Place Your Order Now! 800-545-6059

GSA #GS00K91AGS5193 PS01

Major credit cards, money orders, direct wire and approved company purchase orders accepted.

MICROSOFT WINDOWS. READY-TO-RUN

intel inside

NORTHGATE®

7075 Flying Cloud Drive, Eden Prairie, MN 55344

© Copyright Northgate Computer Systems, Inc. 1993. All rights reserved. Superb, Northgate, and the Northgate logo are trademarks of Northgate Computer Systems. i486, Intel and the Intel Inside logo are registered trademarks of Intel Corporation. Prices and specifications subject to change without notice. Prices shown are U.S. dollars and do not include shipping and handling charges or appropriate sales taxes. Northgate reserves the right to substitute components of equal or greater quality or performance. All items subject to availability and offer is valid in the U.S. and Canada only.

Now consider the case of a Windows-hosted debugger. Imagine that the child process is executing along and then hits a breakpoint. At this point, the process is suspended inside the debugger's interrupt handler and isn't processing messages. The mouse and the keyboard aren't responding; they're useless until the child process starts pumping messages again. The only way to make the child task process its messages again is to make it resume execution. But to do this, you need to communicate some sort of "go" command to the debugger. And alas, you can't communicate with the debugger because the mouse and keyboard aren't responding.

Initially, Windows debuggers dealt with this problem by ignoring it. However, a debugger that does this cannot use Windows to display its screens. Examples of this kind of debugger are Borland's Turbo Debugger for Windows, Microsoft CodeView for Windows, and the text-mode version of Symantec's MultiScope. Debuggers like these essentially freeze all of Windows while the child process is stopped. Instead of using Windows to show their screen, they switch the screen to text mode, use a secondary monochrome monitor, or communicate to a remote debugger over a serial line or network connection.

When using these debuggers, your system is always in one of two modes. The first mode is when Windows and your program are running normally. The other mode is when the debugger is active and you can't access any part of Windows. Although there is no official name for this debugging mode, I've dubbed it *super hard mode*, for reasons I'll explain shortly.

As more and more developers came into the Windows fold, a clamor began to arise for a true GUI debugger. In light of the rather gloomy prognosis described above, it might seem that a GUI debugger is simply not possible. However, the presence of the graphical version of MultiScope, Microsoft Visual C++, and Bounds-Checker for Windows shows that all is not lost. These are definitely GUI programs, yet they don't freeze up when the child process hits a breakpoint. Something else is going on here under the hood. As it turns out, there are two ways to deal with the problem.

The first way to prevent the Windows input system from freezing is termed *soft mode*. As part of the entry sequence of the debugger's interrupt handler, the code subclasses each of the child process's windows, directing the messages to go to a dummy window procedure in the debugger's code. The dummy procedure's job is to provide default message processing for the debuggee while it's not processing messages itself. After subclassing the child process's window, and while still in the interrupt handler, the code goes into a `GetMessage()/DispatchMessage()` loop. The child process spins in this loop until the debugger gives it the order to resume execution. Because all the child process's windows have been subclassed, there's no need to worry about code in the child process being called. Instead, messages destined for the process's windows are handled by the dummy window procedure in the debugger.

continued

No Noise, No Hassle. Just SCREAMER Prices!

You get *no noise* from AT&T's Optical Line Interface* (OLI™), just the fastest speeds possible on good or bad phone lines. You get *no hassle* either, with AT&T's Enhanced Throughput Cellular (ETC™) protocol,* just the fastest speeds on cellular calls linked to the DataPort.

- Sends/receives data/faxes at 14,400 bps (V.32bis)
- Data compression, error correction (V.42bis)
- Increased connectivity and optimal speed using OLI and ETC
- Effective throughput up to 57,600 bps!
- Solidly built, solidly backed by AT&T.
  - Lifetime warranty for as long as you own it
  - TOLL-FREE technical support.

Desktop for PCs or Macs, or internal PC card. Includes QuickLink II comm/fax software for DOS and Windows or the Mac. Mac version also has serial port cable.

DataPort™ 14.4/Fax Modem
Exclusive optical and cellular technology!

Visit Computer City, Fry's, and Elek-Tek for exciting low prices! Or for the name of other dealers near you, or to order the DataPort 14.4/Fax Modem directly, call now:
1 800 554-4996 ext 9609

AT&T

Circle reader service #176

Outside US or Canada circle #177

* Patent pending © 1993 AT&T. DataPort, OLI, and ETC are trademarks of AT&T. All other products or services mentioned are the trademarks, service marks, registered trademarks, or registered service marks of their respective owners. Lifetime warranty is limited and applies to original purchaser only.

The best sound is not in the cards.

PORT·ABLE *sound* PLUS™

Perk up your presentations. Make training more effective. And, put some guts into your gaming pastimes. Anytime. Anywhere. In fact, if you are not a card carrying member of the computer set, you have to hear PORT·ABLE Sound Plus from DSP Solutions. You know, those real smart people who make simple sound solutions.

PORT·ABLE Sound Plus is the first portable external sound peripheral to deliver 16 Bit CD quality music with stereo audio capabilities. And, since you just plug into your IBM PC or compatible, desktop or laptop parallel port, you do not need an engineering degree or even a screwdriver.

When you compare PORT·ABLE Sound Plus to any other external sound peripherals, you will see why anything else is just noise. PORT·ABLE Sound Plus is based on advanced Digital Signal Processing technology, so you will enjoy the greatest compression capability with the highest quality sounds. Here is something else that will be music to your ears. PORT·ABLE Sound Plus comes complete with everything you need including a high fidelity speaker and built-in microphone. There is an "Audio-in" for a CD or tape player and a "Line-out" for external powered stereo speakers. Even a built-in smart parallel port pass through so you can keep printing.

Whether you take your work across the hall or across the country, with PORT·ABLE Sound Plus, you have all the cards you need to play right in your hip pocket. The hinged design lets you flip up the unit if you are short on desk space or lap space. And, the power will always be with you whether you use rechargeable or non-rechargeable AA batteries. PORT·ABLE Sound Plus also comes equipped with an AC/DC power converter.

As a bonus, you will get all the software you need to communicate. Like Lotus Sound™ an OLE server for Windows 3.1. WinReader for Windows 3.1, a handy text-to-speech utility. DSP Solution's DOSTalk and DOSReader text-to-speech applications. Show & Tell For Kids™ for Windows – an easy to use MultiMedia Authoring program. It is also Sound Blaster and AdLib compatible.

Why compromise on quality, portability, compatibility or affordability? When all the cards are on the table, PORT·ABLE Sound Plus from DSP Solutions is your ace in the hole. Suggested retail is only $198.95.

To order or obtain more information about PORT·ABLE Sound Plus, write or call DSP Solutions, or, contact your local dealer.

European Office: Les Algorithmes/ABS B.P. 29
2000 Route des Lucioles
06901 Sophia-Antipolis Cedex
France
Tel: (33) 92 94 47 74 – Fax: (33) 93 95 80 52

DSP™ SOLUTIONS

PORT·ABLE Sound Plus is a trademark of DSP Solutions, Inc. All other product names are trademarks or registered trademarks of their respective owners.

Circle 179 on Inquiry Card (RESELLERS: 180).

- Sound Blaster Compatible
- 16 Bit CD Audio
- Advanced DSP Technology

To seal off the child process even more, a soft-mode debugger should also somehow prevent hook procedures in the child process from getting called. In Windows 3.1, the WH_DEBUG hook is supposed to help with this. A WH_DEBUG hook is supposed to be called before any other hooks are called. However, in stepping through the hook code in USER.DLL, it appears that there may be problems with this particular hook.

The default message processing that the dummy window procedure provides appears to be highly subjective. The messages that the MultiScope debugger handles are different from what the Visual C++ debuggers handle, which are different from what Bounds-Checker for Windows handles. For the most part, the dummy window procedure can simply pass the message on to `DefWindowProc()`. In all cases, however, there are some messages that the dummy window procedure should handle specially. For instance, it will not want to allow certain WM_SYSCOMMAND messages (e.g., SC_CLOSE) to go to the default handler.

The advantage of soft mode is that all tasks in the system (except the child process) continue to operate normally. The windows of the child process remain on the screen but aren't responding to normal input commands. The disadvantage of soft mode is that important messages for the child process will be lost. For example, if the child process was in the middle of a DDE transaction when it stopped, the default processing provided by the debugger's dummy window procedure won't know what to do with the message. Put another way, while the child process is stopped, it won't see any of the messages it ordinarily would have received. Thus, soft-mode debugging isn't ideal for all situations.

Hard-Mode Debuggers

The second method of preventing the input system from locking up is to go into *hard mode*, a special mode of the windowing system that's new in Windows 3.1. In this mode, only one window (and its children) can receive messages; all other windows are frozen and receive no messages. To enter hard mode, a debugger calls `LockInput()`, specifying the window handle of its main window. Only the debugger responds to mouse and keyboard input, until the debugger calls `LockInput()` again. The child program, as well as all other programs, is frozen. If you've ever seen the old *Bewitched* TV series where Samantha temporarily suspends people, you probably have an idea of what hard mode is like.

The advantage of hard mode is that the debugger doesn't have to deal with messages intended for the child process. And since all other tasks are frozen, there's no chance that the child process will receive an important message until the debugger exits hard mode. This mode's disadvantage is that, while you're in it, you're confined to whatever facilities the debugger provides. There's no way to start up an external editor or browser, for instance.

Recently, some people have begun referring to text-mode debuggers as hard-mode debuggers. However, a true hard-mode

There are **big** advantages to a **small** college.

Sponsored by CIC The Council of Independent Colleges

Just ask: Ronald Reagan—40th President of the United States, Eureka College, Illinois; Paul Newman—Actor, Kenyon College, Ohio; Patricia Carbine—President, The Ms. Foundation for Education & Communication, Rosemont College, Pennsylvania; George McGovern—Former United States Senator, Dakota Wesleyan University, South Dakota; Julia Child—Television Chef/Author, Smith College, Massachusetts; Carl T. Rowan—Journalist/Former Diplomat, Oberlin College, Ohio.

Ask people who graduated from small colleges and went on to accomplish great things.

Choose a small college for the same reasons they did. High-quality education. A wide variety of majors. Small classes where you get to know your professor. Small colleges are affordable and can help with financial aid. Those are just some of the advantages!

If you're considering college, consider a small independent college. Contact: Council of Independent Colleges, One Dupont Circle, Suite 320G, Washington, D.C. 20036.



Introducing new Micrografx Designer™ 4.0.

With symbol creation and placement to one micron, new Designer 4.0 from Micrografx is a measurable improvement in technical illustration. In fact, hair-splitting accuracy is only the start of what will seem like an endless list of new features. And before you furrow a brow, you'll be glad to know that Designer 4.0 is first, last and always easy to use.



Designer 4.0's new intuitive interface is easy to learn and use with hint lines and context-sensitive help.

You get advanced features including 3-D drawing with rotation, smooth shading, and light source control. Make adjustments quickly with object snap, wireframe view of images, custom dimension units, direct entry of coordinates and dimensions, and auto dimensioning. And 32,767 layers keep everything organized. The bottom line: you're always in control while creating, editing and manipulating symbols.

Now, while Designer 4.0 is filled with sophisticated features, you'll have it up and running in no time. A new streamlined interface means you can find everything fast. Hint lines, context-sensitive help, a customizable tool bar, and more keep you close to the tools you use the most. There's even invaluable extras like image editing, advanced text and layout capabilities, color separation and slide show utilities, plus 1,200 clip art images and 25 photo images on floppy disk, with 13,740 clip art symbols and 200 photo images on CD-ROM, and more. See for yourself how it measures up.

Complete graphic design capabilities range from powerful text management to advanced color separation.

Order your copy today by calling
1-800-697-3540
or see your local dealer



M I C R O G R A F X®
DESIGNER 4.0
The Professionals' Choice For Graphics Illustration.

Micrografx, Inc., 1303 Arapaho, Richardson, TX 75081 (214) 234-1769. Micrografx has offices in Toronto, Paris, London, Munich, Milan, Sydney, Madrid, Copenhagen, and Tokyo. Copyright ©1993, Micrografx, Inc. All rights reserved. Micrografx is a registered trademark and Designer is a trademark of Micrografx, Inc. All other products are trademarks or registered trademarks of their respective owners.

Circle 117 on Inquiry Card (RESELLERS: 118).

Circle 165 on Inquiry Card (RESELLERS: 166).

fractal

image

compression

Adding images to your Windows applications? Avoid storage problems with fractal image compression, the technology that inspired PC Magazine to declare "The advantages of fractal compression are unmatched."

This technology is now available to Windows 3.x developers in **POEM ColorBox III**, which provides DLLs for:

- Ultra-high compression;
- Resolution independent images;
- Background compression; and
- FTC-III coprocessor support

For database, multimedia, archiving or other applications, **ColorBox III** is comprehensive, easy-to-use and at $995, suprisingly affordable.

Call today for more information. Learn why **ColorBox III** can solve your image storage problems.

Iterated Systems, Inc.
5550-A Peachtree Pkwy.,Suite 650
Norcross, GA 30092
Tel: 1-800-4FRACTL • Fax: (404) 840-0806

A Message To Our Subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Magazine
Attn: Subscriber Service
P.O. Box 555
Hightstown, NJ 08520

Hands On Some Assembly Required

debugger uses Windows for its user interaction, while text-mode debuggers don't. For this reason, I refer to text-mode debuggers as *super hard-mode* debuggers.

If it's possible to have a GUI debugger, why would you want to use a text-mode debugger? By not using the windowing system to display information, these super hard-mode debuggers are the best way to minimize side effects caused by the debugger. Ideally, the system you're debugging shouldn't be influenced by the tool you're debugging with. Super hard-mode debuggers are as close as you can get to this ideal (at least without using a kernel debugger, which I'll describe next month). One of the few disadvantages of super hard-mode debuggers is that it is extremely difficult for a debugger to know about all the various Super VGA boards and how to switch between text and graphics modes with them.

Miscellaneous Support

In this category I lump such things as hardware breakpoints and access to system-level information (e.g., heap walking). In Windows, there is no direct support for hardware breakpoints, so an application must manipulate the debug registers itself. However, an application cannot read or write the registers directly, as only ring level 0 code is allowed to do this. Although the DPMI (DOS Protected Mode Interface) specification provides for setting the debug registers, bugs in the Win386 implementation of the DPMI specification rendered the provision useless. Therefore, the traditional route to manipulate the debug registers is to write a virtual device driver, since its code runs at ring 0.

For accessing system-level information such as the task list, the module list, and the local and global heaps, a Windows debugger can use the various TOOLHELP APIs. Although you can obtain this information from undocumented methods, TOOLHELP shields you from the differences found in different versions of Windows.

WINDEBUG

Before the TOOLHELP DLL, the only debugger support in Windows 3.0 came from WINDEBUG.DLL. Microsoft never publicly documented WINDEBUG.DLL, except to a few tool vendors such as Borland and Symantec.

WINDEBUG was an attempt to put a synchronous layer on top of the notification and interrupt streams that TOOLHELP lets you access. The WINDEBUG API consisted of one function to which you passed commands and from which you received notifications. Thus, it was similar to the `DosDebug()` API in OS/2, which I'll discuss next month.

The problem with WINDEBUG was that it assumed that it was the only code that needed to see interrupts and notifications. It didn't chain these events on, which led to problems when running with TOOLHELP under Windows 3.0. WINDEBUG has fallen into disfavor with the major compiler vendors, although you may occasionally sight some of its descendants, CVWIN.DLL and TDWIN.DLL.

Next month I'll conclude with a discussion of debugger support under OS/2 2.x and Windows NT. ■

Editor's note: *Some Assembly Required has no listings this month.*

Matt Pietrek specializes in debugging tools at Nu-Mega Technologies (Nashua, NH). He is the author of Windows Internals *(Addison-Wesley, 1993). You can reach him on CompuServe at 71774,362, or on BIX c/o "editors."*

Virtual Device Drivers for DOS

Build virtual-device-driver support into your DOS applications and exploit the power of the Windows API

BILL HAWKINS AND ED PUCKETT

DOS programmers used to work in a relatively simple operating environment that offered near-total freedom. Now, writing a successful high-performance DOS application requires understanding the Windows VMM (virtual machine manager) and VxDs (virtual device drivers). Once you master the art of writing a VxD, however, Windows offers untold new freedom in DOS programming.

VxDs enable DOS applications to interact with almost any part of the Windows API. For example, you can use a VxD to communicate with the ODBC (Open Database Connectivity) interface, gaining access to data sources residing on both Windows and Mac platforms. You can use a VxD to access the mail-enabling functionality of MAPI (Messaging API). You can even use VxDs to fix or enhance features in your application that Windows has compromised.

The VMM Architecture

Enhanced-mode Windows is based on the VMM, which is a 32-bit, single-threaded, preemptive multitasking operating-system kernel that supersedes DOS. It creates a VM for Windows and for each DOS application. (Windows and Windows applications run in the system VM.) The VMM provides each VM with its own address space, interrupt vector tables, and I/O port space. The VMM shares CPU time among VMs to give each the illusion that it is in complete control of the computer.

VxDs virtualize hardware devices, enabling enhanced-mode Windows to multitask non-Windows applications alongside Windows applications. (Cooperative multitasking is performed only in the system VM. DOS applications, each in their own VM, enjoy superior scheduling performance when compared to their Windows counterparts.)

VxDs are 32-bit, protected-mode DLLs that run at ring 0 and span VMs. This special status lets VxDs control the behavior of almost any application running in the Windows environment. To write a VxD, you need the Windows Device Driver Kit.

Preparations

We were forced to learn about VxDs because we had to tightly integrate our 32-bit DOS-extended graphical application into the Windows 3.1 environment while waiting for a release of Windows NT that supported the NT file system (we needed this to port our application to Win32s). However, application-specific VxDs are essential for any DOS application that isn't going to be ported to the native Windows environment.

To begin integrating our application into the Windows 3.1 environment, we needed to fix two bugs. Our high-resolution video drivers were unable to coordinate with the Windows video drivers across hot-key events, and our print spooler and the Windows print spooler often collided.

We experienced three problems when running our DOS-extended graphical application in high-resolution video modes. Hot-keying from Windows back into our program often trashed the display, as did hot-keying back into Windows from our application. And if a user hot-keyed from our application back into Windows when our application was running in background mode, Windows would suspend our application.



JOHN BREAKEY © 1993

Solving the first two problems was not difficult. When our VxD detects that our application is about to gain screen focus, we simply restore a copy of our display state, which was saved the last time we detected that we were about to lose screen focus. However, restoring a stashed copy of the Windows screen just before returning

to Windows would miss any intervening screen events. Luckily, most VDDs (virtual display drivers) and screen grabber drivers correctly refresh their screen when they are regaining execution focus.

The third problem is trickier. Windows' VDDs typically suspend any high-resolution DOS application when that application loses the execution focus. The VDD does this as a conservative measure; responsibility for virtualizing the display lies with the VDD.

When a DOS application is running full-screen, the display is not virtualized and the application deals with the video hardware directly. When a DOS application is windowed or in the background, however, the VDD virtualizes that application's display and translates its display modifications to corresponding modifications in the application's window. The VDD also translates a background DOS application's display modifications to corresponding modifications in a special video state buffer maintained while the application is in background mode.

The VDD suspends a background DOS application that is running in a high-resolution mode because it must perform the aforementioned translations and cannot do so for the video modes it does not understand. We found this particularly frustrating because we had been careful to ensure that we were running in the same video mode as Windows, and our application was prepared to defer modification of the display until it was again the foreground application.

The Solution

We soon discovered that a VDD will not suspend a DOS application that is running in a standard VGA mode and changed our application accordingly. Our VxD would receive notification just prior to losing the display (i.e., Focus Out) and just after regaining the display (i.e., Focus In). We planned to get the information regarding the loss and gain of the display by monitoring the system controls, which are called in each VxD as the system state changes. Unfortunately, system controls corresponding to Focus Out and Focus In didn't exist.

We discovered that the Windows SHELL VxD maintains a service for hooking the underlying events of the Windows operating system, which is actually built on top of the preemptive operating system controlled by the VMM. By experimenting, we found a combination of system controls and SHELL events that would herald the display changes we sought for each of the possible ways of switching to and from Windows. It's unfortunate that these events are not officially documented.

We next focused on the print-spooler contention issues. Whenever device contention occurred, a frightening dialog box popped up. Because we already had a VxD, we used it to access the Windows print spooler.

This raises a crucial point: VxDs provide an *API-complete* pathway between Windows 3.1 and other VMs. By API-complete, we mean that anything that can be performed in the Windows VM using the Windows API can also be performed in another VM through the VxD pathway. This opens up a vast realm of possibilities for all those DOS boxes that enjoy the advantage of true preemptive multitasking.

API completeness depends on the ways in which data and control can be communicated across an interface. The most common one is a data interface, in which raw data is communicated. Shared memory buffers, message packets, and even function parameters are examples. Windows includes a data interface between itself and the other VMs: The INT 2Fh Clipboard interface transfers data between a Windows application and a program running in a different VM.

A control interface communicates process-execution information. An RPC (remote procedure call) is one example. Microsoft implements a simple control interface in the WX and WXServer programs it distributes with Microsoft C 7.0. With the help of a VxD, these programs implement a control interface consisting of a single command that executes a Windows application.

The Client/Server Approach

Because all computer interfaces are fundamentally data interfaces, control must be communicated in an encoded form and decoded so the receiver can act on it. In "Making Windows and DOS Programs Talk" (*Windows/DOS Developer's Journal*, May 1992), Thomas W. Olsen demonstrated how to pass data and control (encoded as data) between a DOS client and a Windows server process using an intermediary VxD. Olsen's code serves as a template for various client/server pairs you might want to implement.

We generalized this technique into a general-purpose client/server architecture between DOS clients and Windows servers. Each client/server pair is defined via C++ class derivation from standard base classes. Furthermore, a single VxD manages communication for all client/server pairs.

Using one VxD is attractive because each one reduces the amount of physical memory available to other applications. In fact, the current implementation of Windows locks all VxD memory, even memory that is flagged as not requiring such treatment. VxDs also require unique IDs, which Microsoft doles out on a case-by-case basis. Unfortunately, the ID is a 16-bit quantity, so there are only 65,536 approved VxD IDs.

Our single VxD maintains a list of service tags provided by the various servers on the Windows side. A client submits a request, and, if a service tag for the requested type exists, the VxD returns the tag and request to the server. The server is passed the linear address of the request and forms a memory selector for it. During the remainder of the request's processing, the request exists as a block of shared memory between the client and the server. The server decodes the request, acts upon it, and posts the results back into the request. You should note that, except for a small generic header indicating the server type, the request's structure is known only to the client and the server; it appears to the VxD as uninterpreted data.

This architecture makes providing Windows API services to DOS programs a straightforward affair. For the desired API subset, you simply define a suitable request structure and IDs for the various service requests. The server acts on each service request accordingly.

If you are still writing DOS applications and you feel encumbered by the Windows environment, take the time to learn how to write a VxD. You'll quickly find that you can do much more than you ever could in DOS. In fact, you might even end up requiring that your users run your application on top of the Windows 3.1 VMM. ■

Bill Hawkins is a systems architect and Ed Puckett is a member of the technical staff at Interleaf, Inc., in Waltham, Massachusetts. You can reach them on BIX c/o "editors" or on the Internet at wjh@ileaf.com and qix@ileaf.com, respectively.

"DISK COMPRESSION IS INHERENTLY MORE FRAGILE... ...USERS OF COMPRESSION SHOULD HAVE A COPY OF NORTON UTILITIES 7.0."

PC Week - May 10, 1993



Peter Norton, the leader in data recovery software.

The new compression technology can put you in a squeeze. You wanted the efficiency, but now you're worried about losing data.

Here's some news that might help you relax. No other single product gives you the complete compressed data protection of Norton Utilities® 7.0.

It's the only utility specifically designed to recover data from DOS 6.0 DoubleSpace, Stacker and SuperStor compressed drives. Only with our Speed Disk® feature can you truly defragment the drives, making your recovery a fast, painless process.

You also get the Norton Disk Doctor,® with its nine automated repair functions specific to compressed drives. Plus the new Norton Diagnostics, which analyzes and tests all vital system components, including memory, video, CPU, system boards, communication ports, keyboard, mouse and more.

You can't put a price on peace of mind. But we'll try. So call FAST FAX today and discover the ultimate security of Norton Utilities 7.0. It just might get you out of a tight spot.

THE NORTON UTILITIES®

SYMANTEC.™

For complete information about Norton Utilities 7.0, dial FAST FAX 1-800-554-4403, select option 1, document 447.

For more information in Europe, call 31-71-353111. In Australia, call 61-2-879-6577. In Canada, call 1-800-667-8661. Everywhere else outside U.S., call 408-252-3570. The Norton Utilities, Norton Disk Doctor and Speed Disk are registered trademarks of Symantec Corporation. Other names are trademarks of their respective holders. Compatible with Windows 3.0 and 3.1, DOS 3.3 and higher. ©1993 Symantec Corporation. All rights reserved.

Circle 161 on Inquiry Card.

BYTE BACK ISSUES FOR SALE

	1989	1990	1991	1992	1993
January					
February					
March					
April					
May					
June					
July					
August					
September					
October					
November					
December					
Special Issues	IBM	IBM			

☐ Issues Available

Rates (postage and handling included):

Holland	**Df1 18.00**	Switzerland	**SwFr 14.00**
United Kingdom	**£ 5.75**	France	**FFr 54.50**
West Germany	**DM 16.50**	Sweden	**SEK 58.00**

No other currencies will be accepted other than those mentioned above.

Please indicate which issues you would like by checking (√) the boxes. Send requests with payment to:

BYTE Back Issues, c/o Dynamic Graphics International, P.O. Box 25, 3950 AA Maarn, The Netherlands

☐ Check enclosed

Charge: ☐ MasterCard ☐ Eurocard ☐ American Express ☐ VISA

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

Postcode _____ City _____

Country _____

All orders must be prepaid. Pay only in currencies given. Please allow three weeks for delivery by surface mail.

JERRY POURNELLE

IBM's Preemptive Strike



AMY ETRA © 1993

OS/2 2.1 has the jump on Windows NT, but it won't get far without more extensive device-driver support

I always think of September as the beginning of the year. Many of us old academics still do, no matter how long we've been away from the college scene. That's actually a bit odd, since traditionally the fall academic term begins around Michaelmas on September 29. No matter, for me September is the first month of a new year. It's also time for my annual outfitting-for-college recommendations, which I'll get to in a moment.

Since my last column, I spent a week in Washington, D.C. I was there mostly to promote new ways to get access to space for all of us, not just NASA employees. I was also doing some research on a new novel. It was a good trip, capped off by a Saturday midnight expedition to the Capitol, where we visited George Washington's tomb—empty, of course, since he's buried at Mount Vernon, but the tomb's still there in case he ever needs it.

I also got to visit the floor of the House, look at the cloakrooms, walk in the Speaker's veranda, and even sit in the Speaker's chair. It's a rather awe-inspiring experience. So is coming out of the House entrance at the top of the Capitol steps; when we did, my member friend said, if this ever stops getting to you, it's time to quit. I wish they all thought that.

I went from Washington to Atlanta for Spring Comdex, which was hectic. A couple of years ago, BYTE's editors got a new duty: we, in conjunction with the Interface Group, give out awards for the best products shown for the first time at a Comdex. The Interface Group puts on Comdex, and there are two big ones, Spring and Fall, each year. For two days, between 15 and 20 BYTE editors race about the show floor, visiting every booth and looking for new products worth nominating. Then we all get together for a marathon editorial meeting—this year's lasted from 3 to 11 p.m. nonstop—at which we choose nominees and winners in each of about 10 categories. We also pick the Best of Show from among the winners.

I think I learn more at those meetings than I do the rest of the year. This shouldn't come as a surprise, since it would be hard to assemble a group with more collective knowledge about this industry than BYTE's editors, all of who have a passionate interest in this industry, as indicated by the heated discussions. The awards are given on the basis of both technical merit and potential impact on the industry; and we're well aware that winning—or even being a finalist for—one of the BYTE Best of Comdex Awards can itself give a product more impact than it would otherwise have.

Samuel Johnson said that when a man knows he is to be hanged in a fortnight, it concentrates his mind wonderfully. The Best of Comdex Awards do much the same: they make us concentrate on what's both new and important at Comdex. This year, three things stood out.

First, OS/2 had a large presence. Not as large as Windows, of course. Spring Comdex was officially divided into Comdex and Windows World. The split was about two-thirds to one-third, which is pretty astounding when you think

ILLUSTRATIONS: DIANE BIGDA © 1993

how long Comdex has been around compared to how long Windows has existed as a practical product. Still, OS/2 had a real presence, and IBM announced that OS/2 2.1 is shipping; Microsoft Windows NT remained in beta testing.

Second, Windows NT had no small presence itself. There were perhaps 50 minibooths inhabited by NT users and applications developers. Considering that no one is quite sure just who NT is for, that's quite a showing.

Finally, the IBM/Motorola/Apple consortium's PowerPC chip was on display, and a few systems were running early copies of the chip. It was quite impressive, sufficiently so to win BYTE's Best Technology Award, which is notable since both Apple and IBM have bet a reasonable part of their future on the success of this chip.

There were other notable products, particularly a whole raft of PCMCIA products. Along with modems and network connections, these included full SCSI devices. Now your PCMCIA-equipped laptop can in theory be connected to any SCSI device you like, including disk drives, WORM and read/write optical drives, scanners, DAT (digital audiotape), and so forth. There were other exciting things, but for me, OS/2, Windows in general and Windows NT in particular, and the PowerPC chip were dominant. They also generated a story.

IBM's OS/2 operating system has some nifty features. There aren't many commercial OS/2 applications, but more are coming, and they work superbly. OS/2 runs DOS applications better than DOS, and version 2.1 runs Windows applications as well as Windows. The user interface is well thought out. It really does multitasking: I have had two separate communications programs running on two different modems going simultaneously on OS/2, with nary a dropped bit. I sure can't manage that with Windows. There's a lot going for OS/2.

Alas, OS/2 won't work with a lot of hardware. My pet peeve is that I can't use my Pioneer CD-ROM and read/write optical drives, nor my Network Archivist DAT backup system from Palindrome; indeed, about half the hardware in Chaos Manor doesn't work properly with OS/2. If you set out to construct an OS/2 system, and buy only hardware that's known to work with OS/2, you'll be fine, but most of us aren't willing to scrap much of our hardware for a new operating system.

OS/2 won't work with a lot of hardware because it doesn't have device drivers for them. Device drivers are programs that interface between the operating system and a particular peripheral. There are *many* different devices out there in the computer world. Writing device drivers can be tricky, and not all programmers do it well; some consider writing device drivers a black art. As a result, operating-system developers, including both IBM and Microsoft, must depend on outsiders to write device drivers.

There are far more Windows device drivers than OS/2 device drivers. Given that OS/2 2.1 is a better DOS than DOS, as good a Windows as Windows, and multitasks better than Windows, one suspects that the lack of device drivers is a major reason that Windows is more popular than OS/2. One also suspects that the presence or absence of device drivers will be a key factor in the coming war between OS/2 and Windows NT. In theory, both companies know this.

Billed as the clash of the titans, Spring Comdex/Windows World opened with Bill Gates "officially announcing"

THE PERFECT TOOL FOR PEOPLE WHO WANT ALL THE ANSWERS.



AND AT $199 IT'S ALSO THE PERFECT PRICE.

There aren't many PC problems that *QAPlus/FE*™ can't detect. Our relationships with major computer and chip manufacturers keep *QAPlus/FE* state-of-the-art in PC diagnostics and system reporting. That's why it's the diagnostic tool of choice by power users and leading service organizations worldwide, including Intel, NCR, BancTec Service Corp., DEC and Sears.

QAPlus/FE doesn't just provide the answers - it logs them for later analysis. You can even troubleshoot PCs remotely via a modem connection.

And now, for a limited time, the perfect diagnostic is also perfectly priced. So you can join the 4 million people who have all the answers for just $199.

Call 1-800-DIAGSOFT to order *QAPlus/FE* for just $199.
60-day money-back guarantee!

DIAGSOFT™
Stay out of trouble.

DiagSoft, Inc., 5615 Scotts Valley Drive, Suite 140, Scotts Valley, CA 95066, (408) 438-8247, FAX: (408) 438-7113

QAPlus/FE and *DiagSoft* are trademarks of *DiagSoft, Inc.*

ABYTE 0793

Circle 80 on Inquiry Card (RESELLERS: 81).

NT in his Windows World keynote speech, while IBM's Jim Cannavino not only demonstrated OS/2 2.1, but announced that it was shipping. It was, too. I was handed a shrink-wrapped copy by IBM's John R. Patrick at the IBM OS/2 party, and quite a party that was, with several hundred IBM executives, evangelists, programmers, and engineers mingling with equal numbers of developers and hackers—and not a three-piece suit to be seen in the room.

Indeed, there were few suits to be seen on the show floor. When we presented IBM with BYTE's Best Technology Award for the show, Sheldon Adelson, founder of Comdex, remarked that when he first met me, I was wearing a bush jacket and had a screwdriver in my pocket; "Now Pournelle's wearing a suit, and the IBM vice president has a T-shirt."

Microsoft and IBM each had multiple booths. Microsoft dominated Windows World; IBM nearly saturated Comdex. Each had outposts in the others' territory. I felt a bit like a war correspondent as I went through the IBM and Microsoft booths. Both sides brought heavy-hitter programmer teams, sharp people indeed. Most of the troops on both sides are BYTE readers, so I had no trouble finding people to talk to about the strengths and weaknesses of the two operating systems. I could write a pretty good story about that, but the bottom line is that at the programmer level, the two companies are evenly matched.

They're not so evenly matched in organization. When another BYTE editor and I went looking for the PowerPC chip, no one at any of the main IBM booths had any notion of where to find it. Eventually we discovered it over in a far corner, where IBM had a very large and very impressive display of new technologies, easily one of the most interesting booths at the show.

There were other impressive IBM displays. An exhibit of free-form handwriting recognition that could read some of my scrawl. A voice-recognition system that you train by reading scripts so the system knows who you are. I may soon be able to walk up to my machine and say, "I'm Jerry Pournelle, and my voice is my password." Both those technologies were deservedly finalists for BYTE Best of Comdex Awards.

"Develop Your Device Drivers for OS/2!" proclaimed a sign at IBM's booth. "IBM Device Driver Source Kit for OS/2 Now Available on CD!" A flier announced "Free. WIN-OS/2 source code for seamless VGA Display Device Driver when you order the DDK!" Microsoft has long used CD-ROMs to distribute their development kits, and will even get developers a *discount* on a CD-ROM drive. Aha, I thought, now IBM has learned that trick. With any luck, we'll soon see a flood of new device drivers for both OS/2 and Windows under OS/2, and maybe it won't be long before I can hook up my Pioneer CD-ROM drive on an OS/2 system. By gum golly, it looks like IBM is doing something right.

Then I got closer, and to my horror, I saw the price. You can get the Device Driver Source Kit for only $499. It wasn't clear whether that was the regular price or a

WITHOUT THIS SEAL, YOU'RE ONLY TESTING YOUR LUCK.

A computer must pass the most rigorous diagnostic hardware tests before it can wear the *QAPlus Tested* seal. So it's comforting to know that many leading chip and computer manufacturers, including Intel, DEC, Gateway 2000 and Hewlett-Packard, use *QAPlus*® products to ensure the compatibility and quality of their hardware. And many also bundle *QAPlus* into their systems so you can make sure they're performing to factory standards.

If your present computer doesn't include *QAPlus*, we suggest you replace it with one that does. Or if that seems extravagant, buy a copy of *QAPlus* to quickly and easily keep your present computer on its toes.

Call 1-800-DIAGSOFT to order, or for the dealer nearest you.

DIAGSOFT™
Stay out of trouble.

QAPlus is a registered trademark, and *DiagSoft* and the *QAPlus Tested* seal are trademarks of *DiagSoft, Inc.*

ABYTI0793

Circle 82 on Inquiry Card (RESELLERS: 83).

Circle 98 on Inquiry Card.

Rack & Desk Chassis FOR XT/AT/286/386/486

Integrand's unique packaging design uses modular construction. We have 3 basic models for ISA/EISA bus computers. Over 90 interchangable modules allow you to customize them to nearly any requirement. We make drive enclosures and rackmount keyboards too. Integrand offers high quality, advanced design hardware and strong support. Why settle for less?



Rack & Desk Models
Accepts Most Motherboards and Passive Backplanes
Doesn't Look Like IBM
Rugged, Modular Construction
Excellent Air Flow & Cooling
Designed to meet FCC
204 Watt Supply, UL Recognized
200 & 300 Watt Supplies, UL, CSA, TUV
Reasonably Priced

NOW AVAILABLE Rackmount Keyboards

Three Models: Drawer, Shelf, and Panel
Reasonably Priced

Call or write for descriptive brochures, prices or applications assistance:

INTEGRAND RESEARCH CORP

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

FAX 209/651-1353

We accept VISA and MasterCard

IBM/XT/AT TM IBM • 286/386/486 TM INTEL. Drives and computer boards not included.

show special. I went up to the young woman who was passing out the fliers.

"I thought the big problem with OS/2 was the lack of device drivers," I said. She gave me a smug look and handed me a flier. "Yeah," I said, "but isn't 500 bucks a bit steep? If I go over to Microsoft and whisper about writing device drivers for NT, they'll stuff kit disks into my briefcase." She drew herself up to her full height and said, "Thank you very much for the information." She was too polite to say, "We're IBM. We don't care. We don't have to," and maybe she didn't think it, but it sure looked like she did.

IBM is trying to play catch-up with OS/2 applications and drivers. They should want their development kits in the hands of every independent hacker and start-up company: not just the big companies.

I went around to some of the sharp OS/2 programmer troops and told that story. They were disturbed. They hadn't known the price was that high. That kit, it seems, is sold by a different part of IBM. I spent an hour looking for any policy-level IBM official, or a PR officer, but I never found one to discuss this with. When I went back to the OS/2 station, the young woman, still smug, said, "Back again?" It was pretty clear she had no use for my observations, so I didn't offer any.

I didn't know how much Microsoft charged for their kits, so I went over to find out. I'd no more than set foot on their carpet when one of the PR people recognized me and asked if she could help. "If I wanted to write NT device drivers, what should I do?" I asked. "You're in the wrong booth," she said. "Let's go over to the NT booth. I don't know anything about NT, but we'll find someone."

We walked over—no question that Microsoft's PR people knew where each and every Microsoft booth and display was—and in 7 minutes—I timed it—I was talking to one of the NT product managers. "Well, first you need the developer's kit, with the compilers and source code and stuff," he said. "That's on a CD-ROM for $69. Then you get the DDK. It's another CD-ROM, same price."

"Little steep, isn't it?" I said. "A little," he said, "but there's a lot there, all the sources we could find, not just ones we wrote but any we could talk people out of. Want a copy?" I think I just may have located the reason why there's a shortage of OS/2 device drivers, and why there probably won't be a shortage of NT drivers.

There's more to this story. When I got home, one of the first things to arrive on my doorstep was an Airborne Express package from Microsoft containing both kits on CD-ROM. I hadn't even asked for them.

I did ask for the IBM kits, which arrived four weeks later. I also sent by MCI Mail a copy of the above text to IBM's executives. The reaction was encouraging, in that they took it seriously; but so far the upshot has been a fax demonstrating that IBM isn't overcharging for their development tools, because Microsoft now charges more than $500 for their Windows development software. What that totally ignores is that Windows already *has* lots of applications and device drivers; they're not playing catch-up. Moreover, Microsoft's NT development tools don't cost anywhere near that much.

My wife's observation is that IBM's first reactions are like those of the federal government on job creation and the economy. They don't understand that if you put obstacles in people's way, creative people will go in another direction. IBM is trying to play catch-up with OS/2 applications and drivers. They should want their development kits in the hands of every independent hacker and start-up company, not just the big companies: anyone who can possibly write OS/2 software. They also ought to be busting their buns to make it easier for nonhackers to develop OS/2 applications.

I'm told that IBM is reviewing the situation. I hope so, because OS/2 2.1 is a good operating system, with great potential. [Editor's note: *As this column went to press, IBM gave advance notice of a 90-day special price of $59.95 for the Device Driver Source Kit, good through September 14.*]

Meanwhile, at Comdex, BYTE's Software Award went to Windows NT, which also took the Best of Show Award. OS/2 2.1 was a finalist in the software competition. All the winners in other categories are automatically finalists for Best of Show, so we don't usually mention what was second for that award; but this time the vote was so close that we thought we had no choice. Windows NT won over the PowerPC chip after three ballots in the closest vote I have ever seen. I don't have to say which way I voted.

This September is the first one in many years that won't be back-to-school-time at Chaos Manor. Richard, our youngest, has just graduated from UCLA

CodeBase 5.0

ASK ABOUT OUR C++, BASIC AND PASCAL VERSIONS!

Discover why FoxPro, Clipper, and dBASE were all written in C.

There is a good reason why your database language was developed in C. In fact, there are many good reasons.

C code is small. C code is fast. C code is portable. C code is flexible. C is the language of choice for today's professional developer. With the growing complexity of database applications, C is a realistic alternative. Now with CodeBase 5.0, you can have all the functionality, simplicity and power of traditional database languages together with the benefits of C/C++.

C speed - fast code, true executables...

FoxPro, Clipper, and dBASE were written in C primarily for speed. But those compilers don't really compile, they combine imbedded language interpreters into your .EXE. Now that's slow. For dazzling performance you need the true executables of C. With CodeBase you get the real thing, C code. Consider the following statistics, from the publisher of Clipper:



"Sieve of Erastothenes"
Benchmark for Prime Number Generation
Shows C to be incredibly faster !

C size - small executables, no added overhead...

FoxPro, Clipper and dBASE would like you to believe you need their entire development system to build database applications. But remember, those products are all written in C. So why do you need to lug all their extra code around? You don't. CodeBase is a complete DBMS, in C. No fat executables stuffed with unused code. No runtime modules. No royalties. Just quality C code. CodeBase is just what you need.

C portability - ANSI C/C++ on every hardware platform...

No other language exists on more platforms than C/C++. Why rewrite your entire application for DOS, Windows, Windows NT, OS/2 or UNIX? With CodeBase the complete C source code is included, so you can port to any platform with an ANSI C or C++ compiler. Now and in the future.

dBASE Compatible data, index and memo files...

You want the industry standard. You need compatibility. Sure, dBASE is the standard, but every dBASE compatible DBMS product uses its own unique index and memo file formats. Only CodeBase has them all: FoxPro (.cdx), Clipper (.ntx), dBASE IV (.mdx) and dBASE III (.ndx). Now it's your choice, we're compatible with you.

Announcing CodeBase 5.0

The power of a complete DBMS, the benefits of C

NEW - Multi-user sharing with FoxPro, Clipper and dBASE...

Now your multi-user C/C++ programs can share data, index and memo files at the same time as concurrently running FoxPro, Clipper and dBASE programs. No incompatibilities. No waiting.

NEW - Queries & Relations 1000 times faster...

CodeBase 5.0 now lets you query related data files with any logical dBASE expression. Our new Bit Optimization Technology (similar to FoxPro's Rushmore technology) uses index files to return a query on a 1/2 million record data file in just a second. Automatically take advantage of this query performance by using our new CodeReporter:



To use CodeReporter, simply draw your report, then include it in any program you write. Call 403/437-2410 now for your FREE working model of CodeReporter.

New - Design complex reports in just minutes...

Our new CodeReporter takes the painstaking work out of reports. Now simply design and draw reports interactively under Windows 3.1, then print or display them from any DOS, Windows or UNIX application.

SPECIAL - FREE CodeReporter

Order CodeBase 5 before September 30, 1993 and receive CodeReporter for free! This offer includes our no-risk, 90-day money back guarantee, so order today!

CodeBase 5.0
The C/C++ Library for DataBase Management

Call Now 403-437-2410

SEQUITER SOFTWARE INC.
FAX 403•436•2999
UK Tel. +44-81-317-4321
France +33.20.24.20.14
P.O. Box 575 Newmarket NH 03857

©1992 Sequiter Software Inc. All rights reserved. CodeBase is a trademark of Sequiter Software Inc. All other trade names referenced herein are property of their respective companies. MAdvertising by MicroArts

Circle 141 on Inquiry Card.

and is angling for a post as a policy wonk, whatever that is, in Washington, D.C., for a year or so before going to graduate school. Richard began as a Mac user, and it's possible that if he hadn't had access to other machines he'd still be one; but in fact he has thoroughly changed over to Windows.

For the last year, he's carried an NCR 3170 portable (previously called the Safari NSX/20; see the April 1992 column), and he loves it. It's small and quiet enough to take to classes, the screen is bright enough that you can read it nearly anywhere, the batteries last long enough, and the machine is powerful enough to do the increasingly complicated work Richard is assigned.

Last month, Richard's 3170 got knocked off a table. The machine is rugged, but it's not indestructible. When he turned it on, the hard disk would read only. He could run all the software. He could even write and print papers and save them to a floppy disk or to the BSE external Flashdrive; he just couldn't save anything to the 3170's hard disk. Needless to say, this was a major inconvenience.

We'd had that machine longer than the usual warranty period, and while NCR would no doubt have fixed it for me, I asked our oldest son Alex to look into it. The result was instructive.

The 3170 has an 80-MB Micro IDE hard drive. It's made by JVC, but JVC won't sell drives to anyone but equipment manufacturers; at least Alex couldn't buy one through Workman & Associates, the consulting firm he works through. However, unlike the first wave of portable-computer drives, the 3170—and most other modern portables—uses the Micro IDE standard connector. Moreover, the 3170's BIOS understands a whole bunch of different drive types, so it was easy to replace the JVC drive with a Maxtor drive of the same size. For that matter, we could have put in a larger-capacity drive and it would have worked as well.

It's thus possible to upgrade 3170 portables. Alex cautions that you shouldn't try this at home: opening up that machine is no job for amateurs. It took Barry Workman about an hour to figure out how to disassemble the machine such that they could get it back together again, and Barry is good at this. Anyway, with the hard drive replacement, all is well, and the 3170 is running as good as new.

You can probably get whatever capacity you can afford for your portable, but get someone competent to install it. More to the point, the 3170 is a serious machine for academic use. I recommended it before, and still do.

There are many good machines

for experienced users, but for absolute beginners, I strongly recommend the Tandy Sensation. When my daughter Jenny got out of the Army, she became an instructor in a school for beginning computer users, which made her a natural for testing the Sensation. She's been able to compare it to a number of other entry-level Windows systems, and it's her hands-down favorite.

The Sensation is a full-featured machine. It's a 20-MHz 486SX, not the fastest machine in the world but no slowpoke either. The integration of the machine and the software is little short of splendid. The

CHECK✓IT PRO
ADVANCED SYSTEM INFORMATION UTILITY

TouchStone Software Corporation
2130 Main Street, Suite 250,
Huntington Beach, CA 92648
(800) 531-0450 or (714) 969-7746
Fax (714) 960-1886

Get with the *PRO*gram!

PC MAGAZINE EDITORS' CHOICE
July 1993
CheckIt PRO:SysInfo

"TouchStone Software's $100 Check✓It PRO: SysInfo is the closest thing this category has to perfection."

We Couldn't Have Said It Better Ourselves...

"It made no errors reporting on either of our test systems, and it provided more detailed information on many hardware items in our test bed PCs than did the competition."

"Beyond the basics, Check✓It PRO reports on detailed drive mapping with suitable disk controllers and on the kind of UART your serial ports are using. Adding to Check✓It PRO's appeal is a set of benchmark comparisons that allows you to make sense out of the numbers that the benchmarks produce. If you get the SysInfo package and have any interest in diagnostics, you should consider the bundle of SysInfo & Tests and Tools."

"Quality of information is the key to a good reporting tool. As such, the program of choice for DOS users is TouchStone's Check✓It PRO."

— PC Magazine, July 1993

Copyright ©1993 TouchStone Software. ALL RIGHTS RESERVED. CheckIt is a registered trademark and the Quality Tested Seal is a trademark of TouchStone Software Corp. Huntington Beach, CA

Circle 152 on Inquiry Card (RESELLERS: 153).

FOR $166, WHY WOULD YOU BUY UNIX® FROM ANYONE ELSE?

UNIVEL'S™ UNIXWARE™ FROM INFORMATION FOUNDATION

UNIXWARE PERSONAL EDITION FEATURES

- UNIX SYSTEM V RELEASE 4.2 FOR INTEL PLATFORMS
- X11-BASED DESKTOP MANAGER
- WINDOWING KORN SHELL
- NOVELL NETWORK SUPPORT
- DOS / WINDOWS SUPPORT

ONLY INFORMATION FOUNDATION OFFERS THESE EXTRAS:

- **FREE** "1-800" product support
- **FREE** Click-Start™ Training
- No question money back guarantee

INFORMATION FOUNDATION'S INCREDIBLE PRICES

PERSONAL EDITION	LIST	I.F.
· CD-ROM VERSION	~~$249~~	$166!
· TAPE VERSION	~~$299~~	$199!
· DISKETTE VERSION (NEW)	~~$399~~	$266!
TCP/IP FOR UNIXWARE	~~$149~~	$99!
C2 SECURITY	~~$149~~	$99!
ADVANCED UNIX UTILITIES	~~$225~~	$150!
C DEVELOPMENT SYSTEM	~~$449~~	$299!

PLUS THE COMPLETE UNIXWARE PRODUCT LINE AND UNIX DOCUMENTATION AT UNBEATABLE PRICES!

RESELLER & VOLUME DISCOUNTS AVAILABLE!

BUY IT TODAY FROM INFORMATION FOUNDATION — THE OPEN SYSTEMS MIGRATION EXPERTS

CALL: 1-800-GET-UNIX

WHO IS INFORMATION FOUNDATION?

I.F. is in its tenth year as an internationally recognized provider of Open Systems solutions and training. Solutions for customers such as AT&T, American Airlines, UNIX International, US Army to name a few.

Information Foundation is both a USL UNIX source code licensee and a Univel Authorized OEM. We have over 75 UNIX engineers to provide you with unmached support, training and integration services to meet your most demanding Open Systems needs.

Information Foundation

THE OPEN SYSTEMS MIGRATION EXPERTS™

1200 17th Street, Suite 1900
Denver, Colorado 80202
Phone: 303/572-6486
Facsimile: 303/572-6484
E-mail: sales@if.com

IF is a registered trademark of Information Foundation. UNIX is a registered trademark of UNIX System Laboratories. UnixWare and Univel are trademarks of Univel. All registered trademarks and trademarks are the property of their respective owners.

Circle 182 on Inquiry Card (RESELLERS: 183).

The Keyboard that adapts to your Needs. Now you can program 240 different Memory Keys yourself.



CHERRY®

Keyboards Made in Europe.

Australia: Cherry ☎ (03) 8 72 52 46 · **Austria:** Steinberger ☎ (02 22) 34 35 85 · **Belgium:** Multiprox ☎ (0 53) 78 77 78 · **CR:** Nepras ☎ 1 64 30 92 · **Denmark:** Johanssen ☎ 0 31 83 90 22 · **Finland:** ReplComp ☎ (0) 7 55 72 01 · **France:** Cherry ☎ (01) 43 77 29 51 · **Germany:** Cherry ☎ (0 96 43) 18-2 06 · **UK:** Cherry ☎ (05 82)76 31 00 **Hong Kong:** Cherasia ☎ (05) 65 66 78 · **Israel:** Astragal ☎ (03) 5 60 84 21-24 **Italy:** Silverstar ☎ 02 66 12 5-1 · **Japan:** Cherry ☎ (0 44) 9 33 35 11 · **Korea:** KML ☎ (02) 95-91 01-91 06 · **Netherlands:** Vierpool ☎ 0 34 65-9 45 11 · **Norway:** Tahonic ☎ +4 72 16 16 10 · **Portugal:** Niposom ☎ (01) 8 49 46 37 · **Spain:** Barcitronic ☎ 03 2 07 71 12 · **Sweden:** Betoma ☎ (08) 82 80 90 · **Switzerland:** Ineltro ☎ (01) 8 43 33 77 · **Taiwan:** Greendich ☎ (2) 7 86 22 33

In 24 freely programmable keys in each of 10 layers, you can store everything you need to make your work considerably easier: e. g. command sequences and text boilerplates. With a nonvolatile 2048-byte keyboard memory with backup battery. Outstanding ease of use. High degree of reliability. All memory keys can be reassigned. Selectable data transfer speed.
User-friendly downloading program. IBM-compatible for PC, XT, AT and PS/2 systems. Ideal for word processing, software development, program operation and other user-oriented software applications. In CFC-free European quality. 100 % tested. 90 % recyclable. In all major country and language versions. With all approvals and certifications. Because Cherry's standard of quality won't stand for any compromises. Send today for further technical details!

Word processing

Software development

CAD

Circle 503 on Inquiry Card.

Post Vfg. 1046/1984 (VDE 0871, Klasse B) | CISPR 22 EN 550 22 | FCC Part 15 Subpart J Class B

Sensation comes with a well-done tutorial that begins with basics like how to use a mouse, what word processing is, and how spreadsheets work. From there, you can graduate to more sophisticated stuff, like how to use the fax modem, about which Jenny reports, "When I had to send out my résumé, it was all right there, and I had it sent to 20 places in an hour, starting with knowing nothing about fax modems."

She's since taken a position with a firm that deals in sales-automation software, and she still finds the Sensation useful. It's a good system for people who have never used a computer before, but it's also a general-purpose machine that can run any DOS or Windows software.

When I began this column, donkey's years ago, one of the first of Pournelle's laws was "silicon is cheaper than iron," by which I meant that a general-purpose computer was always to be preferred to a dedicated word processor or other specialized system. The Sensation illustrates that nicely: people who learn on it won't be surprised by the other things computers can do.

The Sensation comes with completely integrated multimedia capabilities: an internal CD-ROM drive, on-board sound, and an internal speaker. There's even a music-box program that lets you play an audio CD in the background as you work with the computer—something Jenny finds surprisingly convenient while working on documents. It also comes with enough software to get you going. Microsoft Works isn't the best word processor, spreadsheet, or database, but as I've said before, it's good enough at all three to take care of most beginners and many sophisticated users. The Sensation has good tutorials on using Works, and it comes with a number of templates that will let beginners sit down and right away do something useful with the computer.

There's also a ton of "infomercials": demonstration versions of software, everything from communications programs to sophisticated spreadsheet applications. BYTE readers won't be impressed by those, but they're a godsend to beginners who don't understand what computers are capable of.

The Sensation isn't perfect. While the WinMate Desktop—a Windows desktop shell—is great for beginners, after a while it gets in the way, and the documentation doesn't tell you how to just use Program Manager. WinMate also interferes with Norton Desktop, which is a pity because Norton Desktop for Windows is an excellent productivity enhancement once you've learned to use Windows. The only reliable way to get rid of WinMate is to go into WIN.INI, and that is something the people who get a Sensation won't do. There ought to be a "WinMate On/Off" button, which would take care of it.

There are other minor annoyances, but on balance I know no better introductory machine, and the Tandy Sensation is a candidate for the User's Choice Award as best beginner's system.

The most useful software for school will naturally depend on what you're studying. Richard isn't in hard science, but he still has to do a fair amount of number crunching, particularly statistical analyses of voting patterns, including correlations with socioeconomic factors. Despite all the specialized statistical software available at Chaos Manor, Richard finds that Microsoft Excel does just about everything. It computes primary statistics, does correlations, and draws graphs. The resulting papers have been very good for his grade point average.

Students write a lot of papers. Richard was captain of the UCLA debate team (they won the national championship that year, too), so he had to deal with more written material than most students. He got used to Microsoft Word when he was a Mac user, and now that he's converted to Windows, he still uses Word. He finds that a full-featured word processor lets him do fancy papers, with footnotes or endnotes as the professor prefers, font changes—the trick, he says, is to choose a font that makes the paper look longer without the professor realizing you did that—and inserted graphs and graphics. About 80 percent of all the work he has to do at school can be handled by Excel and Word.

For organization, he uses Ascend, a Windows program I've recommended before. It must be working, because he's better organized now. Come to think of it, I'm better organized than I was before I took up using Ascend.

The standard printer for students is Hewlett-Packard's DeskJet. Most will want the standard monochrome DeskJet 500, which works with DOS or Windows. The Mac has HP's DeskWriter series, greatly preferred to the standard Apple dot-matrix ImageWriter, because it's faster,

does startlingly prettier work, and doesn't actually cost much (if any) more than the ImageWriter. (Apple also has a fine series of non-dot-matrix printers, but we haven't tested them.)

Richard has been using the DeskJet 550C, which has a color capability, but in fact he seldom needs or uses color, in part because his primary computer is the NCR 3170 laptop. You can hook a color monitor to the 3170, and for some academic disciplines, the color capability would be important. Obviously, the DeskJet's color print quality at 300 dots per inch isn't up to dye-sublimation printer standards, but it's not bad—and a color cover, or a color illustration inserted into a term paper, can do wonders for getting a busy professor's attention.

You can have 700 MB of storage in a system you can hold in the palm of your hand. Amazing.

Richard reports that the DeskJet comes with printer drivers for both DOS and Windows. The Windows drivers install on top of the standard printer drivers that come with Windows, and they slow Windows printing even more than usual. On the other hand, Windows gives a great deal more flexibility in fonts and formatting, and particularly for final drafts is usually the way to go. There's a software-selectable lower-quality output you can use for faster printing of intermediate drafts.

The DeskJet's sheet feeder tends to be a bit fussy depending on what you're putting into it. There's also a problem with envelopes: some software doesn't recognize where the DeskJet thinks the envelope is. Getting things set properly to print the Ascend daily appointment and record sheets is a bit of a task as well; but all in all, the DeskJet, either the black-and-white model or the fancier color model, is in my judgment the right printer to send off to college with your student. Recommended.

BSE's Flashdrive, a portable hard drive, was the other accessory we sent with Richard. That serves both as a backup system—when the 3170's drive became read-only, he was able to save everything off to the Flashdrive—and a storage place. The Flashdrive is about the size of a cigar box and comes in a variety of capacities. Installation is simple, and I've used these drives for years without problems. They now have a new model featuring Toshiba's 340-MB 2½-inch hard drive. All the Flashdrives work fine compressed with Stacker—I don't recommend MS-DOS 6 compression—meaning that you can have 700 MB of storage in a system you can hold in the palm of your hand. Amazing.

I consider a CD-ROM drive essential to any college—or high school for that matter—student's computing equipment. Years ago, I said for the record that "CD-ROM will change the world," a sentiment that Microsoft Press used to quote on every CD-ROM they published; and that prediction is coming true. There was a recent *Wall Street Journal* article about how the CD-ROM has revolutionized educational publishing. That revolution will continue: you can now tailor-make CD-ROMs for particular schools, courses, and classes, and produce them economically. CD-ROMs offer a vast amount of information on nearly any subject you like, all organized and indexed for rapid searches. Incidentally, this is going to be of increasing importance to local school boards, because textbooks tend to drive curricula.

A good CD-ROM drive for school use is the SyDOS Personal CD-ROM Drive. This is a small, self-contained unit that interfaces through your computer's parallel port. Hook it to a portable computer, and you can use your system in places where they won't let you check out the CD-ROM. You can transfer selected data onto your hard disk for incorporating into papers and reports. The SyDOS Personal CD-ROM Drive is bundled with a number of CD-ROM packages, and it's a good deal. Unfortunately, parallel-port access is slow compared to an internal drive.

The interesting thing about the SyDOS drive is that there's also an interface bus card for desktop systems that will let you use that same CD-ROM drive for multimedia as if it were an internal unit. Of course, the Tandy Sensation comes with a CD-ROM drive; and for upgrading desktop systems without a CD-ROM, I recommend Creative Labs' Multimedia Upgrade Kit, which gives you both internal CD-ROM and sound capability.

Incidentally, the SyDOS parallel interface software was written by BSE, so I have great confidence in it. I've never had a problem with anything BSE does.

Once you have a CD-ROM drive, you'll find many almost indispensable CD-ROM titles. One is the updated Microsoft Bookshelf, which incorporates a reasonable encyclopedia, *Bartlett's Familiar Quotations*, *The American Heritage Dictionary*, and more. (Bookshelf is included

ROMDISK™

SOLID STATE Disk Emulators and PCMCIA Products

Board Level Disk Emulators
- Capacities from 180K to 14MB
- Flash, EPROM and battery-backed SRAM technologies
- Dual Drive and Hard Drive emulation support
- High performance and low cost models available
- 8 and 16 Bit ISA Bus support

PCMCIA Carddrives and Host Adapters
- 100% PCMCIA 2.0 compliant
- Software support for all types of memory and I/O Cards
- Can be used in desktop and embedded PC environments
- Internal and external floppy drive adapters and boards
- Memory cards & Controller ICs

3½" and 5¼" Disk Drive Models
- Flash IDE Drives with capacities from 2.5 to 40MB
- DRAM Based high performance SCSI drives with capacities from 16MB to 256MB

Features and Applications
- Autoboot capability, all drives. Support for all popular operating sytems
- **Applications:** Embedded Systems, Diskless PCs, High Performance PCs, LANs, Medical, CAD/CAM, POS, Industrial Control, etc.

CURTIS, INC.

Industry Leader in Disk Emulation Products 418 W. County Rd. D • St. Paul, MN 55112 **612/631-9512 • FAX 612/631-9508**

Circle 79 on Inquiry Card.

Coffee, Tea or Duvet.

Announcing British Airways First Class Sleeper Service.™ It puts you in total control of your flight. Choose all your in-flight options before you board, slip into one of our special sleeper suits and relax. You see, we've finally put to bed the notion that airline seats can't be slept in. *It's the way we make you feel* that makes us the world's favourite airline.

BRITISH AIRWAYS

The world's favourite airline®

Circle 69 on Inquiry Card.

For More Information

Ascend is the best Windows-based calendar and time management program I've seen. It's $249 from **Franklin Quest Co.**, 2550 South Decker Lake Blvd., Suite 26, Salt Lake City, UT 84119, (800) 877-1814 or (801) 975-9992. **Circle 1146 on Inquiry Card.**

Buzz Aldrin's Race Into Space ($69.95) re-creates the space race of the 1960s. Build up your systems. Allocate funds to R&D. Watch a *Mercury* ship rise from the Cape and zoom off to orbit. **Interplay Productions**, 17922 Fitch Ave., Irvine, CA 92714, (800) 969-7529 or (714) 553-6678. **Circle 1147.**

HP's **DeskJet** ink-jet printers are both reliable and affordable. The **DeskJet Portable** sells for $479 from **Hewlett-Packard Co.**, Direct Marketing Organization, P.O. Box 58059, MS511L-SJ, Santa Clara, CA 95051, (800) 752-0900. **Circle 1148.**

Flashdrive portable hard drives connect to your printer port or use an add-in card. Drive sizes range from 25 MB to 340 MB, and prices are from $299 to $1049. **The BSE Co., Inc.**, 2114 North Fourth St., Flagstaff, AZ 86004, (602) 527-8843. **Circle 1149.**

DeLorme Mapping's **Global Explorer** is the most detailed CD-ROM world atlas I've ever seen. The **Street Atlas USA** CD-ROM offers street maps for every major city in the U.S. Both are available for DOS systems and sell for $169. Contact **DeLorme Mapping**, Lower Main St., P.O. Box 298, Freeport, ME 04032, (207) 865-1234. **Circle 1150.**

Library of the Future, 2nd Edition offers the complete text of over 950 classic works on CD-ROM. It requires DOS and sells for $299 from **World Library Inc.**, 12914 Haster St., Garden Grove, CA 92640, (800) 443-0238 or (714) 748-7197. **Circle 1151.**

Monarch Notes on CD-ROM ($69.95) summarizes the great works of literature for harried college students. **Great Literature** ($54.95) contains the text of 1896 classics. Both are DOS programs only. They're available from the **Bureau of Electronic Publishing**, 141 New Rd., Parsippany, NJ 07054, (800) 828-4766 or (201) 808-2700. **Circle 1152.**

The **NCR 3170** notebook computer has wonderful provisions for communications, does Windows extremely well, and is an all-around handsome and handy unit. Prices start at $2533. Contact **NCR Corp.**, 1700 South Patterson Blvd., Dayton, OH 45479, (800) 225-5627 or (513) 445-5000. **Circle 1153.**

Palindrome's **Network Archivist** backup system uses a unique DAT rotation system to ensure that your system or server never loses data. Prices start at $1695 (software only) or $4695 (with Fast2000 DAT drive) from **Palindrome Corp.**, 600 East Diehl Rd., Naperville, IL 60563, (800) 288-4912 or (708) 505-3300. **Circle 1154.**

OS/2 2.1, IBM's robust 32-bit operating system, runs DOS and Windows applications in a true multitasking environment that's pretty well bulletproof. It sells for $249 ($99 on CD-ROM or $119 on disk until September 14). Professional programmers will also want the **Device Driver Source Kit for OS/2**, available on CD-ROM for $499 ($59.95 through September 14) from **IBM Corp.**, 1 Old Orchard Dr., Armonk, NY 10504, (800) 633-8266. **Circle 1155.**

The **SyDOS Personal CD-ROM Drive** ($499) is a small, self-contained unit that hooks directly to your desktop or laptop computer's printer port. Contact **SyDOS** at 16501 Park of Commerce Blvd., Suite 110, Boca Raton, FL 33487, (800) 437-9367 or (407) 998-5400. **Circle 1156.**

The Tandy Sensation is a complete multimedia computer system and software bundle that's well suited for first-time users. It sells for $1999 (excluding monitor) from **Tandy Corp.**, 1500 One Tandy Center, Fort Worth, TX 76102, (817) 878-4969. **Circle 1157.**

Windows NT ($495) and **Windows NT Advanced Server** ($1495) are 32-bit multitasking operating systems for networks and client/server applications that use the Windows GUI. Programmers will want the **Win32 SDK** CD-ROM ($69) and the **Win32 Device Driver Kit** CD-ROM ($69).

The **Microsoft Bookshelf** CD-ROM ($195) incorporates an encyclopedia, book of quotations, thesaurus, dictionary, and other handy research tools. **Microsoft Excel** ($495) and **Microsoft Word for Windows** ($495) will cover about 80 percent of a college student's needs. Contact **Microsoft Corp.**, 1 Microsoft Way, Redmond, WA 98052, (800) 426-9400 or (206) 882-8080. For developers: (800) 227-4679. **Circle 1158.**

with the Tandy Sensation.) Another is the Bureau of Electronic Publishing's Monarch Notes, and you definitely should look into their various history and literature CD-ROMs. Their Great Literature CD-ROM has 1896 complete classic works, plus illustrations. Then there's the Library of the Future, which has about a thousand literary titles. There's considerable, but not complete, overlap with the Great Literature CD-ROM.

DeLorme Mapping makes a series of maps on CD-ROM, including Street Atlas USA, with street maps of every major city in the U.S. Another, Global Explorer, has to be the most detailed CD-ROM world atlas I've ever seen.

There are also hundreds of specialized

THE ONLY SOFTWARE TEST SYSTEM YOU CAN TRUST!

EVALUATOR THE NON-INTRUSIVE AUTOMATED SOFTWARE TESTING SYSTEM

The Evaluator is hardware-base so that no code is loaded on the target computer. Testing is totally non-intrusive and does not affect the behavior of the software being tested. Excellent for performance testing:

- No memory load
- No CPU cycles on the target machine

Effectively test GUIs with the new **Test Designer for GUI!** Work in an open environment and produce output in C or C++. Full support for any GUI based application.

- lightening fast synchronized testing
- ICON/PATTERN recognition
- dynamic Windows environment
- X, Y mouse control

Run your test over several platforms, including Windows, OS/2, DOS and UNIX. With the Evaluator you can use the same test to port from one platform to another.

Save time and money by testing your software applications with the Evaluator Automated Testing Tool. Call for more information.

Eastern Systems Inc.
The Software Testing Solution
P.O. Box 310 Hopkinton, MA 01748
(508) 435-2151 FAX (508) 435--2517

DOS PS/2 WINDOWS GUI UNIX OS/2

Circle 293 on Inquiry Card.

PC Digest® RATINGS REPORT

MICROSYSTEMS REPORTER™

The Independent Comparative Ratings Report for Selecting PC Systems

TRUTH IN HARDWARE

Vendors make performance claims. Compatibility claims. Support promises.

As a buyer of PCs and peripherals, you need the TRUTH. Based on objective, head-to-head tests of major competitors in each product category. So you can choose the right products the first time.

Since the dawn of the microcomputer era, buyers making high-stakes purchases have been using National Software Testing Laboratories (NSTL) for authoritative evaluations of standalone and networked systems and peripherals.

NSTL *originated* the concept of testing PC products. Today our state-of-the-art benchmarks and methodologies set the mark that others imitate.

ACCESS TO NSTL TEST RESULTS

PC Digest, published by NSTL/BYTE, gives you direct access to NSTL's test results. So you can make smarter, easier, more confident purchase and upgrade decisions.

No other testing system uncovers core performance, versatility and usability differences. We force products to show their strengths and weaknesses in head-to-head, feature-to-feature competition. In real-world, applications-based environments like the one you work in every day.



PC Digest is published 20 times a year by NSTL, the industry's first and most authoritative independent testing laboratory.

CLEAR-CUT WINNERS

The result: *clear-cut winners that give you the best value for your money.* Concisely and clearly described by expert test technicians — without ads or distractions of any kind.

Every issue focuses on a new technology that you need to know — or features a roundup of established technologies in price-competitive categories.

- 486 66MHz systems
- EISA Ethernet cards
- Pen systems
- Mobile computers
- Multimedia upgrades
- Unix servers
- High res monitors
- Color notebooks
- SCSI disk drives
- PostScript printers
- CD-ROMs
- 9600 V.42 bis modems

PC Digest's features charts are so complete that vendors consult them before designing upgrades. Shouldn't you consult us before buying your next piece of equipment?

PC DIGEST IS NOW PART OF THE BYTE FAMILY OF PUBLICATIONS!

FREE BINDER



To help you build your resource library, you get a FREE durable, 3-ring binder with tabbed subject dividers upon payment.

ORDER NOW!

YES, please enter my subscription to PC Digest for one year (20 issues) at $445, and send my free binder with my first issue. If I elect to include payment now, add two additional issues to my subscription at no cost. I must be completely satisfied with PC Digest or I will receive a full refund of my entire investment.

MAIL TO: PC Digest, P.O. Box 551, Hightstown, NJ 08520-0551

NAME

COMPANY NAME

COMPANY ADDRESS

CITY/STATE/ZIP

PHONE

PAYMENT INFORMATION:

☐ Payment enclosed

☐ Please bill me P.O. # required

Charge my: ☐ Visa ☐ MasterCard ☐ AMEX

ACCOUNT NUMBER

EXPIRATION DATE

SIGNATURE

Orders outside North America: Please add US $20. for airmail delivery.

PCBY933

PHONE

1-800-257-9402

FAX

609-426-5434

2 FREE ISSUES

Include payment with your order now (check or credit card) and receive two additional issues with our compliments.

MONEY-BACK GUARANTEE

If at any time you are not COMPLETELY satisfied with your subscription, you will receive a full refund of your entire investment.

No Doubt

YOU're the Expert!

BYTE READERS are considered **experts** in today's complex computer environment. When you need to make decisions, BYTE editorial is there to give information on current products and emerging technologies.

And when you order products, **BYTE advertisers** are ready to answer your every need. Use the convenient toll-free numbers in this issue, and remember to say:

You Saw it in BYTE

CD-ROMs, on subjects from anatomy to zoology.

Exeter Software publishes an interesting catalog called *Scientific Software for Teaching and Research.* (You can contact them at 100 North Country Rd., Building B, Setauket, NY 11733.) It's intended more for teachers than students, but it does show the kinds of scientific-education software available. I haven't been able to look at everything in their catalog, but many of the programs they feature have been recommended in this column, and I see none I dislike in there.

I recommend that if you're going to do a lot of file moves under W4WG, back things up first.

My disk directory got munged the other day. I knew when I tried to do disk defragmentation and was told that I had lost chains. Norton Disk Doctor—an indispensable program—found the lost chains and reported that my directory structure was invalid; in particular, the \ASKSA directory wasn't really a directory, and did I want it turned into a file? I didn't have much choice, so I let NDD do that.

Fortunately, I had backed up the system since the last time I used askSam, so it would be no trick restoring everything from Network Archivist—except it was. Network Archivist gave a cryptic message and asked for tapes; eventually it asked for every tape I'd ever made, after which it said it couldn't restore that directory.

Inspection showed why: there was a file called ASKSAM (made by NDD, of course), and since that file existed, Network Archivist couldn't create a directory with that name. Once the file was erased, it did the restoration in seconds using only one tape. Annoying, but if that's the worst thing Network Archivist ever does to me, I can't complain.

I can't prove it, but I think what munged my directory in the first place was *moving* files across the Windows for Workgroups network. I had a similar problem the last time I used W4WG's File Manager to move a couple of directories. When I get this column out, I'm going to back things up good and do some tests; meanwhile, I recommend that if you're going to do a lot of file moves under W4WG, back things up first.

The game of the month is Buzz Aldrin's Race Into Space. This is an exciting and well-done representation of the original space race. Build up your systems. Allocate funds to R&D. Watch a *Mercury* ship rise from the Cape and zoom off to orbit—or blow up, as many of them did. Digitized animation, photos, music, and sound effects—it's all there, and all told by people who were there when it happened.

My only objection to this game is that you're stuck with the historical alternatives: back in those heady days, some of us advocated systems and approaches that I still think would have worked better. That's a minor quibble, though. This game captures a lot of the look and feel of NASA's glory days. Get one for your son or daughter.

The book of the month is the revised edition of James Dale Davidson and Lord William Rees-Mogg's *The Great Reckoning* (Simon & Schuster, 1993). It's subtitled *Protect Yourself in the Coming Depression,* and I hope I'm being an alarmist in recommending it.

The computer books of the month are the Waite Group series on Visual Basic. Microsoft's Visual Basic 3.0 is a wonderful program, and those who learn it will not regret that. The Waite Group has done a splendid job with books for everyone from beginners to advanced programmers.

I know I promised more on networking, and I'll get to that Real Soon Now. Meanwhile, the computer industry continues to be a bright spot in the general economic gloom, and I can't emphasize enough that it's worth whatever you have to do to get your kids a good start as computer users—and to keep up with it yourself. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerryp."





SOME APPLICATIONS NEED A *REAL* REALTIME OPERATING SYSTEM

Whether you're monitoring a nuclear reactor or handling credit-card transactions, you need realtime performance you can count on around the clock. The kind of performance **QNX**® has delivered for well over a decade.~**QNX** sustains a host of successful mission-critical applications in a wide range of industries. From POS to medical instrumentation, from SCADA to voice mail, thousands of VARs and OEMs rely on **QNX** for their realtime solutions. It's easy to see why. **QNX** is a microkernel OS combining realtime executive-class speed with a rich, self-hosted development environment. You won't have to waste time on cross-development, so you'll see faster time-to-market and easier maintenance for your applications.~**QNX** is remarkably flexible. You can easily strip it down to an embedded system or build it up to a vast network serving hundreds of CPUs.~**QNX** follows Open Systems standards like POSIX and TCP/IP, so all your applications become all the more portable and interoperable. And you can run most popular DOS packages – even Microsoft® Windows™ 3.1 *in standard mode* under **QNX**.~So if you're looking for a time-tested foundation for your mission-critical applications, it's time for a ***real*** realtime solution.~It's time for **QNX**.

QNX®

WE WORK IN REAL TIME.™

1-800-363-9001
(EXT. 101)
Circle 135 on Inquiry Card.

QNX SOFTWARE SYSTEMS LTD. 175 TERENCE MATTHEWS CRESCENT, KANATA, ONTARIO, CANADA K2M 1W8 TEL:613-591-0931 • FAX:613-591-3579

© QNX Software Systems Ltd. 1993 QNX is a registered trademark of QNX Software Systems Ltd. Microsoft is a registered trademark and Windows is a trademark of Microsoft Corporation.

What's New Hardware

ACTIVE-COLOR NOTEBOOK ▼

The CompuAdd 425TXT notebook computer ($3695) from CompuAdd Computer (Austin, TX) has a 9½-inch active-matrix display with 640- by 480-pixel resolution and 256 colors. Based on a 25-MHz 486SX, the 6.1-

pound notebook includes a 200-MB hard drive, an internal fax modem, 4 MB of RAM, 512 KB of video memory, a PCMCIA slot, and a built-in trackball.

Phone: (512) 250-2000.

Circle 1139 on Inquiry Card.

NETWORK TIFF-IMAGE PRINTING

From Talaris Systems (San Diego, CA), the 17-ppm 1794FT Imagestation ($7490) network laser printer can accept simultaneous TIFF files from a variety of inputs without host software or setup commands. The 1794FT automatically skips ASCII banner pages and recognizes and switches among eight optional printer languages.

Phone: (619) 587-0787.

Circle 1067 on Inquiry Card.

VOICE-PROCESSING PACKAGE

Talking Technology's (Alameda, CA) multiline Voice Ranger ($599) card records and plays messages in compressed and uncompressed modes under DOS. The two-port Voice Ranger is expandable to 16 ports. The card can record speech simultaneously from multiple lines.

Phone: (510) 522-3800.

Circle 1271 on Inquiry Card.

PCMCIA SERIAL CARD ▶

The Serial I/O Card ($215) from Socket Communications (Hayward, CA) fits into a PCMCIA Type II slot to provide serial data transfer rates of up to 115,200 bps. You configure the communications parameters port via software. The 5-ounce unit has an attached cable that is 8 inches long, terminating in a male DB-9 connector. Power consumption from the host system is 150 mW when active and 50 mW when inactive.

Phone: (800) 552-3300 or (510) 670-0300.

Circle 1144 on Inquiry Card.

MULTIMEDIA CARD AND DRIVE

A Multimedia Upgrade Kit ($499) from ATI Technologies (Thornhill, Ontario, Canada) includes an ATI Stereo F/X-CD sound card, a Mitsumi LU005 internal CD-ROM drive, and Windows Master and Game Master CD-ROM disks. The

sound card has 8-bit, 44-kHz stereo playback and 22-kHz stereo recording capabilities, and the CD-ROM drive exceeds MPC specifications.

Phone: (416) 882-2600.

Circle 1276 on Inquiry Card.

FAST FOUR-PORT PRINT SERVER

NetAdvantage PSC ($795) is an internal, four-port printer-server card for workstations. From Protec Microsystems (Pointe-Claire, Quebec, Canada), the card operates at up to 120 Mbps per port, and you can install up to four cards per workstation. Each card can log and serve eight file servers and up to 64 print queues. Printers can be up to 200 feet from the card and use unshielded twisted-pair cables and RJ-45 connectors. NetAdvantage, compatible with Ethernet, ARCnet, and token ring, runs independently of DOS or Windows applications.

Phone: (800) 363-8156 or (514) 630-5832.

Circle 1134 on Inquiry Card.

PCMCIA FAX MODEMS

Designed to fit into a PCMCIA Type II slot, GVC Technologies' (Sparta, NJ) FM144/144V(P) fax modem ($499) operates as a V.32bis modem with 14,400-bps send/receive Group 3 fax capabilities. The unit also includes V.42bis/MNP 5, V.42 error control, and automatic speed selection. Modifiable nonvolatile RAM can hold up to four telephone numbers.

Phone: (201) 579-3630.

Circle 1132 on Inquiry Card.

Multi-Tech Systems' (Mounds View, MN) MT1432LT data/fax modem ($599) fits into a Type II PCMCIA expansion slot. The MT1432LT incorporates V.32bis/V.42bis data and V.17 fax standards and includes MultiExpress data-communications and MultiExpressFax software. You can remotely configure the unit and use its flash PROM for upgrades from the company's BBS.

Phone: (800) 328-9717 or (612) 785-3500.

Circle 1133 on Inquiry Card.

WORKSTATIONS WITH FASTER GRAPHICS

Two graphics accelerator boards based on the S3-928 chip set provide improved graphics performance for Mobius's Protege workstations (from $3883). The workstations include 16 MB of RAM, a 240-MB hard drive, a monitor, Unix software, and a CX+ or CX+ TrueColor VESA Local Bus interface board. The boards have a standard resolution of 1280 by 1024 pixels with 256 colors. The CX+ TrueColor board can also run at 1600 by 1200 pixels in 256 colors.

Contact: Mobius Computer Corp., Pleasanton, CA, (800) 662-4871 or (510) 460-5252.

Circle 1061 on Inquiry Card.

Hardware

HEAVY-DUTY CURSOR CONTROLLER

Designed for unfriendly environments, the DuraPoint cursor controller ($279) from Interlink Electronics (Camarillo, CA) contains no moving parts and is

sealed against liquids, dirt, and dust. Compatible with DOS, Windows, and OS/2, the unit includes serial and PS/2 mouse-port interfaces.

Phone: (805) 484-1331.

Circle 1275 on Inquiry Card.

PCMCIA SCSI ADAPTER

New Media's (Irvine, CA) Visual Media PCMCIA SCSI adapter card ($229) lets you connect your Type 1 PCMCIA slot–equipped laptop or notebook computer to as many as seven logical SCSI-based peripherals via a 22-inch cable with Centronics, DB-25, or SCSI-2 connector options. The card includes 512 KB of memory, an ASPI Manager driver, diagnostics, and test software.

Phone: (714) 453-0100.

Circle 1069 on Inquiry Card.

AUTOMATIC COLOR MONITORS

An 8-bit microprocessor automatically controls the picture size, position, brightness, contrast, and color balance of Idek/Iiyama North America's (Warminster, PA) 21-inch, 1600- by 1200-pixel VisionMaster color monitors (from $2895). You can manually adjust color temperatures for color matching for color printers and other monitors. The Idek monitors meet EPA and European energy-saving requirements and MPR II low-radiation safety standards.

Phone: (215) 957-6543.

Circle 1070 on Inquiry Card.

400-DPI PLOTTERS

Xerox Engineering Systems' (Stamford, CT) 8770 Series plotters (from $25,900) incorporate the company's patented Advanced Silicon Imaging to print documents with laser-like quality (400 dpi). The plotters have high-voltage integrated circuitry that's etched onto an amorphous silicon wide-format print head and feeds a rectangular nib. The plotters operate with 24- or 36-inch media, including opaque, vellum, and translucent paper and clear and matte-back film.

Phone: (800) 937-8255 or (203) 968-3000.

Circle 1071 on Inquiry Card.

PORTABLE MULTIMEDIA PC ▼

The lunch box–style Regal/Multimedia Portable PC ($4995) from Micro Express (Santa Ana, CA) is based on a 33-MHz 486DX and includes a 10-inch active-color VGA LCD display, a CD-ROM drive, a 200-MB hard drive, a Sound Blaster Pro card, external stereo speakers, and a microphone. Simultaneous LCD and external Super VGA displays are possible.

Phone: (800) 989-9900 or (714) 852-1400.

Circle 1068 on Inquiry Card.

MULTIMEDIA PC/TV ADAPTER

The Presenter Plus Sound ($595) adapter has input and output audio capabilities designed to let you add sound to video presentations without using a sound board. You plug the adapter into your computer system's parallel port. The unit has a jack for a microphone or a standard telephone headset and can play back 16-bit WAV-format sound. Included are Asymetrix Compel multimedia presentation software, a PC-to-TV interface, TV font software, video and audio cables, a VGA extension cable, and a power supply.

Contact: Consumer Technology Northwest, Inc., Beaverton, OR, (800) 356-3983 or (503) 643-1662.

Circle 1060 on Inquiry Card.

ONE-FINGER TYPING AID

Intended principally for one-finger typing, the Keypen ($98) from AIZ (Idaho Falls, ID) is a stylus for pressing keys on a keyboard. The pen-like wand has Ctrl, Alt, and right- and left-hand Shift buttons and a small rubber tip. For a Ctrl, Alt, or Shift function, you use the keys on the Keypen, eliminating the need to simultaneously hold down two keyboard keys.

Phone: (800) 353-9736 or (208) 525-1814.

Circle 1072 on Inquiry Card.

A TRIO OF COLOR MONITORS

The Diamond Scan 15-, 17-, and 21-inch color monitors (from $645) from Mitsubishi Electronics America (Cypress, CA) incorporate 0.28-mm dot-pitch and flat-square CRTs with Invar masks. Resolutions range from 1024 by 768 pixels (15-inch) to 1600 by 1280 pixels (21-inch) noninterlaced. You can store a series of programmable setup parameters and factory presets in the Diamond Scan monitors' scan-mode memory.

Phone: (800) 828-6372 or (714) 220-2500.

Circle 1274 on Inquiry Card.

What's New Hardware

DIAL-IN LAN SERVER

From Gateway Communications (Irvine, CA), the 20-MHz 386SX LAN Access Server (from $1795) includes 4 or 8 MB of RAM, VGA capability, and data-compression software. The compact system connects directly to any NetWare-based Ethernet LAN as an independent node, eliminating the need for a dedicated PC. Supplied with DOS 5.0, the unit is compatible with several versions of NetWare. Access method is via direct dial over switched analog lines and RS-232 at up to 57,600 bps.

Phone: (800) 367-6555 or (714) 553-1555.

Circle 1073 on Inquiry Card.

CARD ADDS PS/2 HARD DRIVES

You can mount two 2½-inch IDE drives on a CardDrive ($179) and control two additional 3½- or 5¼-inch drives mounted elsewhere in a system, for a total of four IDE hard drives. CardDrive plugs into a PS/2 Micro Channel–bus slot and is available with or without hard drives from Productivity Enhancement Products (Laguna Hills, CA). The CardDrive is compatible with OS/2, DOS 3.0 through 6.0, Windows 3.x, and Novell NetWare. The 16-bit card is compatible with 32-bit systems.

Phone: (800) 451-3475 or (714) 348-1011.

Circle 1074 on Inquiry Card.

DESKTOP PC WITH FLAT-PANEL DISPLAY

A 64,000-color active-matrix thin-film-transistor flat-panel display is standard with the APF4000 Series (from $5995) of 66-MHz 486DX2 desktop computer systems. Included are VESA Local Bus video, a 170-MB hard drive, a 1.44-MB floppy drive, and a PCMCIA Type II slot. Consuming less than 50 W, the APF4000 has no cooling fan, which means quiet operation. The diminutive system measures 9 by 10 inches and weighs 14 pounds. Ethernet and Token Ring interfaces are available.

Contact: APF, Greenville, SC, (803) 244-4416.

Circle 1062 on Inquiry Card.

UPS FOR FAXES, MODEMS, AND MORE ▼

From Upsonic (Tustin, CA), The Magician ($99) is a UPS that is designed for use with fax machines, modems, and other small business equipment. The UPS provides power- and data-line surge protection as well as battery-backup power. During a power outage, The Magician provides a fax machine with up to 45 minutes of standby battery time, or up to 15 pages of transmission and up to 20 pages of reception. An audible alarm signals when power is lost. Measuring 3 by 3¼ by 10¾ inches, The Magician UPS unit weighs 6 pounds.

Phone: (800) 877-6642 or (714) 258-0808.

Circle 1137 on Inquiry Card.

A LOW-COST ETHERNET ADAPTER

Implementing the ISA bus-master DMA mode for low CPU utilization and high throughput, the HP PC LAN Adapter NC/16 TP ($119) from Hewlett-Packard (Palo Alto, CA) supports 14 major network operating systems. The HPNCSet utility software auto-configures the DMA channel and other parameters and can run in a batch mode to set up multiple adapter installation.

Phone: (800) 752-0900.

Circle 1273 on Inquiry Card.

FAX PROTOCOL ANALYZER

Used to monitor, capture, and analyze communications sequences between fax machines and/or PC fax cards, the GD-Fax protocol analyzer ($4200) includes card-resident data-capture and user-interface software. From Gray Associates (Truckee, CA), the GD-Fax plugs into an AT slot and records T.30 and T.4 transaction and timing data to disk for analysis against CCITT standards.

Phone: (916) 582-8623.

Circle 1135 on Inquiry Card.

ETHERNET PRINT SERVER

The NPS 550 Ethernet Print Server ($695) from Axis Communications (Danvers, MA) provides simultaneous printing capabilities for NetWare, TCP/IP, and EtherTalk environments. Included is support for two high-speed Centronics parallel and one RS-232 serial printer with up to eight programmable logical printer entries and throughputs of up to 120,000 bps. The NPS 550 also has status-logging, security, accounting, and multiple-router-support features.

Phone: (508) 777-7957.

Circle 1131 on Inquiry Card.

PORTABLE PEER-TO-PEER ADAPTER

An external LAN adapter that operates at 500,000 bps, Pocket WinLAN ($169) from Apexx Technology (Boise, ID) uses a parallel port and telephone wiring to configure peer-to-peer networking via any networking software that supports Microsoft's NDIS driver specification. You can daisy-chain as many as 250 PCs up to 600 feet away via the adapter's two RJ-11 jacks. Included are a 25-foot phone cable and a driver disk.

Phone: (208) 336-9400.

Circle 1065 on Inquiry Card.

It's a Built-in Standard.

You Can't Go Wrong Picking ISO-Certified CTX Monitors.



CTX INTERNATIONAL
20530 Earlgate Street
Walnut, CA 91789
909/595-6146
Fax 909/595-6293

CTX SOUTH
6090-F Northbelt Pkwy
Norcross, GA 30071
404/729-8909
Fax 404/729-8805

CTX EAST
146 Division Place
Hackensack, NJ 07601
201/646-0707
Fax 201/646-1998

CTX MIDWEST
500 Park Blvd., Ste. 425
Itasca, IL 60143
708/285-0202
Fax 708/285-0212

CTX OEM
1225 E. Crosby Rd., A21
Carrollton. TX 75006
214/416-9610
Fax 214/245-7447

ISO 9002 Certificated Manufacturer ISO 9000

As you may know, **CTX** monitors are manufactured through stringent internationally recognized quality standards, such as **ISO 9000**.

Authored by International Standards Organization (ISO), **ISO 9000** was initially devised to meet the quality requirements of the European Economic Community (EEC) in 1993. It defines the basic ingredients of a quality system from design, production, inspection to service. Obtaining an **ISO 9000** certification is synonymous to having a seal of quality.

CTX proudly presents to its world-wide users crisp, steady and brilliant images with advanced features, while maintaining its reliability and affordability. To get a closer look at the world-standard monitor, contact your nearest **CTX** dealer today.

MODEL	5468A	5468NI	1451	1461	1560/1561	1760DF
CRT	14"	14"	14"	14"	15"	17"
Dot Pitch	0.28 mm	0.28 mm	0.28 mm	0.28 mm	0.28 mm	0.28 mm
Scan Frequency	H: 30-38 KHz V: 50-90 Hz	H: 30-38 KHz 47-50 KHz V: 50-90 Hz	H: 30-50 KHz V: 50-90 Hz	H: 30-60 KHz V: 50-90 Hz	H: 30-60 KHz V: 50-90 Hz	H: 30-65 KHz V: 50-90 Hz
Resolution	640x480/72Hz 1024x768/87Hz	800x600/72Hz 1024x768/60Hz	800x600/72Hz 1024x768/60Hz	800x600/72Hz 1024x768/72Hz	800x600/72Hz 1024x768/72Hz	1024x768/72Hz 1280x1024/60Hz
Non-interlaced	800x600/60Hz	Yes	Yes	Yes	Yes	Yes
Full Screen	--	--	Yes	Yes	Yes	Yes
Low Radiation	5468LR	5468NR	1451LR	1461LR	1560LR/1561LR	1760LR
Digital	--	--	--	--	Yes/--	Yes

CTX

Committed to Xellence

Technical Support
1-800-888-2012
BBS: (909) 594-8973

©Copyright 1993. CTX International, Inc. All rights reserved. All brand or product names are trade marks or registered trademarks of their respective owners.

Circle 77 on Inquiry Card (RESELLERS: 78).

What's New Hardware



▲ A MONITOR WITH A TWIST

A 15-inch color monitor for PCs running Windows provides portrait and landscape views. You can use Portrait/15 Plus ($799) from Portrait Display Labs (Fremont, CA) in the usual landscape mode to run applications such as your Windows spreadsheet or database. Or you can physically rotate the monitor to a vertical orientation to run your Windows word processing or desktop publishing program. The monitor's vertical mode lets you view a full 8½- by 11-inch document.

Phone: (510) 249-0444.

Circle 1064 on Inquiry Card.

POCKET DATA-ACQUISITION SYSTEM

Modular Computer Concepts' (Huntington Beach, CA) MCC-24 pocket A/D data-acquisition system (from $299) measures 2.5 by .65 by 2 inches and plugs into a PC parallel port. Input specifications are eight 12-bit channels and 0- to 5-V input with ±30-V overvoltage protection. The MCC-24 requires no batteries and no jumpers, and you control all functions via software. The converter includes programming libraries; applications software is available.

Phone: (714) 965-0620.

Circle 1136 on Inquiry Card.

PC/VCR GRAPHICS CONVERTER

With the Mediator LC ($599) graphics-to-video converter from VideoLogic (Cambridge, MA), you can record PC graphics on a VCR or output images in S-Video, composite, or RGB video formats. The unit supports conversion of 640- by 480-pixel VGA, Super VGA, or XGA graphics to NTSC video output and includes controls for image positioning, brightness, color, and picture quality. You can view images simultaneously on a PC and a video output device.

Phone: (617) 494-0530.

Circle 1138 on Inquiry Card.

PC AND MAC FAX MODEMS

Available in models for PCs ($229) and Macs ($269), the SupraFaxModem 144LC external fax modems from Supra (Albany, OR) operate at rates of up to 14,400 bps for fax and data communications. The metal-cased units have two phone jacks and 13 status lights. For PCs, WinFax Lite and FaxTalk (fax) and COMit (data) software is included; for Macs, Faxstf (fax) and MicroPhone LT (data) software is included.

Phone: (800) 727-8772 or (503) 967-2400.

Circle 1140 on Inquiry Card.

HIGH-SPEED PORT/ PRINT BUFFER ▶



Configurable with up to 4 MB of RAM, the DataBlaster buffer card (from $349.99) plugs into an AT-bus computer and has a serial input/output rate of 250,000 bps/19,200 bps and a parallel input/output rate of 25,000 cps/12,500 cps. From Blastronix (Murphys, CA), the card has serial/parallel and parallel/serial conversion built in; the included software controls configuration and diagnostics.

Phone: (209) 795-0738.

Circle 1272 on Inquiry Card.

FAST, FULL-COLOR PROOF PRINTER

From Microtek Lab (Torrance, CA), the SnapPrint Instant Film Printer ($1499) produces continuous-tone color Polaroid prints from image files in less than 1 minute; it takes 30 to 40 minutes for full color saturation. SnapPrint uses standard Polaroid 990 high-speed or Spectra high-definition film and works with Mac IIs (with 5 MB of RAM and System 6.0.5 or higher) and PCs (with 8 MB of RAM and Windows 3.0 or higher).

Phone: (213) 321-2121.

Circle 1141 on Inquiry Card.

ISA GRAPHICS ACCELERATOR

The Volante Warp24 graphics board (from $499 with 1 MB of video RAM) provides 1024- by 768-pixel and 1280- by 1024-pixel noninterlaced resolutions with 93-kHz horizontal scan and 80-Hz vertical-refresh rates. From National Design (Austin, TX), the card includes color dithering, object shading, surface mapping, polygon pattern fills, and clipping, as well as BitBlt, hardware cursor, and line-draw Windows accelerator functions. A Windows screen utility lets you change resolution, font size, and vertical-refresh rate and restart Windows automatically.

Phone: (512) 329-5055.

Circle 1142 on Inquiry Card.

FULL-MOTION CAPTURE/ PLAYBACK BOARD

Sigma Designs' (Fremont, CA) WinMovie full-motion video-capture and playback board ($299) includes Video for Windows, Xing Technology's Picture Prowler, and utility software. WinMovie captures video at 30 fps from NTSC or PAL S-Video or composite sources, and it is compatible with all Super VGA adapters. The board supports resolutions of from 80 by 60 pixels to 640 by 480 pixels in 8-, 16-, or 24-bit colors and requires at least a 33-MHz 386.

Phone: (510) 770-0100.

Circle 1143 on Inquiry Card.

NETWARE RAID-5 ARRAY



RAIDion LT 1120 for NetWare 3.11 and 4.0 ($6300) from Micropolis is a 1-GB, three-drive, fault-tolerant storage subsystem that includes Novell-certified RAIDware optimized for NetWare drivers. Each self-contained module has a separate power supply, a cooling fan, and a disk drive; this facilitates hot-swapping and fast repairs. You can expand the subsystem in 500-MB modules up to a total of 28 GB.

Contact: Micropolis Corp., Chatsworth, CA, (818) 709-3300.

Circle 1063 on Inquiry Card.

Now You Can Draw A Nozzle Without Getting Hosed.



GenericCAD
(under $500)

AutoCAD
(over $3,500)



DesignCAD
(under $500)

There is a serious misconception in the software industry that the more a program costs, the better it is... if you purchase a less expensive program, your results will suffer.

It is time this rumor was laid to rest.

To create this ad, our artists were asked to create the same drawing using three different programs with everything else being the same. Same computer, same graphics board, same monitor, etc.

Each rendering was created with the program's base package. No add-ons.

As you can see, DesignCAD produced the highest quality rendering while priced considerably less.

In the interest of fairness, you could get a better rendering with AutoCAD providing you pay an additional $3,000 for their materials shading package (making your total cost almost $7,000.) But keep in mind DesignCAD comes complete with its own built-in materials rendering package at *no extra charge*. Plus, you can render directly on the drawing screen without having to export to a separate rendering package.

We would also like to note that the AutoCAD drawing took the longest, was the most difficult to produce and continually caused our machine to crash. Of course we're not the PC Magazine labs.

Although it's not generally true, there are times when you can get more for less. DesignCAD proves it. Your eyes see it.

To get your own DesignCAD information pack with a free demo disk, just call, fax or write.

American Small Business Computers
One American Way, Pryor, OK 74361

Phone (918)825-7555
Fax (918)825-6359

PC MAGAZINE EDITORS' CHOICE

Circle 65 on Inquiry Card.

What's New Software



EXTRA MUSCLE FOR CAD ▲

TrueCAD for Windows ($395), a full-featured CAD package from Choice Computing (Los Altos, CA), lets you take advantage of the graphical environment and offers an intuitive interface that makes the program easy to use. Its construction geometry lets you quickly design and create complex entities. With DXF and HPGL import and export capabilities, the software lets you share drawings with such applications as Word for Windows and CorelDraw.

Phone: (800) 828-2770 or (415) 949-2615.

Circle 1300 on Inquiry Card.

BREATHING NEW LIFE INTO APPLICATIONS

The Quantify software development package (from $1198) measures the performance of a program and its components and graphically displays its evaluation. Pure Software (Sunnyvale, CA) says this will help C and C++ developers to pinpoint and eliminate performance bottlenecks and improve the speed of their applications. The package uses Object Code Insertion technology to analyze entire programs, including shared and third-party libraries.

Phone: (408) 720-1600.

Circle 1292 on Inquiry Card.



PUTTING A NEW FACE ON AUTOCAD

PanaIcon ($99) provides an icon-based interface for AutoCAD release 12. From Panacea (Londonderry, NH), the software can take AutoCAD drawing files and convert them to iconic menus. PanaIcon supports multiple nested icon menus that can be dynamically resized. By selecting an icon, you can call or execute any AutoCAD function, ADS, or AutoLisp routine.

Phone: (800) 729-7420 or (603) 437-5022.

Circle 1282 on Inquiry Card.

TUNE UP YOUR HARD DISK

SoftLogic Solutions' (Manchester, NH) Disk Optimizer for Windows ($49.95) defragments the files on your hard disk while the system is idle. The application enables you to consolidate the free space on your hard disk. A layout display shows you all the available space and its location. Disk Optimizer for Windows can handle large-capacity drives using expanded or extended memory.

Phone: (603) 627-9900.

Circle 1284 on Inquiry Card.

MORE ANIMATION FOR WINDOWS

Animation Paint Box ($299.95) from Azeena Technologies (Long Beach, CA) integrates painting and animation tools for the Windows environment. The package's onion-skin tool lets you simultaneously see the previous, current, and following frame of an animation for precise alignment of objects between frames. The rub-through tool brings underlying objects to the top screen. Animation Paint Box supports various file formats, including AVI (Audio Video Interleave).

Phone: (310) 988-1889.

Circle 1283 on Inquiry Card.

NATIVE C++ FOR THE MAC

Symantec C++ 6.0 for Macintosh ($499) provides a development environment with a native C++ compiler and an incremental linker, which the company says reduces development time by linking only new or modified code to a program. The open environment from Symantec (Cupertino, CA) lets you integrate preferred code editors and resource tools.

Phone: (800) 441-7234 or (408) 253-9600.

Circle 1286 on Inquiry Card.

SPEED UP COMMERCIAL FORECASTING

SmartForecasts 32-bit Batch Edition ($5995) helps you take on massive forecasting problems, such as estimating customer demand for large inventories or projecting cash flow for financial institutions. The Smart Software (Belmont, MA) program uses 386|DOS-Extender technology, providing greater internal data capacity and faster calculations.

Phone: (800) 762-7899 or (617) 489-2743.

Circle 1285 on Inquiry Card.

OCR SOFTWARE FOR WINDOWS

TextBridge ($99) from Xerox Imaging Systems (Peabody, MA) lets you convert hard copies of documents into leading word processing, spreadsheet, and database formats while working in Windows. The OCR software accepts TIFF files from most fax-modem software, and the Lexifier enhanced technology improves the software's handling of degraded and non-word-based documents.

Phone: (800) 248-6550 or (508) 977-2000.

Circle 1293 on Inquiry Card.

AUTOMATE CROSS-PLATFORM WORK FLOW



JetForm for E-Mail's Mac version (five users, $495; 20 users, $1495) joins DOS and Windows packages to provide cross-platform, enterprise-wide forms automation with a mail-enabled system. The intelligent forms product includes work-flow tools that let you route and track forms using standard E-mail systems and your existing equipment and networks.

Contact: JetForm Corp., Waltham, MA, (800) 538-3676 or (617) 647-7700.

Circle 1278 on Inquiry Card.

Attitude TrueType Fonts

MasterPiece TrueType Font Library

Agnes ASPEN BAMBAM benediction
Cambria CARTOON Casual Catacomb
Chancellor CHILL CHISELED Country Club
COYOTE DALMATION DECOPAGE
DELHI Doily DOORJAM DUNCAN DUNH
EMPIRE FIRE FLAMINGO Flores
Frankenfooter FRISCO Gaslight HORROR
Invitation Knarly Lakeside Lizard
LOOPY MOO-GOO MORBIUS Moulon Rouge
MOZAMBIQUE Nervous Nottingham Ornate
PENCILPOINT PICANTE RAHRAH RANSOM
Renaissance Rhino Ripper Roady Rooster
Ruhr SAHARA SALOON SCRAWL SEASCAPE
Sesar SLAMIC SLAVIC SPANKY SPEAKEASY
STIKK UGANDA UNDERGROUND Uppercrust
Waterfall Whitewash Willroge ZAP Zephyr

This is only a partial listing of the over one hundred and fifty fonts in this package

Special Offer
Only $49.95
Call (800) 568-4607

The MasterPiece TrueType Font Library from Attitude, Inc. now contains over 150 one-of-a-kind, designer TrueType soft fonts. These totally unique display and headline fonts are what you need in order to get the attention your memos, brochures, flyers and correspondence deserve. And with the MasterPiece TrueType Font Library you'll have the headline fonts to complement your collection of text faces. So don't settle for the basic vanilla text fonts. Get an Attitude!

Also included is the new Attitude TrueType Installer. This utility will allow you to view any TrueType format font, either on screen or in a printout, as well as install, remove or check if any font is already installed.

Attitude, Inc.
14742 Beach Blvd., Dept. 440
La Mirada, CA. 90638
TEL: (714) 680-8112 FAX: (714) 680-6640

VISA, MASTERCARD, AMEX & DISCOVER

Copyright 1993 Attitude, Inc. All Rights Reserved

Circle 290 on Inquiry Card.

What's New Software

PLAN YOUR PROJECTS IN WINDOWS



Prisma Software (Cedar Falls, IA) has introduced GanttChart ($89), a business graphics program that you run under Windows. The program organizes projects on worksheets and schedules them on time-line charts. You can tailor your screen display to focus on important aspects of a project. GanttChart allows you to create and print presentation-quality charts and switch their time frame among daily, weekly, or monthly increments with the click of a mouse.

Phone: (800) 437-2685 or (319) 266-7141.

Circle 1287 on Inquiry Card.

CRYSTAL BALLS FOR INVESTORS

Money Maker for Windows ($99) from Q-West Associates (San Diego, CA) graphically builds securities and portfolio analyses. After you define the type of investment that you're working on, a storyboard is assembled, showing the potential gains and losses and the projected rate of return under various market conditions. A financial toolbox assembles and tracks investments, profits, and costs.

Phone: (619) 484-6648.

Circle 1288 on Inquiry Card.

With The Yellow Pad ($49.95), you can experiment with a variety of investment scenarios, examining the effects of different assumptions on your assets and income. The financial calculator from Orinda Software (Orinda, CA) can enter data on your total assets and perform one computation, or it can work with data for individual assets and income groups, computing a report for each one.

Phone: (510) 254-3503.

Circle 1289 on Inquiry Card.

BRIDGING COMMUNICATIONS PROTOCOLS

Zoomit's (Toronto, Ontario, Canada) X.400 & SMTP Dual Stack (from US$8000) enables those using the SMTP and X.400 protocols on a Banyan Vines network to exchange mail. The software automatically configures message-transfer agents and routing tables to simplify direct connectivity. It also features audit trails and message logging and tracking.

Phone: (416) 866-7442.

Circle 1290 on Inquiry Card.

ONE SMART X SERVER

XVision 5 ($495; upgrade, $95), a PC server from VisionWare (Menlo Park, CA), lets you connect via the X Window System standard to Unix and VMS host-based applications while working in Windows or NT. The software detects network transports, optimizes graphics speed, and substitutes fonts. XVision 5 offers a drag-and-drop object-oriented desktop, a built-in VT320 terminal emulator, and file transfer and local printing.

Phone: (415) 325-2113.

Circle 1291 on Inquiry Card.

POWERFUL POINT-AND-CLICK EDITING FOR MOTIF USERS

A Motif-based text editor, Siren Editor runs on several Unix platforms, including Sun SparcStation, HP 9000, IBM RS/6000, Silicon Graphics, and SCO workstations. Siren Editor offers column editing and traditional line-editing capabilities, and its window management facilities let you view and edit multiple files in an integrated environment. A shell extends the software's capabilities to include all Unix commands, programs, and scripting facilities. Administrators can customize Siren Editor to meet their organization's needs. Prices: single user, $249; network, from $995.

Contact: Siren Software Corp., Menlo Park, CA, (800) 457-4736 or (415) 322-0600.

Circle 1279 on Inquiry Card.



Software Update

Generic CADD 6.1 ($495), Autodesk (Bothell, WA), adds an AutoCAD-style menu option, an on-line function that cross-references Generic CADD and AutoCAD commands, and the ability to write files in AutoCAD's DWG format.

Phone: (800) 228-3601 or (206) 487-2233.

Circle 1301 on Inquiry Card.

Morph 2.0 ($239), Gryphon Software (San Diego, CA), adds dynamic morphing, caricaturing, and customized warping.

Phone: (619) 536-8815.

Circle 1302 on Inquiry Card.

MKS RCS 6.1 ($349), Mortice Kern Systems (Waterloo, Ontario, Canada), adds support for Windows 3.1.

Phone: (519) 884-2251.

Circle 1303 on Inquiry Card.

Lazarus for Novell 1.5 (PC license, $74.99; server license, $299; site license, $1495), Software Marketing Group (Des Moines, IA), reduces the TSR size to under 4 KB, supports Open Data-Link Interface drivers, and adds automatic reattachment to servers.

Phone: (515) 284-0209.

Circle 1304 on Inquiry Card.

CorelDraw 4 ($595 U.S.; $695 Canada), Corel (Ottawa, Ontario, Canada), adds an animation module, OCR software, and more. See our review on page 169.

Phone: (613) 728-8200.

Circle 1305 on Inquiry Card.

NetWare for Macintosh 4.0 ($1195), Novell (Provo, UT), adds access to NetWare directory services, DOS file-extension mapping, HFS CD-ROM access, and more.

Phone: (801) 429-7000.

Circle 1317 on Inquiry Card.

PICTURE WINDOWS.

Picture This ... a real-time television monitor built right into your PC ... Now, picture using this monitor while running Windows™ applications at the same time ... And, picture taking that crystal clear video image and resizing (right down to icon size!) or clicking and dragging it to any position on the screen as easily as moving any other Window ... This is *Win/TV™*, the video overlay, frame and clip capture board from Hauppauge Computer.

Picture Perfect ... Using *Win/TV* and Microsoft's Video for Windows™, you can capture full motion video, saving synchronized audio and video clips to disk. With *Win/TV*'s "frame grabber" you can capture any video frame and save it to disk in the most popular formats like TIFF, TGA, PCX and BMP. Seemlessly integrate still and full motion video clips into multimedia applications such as databases, marketing and training presentations. Great for Microsoft PowerPoint, Asymetrix Compel, Corel Draw, Tempra and lots more!

Picture Yourself ... owning your own "Windows on the World"! Access 122 channel television with *Win/TV*'s built-in cable ready tuner, plus two optional video sources (video cameras, VCR's, laser disks, etc.) Maybe you want to work on you spreadsheets but don't want to miss an important news flash or a current stock market report. Keep an eye on current events while keeping control of your inventory!

Whether you're enjoying live TV, grabbing a frame and exporting it to a desktop publishing document, or creating your own video clips with Microsofts' Video for Windows, you'll be wowed by the clarity of Win/TV images.

Get Win/TV and open a window on some fresh, new and exciting possibilities.

Suggested retail: $495.00 ($549.00 with Video for Windows)

Available from PC Connection, Microwarehouse, PC Zone, plus many other computer stores throughout the U.S., Canada, Europe and Japan.

GSA# GS00K92AGS6156 PS01

Trademarks: Win/TV: Hauppauge Computer Works; Windows, Video for Windows: Microsoft Corp.; Photoshop: Adobe Corp.; XPress: Quark.

Circle 88 on Inquiry Card (RESELLERS: 89).

New: MaxResSave for the highest quality images



Capture the perfect video image with Win/TV's "frame grabber" - great for desktop publishing and presentations with impact!



Capture full motion video clips with Video for Windows (optional.)

Resize or reposition your Win/TV window anywhere on the screen. The "always-in-front" mode allows the video image to always be viewable.

Hauppauge!

Hauppauge Computer Works, Inc.
91 Cabot Court Hauppauge, NY 11788
In N.Y. tel: (516)434-1600 fax: (516)434-3198
800-443-6284
In Europe: (49)2161-17063 In the U.K.: 071-378-7309

Prepared using Win/TV, Adobe Photoshop, and Quark XPress

What's New Software

AUTOMATED GUI TESTING



In what Software Quality Automation claims is the first automated GUI-testing solution to be implemented on a team/workgroup model, SQA TeamTest ($1495 per license) integrates automated GUI testing with team work-flow tracking and reporting. Based on a network Test Repository that coordinates the work of any number of testers on a network, the software is built on the company's Team Testing Architecture. During testing on individual PCs, the Test Repository is automatically updated during all stages of the process.

Contact: Software Quality Automation, Woburn, MA, (800) 228-9922 or (617) 932-0110.

Circle 1280 on Inquiry Card.

MACS AND PCS SHARING DATA

Conversions Plus ($149), a file transfer and translation utility from DataViz (Trumbull, CT), lets you exchange documents between popular Mac and PC applications and retain original document formatting. The package has a translator library with more than 350 translation combinations for word processing and graphics programs and a Mac disk-mounting utility that moves files to and from high-density Mac disks inserted in PC drives.

Phone: (203) 268-0030.

Circle 1294 on Inquiry Card.

UNIX-BASED COLLABORATION

X/TeleScreen (initiator license, $995), an X Window System application-collaboration tool based on Motif, lets X displays on Unix networks share unmodified, off-the-shelf X applications. National Information Systems' (San Jose, CA) software lets network users confer with each other; interact with applications; and update documents, graphics, and spreadsheets in real time. X/TeleScreen is available on certain Sun Microsystems, Silicon Graphics, and DEC workstations.

Phone: (800) 441-5758 or (408) 985-7100.

Circle 1295 on Inquiry Card.

BUILDING VISUAL GUIS

With CenterLine Software's (Cambridge, MA) ViewCenter for Motif ($2995), software developers can interactively create, modify, test, and generate C++ code and object components for GUIs. The development tool is based on Visual Edge's UIM/X 2.5 GUI builder and is tightly integrated with CenterLine's CodeCenter and ObjectCenter Unix programming environments. ViewCenter for Motif supports certain Sun Microsystems and Hewlett-Packard workstations.

Phone: (617) 498-3000.

Circle 1296 on Inquiry Card.

MANAGING YOUR INVENTORY

Inventory Analyst Professional ($495), a menu-driven, spreadsheet-based inventory-control system for DOS and Windows users, does batch forecasting and scheduling for thousands of items simultaneously, automatically chooses appropriate forecasting methods, and ranks and groups items by dollar volume. Intex Solutions' (Needham, MA) planning and analysis application works with all DOS versions of Lotus 1-2-3, with Excel, and with Quattro Pro.

Phone: (617) 449-6222.

Circle 1297 on Inquiry Card.

CUSTOMIZING INSTALLERS

For developers and product managers who want the ability to create custom installers for their products, Aladdin Systems' (Watsonville, CA) StuffIt InstallerMaker (prices vary) provides a selection of predefined destinations for files being installed and determines what files to load based on the configuration of the end user's computer. The program compresses the files, reducing the number of distribution disks and providing one-button installation.

Phone: (408) 761-6200.

Circle 1298 on Inquiry Card.

FINDING OUT ABOUT YOURSELF

Brain Works ($49.99), a self-assessment test that helps you determine your own learning style, measures the extent to which you favor your right or left brain. The 20 multiple-choice questions in the test, from Synergistic Learning (East Grand Rapids, MI), involve subjects ranging from personal opinions to word associations.

Phone: (616) 956-7557.

Circle 1299 on Inquiry Card.

Software Update

Crystal Ball 3.0 for Windows ($295), Decisioneering (Denver, CO), adds a chart that indicates the weight of each factor in its analysis, four probability distribution types, dynamic cell references, and an improved interface with Excel.

Phone: (303) 292-2291.

Circle 1306 on Inquiry Card.

BusinessWorks 8.0 (from $395), Manzanita Software Systems (Roseville, CA), adds general ledger, accounts payable, accounts receivable, and system features.

Phone: (916) 781-3880.

Circle 1307 on Inquiry Card.

BasePak 2.0 ($3800), Proto-Comm (Trevose, PA), adds the ability to store video files on a Novell partition, support for additional video software platforms and compression technologies, utilities that maximize system performance, and a customized network protocol.

Phone: (215) 245-2040.

Circle 1308 on Inquiry Card.

VBAssist 3.0 ($179), Sheridan Software Systems (Melville, NY), adds a drag-and-drop feature that links table columns to bound controls, the ability to update in one window all fields in a database associated with the bound data control, and automatic forms generation.

Phone: (516) 753-0985.

Circle 1309 on Inquiry Card.

CadDesign 3.0 (from $395), Tailor Made Software (Kent, WA), adds additional image-manipulation techniques for contrast, brightness, and color; support for Super VGA and the HP LaserJet 4; and 600-dpi printing.



Phone: (206) 631-1513.

Circle 1310 on Inquiry Card.

Your Direct Link to Products

BYTE introducesYour Direct Link – *An enhanced service for BYTE readers that gives you free information on products – faster and easier!*

In the NEW Direct Link section, here's what you'll find:

Alphabetical Index to Advertisers Including Phone Numbers

Now dial companies directly.

Product Category Index to Advertisers

Order information on individual products or complete product categories.

Redesigned Editorial Index

Free information from companies covered in articles, columns, or news stories.

New Enhanced Direct Link Card

Receive free information quickly by filling out and mailing or faxing *Your Direct Link Card* today!



Send for FREE product information by filling out *Your Direct Link Card* found in the back of every issue.

Buy It Through BYTE!

BYTE McGraw Hill

What's New Software

PAINTER/X2 ADDS MULTIPLE LAYERING

Fractal Design's (Aptos, CA) Painter/X2 ($149) is an extension to Painter 2.0 ($399) that adds the capability to layer multiple objects within paintings. Painter/X2 speeds up drawing tasks by incorporating multiple graphics elements through the use of floating selections. A new feature called the Portfolio allows you to save an image for future use by simply dragging it into the Portfolio, where it appears as a thumbnail view for easy identification. The package is available for Windows and the Macintosh.

Phone: (408) 688-5300.

Circle 1329 on Inquiry Card.

Q+E EXTENDS IMPROV FOR WINDOWS

Q+E Extend for Improv ($199) client/server edition from Q+E Software (Raleigh, NC) is a database access tool for bringing data from PC and SQL databases into Lotus's Improv for Windows spreadsheet. It adds database access commands directly to Improv's tools menu. Extend for Improv provides you with direct access to more than 20 PC and SQL database formats, automatically creating the structures needed to present and analyze data in Improv's multidimensional views. Queries that are built with Q+E Software's Q+E Database Editor can be opened in Improv without translation.

Phone: (919) 859-2220.

Circle 1331 on Inquiry Card.

EISTOOLKIT UPDATED FOR UNIX

MicroStrategy's (Wilmington, DE) EISToolKit (Designer version, $1995; 10-pack User version, $7995) application development system is available for Unix systems running the Sun OpenLook and Motif environments. EISToolKit offers a GUI, presentation graphics, database connectivity, and spreadsheet modeling tools in addition to a full-featured spreadsheet for data analysis, and HyperScript, a 4GL (fourth-generation language) for detailed project customization. Unix clients will initially have access to Informix databases and later to Oracle and Sybase. EISToolKit for Unix ships with the Informix DataLink API.

Phone: (800) 927-1868 or (302) 427-8800.

Circle 1318 on Inquiry Card.

STOP WAITING FOR YOUR PC

Quick Restart ($39.95) from PowerPro Software (Foster City, CA) is an auto-resume utility for Windows and DOS PCs. The program lets you restart your computer and instantly return to your application where you left off, without waiting for lengthy morning boot-ups and with no loss of data or system state, PowerPro says.

Phone: (415) 345-9278.

Circle 1315 on Inquiry Card.

WALL DATA'S MIGRATION TO WINDOWS

Wall Data's (Redmond, WA) Rumba APPC (Advanced Peer-to-Peer Communications) suite of tools ($495) integrates Windows with SAA (Systems Application Architecture) networks and enables you to access and run AS/400, mainframe, and APPC applications on the same SNA (Systems Network Architecture) networks. The Rumba APPC engine is implemented as a native Windows application. With Rumba for the Mainframe and Rumba for the AS/400 APPC editions, you can simultaneously run 3270, 5250, and APPC applications.

Phone: (800) 487-8622 or (206) 883-4777.

Circle 1319 on Inquiry Card.

WORD AND EXCEL FOR SUN AND SGI WORKSTATIONS



Quorum's Equal 1.0 ($1295) lets you run Mac versions of Microsoft Word and Excel on Sun SparcStations and Silicon Graphics Indigo workstations. Equal 1.0 is an Application Adapter, which Quorum defines as a layer of software that allows personal computing applications to seamlessly run unmodified on workstations. The Equal 1.0 package includes the Mac versions of Word and Excel, plus software from Quorum that lets you run these applications on Unix workstations. Once adapted, the Mac programs act and look like native Motif or Open Look applications. You can cut and paste text and graphics between Word and Excel and native applications such as the Unix version of the FrameMaker page-layout program.

Contact: Quorum Software Systems, Menlo Park, CA, (415) 323-3111.

Circle 1281 on Inquiry Card.

Software Update

TeleFinder 3.1 ($425), Spider Island Software (Irvine, CA), adds internode messaging, chat rooms for live conferences, file preview, and full-text formatting.

Phone: (714) 669-9260.

Circle 1311 on Inquiry Card.

Alpha Four 3.0 (single user, $495; network, $595), Alpha Software (Burlington, MA), adds full mouse support on all screens; multifile data entry; the ability to design screens with scrolling windows that display data from linked databases; real-time modification of fields in linked databases; and cascading and conditional lookup tables.

Phone: (617) 229-2924.

Circle 1312 on Inquiry Card.

Gpf 2.1 ($1295), Gpf Systems (Moodus, CT), adds the ability to generate native OS/2 2.1 Presentation Manager Workplace Shell and Windows 3.1 interface code from one design; support for C and C++ compilers; and the ability to automatically generate DLLs.

Phone: (800) 831-0017 or (203) 873-3300.

Circle 1313 on Inquiry Card.

SQL/Workbench 2.1 ($8400 per server), Intelligent Environments (Tewksbury, MA), adds support for OS/2 and Windows client/server development tools and an import/export feature that lets you pull SQL statements across multiple workbenches.

Phone: (508) 640-1080.

Circle 1314 on Inquiry Card.

Abacus II (single user, $995), Abacus Systems (Minot, ND), adds a simplified start-up procedure; inventory tracking; and a Quick Pay feature for real-life, one-time events.

Phone: (701) 838-4686.

Circle 1320 on Inquiry Card.

Up to Date Down to Earth



UNIX is changing the world of computers, the world of business–quite simply, changing the world. It's revolutionizing office automation. It's required for U.S. government computer contracts. It's the backbone of information strategies worldwide.

That's why you need *UNIXWORLD*–the magazine that keeps you up to date on the rapidly changing world of open systems computing. Each issue brings you the latest product trends and technical advances that can affect your business. The inside story on some of the biggest high-tech companies. Easy-to-understand programming tips and tutorials that can help your company use UNIX to its fullest. And unbiased hardware and software reviews to help you invest wisely when you buy.

UNIXWORLD'S in-depth features go beyond dry technical facts to show how the pieces fit together–to tell you what's important about the advances and strategies that are changing your world. And *UNIXWORLD* consistently offers the freshest, most down-to-earth writing that you'll find in any computer publication.

Subscribe today and receive the next 12 issues of *UNIXWORLD* for just $51.00–half the regular newsstand price. Save even more by ordering for two or three years. You can't lose–every subscription to *UNIXWORLD* comes with a no-risk guarantee*.
Use the accompanying card or write to:
***UNIXWORLD* Subscription Services**
P.O. Box 570, Hightstown, NJ, U.S.A. 08520-9328

If you're into UNIX, you need *UNIXWORLD*

UNIXWORLD
McGraw-Hill's Magazine of Open Systems Computing

* *UNIXWORLD*'s no-risk guarantee: If not satisfied, cancel and receive a full refund for the balance of your subscription.

UNIX is a registered trademark of UNIX System Laboratories Inc.

Quatech, your communication source for RS-232, 422 and 485 adapters.



Quatech manufactures a complete line of communication adapters for PC/XT/AT®, Micro Channel® and compatible buses to meet asynchronous and synchronous, serial and parallel communication requirements with protocols such as RS-232, RS-422, RS-485, Current Loop and IEEE488.

Software support for SCO Unix®, Windows®, Xenix®, OS/2® and DOS.

Data Acquisition and Industrial I/O products manufactured by Quatech are also available. Call for a free Data Acquisition and Communication Handbook today.

Communication adapters featuring: selectable/shareable interrupts, 16550 availability (baud rates up to 256K on standard asynchronous adapters) and address configurable as any COM port. Multiport adapters feature 2, 4, and 8 ports with independent serial interfaces. Most adapters provide AT interrupts (IRQ 2-7, 10-12, 14, 15).

Technical support for our products are available free of charge.

800-553-1170

FAX: 216-434-1409

BBS: 216-434-2481

QUATECH

662 Wolf Ledges Parkway, Akron, Ohio 44311 U.S.A. (216) 434-3154. International: Australia/Interworld Electronics 03-563-5011, Canada (Western)/Interworld VCR 604-984-4171 (Toronto office 416-513-7027), England/Diamond Point International 634-722-390, Finland/Lab Hitech OY 358-0-804-2522, France/Elexo 33-1-69302880, Germany/Jupiter Electronic Systems 06181/75041, Israel/RCM Ltd. 972-03-5447885, Italy/N.C.S. Computer Italia 0331/770-016, Netherlands/ACAL Auriema 040-502602, Korea/Sam Boo Enterprise Co. 82-2-538-4001, Spain SANTA Barbara SA 343-4188116, Singapore Bliss Services Pte Ltd (65) 338-1300, South Africa Eagle Electronics 27 21 234943, Switzerland Amiro Tech. Engin. 37-2311-18. IBM PC-XT/AT, OS/2 and Micro Channel are registered trademarks of IBM Corp. All other trademarks are of their respective companies.

Made in U.S.A.

Circle 137 on Inquiry Card.

BYTE BUYER'S GUIDE

BUY IT THROUGH BYTE

Mail Order

The latest offerings from vendors supplying products of all leading manufacturers at extremely competitive prices.

252

Hardware/Software Showcase

This *categorized* four-color display section makes it easy to find Hardware and Software products from a wide variety of manufacturers and suppliers.

272

Buyer's Mart

From Accessories to Laptops to Word Processors, you can easily find the dealers you are looking for in this directory of products and services.

282

ILLUSTRATION: SUSAN KINGSBURY

Ask for your copy of the ACP Computer Hotline

Upgrade to MultiMedia at ACP SuperStore!

Hard Drives

CONNER

Your complete Conner Source..."
170Mb IDE, drive adaptor, mount hdwe, instructs, preloaded Microsoft software...
- Windows 3.1 • MS-DOS 5.0
- Works for Windows 2.0
- Publisher • Money
- Central Point Anti-Virus

ACP Price **$299.95** Limited Offer

more Conner...

CP3000	42Mb	3.5"	28ms	IDE .... Call
CP30084	84Mb	3.5"	19ms	IDE .... Call
CP30104	120Mb	3.5"	19ms	IDE .... Call
CP30204	212Mb	3.5"	12ms	IDE .... Call
CP30254	250Mb	3.5"	12ms	IDE .... Call
CP30174E	170Mb	3.5"	12ms	IDE .... Call

Western Digital
High performance "Caviar" series with 1" height, Cache Flow™ and 32K buffer.

AC2120	120Mb	1" 3.5"	13ms	IDE .... Call
AC1190	170Mb	1" 3.5"	13ms	IDE .... Call
AC2200	212Mb	1" 3.5"	13ms	IDE .... Call
AC2250	250Mb	1" 3.5"	13ms	IDE .... Call
AC2340	340Mb	1" 3.5"	13ms	IDE .... Call

Hard Drive Specials
Seagate ST3283 249Mb IDE 499.95
Samsung 100Mb IDE 249.95
Call for Quantum, Micropolis, Seagate. Controllers from Ultrastor, Always, WD etc.

Backups

Colorado
DJ10 120Mb Tape Drive internal .. 149
DJ20 250Mb Tape Drive internal .. 229
Trakker 120/250 Tape Backup 349/419
PowerTape 2Gb/4Gb 999/1599

Syquest (with cartridge)
44Mb kit SQ555, SQ400, SQ01(16 bit) . 419
44Mb external 499
88Mb kit SQ5110, SQ800, SQ01(16 bit) 529
88Mb external 629

GrassRoots Floptical
Floptical 21 Mb int/ext ..... Call

Floppy Disk Drives

Toshiba

ND04DG	360K	5.25" HH	PC/XT 59
ND08DEG	1.2Mb	5.25" HH	PC/AT 62
ND3561GR	1.44Mb	3.5" HH	w/AT Kit .. 62

ACP
1.2 Mb 5.25" . 59 — 2.88Mb 3.5" 89
1.44Mb 3.5" .... 59 — **All in One** 3.5/5.25 129

Input Devices

Advanced
3-button Mouse **15**
101 Keyboard .. **58**
Mouse+Windows **88**

Microsoft
New Mouse **89**
Ballpoint **98**
Ballpt+Windows **148**

Microspeed
PC Trac **78**
PC Trac bus vers **88**

Logitech
Mouseman **75**
Mouse (OEM) **35**
Cordless Mouse . **88**
Trackman **78**
Trackman Port. .. **94**
Scanman 32 ... **128**
Scanman 256 .. **258**

CH Products
FlightStick **49**
Joystick MachIII **call**

IBM Compatible Cards

Advanced
Monochrome ... **38**
Color Card **48**
EGA Card **48**

Windows
1MbAccelerator **149**

Interface
Parallel Card **29**
Serial Card **35**
Multi I/O **59**
IDE 16-bit **19**
IDE Multi I/O. **69**

VGA
512K, 800x600 ... **53**
512K, 1024x768 . **68**
1Mb, 1024x768 . **88**

Modems
2400bps internal. **39**
2400bps external. **69**

Memory
AT 0-8Mb(simm) **99**
XT 0-8Mb(IC's) ... **99**

Call for your special needs...

Canon *Authorized Reseller*
BJ10ex/BJ20ex Portables ..... **Call**
BJ200 Inkjet ..... **Call**
LBP-4SX/LBP-8SX Laser Printers ... **Call**
BJ330 Printer (B/W) ..... **Call**
BJC 800/BJC 820(Color) ..... **Call**
BJ 300 BubbleJet(B/W) ..... **Call**

AZTECH Sound Galaxy NX PRO 16
FREE SPEAKERS!
The only 16-bit Stereo card that supports the 5 sound standards, plus interface for Mitsumi & Panasonic. Includes software bundle...HSC Interactive, Monologue for Windows, WINDAT™OLE, Audio Station, Jukebox,For Windows, Soundscript DOS, Voice Annotator, CD Player, CD-Player, Sound Tracks, Utilities, Windows drivers.
Sound Galaxy NX 16 Pro **189.95**
Sound Galaxy NX II (for 8-bit) ... **99.95**

Chips and SIMM's



SIMMs	Qty1	12
1Mbx9-80	35	34
1Mbx9-70	36	35
1Mbx8-80	32	31
4Mbx8-70	129	126
4Mbx9-70	139	135

Call for VIDEO RAMS & CACHE RAMS
Over 20,000,000 IC's in-stock including
We Specialize in Memory Modules

Math Coprocessors

Intel
387SL Mobile 78
80387DX (all) 85
80387SX (all) 78
RapidCAD 248
8087 29
80287-10 89
80287-20 89

Cyrix
387SX(16-25) 73
387DX(20-33) 88
387DX/40 108
80287(all) 78

Intel Overdrive
486DX-33 649
486SX-25 489

Memory Upgrades

Notebooks/Laptops

AST PowerExec	4Mb	$178
AST PowerExec	16Mb	1325
Compaq Contura	4Mb	169
Compaq Contura	8Mb	369
Compaq Lite4/25C	4Mb	239
Compaq Lite4/25C	8Mb	399
HP95LX Palmtop	2Mb	call
TI TravelMate3000	2Mb	87
TI TravelMate4000	4Mb	218
Toshiba T4400/6400	4Mb	187
Toshiba T4400/6400	8Mb	388
Zenith Z-Note	2Mb	168

Toshiba T4400/16Mb **$799**
Apple Powerbook 140/170-6Mb **$249**
IBM ThinkPad 2Mb..$158 8Mb..$449

Call for all Notebook Memory Upgrades!

Laser Printers *Call for "0"K Boards*

Canon LBP-4,4Lite,4Plus	1Mb	118 — 2Mb 168
Canon LBP-8III, 8III Plus	2Mb	169 — 3Mb 199
Compaq PAGEMARQ15/20	8/16Mb	299/599
Epson ActionLaser II		2Mb 138
HP LJ IIsi, 4, 4M, XL300	4Mb.	148 — 8Mb 298
HP LaserJet IIP,III,IIIP,IIID	2Mb.	98 — 4Mb 158
HP LaserJet II, IID	2Mb.	98 — 4Mb 158
Panasonic 4410/4430	2Mb	118 — 4Mb 188
Panasonic 4420/4450i	2Mb	118 — 4Mb 188
OkiLaser 400	1Mb	78 — 2Mb 98
TI MicroLaser Turbo, XL	1Mb	69 — 4Mb 269

Computer Memory Upgrades

AST Bravo 4/33, 486/25	2/8Mb	88/299
Compaq ProLinea 3/25s, 25zs	2/8Mb	88/288
ProLinea 4/25s, 4/33, 4/50	2/8Mb	88/308
IBM ValuePoint except Cxx	4/16Mb	158/578
IBM PS/2 Model 90, 95	2Mb	88

Call for all Computer Memory Upgrades!

Micronics® Motherboards

486DX/33 ISA ... **Call** — 486DX2/50 VL .. **Call**
486DX2/50 ISA . **Call** — 4000LB Video .. **Call**
486DX2/66 ISA . **Call** — 486DX/33 EISA . **Call**
486DX2/66 VL .. **Call** — 486DX2/50 EISA **Call**

Advanced® Motherboards

Now with Local Bus

80286/12MHz .. **Call** — 486DX/33MHz . **Call**
386SX/25MHz .. **Call** — 486DX/50MHz . **Call**
386DX/40MHz . **Call** — 486DX2/50MHz **Call**
486SX/25MHz .. **Call** — 486DX2/66MHz **Call**

286/12Mhz Special!

ACP's PC Special **$269**

Call ACP for Notebook Deals!
COMPAQ

ProLinea 3s/25 w/84Mb ..... **Call**
ProLinea 4/25s w/240Mb ..... **Call**
Contura 3/25 w/84Mb/120Mb ..... **Call**
Contura 3/25 w/120Mb ..... **Call**
Contura 3/25c w/84Mb/120Mb ..... **Call**
Compaq Deskpro 50M/66M ..... **Call**
Compaq LTE Lite/25c w/84Mb ..... **Call**
Compaq LTE Lite/25c w/120Mb ..... **Call**

TOSHIBA®

T1850 Satellite 80/120Mb ..... **Call**
T1850C Satellite w/120Mb Color ..... **Call**
T1900C ..... **Call**
T4400SX LCD/Plasma 120Mb ..... **Call**
T4400C Color 120Mb ..... **Call**
T4500 80/120Mb ..... **Call**
T4500C Color 120Mb ..... **Call**
T6400DXC Color 200Mb ..... **Call**

Advanced Computers

486 High Performance CPU's • Plus MultiMedia Upgrades

486 SuperVGA System

intel inside — *Call for Local Bus*

Includes:
- 486DX/33 w/256k Cache
- 4Mb RAM
- 1Mb SVGA Card
- 120Mb HardDrive
- 1.2Mb 5.25" Floppy
- 1.44Mb 3.5" Floppy
- IDE Controller
- 101 Keyboard
- 14" SuperVGA .28 Color Monitor and more!

ACP's Sale Price **$1399**

photo may vary

Call for MiniTower and Tower configurations... plus EISA, SCSI, Local Bus (add $75.), and 486DX2/50, 486DX2/66 and 486DX/50

Multi-Media Upgrades

SOUND BLASTER™ Discovery CD-16 Upgrade Kit

Creative Labs-New for '93! Latest 16-bit technology includes: SoundBlaster 16, Stereo Speakers, Hi-Performance CR-ROM Drive (int.) MPC and Photo CD compatible, 390 ms, Plus Software Toolworks, MultiMedia Encyclopedia, San Diego Zoo Animals and Lemmings

ACP's Sale **$498**

MEDIA VISION Fusion CD-16 Upgrade Kits

FUSION CD 16-E
ACP's Sale **$559** photo may vary
- NEC DRV 25J(ext) 650ms/150KD
- Audio Spectrum 16-SCSI
- LAB TECH Speakers
- Software-Free CD Titles included ...where in the World is Carmen San Diego, Civilization and Mantis by Microprose, Compton's Family Encyc., BattleChess by Interplay

PC Multimedia PC

FUSION CD 16-I Sony 31A(int) 490ms/150KD, ProSpectrum 16-bit SLCD-IDE, LAB TECH Speakers, Great Software (same as above), see line listings for more MediaVision products... **$519**

TEXEL "Double-Speed" CD-ROM Kit

For Maximum Performance! ...experience the difference with a Double Speed Drive. Includes: DM3024 drive (int), 265ms, Double Data Transfer for 300KB/sec, MediaVision Spectrum 16, interface kit, Microphone, Compton's MPC Encyclopedia, Carmen San Diego, National Parks, PC Library, Nautilus Mag, GamePak, Music CD, MPC Wizard, Mediaclips, King's Quest V,etc.

ACP's Sale **Call**

CD ROM Drives • CD Bundles

Our Best Seller!

MITSUMI CD-ROM Drive **$199**
350ms, MPC Interface Crd, MS Ext, SW, BONUS OFFER w/Drive Purchase
- Compton's Family Encyc, World Atlas, Webster's Dic, $39.95
- Family Choice's 15 Ed. $29.95
- Lucas Games "Loom" $19.95

CD Bundle #1, Ret. Val. $804. **$99**
Software Toolworks Mavis Beacon Teaches Typing, World Atlas Multimedia Ed., US Atlas w/Automap, Reference Lib. Microsoft Works for Windows-Multimedia Edition

CD Bundle #2, Ret. Val. $1013. **$299**
Reference Library, Family Doctor, US History, Animals, Software Du Jour, Grolier's Illustrated Encyclopedia

CD Bundle #3, Ret. Val. $519. **$179**
Loom, CD Game Pack II, Secret of Monkey Island, Sherlock Holmes Cons. Detective, Secret Weapons of the Luftwaffe, Wing Commander w/ Ultima VI

$399

ADS PC Prime Time
122 channel cable-ready TV-Tuner with scalable windows and complete software kit, 4watt stereo 399

PC MAGAZINE EDITOR'S CHOICE

ADS Video Clipper
Capture motion from hard disk 359

ADS VGA TV Elite
Converts VGA to Big Screen TV ... 349

Video Graphics Cards

ATI
Graphics Ultra Pro 2Mb 495
Graphics Plus 2Mb 315
Graphics Vantage 1Mb 285

Diamond-*New for '93*
SpeedSTAR 24X 1Mb 154
Stealth 1Mb 210
Stealth 24 ISA/VESA 165/169
Stealth Pro 1Mb/2Mb 239/349
Stealth Pro VESA 2Mb 335
Viper VESA Local Bus 2Mb 389

Sigma Designs
Windstorm MM Display Card 335

Orchid Fahrenheit VA 209

More MultiMedia...

Creative Labs
New for '93 -Upgrade Kits
Edutainment Kit (upgrade kit) ..... Call
Discovery Kit (upgrade kit) ..... Call
Sound Blaster Deluxe/Pro 88/149
Video Blaster 338
Sound Blaster 16 ASP ..... Call
Video Spigot/Windows 399

MediaVision
Pro 16 MultiMedia System 899
ProAudio Studio 16 259
CDPC XL Subsystem 1169
Pro Movie Spectrum 289

NEC -*New Multispin!*
CDR 84-1 (int) 74-1 (ext) 535/595
MultiMedia Gallery w/Multispin 869
CDR 38 Portable CD 459

Turtle Beach
Multi-Sound Upgrade Kit 1289

Texcel
MultiMedia Bundle 16-bit with 10 Software Titles int/ext ..... **Call**
Home Bundle Double Speed ..... **Call**
DM3024 DoubleSpeed CD int/ext ..... **Call**
8-bit Kit w/Transfer I/O int/ext ..... **Call**

Sigma Designs
Windstorm CD-ROM Kit 24 bit 1039

Toshiba
XM43018 Double Speed (int) 485

Gravis Ultra-Sound-*New!* 169

CALL 1-800-FONE-ACP TOLL-FREE ORDERS

Advanced Computer Products, Inc.

1310 E. Edinger, Santa Ana, CA 92705 • FAX 714-558-8849 • Toll-Free 1-800-FONE ACP • Sales 714-558-8813

Prices subject to change without notice. No surcharge on credit card. Credit cards not charged until we ship. 100% risk free return guarantee! If you are not 100% satisfied just return insured within 15 days complete with all materials in new resaleable condition with original invoice. ACP will immediately exchange product or issue ACP credit less shipping for future purchase. No Returns on software Special Purchase

Circle 300 on Inquiry Card (RESELLERS: 301).

Printer Port Connections Are The New Tools Of The Trade.

nce you discover just how easy it is to install a backpack CD-ROM drive to your computer, you'll never be inconvenienced by conventional installation methods again. Just plug backpack into your computer and you're ready to go. No interface cards, hardware conflicts or expansion slots required. Because of its unique printer port interface, backpack fits all IBM PC compatibles and portables regardless of CPU speed. In addition, a built-in audio circuit with both headphone and line output jacks allows for connection of sound cards or Hi-Fi. You can run thousands of your favorite multimedia programs and view Kodak™ Photo CDs too, with CD-ROM backpack. Compact and versatile, you can expect backpack to go wherever you go, bringing with you the wealth of information CD-ROM storage makes possible. Printer pass-through is included. Tape drive, hard drive and diskette backpack drives are also available. Call today for ordering information and a dealer nearest you.

backpack
CD-ROM Drive

MicroSolutions

132 W. Lincoln Hwy. DeKalb, Illinois 60115 Telephone 815.756.3411 Fax 815.756.2928

Call Toll Free 800.295.1214

Photo CD symbol is a trademark used under license.

Circle 198 on Inquiry Card (RESELLERS: 199).

CONTROL UP TO 96 PC FILE SERVERS WITH 1 KEYBOARD AND MONITOR USING...

COMMANDER™



- Select via Keyboard
- Dual access up to 250 feet away (optional)
- No external power
- Mix PC, PC/XT, PC/AT and PS/2
- "AutoBoot™" Feature boots attached computers without operator intervention
- Able to Broadcast to all attached computers



- PS/2 and Serial Mouse support available
- Each unit accommodates from 2 to 8 PCs
- Up to 12 units can be cascaded
- Mounting kit available for 19" and 24" rack installation



CYBEX

4912 Research Drive
Huntsville, AL 35805 U.S.A.
(205) 430-4000
FAX (205) 430-4030

Dealer Program Available

PC, PC/XT, PC/AT and PS/2 are trademarks of International Business Machines Corp.

Circle 191 on Inquiry Card (RESELLERS: 192).



It's fast. It's small. It's reliable. It's incredibly compatible.

Backpack is the best selling parallel port tape drive on the market. We'd like to tell you why.

With Backpack, tape backup is quick and simple. Just plug it into your printer port and it's ready to use. No hardware conflicts, no slots required. One model fits all IBM PCs, compatibles and portables, regardless of CPU speed.

Backpack can store up to 250MB on a tape using data compression, is completely QIC80 compatible, and reads QIC40 tapes. With its compact size and 1Mbps transfer rate, Backpack is the smallest and fastest parallel port tape drive you can buy.

Micro Solutions is dedicated to the perfection of backup technology.

CD-ROM, hard drive, and diskette Backpack drives are also available. Call today for ordering information and a dealer nearest you.

Telephone 815.756.3411 FAX 815.756.2928

MicroSolutions 132 West Lincoln Highway DeKalb, IL 60115

Call toll free: 800-295-1214

Circle 200 on Inquiry Card (RESELLERS: 201).

COMPUTER DISCOUNT WAREHOUSE™

COLORADO MEMORY SYSTEMS
Colorado Jumbo 120 & 250



✓ Plugs Into Floppy Controller and Auto Selects Fastest Available Data Transfer Rate, Compatbile with All Internal and External Kits, Novell Netware 286/386, 3Com, and PC Net Compatible ✓ Up to 4MB/Min. on Jumbo 250 and Up to 2MB/Min. on Jumbo 120 ✓ Optional Controllers Available to Increase Speed 50% to 300%. Ask Your Salesperson for Details

Jumbo 120..... ONLY **$148.37** CDW 15160

Jumbo 250..... ONLY **$199.32** CDW 17886

WHY PAY RETAIL?

CDW® Sells For Less

EPSON LQ570+ Printer

NEW!

✓ Includes Four Scalable Fonts, 8 to 32 Points ✓ Top, Rear, Bottom and Front Paper Paths ✓ Fast Print Speeds Up to 337 CPS ✓ Prints 3-Part Forms ✓ 14 Built-In Fonts ✓ Epson's 2-Year Limited Warranty

ONLY **CDW® Price.....$238.95** CDW 28765

HARDWARE, SOFTWARE & PERIPHERALS AT *DISCOUNT* PRICES

NETWORKING PRODUCTS

NOVELL

Netware V4.0

5 User CD's	889.00	100 User CD's	5599.00
10 User CD's	2038.00	250 User CD's	9997.00
25 User CD's	2094.00	500 User CD's	16833.00
50 User CD's	3999.00	1000 User CD's	30607.00

Netware V3.11

5 User 3.5"/	552.17	50 User 3.5"	2502.17
10 User 3.5"	1252.17	100 User 3.5"	3499.96
20 User 3.5"	1752.17		

SFT III V3.11

5 User/	1713.33	50 User	4951.66
10 User	2639.34	100 User	6933.63
20 User	3498.20	250 User	12549.24

Netware V2.2

5-User 3.5"	469.50	50 User 3.5"	1999.78
10 User 3.5"	999.73	100 User 3.5"	2688.57

Lite Win or DOS 69.00
Lite Starter Kits 399.77
Lite Add-On Kit 199.65
ETHERNET Interface Connector (NE1000) 129.44
ETHERNET Board (NE2000) 136.06
ETHERNET Eisa (NE3200) 687.50

THOMAS-CONRAD

5043T 10BT Ethernet, ...122.96
5046T 10BT PS/2 Ethernet 289.14
5055 8 Port 10BT Concentrator 349.58
4 Port Passive Hub 39.88
4035 4MBPS Toke RIng Adapter 288.49
6242TP+ 8Bit TP Arcnet 98.45
6245 16-Bit Arcnet, Coax, TP, TP+ 176.47
6242 Arcnet 8-Bit 66.20
6246 PS/2 Board Arcnet 209.16
6151-11 16 Port Smart Hub 709.01
6151 16 Port Arcnet Smart Hub 738.86
4045 16/4 Token Ring XT/AT 359.23
8Port Twisted Pair Active Hub 349.50
100MBPS TCNS EISA Fiber Optict 969.18
100 MBPS TCNS Smart Hub 6 Coax 1396.20
100 MBPS TCNS 16 Bit Twisted Pair 719.22
100 MBPS3047CX TCNS 32bit EISA Coax Adapt. 625.58

ARTISOFT

AE1/T 10 Base T Adapter, 8-Bit ARS-190 ....109.52
AE2 Ethernet Remote Boot ROM 46.88
AE3 Ethernet Adaptor 219.26
Etherbasket AE3 12pk 2189.55
Noderunner 2000/A 217.07
Noderunner 2000/T 179.18
Noderunner 2000/T 6pk 948.15
Noderunner 2000/T 12pk 1819.50
Noderunner 2000/M/TC 249.44
NOS AI Software V5.0 ....66.50
NOS AI 12 User 621.07
E143 Ethernet Adapter Kit 184.79
LANtastic Ethernet Starter Kit 443.31

SMC®

3402TP Transceiver AUI/TP 105.62
3402F Transceiver AUI/Fiber 339.70
3402 TransceiverAUI/BNC 134.60
Arcnet Passive Hub 69.88
Intelligent 8 Port Coax 399.99
Ethernet 16 Bit Combo 6 Pack 788.88
Ethercard Plus Elite 16E 6 Pack 689.09
PS/2 Arcnet 310 Board 138.79
10BT EISA BusMaster 2 Channel 609.55
3512 TP 12 Node Concentrator 599.18
Active Hub 8 Port Coax 229.88
Active Hub 8 Port Twisted Pair 345.68
3008 Coax 8-Bit Ethernet 87.82
3008 TP 10 BaseT 8-Bit Ethernet 99.53
3016 TP 10 BaseT 16-Bit Ethernet 125.50
PC 600FS Coax Arcnet File Server 16-Bit 199.00
PC 650WS TP Arcnet Workstation 16-Bit 119.88
PC 650FS TP Arcnet File Server 16-Bit 199.25

NETWORKING PRODUCTS

PC 600WS Coax Arcnet Workstation 16-Bit 119.88
PC130 8-Bit Arcnet Coax 68.50
PC130E 8-Bit Arcnet Coax 99.00
PC270 TP Arcnet 109.33
Eisa 3200 Arcnet Twisted Pair 736.08
8-Bit 10 Base T Ethernet Elite 119.48
Ethernet Plus/A PS/2 Coax Elite 189.10
16-Bit Ethernet Plus Coax Elite 119.50
8-Bit Ethernet Plus Coax Elite 99.29
Combo Ethernet TP, Coax, AUI Elite 153.57
10 Basket Elite PS/2 ....205.10
SMC Token Card Elite 16/4 ....339.65

3Com

3C503 TP 10 Base T 223.88
3C503-16 Etherlink II 16 bit 163.84
3C507 Ethernet Card 279.61
3C503 Etherlink 188.24
3C509 TP Etherlink III 133.25
3C619 Tokenlink III 4/16 10pk 3999.43
Ethernet Repeater 829.03

Xircom

PCMCIA Ethernet 10 BT 274.52
Ext. Ethernet LAN Adapter-RJ45AUI/BNC 393.92
PE210 BX LAN Ethernet II/Thick 285.98
PE310 BC Pocket Ethernet Coax/TP 309.16
PE310 B2 Pocket Ethernet Coax 275.56
PT216B3 16/4 Token RIng DB9 ....527.03
Arcnet Pocket Adaptor Coax/RJ45 ....239.50/234.77
Ethernet Pocket Adaptor Thin Coax/10BT 299.55/329.55
Ethernet Pocket Print Server 242.50
Parallel Port Multi 72.00
PT216BT Token Ring Pocket Adaptor 539.23

TAPE, REMOVABLE & FLOPPY DRIVES

COLORADO MEMORY SYSTEMS INC.

COLORADO 2GB SCSI Power Tape 1129.09
COLORADO 4GB SCSI Power Tape 1529.10
COLORADO Jumbo 120 ....148.37
COLORADO Jumbo 250 ....199.32
COLORADO Trakker 120MB Portable Back-up 288.00
COLORADO Trakker 250MB Portable Back-up 408.21

Call For Accessories And Interfaces

I-O MEGA

21 MB Floptical Insider Diskette Drive 349.00
21 MB Floptical Ext Diskette Drive 389.10
Tape 250, 250MB Tape Back-up 196.10
Bernoulli PC Powered 90/Pro 489.25/ 629.57
Bernoulli Transportable 90 Pro 639.81
Bernoulli Transportable 150 Pro 859.25
Bernoulli Insider 90 Pro 549.47
PC Powered Multidisk 150 ....795.15

SUMMIT MEMORY SYSTEMS, INC.

SUMMIT 120MB Int 3.5 MB/ min 139.99
SUMMIT 250MB Int 4 MB/ min 199.34
SUMMIT 305MB, Internal IDE 10MB/min 259.90

MICROSOLUTIONS

External 100MB HD 497.06
External 200MB Portable HD 582.95
Backpack External Floppy 3.5" or 5.25" 189.41
Backpack CD ROM 359.12
External 80-250MB Tape Backup 379.30

Mountain

TD250 Internal Tape Backup 219.50
250MB Internal Backup 474.42
304MB Internal IDE Backup 430.50
250MB External Backup 1179.22
2.0 Gigabyte External Filesafe 1976.40
4.0 Gigabyte, Int. 4mm DAT 1797.00
Sidecar 305MB Portable Tape Backup 515.21

Call For PS/2 Drives, Controllers, Accessory

IRWIN
A CONNER PERIPHERALS Company

120 MB External EZ Port 379.25
250 MB External EZ Port 389.25
A120PC-120 MB Internal 175.19
A250PC-250 MB Internal 199.89
A120E-120 MB High Speed External 289.13
A250E-250 MB High Speed External 319.68

Call For Controllers, Accessory Kits and Tapes

NETWORKING PRODUCTS

IBM TOKEN RING

IBM 16/4 PS/2 MCA 609.11
IBM 16/4 XT/AT 498.27
IBM 16/4 Multi Access Unit MAU 432.26

INTEL NETWORKING

INTEL Token Express EISA 16/4 ....599.88
INTEL Ether Express 16-Bit Coax 99.53
INTEL Ether Express 16-Bit TP 99.33
INTEL Token Express XT/AT 16/4 ....399.23
INTEL Ether Express EISA 32-Bit 397.30
INTEL Ether Express 16bit TP 5 pk 499.43

BORLAND dBase IV LAN Pak 626.37
BORLAND Quattro Pro Network Node 244.30
CC Mail Products ....CALL
HARVARD GRAPHICS LAN Pack ....CALL
LOTUS 1-2-3, 2.4 Server / Node 558.66/ 339.47
LOTUS 1-2-3, 3.4 Server / Node 459.18/ 99.50
MICROSOFT Word 5.5 Network Node 185.39
MICROSOFT Excel Network Nodes 249.11
WORD PERFECT Office 5-User V.3.01 ....278.79
WORD PERFECT Office 20PK V.3.01 ....923.08

WYSE TERMINALS

WYSE 50 Amber or Green 349.15
WYSE 60 Amber or Green 279.92
WYSE 160/30 Amber or Green 327.98/274.89
WYSE 185 VT320 Amber, Green or White 327.60
WYSE 150 Amber, Green or White 265.45
WYSE 325 Color/ 325ES Low Emission ....519.40 / 549.39

MULTIMEDIA, SOUND, CD's, FAX

Advanced Digital Systems PC PrimeTime 389.14
Advanced Digital Systems VGA to TV Elite 267.21
Advanced Digital Systems Video Clipper 359.11
ALTEC ASC300 Speakers w/ Sub Woofer 287.50
ALTEC ASC150 Powered Sub Woofer 109.46
ALTEC Speakers ACS100 ....126.93
ARISTASOFT, Wired for Sound 39.49
ATI Multimedia Upgrade Kit 489.26
CD-ROM Software 5 CD's Bundle, Call For Titles 129.18
COMPLETE PC Communicator Data, Fax, V Mail 119.56
COREL SYSTEMS Artshow 179.25
COREL SYSTEMS Draw CD 3.0 ....419.29
CREATIVE LABS Int. CD-ROM Upg Kit 388.33
CREATIVE LABS Sound Blaster 76.93
CREATIVE LABS Sound Blaster Deluxe 129.18
CREATIVE LABS Sound Blaster Pro MC 258.81
CREATIVE LABS Sound Blaster Pro 16 Bit 199.23
CREATIVE LABS Sound Blaster Professional 179.28
CREATIVE LABS MultiMedia Starter Kit 449.82
CREATIVE LABS MultiMedia Int.Upgrade Kit 485.82
CREATIVE LABS Video Blaster 309.46
CREATIVE LABS Video Blaster Windows 338.29
HP Plain PaperFax 200/310 ....968/1269.10
INTEL Smart Video Recorder 478.98
LOGITECH SoundMan 148.83
MediaVision DoubleFusion CD 16 Bit 619.09
MediaVision Pro 16 System II Bundle 898.08
MICROSOFT Beethoven's 9th For Windows CD 49.50
MICROSOFT Bookshelf For Windows 119.20
MICROSOFT Multimedia Dev. Kit Windows 309.40
MICROSOFT Windows Sound System 179.83
MICROSOFT Works For Windows CD 119.20
ORCHID Sound Producer 109.43
PRACTICAL PERIPHERALS FAX ME 175.50
SIRIUS Publishing PC KARAOKE 89.26
TURTLE BEACH 16 Bit Multibundle 668.15
TURTLE BEACH MultiSound 519.24
TURTLE BEACH Wave for Windows 75.07

CD-ROM & OPTICAL DRIVES

HITACHI 3700 ....409.30
HITACHI 1700SA External 467.42
MAGNAVOX Int MPC CD ROM 329.00
NEC CDR 38 External Portable 379.40
NEC CDR 74-1 External 589.36
NEC CDR 74 Multi-Media Bundle 819.32
NEC CDR 84-1 Internal 529.91
PANASONIC LF5010 Worm External 2199.91
PANASONIC LF7010 Ext. 1 Gb Erasable Optical 2599.20
Procom Tech 200MS Int. Photo CD Compact 444.32
Procom Tech 200MS Ext. Photo CD Compact 548.60

CD-ROM & OPTICAL DRIVES

SONY CDU-31A Internal 550MS, MPC 233.00
SONY CDU-535 Internal 340MS 279.00
SONY CDU-541 Internal 380MS, SCSI, MPC 418.00
SONY CDU-6211 External 380MS, SCSI MPC 534.00
SONY CDU-7205N External 340MS 453.00
SONY CDU-7211 External 380MS, SCSI MPC 534.00
SONY SMO-S501 650M6 Erasable Optical 2595.42
TEXEL CD ROM Int 265 ms/ Complete Kit 439.27
TEXEL CD ROM Ext 265 ms/ Complete Kit 515.08
TEXEL Ext 265 ms/ Business Bundle Multi-Media 995.77
TEXEL Int 265 ms/ Business Bundle Multi-Media 893.21
TEXEL Int 265 ms/ Consumer Bundle 2 , Multi-Media 588.77

PLOTTERS, DIGITIZERS & SCANNERS

KURTA

KURTA 12 x 12 XGT pressure sensitive 399.12
KURTA 12 x 12 XLP/12 x 18 XLP 199.50/ 489.29
KURTA 12 x 17 ....538.27

CalComp

CALCOMP 12 x 12 w/16 But. 279.92
CALCOMP 12 x 18 w/16 But. 559.77
CALCOMP 2024/2036 Pacesetter ....CALL
CALCOMP Classic 4036 ....CALL
CALCOMP Design Mate 3024 ....CALL

Summagraphics

Summagraphics Summa III 12 x 12 ....253.60
Summagraphics Summa III 12 x 18 ....519.60
Summa Grid III 18 x 24 ....1083.33
Larger sizes ....CALL

HOUSTON INSTRUMENT

HOUSTON INSTRUMENTS DMP-61 ....2075.00
HOUSTON INSTRUMENTS DMP-161 ....2619.49
HOUSTON INSTRUMENTS DMP-162 ....3619.51

HEWLETT PACKARD

HP7475A/HP7550B ....1309.25 / 3009.70
DESIGNJET 600 A-D/ 600 A-E 5498.35/ 6956.30
DRAFT PRO PLUS A-E Size/ A-D 4247.19/ 3168.54
SCANJET IIP w/ INT 724.10/2529.36
SCANJET II C Color XT/AT w/ INT 1299.10

EPSON ES600C Color SCSI Scanner 837.99
EPSON ES800C Color SCSI Scanner 1088.40

VIDEO PRODUCTS

VGA & SUPER VGA MONITORS

AST 14" Color VGA 1024 x 768 .28mm 399.15
MAGNAVOX Super VGA .28mm CM2089 ....279.00
MAGNAVOX 7BM749 Mono 14" VGA 109.50
MAGNAVOX 17" CM9217, .31mm 749.58
MAGNAVOX 20 CM64, 20 Inch 1164.00
MAG Innovision MX15F 15" 1280 x 1024 ....619.26
MAG Innovision MX17F 17" 1280 x 1024 ....1088.50
MAG Innovision MPCIF 21" 2398.12
NANAO 17" 1280 x 1024 .28 mm FST 1109.39
NANAO F760IW 21" (Energ Star) 2089.19
NEC Multisync 3FGE/4FGE ....599.90 / 709.43
NEC Multisync 5FGE/6FG ....1085.37 /2298.57
NEC Multisync 2A 298.00
NEC SVGA 14", 1024 x 768 .28mm 389.55
PANASONIC C1381i, 1024 x 768, 14" 325.76
PHILIPS 1436, 14", 1024 x 768 ....379.86
PHILIPS 1557,15", 1024 x 768, .28 ....499.58
SEIKO CM1760CR 944.15
SONY 1430 14" 1024 .25mm Digital 599.95
SONY 1730/SONY 2030 ....999.42/CALL

VGA & SUPER VGA DISPLAY CARDS

ACTIX Graphics Engine 32 VL 2 MB 199.07
ACTIX Graphics Engine Ultra 299.31
ATI GRAPHICS ULTRA 1MB 209.23
ATI GRAPHICS ULTRA Pro EISA 2 MB 394.92
ATI GRAPHICS ULTRA +2 MB 239.55
ATI GRAPHICS ULTRA Pro 2 MB 357.62
ATI GRAPHICS ULTRA Pro MCA 2 MB 394.92
ATI GRAPHICS VANTAGE 1MB 179.41
ATI VGAWonder XL24 1 MB 119.32
ATI VGAWonder GT 163.73
DIAMOND Speedstar Pro / Local Bus 136.64/ 142.28
DIAMOND Speedstar Stealth VESA Local 159.99
DIAMOND Speedstar 24X 1 MB 157.50
DIAMOND Viper w/2MB 414.21
HERCULES Graphite 219.26
HERCULES Dynamite VL 165.38
ORCHID Prodesigner IIS 1 MB 145.45
ORCHID Farenheit 1280 Plus, 1MB 159.17
ORCHID Farenheit VA 1MB 1280 x 1024 ....199.32
VIDEO 7 Win Dot Pro/ VGA 16 ....149.57/ 89.41
VIDEO 7 Win VGA 1MB 96.74

IF YOU FIND A BETTER PRICE CALL CDW® BEFORE YOU BUY (800) 959-4CDW

NASDAQ
BUY WITH CONFIDENCE
CDW® IS A NASDAQ TRADED COMPANY
TICKER SYMBOL CDWC
D & B Rated 3A1
Duns 10-762-7952

No Surcharge For Credit Cards

Credit Card charges are not submitted until time of shipment. Freight is calculated as the carrier's actual freight charge plus insurance and packaging material.The cost of insurance is 0.30% (0.0030) of the order total.Packaging materials will not exceed $4.00 per 1 package order or $6.00 per multi-package shipment. For your protection we ship only to your verified billing address. Non-defective returns subject to restocking fee. Allow 10 business days for shipping when paying by personal check. Software, chips and other electronic components are not returnable. All pricing subject to change. ™ - Trademarks of all companies listed in this ad.

CDW® HOURS
Sales7:30-7:30 CDT Mon-Fri.
9:00-5:00 CDT Sat.
Tech Support for Customers
8:00-7:00 CDT Mon-Fri.
9:00-5:00 CDT Sat.

MOST ORDERS SHIP THE SAME DAY

COMPUTER DISCOUNT WAREHOUSE™

COMPUTER DISCOUNT WAREHOUSE™

US Robotics Sportster 14400 w/Fax!

HOT!

✓ CCITT Asynchronous, Full-Duplex Communications from 14,400 to 300 bps: -CCITT V.32 bis at 14,400/12,000 bps- Additional CCITT and Bell Compatiblity with 2400/1200/300 Dial-Up Modems-CCITT V.25 for Calls Originating Outside the U.S. and Canada ✓ 14,400 V.17 Send and Receive FAX with FAX Software ✓ Error Control (Both CCITT V.42 & MNP 2-4) ✓ Data Compression (Both CCITT V.42 & MNP 5 for Throughput Up to 57,600 bps

ONLY **CDW® Price ..... $197.28** CDW 28092

WHY SETTLE FOR LESS?

CDW® SERVICES YOU BETTER

American Power Conversion

Protect Your Business Data and Creative Work From the Inevitable and Unpredictable Disruptions Which Occur on the AC Power Utility Line. The UPS Provides Your Desktop Computer, File Server, or Workstation With Protection From all Forms of Power Line Trash Including Blackouts, Brownouts, Surges, Spikes, Noise and Sags. CDW® Carries the Full Line of American Power Backups, Line Conditioners and Surge Protectors

BACK UPS 250 ..... ONLY **$98.25** CDW 20662
BACK UPS 400 ..... **$157.25** CDW 13124

CDW® CARRIES OVER 15,000 PRODUCTS. IF YOU DON'T SEE IT, *CALL!*

COMPUTERS

TOSHIBA

T1900/80 .....1586.93
T1900/120.....1709.85
T1900C/120 .....2336.44
T1900/200.....1959.68
T1900C/200 .....2586.27
T4500/80.....1793.62
T4500/120.....1989.98
T4500C/120.....3189.32
T4500/200.....2289.44
T4500C/200.....3074.10
T4600/120.....2749.83
T4600/200.....2999.99
T4600C/120.....3918.73
T4600C/200.....4168.57
T4600C/340.....4584.96
T6400/200, GP....3499.12
T6400C/200.....5459.23

AST

Bravo 3/33 / 4/25S 4MB 120HD 969.28/1049.10
Bravo 4/33 / 4/66d 4MB 120HD 1377.12/1879.31
Bravo 4/50d, 2MB, VGA, DOS 1587.85
Bravo LP 4/33, 4MB, 170HD.....1429.28
Bravo LP 4/33, 8MB, 340HD.....1849.13
Bravo LP 4/25, 4MB, 170HD.....1176.27
Bravo LP 4/66, 8MB, 170HD.....1924.59
POWEREXEC EL 3/25 120HD.....1768.42
POWEREXEC EL 3/25 Color No HD 1815.43
POWEREXEC 3/25SL 4MB, 160HD, Color 2947.92
POWEREXEC 3/25SL 4MB, 120HD.....1936.43
POWEREXEC 3/25SL Active Color, 200HD.....3354.84
POWEREXEC 486/25SL Mono 1515.00
Premmia 4/33SX/4/33D 8MB 170HD ..2099.29/2479.41
Premmia 4/50D/4/66D 8MB 340HD 2898.53/3198.50
SE 4/33 EISA Server 8MB,1 Floppy 2526.39
SE 4/50 EISA Server 16MB,1 Floppy 3224.04

Canon

Notejet 4/25 180 HD Notebook w/ built in ptr ..2774.65
Notejet 4/25, 135HD Notebook w/ built in ptr..2554.59
Notejet 4/25, 85HD Notebook w/ built in ptr..2325.21
INNOVA 486DX/33 Desktop 4 MB 210HD 1438.14
INNOVA 486DX/66 Desktop 4 MB 245HD 1929.32
INNOVA 386SX/25 Notebook 4 MB 120HD FX Modem..1549.00

DTK Gräfika

486/33 DX, Tower, No HD, 8MB, VGA, 2 Flop/200HD 1194.23 / 1592.41
486/33 DX, No HD, 8MB, VGA, 2 Flop/200HD..1165.68 / 1557.95
486/66 DX2, Tower, 200HD, 8MB, 2 Flop, DOS, Win.....2346.59

NEC

Image II 4/66, 4MB, 170 HD 2099.44
Image II 4/66, 4MB, 340 HD 2338.80
NEC Ready 486SX/25, 4 MB, 170 MB, 2 Floppies.....1179.62
NEC Ready 486DX/33, 4 MB, 170 MB, 2 Floppies.....1479.29
NEC Ready 486DX2/66, 8 MB, 240 HD, 2 Floppies 1999.27
Versa 486/25 4MB, 120 HD 2679.39
Versa 486/25C Color 4MB, 180 HD 3928.22
Versa 486/20C Color 4MB, 120 HD 3579.16

Texas Instruments

486 WIN SX25, 120HD, 4 MB VGA, ...1878.48
486 WIN DX2/50, 200HD 2978.76
486 WIN DX2/50, Active Color 200HD 4276.20
486 WIN DX25, 200HD, 4MB, VGA 3069.15
486 WIN DX2/40 color, 200HD 3578.12

DOT MATRIX & LASER PRINTERS

OKIDATA

OL400E.....CALL
ML184 Turbo.....215.33
ML320 .....299.12
ML321 .....417.08
ML380 .....209.00
ML393+ 919.20
ML393 + Color.....959.50
ML395 .....966.97
ML395 + Color.....1019.74
ML520 .....369.11
ML521 .....488.11
ML590 .....419.20
ML591.....569.52
OL810.....909.15
OL830.....999.96
OL840.....1069.12
OL850.....1239.66
*After Mfr.'s $50 End-User Rebate. Ends 7/31/93

Canon

BJ230 Bubble Jet Wide Carriage.....399.98
BJ10EX Bubble Jet.....248.40
BJ200 Bubble Jet.....229.12

EPSON

AP2250.....113.30
AP3250.....173.15
Action Laser 1500 .659.89
DFX 5000 .....1309.12
DFX8000 .....2138.95
FX870.....263.10
FX1170.....348.22
EPL 8000 Laser....818.13
LQ570 Plus 238.95
LQ870 .....428.15
LQ1070.....348.50
LQ1170.....588.20
LQ2550 .....868.44
LX810.....168.95
Stylus 800 .....*299.00
*After Rebate

NEC

Silentwriter II 95F....885.33
Silentwriter II 97 1059.29
P3200 24-pin.....219.88
P3300 24-pin.....322.58
P6200 24-pin.....399.92
P6300.....599.50
P9300.....869.21

DOT MATRIX & LASER PRINTERS

Panasonic

1624 .....328.93
1654 .....523.86
2023I 198.97
2123 .....229.09
2124 .....298.86
2180.....158.92
2624.....358.48
4410 Laser 598.00
4430I Laser 659.95
4450I Laser.....858.12

Texas Instruments

TI microWriter Basic 5PPM.....619.35
TI microWriter PS23 /PS65.....869.19 / 1099.57
TI microLaser TurboPlus PS 9PPM RISC.....1378.55
TI microMarc Ink Jet.....368.92

Hewlett Packard

Deskjet 500.....359.50
Deskjet 500C.....509.39
Deskjet 550C.....695.11
Deskjet 1200C.....1419.12
LaserJet 4 .....1399.46
LaserJet 4L.....689.10
Laser 4SI.....3229.78
Paintjet.....577.00
Paintjet 300XL..2259.18

CPI JETMEMORY 1MB for HPIIP/III/IIID 75.60
CPI JETPAGE for HP IIP/IID/III Postscript 184.40
Dataproducts 960 RISC PS 9PPM.....999.95
Dataproducts 965 RISC PS 9PPM.....1694.15
KODAK Diconix 701/ Parallel .....318.40 / 229.22
KODAK180 SI Parallel/180 SI Serial..209.28 / 229.22
PACIFIC DATA 25 in 1 Cart. LAS3.....245.00
PACIFIC DATA 1 MB for 2P III/IIID/IIIP.....79.46

HARD DRIVES & CONTROLLERS

Maxtor

7120A 130MB IDE 15MS, 3.5", HH 208.76
7213A, 213MB, 15MS, 3.5", HH, IDE 259.95
7213S 212MB, 15MS, 3.5" HH, SCSI.....297.40
7345A 340MB, 13MS, 3.5" HH, SCSI-2.....496.55
LXT535S 535MB, 13MS, 3.5" HH,SCSI.....959.06
PO-12S1029MB,13MS, 3.5" FH, SCCI-2 .....1229.84
P1-17S1503MB,13MS, 3.5" FH, SCCI-2 .....1488.12
1240S 1240MB, 8.5MS, SCSI-2 .....1694.40

MICROPOLIS

MCP1528-15 1345MB SCSI 999.42
MCP2105 560MB, 10MS 3.5" HH, SCSI.....1089.93
MCP1624 668MB, 16MS 5.25" FH, SCSI.....1174.64
MCP2112 1000MB, 10MS 3.5" HH, SCSI-2...1288.22
MCP2112A 1000MB, 10MS 3.5" HH, IDE.....1569.59
MCP1548 206MB, 14MS 5.25" FH, SCSI.....1966.94
MCP1924 2070MB,14MS 5.25" FH, SCSI-2..2419.88

CONNER

CP3000 40 MB, 28MS, 3.5" HH, IDE 149.34
CP30064H 64MB, 19MS, 3.5" HH, IDE.....179.82
CP30104H 120 MB, 19MS, 3.5" HH, IDE.....194.17
CP30084E 84 MB, 19MS, 3.5" HH, IDE.....189.76
CP301074E 174MB, 17MS, 3.5" HH, IDE.....219.58
CP30204 212 MB, 12MS, 3.5" HH, IDE.....339.63
CP30254 251MB, 14MS, 3.5" 1", IDE 376.88
CP3364 360MB, 12MS, 3.5" HH, IDE 789.83
CP30544 540MB, 10MS, IDE.....897.14
CP30540 540MB, 10MS, 3.5" HH, Fast SCSI-2..959.27
CP31370 1371MB, 10MS, 3.5" HH, SCSI-2...1892.00

Quantum

PLUS Hardcard IIXL 50 MB/ 105MB ..203.70/ 259.20
PLUS Hardcard EZ 240MB /127MB ..539.45/ 319.14
PRO DRIVE 240MB IDE 299.73
PRO DRIVE 1GB SCSI-2 .....1289.15
PRO DRIVE 525MB IDE 10MS 3.5" 749.14

Seagate

ST351/AX 42MB, 28 MS 1", IDE.....129.82
ST3120A 106MB, 19MS,3.5" HH, IDE 189.94
ST3144A 130MB, IDE, 16MS.....219.51
ST2511 40 MB, 28 MS, 5.25" HFM.....259.41
ST3243A 200MB, IDE,12MS, 3.5" HH, IDE.....366.40
ST1239A 211MB, IDE, 3.5" HH.....439.94
ST1480A 426 MB IDE, 3.5" HH.....819.37
ST2383A 338MB,16MS, 5.25" HH, IDE 869.27
ST3290A 216MB, IDE, 3.5".....315.69
ST3385A 340MB, IDE, 3.5".....387.48
ST3600A 525MB, IDE, 3.5".....859.05
ST4766E 766MB,16MS, 5.25" HH, ESDI.....1059.80
ST41200N 1050MB.....1074.29

CONTROLLERS

Acculogic IDE 3 Plus 16 BIT.....39.90
Acculogic IDE 3 16 BIT Controller 23.10
Acculogic IDE 4 14/15/16 Controller.....29.87
Adaptec 1542C Kit 257.43
Adaptec 1522K Kit 16 Bit SCSI Host Adaptor 145.45
Adaptec 1742K Kit 32 Bit EISA Kit.....439.61
Ultrastor 34F Local Bus SCSI Controller.....298.24
Ultrastor 12F ESDI/Floppy Controller 166.86
Ultrastor 24F EISA SCSI Controller.....399.85

MODEMS & COMMUNICATIONS

US Robotics

14.4 Sportster Ext..179.50
14.4 Sportster Fax.197.28
14.4 Sportster Int...157.48
14.4 Sportster Fax.179.50
9600 Sportster Ext.155.53
9600 Sportster Fax169.90
9600 Sportster Int..147.50
9600 Sportster Fax164.81
16.8 & 14.4 Courier Dual Std. Ext/ Fax....673.91/ 688.44
16.8 HST Courier External/ Fax.....464.49/ CALL
14.4 Courier External/ Fax.. .....359.10/ 388.31
14.4 Courier Internal.....328.00
Worldport 9696 Portable/w/Fax.....263.87/278.73
Worldport 14.4 Portable/ Fax 303.11/ 339.48
LAN Modem V.32 BIS Ethernet.....1096.57
NEW! 14.4 PCMCIA Fax.....459.00

Hayes

ACCURA 144FAX. 219.46
ACCURA 144BFAX.197.88
ACCURA 96FAX .. 199.68
ACCURA 96BFAX.177.12
ACCURA 2400B.....59.10
ACCURA2400.....69.25
OPTIMA 14.4.....363.56
OPTIMA 14.4 Fax 368.49
OPTIMA 9600.....339.50
OPTIMA 9600 Fax 349.20
OPTIMA 2400 .....112.34
OPTIMA 2400 Fax 119.34
ULTRA 144 .....618.36
ULTRA 9600 .....559.98
Pocket 2400 .....69.92

Practical Peripherals

14.4 V.32 BIS, Snd/Rcv FAX Internal.....188.52
14.4 Fax Mini Tower.....197.28
14.4 Fax Pocket 338.98
9600 Fax Mini Tower.....183.21
Fax Me Rcv Fax cartridge for HP Laser II/ III ...168.92

intel

SatisFAXtion 100.....95.50
SatisFAXtion 300.....228.09
SatisFAXtion 350.....299.65
SatisFAXtion 400.....368.95
SatisFAXtion 400E...374.95
14.4 Fax Int.....169.81
14.4 Fax Ext.....199.28
96 Fax Int.....156.07
96 Fax Ext.....167.89

MULTI-TECH

MULTI-TECH 224BA 2400 EXT 239.50
MULTI-TECH 932BA 9600 EXT 406.62
MULTI-TECH 1432BA 14.4 EXT w/FAX 436.11
MULTI-TECH 1432BL 14.4 EXT 489.41

MATH COPROCESSORS

INTEL 387DX 16/20/25/33.....78.99
INTEL 387SX 16/20/25 / 387SX 33 .....74.95 / 88.68
INTEL 287XLT.....78.00
INTEL Rapid CAD For All 386 DX's.....239.10

BATTERY BACKUP AND UPS

Fight Lite

BC-250 .....99.30
BC-400 .....155.10
BC-500 .....179.55
BC-500 LAN 189.77
BC-600 LAN 248.13
BC-900 LAN 348.51
BC-1250 LAN 479.27
Isobar 4 .....38.95
Isobar Ultra 4 .....42.75
OMNI 450 LAN 279.17
OMNI 600 LAN 378.90
OMNI 900 LAN 499.50
OMNI 1250 LAN 629.26
Isotel Ultra 6 .....57.13
Isobar 6.....46.38
Isobar Ultra 6.....48.75
Command Console...58.45
LapPwr DC/AC..... 59.50

AMERICAN POWER

BACK UPS 250.....98.25
BACK UPS 400.....157.25
BACK UPS 450....188.68
BACK UPS 600....262.84
BACK UPS 900 ....379.88
BACK UPS 1250..490.68
Surge Arrest 7.....19.42
Surge Arrest Plus 7..37.97
Surge Arrest 7 Tel 49.88
Smart 400.....293.75
Smart 600.....355.00
Smart 900.....558.75
Smart1250.....698.75
Smart 2000.....1167.50
Line-R 600.....125.09
Line-R 1250.....175.58

MICE

LOGITECH Dexxa Serial Mouse.....29.50
LOGITECH Fotoman Plus.....539.30
LOGITECH Mouseman Cordless.....79.33
LOGITECH ScanMan 32/Scanman 256 ....99.55 / 169.25
LOGITECH SerialTrackmanII/Portable.....74.99 / 95.50
MEMOREX 3 Button Mouse Plus.....29.50
MICROSOFT Mouse V2.0 Bus 5 Pack.....329.32
MICROSOFT Mouse V2.0 Bus No Software.....86.80
MICROSOFT Ball Point Mouse.....109.50
MICROSOFT Serial Mouse, V2.0 No Software. 79.80

KINGSTON MEMORY

AT&T CREDIT CARD 4MB 199.00
EPSON EPL 7000 512K.....35.90
EPSON ACTION LASER 2-8MB.....109.53
AST BRAVO 486LC 2MB 115.96
AST PREMIUM II 1MB CUPID SIMM 57.43
AST POWEREXEC 486 4MB.....207.29
AST PREMIUM 386SX 2MB 99.08
AST PREMIUM 4MB 169.60
AST PREMIUM EXEC 4MB 149.75
AST PREMMIA 16MB 649.29
AST PREMMIA 8MB UPG 329.91
AST PREMIUM 486/33 8MB.....349.66
AST BRAVO 386SX 8MB.....355.43
APPLE MAC LCIII 4MB.....169.60
APPLE MAC LCIII 16MB 614.82
COMPAQ PROSIGNIA 16MB.....1005.00
COMPAQ DP386/33 2MB 125.63
COMPAQ 386N 2MB.....99.08
CPQ LITE 4/25C 16MB 819.74
COMPAQ LITE 4/25C 4MB/ 8MB 179.16/ 329.91
COMPAQ DP 386/33L 32MB.....1417.65
COMPAQ PROSIGNIA 32MB.....2005.88
COMPAQ DP 386/16 4MB 337.05
COMPAQ DP286N;386N 4MB.....169.60
COMPAQ DP386/20E&25E 4MB.....244.98
COMPAQ DP386SX/16 4MB 244.98
COMPAQ DP 386/20E 4MB.....209.50
COMPAQ DP386SX/16 4MB.....209.50
COMPAQ CONTURA 486 16MB 819.74
COMPAQ CONTURA 486 8MB 355.43
COMPAQ PORTABLE III 2MB 244.98
COMPAQ 8MB DP 486/33M.....355.43
COMPAQ 8 SOCKET EXP W/8MB.....514.33
COMPAQ CONTURA 4MB 169.60
COMPAQ CONTURA 3/20 8MB 349.30
COMPAQ LITE 4MB CREDIT CARD.....188.44
KINGSTON CPQ DP 4/66I 512KB VIDEO RAM.85.96
COMPAQ PROLINEA 486/33 4MB.....175.00
COMPAQ PROLINEA 486/33 8MB.....359.56
COMPAQ PROLINEA 3/25S 2MB 99.08
DELL 310-2525 16MB.....699.51
DELL 320SX 4MB 169.60
HP LASERJET 2P/III 1MB.....79.34
HP LASERJET II & IID 2MB.....129.91
HP LASERJET 2P/III 2MB 129.25
HP VECTRA 486 4MB 189.31
HP LASERJET II & IID 4MB.....209.56
HP LASER 4L 1MB MEM UPG 64.61
HP VECTRA 386/25 8MB 364.92
HP DESKJET 500 & 500C 256KB 57.43
HP LASERJET 3SI 4MB 169.60
HP LASERJET 4 2MB.....99.56
HP LASERJET 4 4MB/ 8MB 169.60/ 339.17
HP PAINTJET XL300 4MB/ 8MB 244.98/ 418.75
TI MICROLASER 1MB.....64.61
TI TM 3000 2MB.....85.96
TI TM4000 4MB.....199.00
TI MICROLASER 4MB 199.00
TI WINSLC/25 2MB.....108.97
IBM PS/2 70 4MB 337.05
IBM PS/2 90 4MB.....175.88
IBM PS/2 90/95 8MB.....369.89
IBM PS/2 70-E61 1MB 64.61
IBM MOD30 2MB 99.08
IBM PS/2 70-061 2MB.....97.90
IBM PS/2 70-A21 2MB 99.08
IBM PS/2 55SX 4MB.....175.88
IBM PS/2 50 2MB 199.00
IBM 55SX 4-16MB.....257.38
IBM 16MB.....685.76
IBM THINKPAD 700 4MB/ 8MB 199.00/ 418.75
IBM PS/1 2MB 97.90
NEC VERSA 4MB/ 8MB 229.41/ 429.71
NEC PM 386/33 1MB.....67.91
NEC SILENTWRITER 95 2MB.....89.36
OKILASER 400 2MB.....129.91
OKILASER 800 2MB.....119.41
OKILASER 800 4MB.....219.85
PANASONIC 4410, 4430 2-4MB.....119.41
PANASONIC P4450I 2MB 138.19
PANASONIC CF370 1MB 67.91
SPARC II 16MB 685.76
TOSHIBA T1200XE 2MB 99.08
TOSHIBA 1800, 1850, 2000SX/E, 2200SX 2MB 99.08
TOSHIBA 1800, 1850, 2000SX/E, 2200SX 4MB ..187.50
TOSHIBA T1800, 1850, 2000SX/E, 2200SX 8MB 339.17
TOSHIBA T3100E 2MB.....115.96
TOSHIBA T3200SX 2MB/ 4MB.....115.96/ 188.44
TOSHIBA 3300SL 2MB/ 4MB 115.96/ 188.44
TOSHIBA 4400, 4400SX/C 4MB.....199.00
TOSHIBA 1900C,4500C,4600C 8MB 429.71
TOSHIBA 5200 2MB 109.53
ZENITH 386SX/20 2MB 115.96

ACCELERATOR/OVERDRIVE

INTEL Overdrive 486/25DX / 486/33DX..444.66 / 549.55
INTEL Overdrive 486/SX,25MHz /20 MHz .433.20 / 329.44
INTEL Overdrive 486/33SX.....549.49
KINGSTON SX Now, 25 MHz, IBM 50, 60, 50Z 169.20
KINGSTON 486SX Now, 25 MHz, Compaq.....399.72
KINGSTON 486DX Now, 33 MHz, Compaq 729.89

COMPUTER DISCOUNT WAREHOUSE™

FREE TECHNICAL SUPPORT FOR CDW® CUSTOMERS. (708) 291-7575

CDW® Sells for Less and Services You Better!

(800) 959-4CDW

CALL FOR FREE CDW® CATALOG

Circle 190 on Inquiry Card.

MEMORY • MEMORY • MEMORY

PERSONAL COMPUTER MEMORY

IBM

AMBRA Enterprise 386, Hurdla 386, Sprinta 386 (all models)
2MB N/A ..... $119 8MB N/A $399

AMBRA Enterprise 486, Hurdla 486, Sprinta 486 (all models)
4MB N/A ..... $229 16MB N/A $729

PS/1 286, 386SX
2MB 92F9935 ..... $79 4MB 92F9694 ..... $149

PS/1 Consultant, Essential, Expert models x43, x44, PS/Valuepoint all models except Cxx series
4MB 96F9290 ..... $159 16MB 96F9291 ..... $579

PS/1 Consultant, Essential, Expert models x76
16MB Kit 96F9291 ..... $579

PS/2 25/286, 30/286, memory adapter 1497259
2MB Kit 30F5360 ..... $79

PS/2 35SX; LS, 40SX, 50Z, 55SX; LS, 65SX; LS, 70, XStation
1MB 6450603 ..... $49 2MB 6450604 ..... $75

PS/2 70-A21; A61; B21; B61, PS/1 Consultant, Essential, Expert models x11, x13, x14, PS/Valuepoint Cxx series
2MB 6450608 ..... $75

PS/2 35SX; LS, 40SX, 55SX; LS, 65SX; LS, XStation, PS/ Valuepoint Cxx series, adapter board 34F3011 or 34F3077
4MB 34F2933 or 87F9977 ..... $149

PS/2 35SX; LS, 40SX, PS/Valuepoint Cxx series
8MB 6450129 ..... $299

PS/2 90 XP, 95 XP, P75 (pairs), 56, 57 (all), PS/1 Pro M2123
2MB 6450902 ..... $89

PS/2 90 XP, 95 XP, P75 (pairs), 56, 57 (all), PS/1 Consultant, Essential, Expert models x11, x13, x14, PS/1 Pro M2123
4MB 6450128 ..... $149 8MB 6450130 ..... $299

Expansion boards for 50, 50Z, 55SX, 60, 65SX
2-8MB w/2MB 1497259 ..... $269

Expansion boards for all models 70, 80
4-16MB w/4MB 34F3011 ..... $409

Dell

Power Desktop 325D; P, 333D, 333P, 433P, 486P, 486D
1MB 310-2505 ..... $59 4MB 310-2507 ..... $149

PowerLine Workstation 420; 425; 433; 450; 450DE/2, 466DE
2MB 310-2466 ..... $99 8MB 310-2468 ..... $319

PowerLine Workstation 420; 425; 433; 450; 450SE/2, 466SE
32MB Kit 310-2630 ..... $1199

Performance T, L, & M series
4MB 310-3325 ..... $159 16MB 310-3327 ..... $579

Performance ME series
4MB 310-3334 ..... $159 8MB 310-3335 ..... $329

Zenith

Z-300/400 Series Z-420/SX, Z-425/SX, Z-433/DX, Z-433/SX
4MB ME-100 ..... $159 16MB ME-90 ..... $599

Z-Server 425SE, 433DE, 450DE
4MB ME-432 ..... $179 8MB ME-102 ..... $319

Z-Station 325Sh;Sn,420SEh;Sh;Sn,425Sh,433Deh;Dh,450XEn
1MB ME-70 ..... $49 4MB ME-100 ..... $149

Zenith Z-386/20; 25; 33, 33E
1MB ZA3800ME ..... $49 4MB ZA3800MK $149

Zenith Z-386SX/20, 286LP+, Z-LS
2MB Kit Z-605-1 ..... $89

Zenith 486/33ET; 25E
4MB ZA4200M2 ..... $189 16MB ZA4200M8 ..... $619

AST

Premmia
4MB 501159-001 ... $199 8MB 501159-002 ..... $379

Manhattan SMP
16MB 501143-001 ..... $879

Bravo 3/25s
2MB 500710-004 ..... $99 8MB 500824-002 ..... $319

Advantage! 386SX/20; 25, Advantage! Pro SX/25, Bravo 3/33s
2MB 500962-001 ..... $75 8MB 500962-002 ..... $339

Advantage! Pro 486DX/33; SX/25, Bravo LC 4/25s; 33; 33s; 50d; 4/66d
2MB 500987-001 ..... $89 4MB 500987-002 ..... $139

Premium 386/25; 33; 33T, Premium II 386SX/16; 20; 25
1MB 500780-003; 002 ..... $59

Advantage! 486/25; 33; 33p; SX20, Bravo 4/33; 486/25; Premium 4/25; 33TE, Server SE 4/33
2MB 500718-004; 780-005 ..... $119

Advantage! 486/25; 33; 33p; SX20, Power Premium 3/33, 4/33; 33s; 50d; 66d, Premium 386/33TE, 486/25; E; 25TE; 33; 33E; 33TE, Premium II 386/25; 33, 486/33, 486SX/20 Premium Server SE 4/33
4MB 500780-004 ... $159 8MB 500780-001 ..... $289

Compaq

ProLinea 3/25s; 3/25zs
2MB 141738-001 ..... $89 8MB 141742-001 ..... $289

ProLinea 4/25s, 4/33, 4/50
1MB 141682-001 ..... $59 2MB 141683-001 ..... $89
4MB 141684-001 ... $159 8MB 141685-001 ..... $309

DeskPro 386-20, 20e, 25
4MB 113132-001 ... $179 4MB 113645-001 ..... $219

DeskPro 386s/16
4MB 112534-001 ... $169 4MB 113634-001 ..... $219

DeskPro 3/25i; 33i,4/25iS; 33i; 66i, 286N; 386N; 386SX/20; 20N, SystemPro LT Series, Portable 486c, M Series
1MB 118688-001 ..... $49 2MB 118689-001 ..... $85
4MB 118690-001 ... $155 8MB 112877-001 ..... $319

ProSignia PC Server 486/33; DX2/66
16MB 149320-001 ... $999 32MB 149147-001 ..... $2439

DeskPro 386-33, 486-33, SystemPro
2MB 115144-001 ..... $99 8MB 116561-001 ..... $289

Hewlett-Packard

Vectra QS/16S; 20PC, RS/20; 20C; 25, 25C
4MB Kit D1542 or 1642A $169

Vectra 386/16N, 386/20N, 386/25N PC
2MB D2406A ..... $99 8MB D2404A $319

Vectra 486PC; 25T; 33T; 486s/20; 4/25N; 33N; 50N; 66N
2MB D2381A ..... $89 8MB D2152A $309

Vectra 386/25; 486/25U; 486/33U; 486/50U; 486/66U
2MB D2381A ..... $89 8MB D2152A $309

Vectra 486/25N; 486/33N; 486/50N; 486/66N
16MB D2676A $579

Vectra 386/33N; 33NI
2MB D2714A ..... $129 8MB D2715A $399

NEC

Image 425, 433, 466
4MB 410-12002 ..... $199 16MB 410-12003 ..... $749

Ready 425, 433
4MB N/A ..... $169 16MB N/A $679

PowerMate 286/12; SX/16, SX/20
2MB Kit OP-410-8103 ..... $99

PowerMate SX/20
2MB CPU Upgrade OP-410-8101 ..... $189
2MB Exp. Board OP-410-8102+8103 ..... $209

PowerMate 386/33; Express Te, e series
4MB OP-410-6205 .. $179 16MB OP-410-6206 ..... $649

LAPTOP & NOTEBOOK MEMORY

AST

PowerExec 4/25SL
8MB $649
16MB $1299

PowerExec 3/25SL, 3/25SL-C, EL
4MB $219

Premium Exec 286, 386SX/20, 25, 25C
4MB $129

Compaq

Contura 3/20, 3/25, 3/25c
4MB $169
8MB $299

Contura 4/25 series
4MB $229
8MB $399

LTE 286
2MB $99
4MB $199

LTE 386S/20
4MB $179

LTE Lite 20; 25; 25c, 25e
4MB $179
8MB $399
16MB $699

LTE Lite 4/25c
4MB $199
8MB $339

SLT 286
4MB $209

SLT 386s/20
4MB $169

Toshiba

T1000SE/LE/XE; 2000, 2000SX; SXe, T2200SX, T1800 Series
2MB $75
4MB $149
8MB $269

T1200XE, 1600, 3100E
2MB $85

T3100SX, 3200SX, SXC
2MB $85
4MB $149

T3200
3MB $159

T3300SL
2MB $139
4MB $169
8MB $499
16MB $749

T4400, T6400 (all models)
4MB $169
8MB $349
16MB $599

T1900, T4500, T6400
8MB $349
16MB $799

T5100
2MB $95

T5400, T5200; T5200C, T8500
2MB $89
8MB $279

NEC

UltraLite Versa (all models)
4MB $259
8MB $499

UltraLite & Cellular Workstation SX/20
2MB $179
8MB $599

UltraLite III, SL/25C
2MB $119
4MB $199

UltraLite SL/20, SL/20P
2MB $119
6MB $289

ProSpeed 286, 386SX/16
4MB $209

ProSpeed 386
2MB $149

IBM

AMBRA Treka
2MB $119

ThinkPad 300
2MB $109
8MB $359

PS/2 CL57SX and ThinkPad 700, 700c, 720, 720c
4MB $199
8MB $339

ThinkPad 710T
4MB $249
8MB $449

N51 Notebook (All)
2MB $99
4MB $169

L40SX, N33SX, PS/Note 182
4MB $149

L40SX, PS/Note 182
8MB $289

PS/Note N45SL
2MB $99

Texas Instruments

TravelMate 3000 (all models)
2MB $79

TravelMate 4000 (all models)
4MB $199

TravelMate WinSLC/25
2MB $79

Zenith

Z-Lite 320L
2MB $139

Z-Note 320L, 320Lb, 325L, 325Lc
2MB $129
8MB $429

Z-Sport 420S, 425S
4MB $189

Z-Sport 325S
2-6MB $139
4MB $249

MastersPort 386SL, SLC, SLe
2MB $89

MastersPort 386SX
2MB $109

SupersPort SX; 286e; SlimsPort
2MB $139

SupersPort 286; 286e
1MB $99

SupersPort 286e; SlimsPort
4MB $279

FAX MODEMS

For Apple, AST, Compaq, IBM, Sharp, TI, Toshiba, Zenith, and many other Laptop and Notebook Systems.

PCMCIA 2.0 Internal FAX/Modem with XJACK
14,400bps FAX/Modem $429
24/9600bps FAX/Modem $289

Internal FAX/Modems w/MNP-5 & V.42/V.42bis
14,400bps FAX/Modem $419
24/9600bps FAX/Modem $209

External Pocket Modems for any RS-232 Serial Port
14,400bps FAX/Modem $385
96/9600bps FAX/Modem $319

COMPUTER PERIPHERALS, INC.

ViVa Internal Modems
14,400bps V.32/V.42 modem, send & receive FAX $219
24/9600bps with send/receive FAX $89

ViVa External Modems
14,400bps V.32/V.42 modem, send & receive FAX $269
24/9600bps with send/receive FAX $99

PS/2 DATACARD



Kingston TECHNOLOGY CORPORATION

DataCard Micro Channel Storage and Memory Upgrade is available with 85, 127 or 209MB of bootable 16 millisecond access storage plus four SIMM sockets that accomodate up to 64MB of system RAM.

16-bit or 32-bit DataCard

85MB DataCard with 0K RAM $429
127MB DataCard with 0K RAM $549
209MB DataCard with 0K RAM $799

CPU UPGRADES

Kingston TECHNOLOGY CORPORATION

Upgrade your system to 386 or 486 power!

Use Windows in enhanced mode, get true multitasking and background operation for Window 3.1, OS/2, and other 386 specific software. Improve your system's performance by up to 350%.

SX/Now! 386 CPU Upgrade
25MHz (SX) ..... $169 33MHz (SX) $199

SLC/Now! 486 CPU Upgrade
25MHz (SLC) ..... $219 50MHz (SLC) $399

486/Now! 486 CPU Upgrade
25MHz (SX) ..... $399 33MHz (DX) $579

MCMaster 486 CPU Upgrade
25MHz (SX) ..... $699 With 4MB add $149
33MHz (DX) ..... $959 With 8MB add $289

SIMM S

1MB x 9-70ns ..... $37 4MB x 9-70ns $139
512K x 36-70 (2MB) ..... $79 1MB x 36-70 (4MB) $149
2MB x 36-70 (8MB) ..... $299 4MB x 36-70 (16MB) $599

LASER MEMORY

HP LaserJet IIIsi, 4, 4M, 4Si, 4SiMX, XL300, InkJet 600
4MB C2065A ..... $149 8MB C2066A $299

HP LaserJet IIP, III, IIIP, IIID
2MB 33475B ..... $99 4MB 33477B $159

HP LaserJet II & IID
2MB 33444B ..... $99 4MB 33445B $159

IBM Laser 4029 all models
2MB 1183334 ..... $99 4MB 1183335 ..... $139

Canon LBP-4, 4Lite, 4Plus
1MB S63-2230 ..... $119 2MB N/A $169

Canon LBP-III & 8III Plus
2MB S63-2350 ..... $249 3MB S63-2360 ..... $299

Panasonic 4410 & 4430
2MB KX-P441 ..... $109 4MB N/A $169

Panasonic 4450I & 4420
2MB KX-P441 ..... $119 4MB N/A $189

OkiLaser 400
1MB 70014701 ..... $79 2MB OKI N/A $99

Texas Instruments Microlaser and XL
1MB 2555739-0001 ... $49 4MB 2560052-0002 ..... $99

Epson EPL 6000
2MB IB5401 ..... $99 4MB N/A $169

Epson ActionLaser II, EPL-8000
2MB N/A ..... $169 4MB N/A $249

MONEY BACK 30 DAY GUARANTEE

WE SET THE STANDARD:

- 100% compatible in form, fit, and function
- All products user installable
- Installation instructions included
- Toll-free technical support
- Manufacturer's warranties
- Corporate PO's, APO/FPO's welcome
- Government and Educational pricing
- International orders welcome
- Special volume pricing
- Same day shipping
- Overnight delivery available
- Visa, Mastercard, American Express, and Discover accepted
- No surcharge on credit cards

DON'T SETTLE FOR LESS!

CALL FOR ANY MEMORY UPGRADE NOT LISTED

WE STOCK MEMORY UPGRADES FOR OVER 1980 COMPUTERS AND PRINTERS

TOLL FREE FROM USA & CANADA
800-516-9866
INTERNATIONAL
714-588-9866
FACSIMILE
714-588-9872

Business hours:
Monday - Friday, 8am-5pm, P.S.T.
Saturday, 9am-3pm, *Orders Only*

The Only Source for Computer Upgrades
First SOURCE International

Mail or fax orders to:
First Source International, Inc.
7 Journey
Aliso Viejo, CA 92656

Terms and Conditions: Memory products are third party, manufacturer's numbers are for your convenience. Freight charges are non-refundable. A RMA number is required for all returns. All non-defective returns, unopened, refused, or cancelled orders, will be subject to a 20% restocking fee. Due to L.T.C. tariffs placed in some manufacturers, memory pricing may be higher than advertised. Prices and availability are subject to change without notice. Purchase prices at the time of order are final. First Source International cannot be responsible for errors in typography or photography. We will beat any advertised price valid only on identical brands, offer not good for SIMMs or DRAM. Trademarks and registered trademarks are of their respective companies.

CALL THE UPGRADE EXPERTS 800-516-9866

A0993

Circle 195 on Inquiry Card (RESELLERS: 196).

LEAVE IT TO US TO RACK THINGS UP

RECORTEC's Rack Mount PC compatible computers, monitors, keyboards and printer continue the tradition of manufacturing excellence RECORTEC started in 1969. With our broad product line, fast delivery, excellent pre and post sale service, it's no wonder more and more people *"leave it to us to rack things up"*.

QUALITY
All products 100% tested and verified prior to shipment.

RELIABILITY
Field proven components backed by a comprehensive warranty.

SERVICE
Large stock for fast delivery plus assistance by knowledgeable sales and support personnel.

SOLUTIONS
Choose from many models which offer a wide range of solutions for a variety of rack mount needs. We also offer custom designs when a standard product just won't do.



CALL OR FAX FOR MORE INFORMATION.
1-800-729-7654

RECORTEC, INC.

1290 Lawrence Station Road Sunnyvale, CA 94089 Tel: (408) 734-1290 Fax: (408) 734-2140

Circle 202 on Inquiry Card (RESELLERS: 203).

WIRELESS NETWORKING BY MOTOROLA

EMBARC℠, from Motorola, delivers information to moving targets

Users roam the nation and stay in the loop

Portability doesn't have to mean isolation from important, timely information, thanks to EMBARC wireless networking.

In over 200 cities in the U.S. and Canada, you're connected—to E-mail from the office and news and weather briefs from *USA TODAY*, as well as optional services such as sports, key market and financial developments, and HeadsUp™ targeted industry news briefs from INDIVIDUAL, Inc. You can even have your important databases routinely updated—automatically!

All you need is EMBARC's compact, powerful NewsStream receiver (it plugs directly into most laptop, palmtop and notebook computers) and the simple software package that drives it. Pay as little as $395, install it in minutes and you're ready to go—without wires, faxes or phones.

Equip your whole team to receive memos, documents and file updates for pennies per recipient. You'll find EMBARC so cost effective you'll communicate more.

Our corporate trial program lets you try it virtually risk-free. Sign up right now by phoning **1-800-EMBARC4, Ext. 350.** Give your team the home-field advantage... even when they're on the road.

EMBARC service is available for DOS-based laptops and notebooks, HP 95LX palmtops and Macintosh Powerbooks.

EMBARC℠

Motorola and NewsStream are trademarks of Motorola, Inc. EMBARC is a servicemark of Motorola, Inc. © Motorola, Inc. 1992

Circle 210 on Inquiry Card (RESELLERS: 211).

KeyPro ...
A Legend in Software Protection



Just as the legendary Chinese warrior god **Zhong-Kui** had the reputation of a fearsome warrior who easily fended off evil spirits, KeyPro has established its reputation as a dependable means of guarding programs against unauthorized copies. **Zhong-Kui** enslaved and ate ghosts, but KeyPro employs a much more useful and appealing method to protect your software.

While designing the KeyPro software protection device, our engineers considered not only the need of software developers but also the convenience of users. Software developers enjoy KeyPro's protection capability, while users can forget the key after installing it.

The KeyPro Family

- ***KeyPro II*** : for PC environments
- ***Net-KeyPro***: for Netware environments

Outstanding Features

- ***Unbreakable Electronics***
  An ASIC-based hardware and a proprietary encryption algorithm are used to prevent code tracing by the most persistent software pirates.
- ***Compatibility***
  KeyPro is transparent to the computer and other peripherals that are attached to it. It works on every computer it has been tried on without interfering with computer's normal operations.
- ***Cascadability***
  KeyPro can cascade on the printer port with any other KeyPros or the keys manufactured by other companies. Because KeyPro's both sides are transparent, it can sit in any position in the cascade chain.
- ***Runtime Reprogrammability***
  A buffer with read/write runtime memory inside the hardware allows developers to protect and write into multiple software programs using only one key.
- ***Virus Dectection***
  KeyPro provides the protected program a virus detection option to check whether it is infected.
- ***User Limit***
  KeyPro allows programmers to designate up to 100 workstations using one software in Netware environment.
- ***Driver/External Protections***
  Two protection methods provide the security for a software with or without its source code.

Regional Distributors Welcome!

* KeyPro is a registered trademark of Transcend Information Inc.
* All other trademarks are registered by their respective owners.

Transcend

Your Supplier, Your Partner, Your Friend.

Transcend Information Inc.

U.S.A.
104 Exchange Place,
Pomona, CA 91768
TEL: (909) 598-5500
FAX: (909) 598-5050
(909) 598-6050

Taiwan
3Fl., No. 465, Chung Hsiao E. Rd.,
Sec. 6, Taipei, Taiwan
TEL: (886) 2-7881000
FAX: (886) 2-7881919
(886) 2-7889191

Germany
Transcend Information Trading GmbH
Lademannbogen 45a,
2000 Hamburg 63
TEL: (49) 40/538 81 37
FAX: (49) 40/538 17 81

Circle 298 on Inquiry Card.

LIFETIME ★ WARRANTY 100% GUARANTEED

MEMORY SUPER SOURCE

1x9 CALL
70 NS SIMMS
4x9 CALL
CALL FOR LATEST SIMM PRICES

HARD DRIVES

Quantum

FACTORY NEW – 2 YEAR WARRANTY

CAPACITY M/N	SPEED	SIZE	PRICE
IDE			
80MB NOTEBOOK	16MS	2.5"	$259
120MB NOTEBOOK	16MS	2.5"	329
160MB NOTEBOOK	16MS	2.5"	459
85MB ELS85A	17MS	3.5X1"	179
127MB ELS127A	17MS	3.5X1"	205
170MB ELS170A	17MS	3.5X1"	219
240MB LPS240A	16MS	3.5X1"	309
525MB LPS525AT	10MS	3.5X1"	649
SCSI			
85MB ELS85S	17MS	3.5X1"	199
127MB ELS127S	17MS	3.5X1"	219
170MB ELS170S	17MS	3.5X1"	229
240MB LPS240S	16MS	3.5X1"	315
525MB LPS525	10MS	3.5X1"	619
700MB PR700	10MS	3.5"	1049
1GB P1050S	10MS	3.5X1"	1069
1.2GB P1225S	10MS	3.5"	1199
PLUS Hardcard IIXL	50MB		204
PLUS Hardcard IIXL	150MB		259
PLUS Hardcard EZ	240MB		540
PLUS Hardcard EZ	127MB		319

FUJITSU

FACTORY NEW – 5 YEAR WARRANTY

CAPACITY M/N	SPEED	SIZE	PRICE
IDE			
330MB M2622T	12MS	3.5"	$429
425MB M2623T	12MS	3.5"	489
520MB M2624T	12MS	3.5"	779
SCSI			
425MB M2623FA	11MS	3.5"	745
520MB M2624FA	11MS	3.5"	795
1.2GB M2694SA	10MS	3.5"	1195
1.2GB M2266SA	14MS	FH	999
2.0GB M2652SA	11MS	FH	1975
2.4GB M2654SA	12MS	FH	1999

Maxtor

FACTORY NEW – FULL WARRANTY

CAPACITY M/N	SPEED	SIZE	PRICE
IDE			
130MB 7120A	15MS	3.5X1"	195
170MB 717A	15MS	3.5X1"	229
213MB 7213A	15MS	3.5X1"	239
245MB 7245A	15MS	3.5"	299
345MB 7345A	15MS	3.5"	349
540MB 7540A	12MS	3.5"	679
SCSI			
130MB 7120S	15MS	3.5X1"	215
213MB 7213S	15MS	3.5X1"	299
345MB 7345S	12MS	3.5"	389
540MB MAGIK540SL	8MS	3.5X1"	679
1.2GB 1240S	8MS	3.5"	1229
1.2GB PO12S	13MS	FH	979
1.7GB P117S	13MS	FH	1259

TOSHIBA

CAPACITY M/N	SPEED	SIZE	PRICE
SUPERFAST SCSI-2			
877MB MK438FB	12MS	3.5"	$979
1.2GB MK538FB	12MS	3.5"	1099
200MB IDE		2.5"	499
200MB SCSI		2.5"	569

MICROPOLIS

FACTORY NEW – 5 YEAR WARRANTY

CAPACITY M/N	SPEED	SIZE	PRICE
IDE			
525MB 2105A	10MS	3.5"	889
1GB 2112A	10MS	3.5"	1079
SCSI			
340MB MC1684	14MS	HH	$999
560MB MC2105	10MS	3.5"	899
670MB MC1624	14MS	HH	1089
689MB MC2108	10MS	3.5"	1039
1.2GB MC2112	10MS	3.5"	1499
1.2GB MC1598	15MS	FH	1299
1.5GB MC1528	15MS	FH	1579
1.6GB MC1908	11MS	FH	1749
1.75GB MC2217	10MS	3.5"	1749
2.0GB MC1548	14MS	FH	1739
2.4GB MC1924	11MS	FH	2379
3.6GB MC1936	11MS	FH	3999

Seagate

CAPACITY M/N	SPEED	SIZE	PRICE
IDE			
42.8MB ST351A/X	19MS	3.5X1"	$113
80MB ST3096A	16MS	3.5X1"	167
107MB ST3120	15MS	3.5X1"	180
130MB ST3144A	15MS	3.5X1"	185
85MB ST9096A	16MS	2.5"	199
214MB ST3243A	16MS	2.5"	235
128MB ST9144A	16MS	2.5"	279
245MB ST3283A	12MS	3.5X1"	289
260MB ST3290A	16MS	3.5X1"	279
340MB ST3385A	12MS	3.5X1"	379
209MB ST9235A	16MS	2.5"	439
452MB ST3550A	12MS	3.5X1"	489
331MB ST1400A	14MS	3.5X1"	599
430MB ST1480A	14MS	3.5X1"	729
540MB ST3600A	11MS	3.5X1"	799
SCSI			
240MB ST3283N	12MS	3.5X1"	319
331MB ST1400N	14MS	3.5X1"	699
426MB ST3500N	12MS	3.5X1"	729
430MB ST1480N	14MS	3.5X1"	759
457MB ST3550N	12MS	3.5X1"	799
525MB ST3600N	11MS	3.5X1"	819
613MB ST3390A	12MS	3.5X1"	849
535MB ST3610N	11MS	3.5X1"	839
860MB ST1980N	12MS	3.5X1"	999
670MB ST4766N	14MS	FH	1139
665MB ST4767N	11MS	FH	999
1420MB ST41650N	15MS	3.5X1"	1239
1350MB ST41600N	12MS	FH	1689
1.2GB ST11200N	10MS	3.5"	1099
1.2GB ST41200NK	14MS	FH	1059
1.6GB ELITE-I	11MS	FH	1899
1.6GB ST41651	15MS	FH	1429
2.1GB ST42100N	14MS	FH	1899
2100MB ST42400N	11MS	FH	2329
3.55GB ST43400N	10MS	FH	2939
2.4GB ELITE-II	11MS	FH	2699
3.4GB ELITE-III	11MS	FH	3699

WESTERN DIGITAL

FACTORY NEW – 2 YEAR WARRANTY

CAPACITY M/N	SPEED	SIZE	PRICE
IDE			
80MB WD280	16MS	3.5X1"	$189
170MB WD1170	15MS	3.5X1"	288
212MB WD2200	12MS	3.5X1"	309
250MB WD2250	14MS	3.5X1"	389
340MB WD2340	12MS	3.5X1"	489

CONNER

FACTORY NEW – 1 YEAR WARRANTY

CAPACITY M/N	SPEED	SIZE	PRICE
IDE			
40MB CP3000	25MS	3.5X1"	$135
80MB CP30084	19MS	3.5X1"	185
120MB CP30104H	19MS	3.5X1"	215
170MB CP30174E	17MS	3.5X1"	249
212MB CP30204	12MS	3.5X1"	319
250MB CP30254	14MS	3.5"	349
540MB CP3544	12MS	3.5"	849
540MB CP30544	17MS	3.5X1"	CALL
SCSI			
80MB CP30080	19MS	3.5X1"	199
170MB CP30170	17MS	3.5X1"	279
212MB CP30200	12MS	3.5X1"	329
540MB CP3540	12MS	3.5"	869

MATH CO-PROCESSORS

INTEL		CYRIX		IIT	
8087 5MHZ INTEL	49.00	83D87DX-16 16MHZ CYRIX	84.00	2C87-8 8MHZ IIT	54.00
8087-2 8MHZ INTEL	139.00	83D87DX-20 20MHZ CYRIX	84.00	2C87-10 10MHZ IIT	54.00
8087-1 10MHZ INTEL	89.00	83D87DX-25 25MHZ CYRIX	84.00	2C87-12 12MHZ IIT	60.00
80287-6 6MHZ INTEL	49.00	3D87DX-33 33MHZ CYRIX	84.00	2C87-20 20MHZ IIT	64.00
80287-8 8MHZ INTEL	49.00	83D87DX-40 40MHZ CYRIX	94.00	3C87-16 16MHZ IIT	84.00
80287-10 10MHZ INTEL	59.00	83S87SX16 16MHZ CYRIX	74.00	3C87-20 20MHZ IIT	84.00
80287XL 10MHZ INTEL	75.00	83S87SX20 20MHZ CYRIX	74.00	3C87-25 25MHZ IIT	84.00
80287XLT 12MHZ INTEL	75.00	83S87SX25 25MHZ CYRIX	74.00	3C87-33 33MHZ IIT	84.00
80387SX-16 16MHZ INTEL	85.00	82S87XL CYRIX	74.00	3C87-40 40MHZ IIT	94.00
80387SX-20 20 HZ INTEL	85.00			3S87SX-16 16MHZ IIT	70.00
80387DX-16 16MHZ INTEL	89.00	**WEITEK**		3S87SX-20 20MHZ IIT	70.00
80387DX-20 20MHZ INTEL	89.00	3167-20MHZ WEITEK	295.00	3S87SX-25 25MHZ IIT	70.00
80387DX-25 25MHZ INTEL	89.00	3167-25MHZ WEITEK	395.00	3S87SX-33 33MHZ ITT	80.00
80387DX-33 33MHZ INTEL	89.00	3167-33MHZ WEITEK	495.00		
80487SX-25 INTEL	CALL	4167-25MHZ WEITEK	445.00		
OVERDRIVE SX/DX33	CALL	4167-33MHZ WEITEK	695.00		
OVERDRIVE SX/DX25	CALL				
OVERDRIVE SX/DX20	CALL				
RAPID CAD	CALL				

SIMM-SIPP MODULES

4MB X 9-80NS SIMM-PC	CALL	256K X 9-100NS SIMM	CALL	1MB X 9-70NS SIPP	CALL
4MB X 9-70NS SIMM	CALL	256K X 9-80NS SIMM	CALL	1MB X 9-60NS SIPP	CALL
4MB X 9-60NS SIMM	CALL	256K X 9-70NS SIMM	CALL	256K X 9-100NS SIPP	CALL
1MB X 9-100NS 9 CHIP SIMM	CALL	256K X 9-60NS SIMM	CALL	256K X 9-80NS SIPP	CALL
1MB X 9-80NS 3 CHIP SIMM	CALL	1MB X 8-80NS SIMM	CALL	256K X 9-70NS SIPP	CALL
1MB X 9-80NS 9 CHIP SIMM	CALL	1MB X 8-70NS SIMM	CALL	256K X 9-60NS SIPP	CALL
1MB X 9-70NS 3 CHIP SIMM	CALL	4MB X 8-80NS SIMM	CALL	256 X 36 – 1MB	CALL
1MB X 9-70NS 9 CHIP SIMM	CALL	4MB X 8-70NS SIMM	CALL	512 X 36 – 2MB	CALL
1MB X 9-60NS 3 CHIP SIMM	CALL	1MB X 9-100NS SIPP	CALL	1 X 36 – 4MB	CALL
1MB X 9-60NS 9 CHIP SIMM	CALL	1MB X 9-80NS SIPP	CALL	2 X 36 – 8MB	CALL
1MB X 9-53NS 3 CHIP SIMM	CALL			4 X 36 – 16MB	CALL
1MB X 9-53NS 9 CHIP SIMM	CALL				
16MB X 9-70NS SIMM	CALL				

Apple

POWERBOOK 100, 140, 145, 170
2MB MOD M1032LL-A
4MB MOD M1033LL-A
6MB MOD N A
POWERBOOK 160, 180
2MB MOD N A
4MB MOD N A
6MB MOD N A
8MN MOD N A
10MB MOD N A
POWERBOOK 210, 230
NOTE: THERE ARE THREE TYPES OF MODULES FOR MODELS 210 & 230. "UPGRADABLE", "BASE" AND "CONVENTIONAL". BE SURE TO PURCHASE THE CORRECT ONE FOR YOUR NEEDS.
CONVENTIONAL (STANDARD)
2MB MOD N A
4MB MOD N A
6MB MOD N A
8MB MOD N A
10MB MOD N A
12MB MOD N A
BASE - WILL ACCEPT 1 UPGRADE MODULE
4MB MOD N A
8MB MOD N A
12MB MOD N A
20MB MOD N A
UPGRADE MODULES - INSTALL ON THE BASE MODULES
4MB MOD N A
8MB MOD N A
16MB MOD N A
MAC PORTABLE
2MB MOD N A
3MB MOD N A
4MB MOD N A
MAC PORTABLE BACKLIT
2MB MOD N A
3MB MOD N A
4MB MOD N A
IIGS
1-4MB E-C N A
MAC PLUS
2MB KIT MO219
4MB KIT MO2707
MAC CLASSIC
1-3MB E-C M6361LL-A
2MB KIT MO219
MAC CLASSIC II, LC, LCII
2MB KIT MO219
4MB KIT N A
8MB KIT N A
MAC SE
2MB KIT MO219
4MB KIT MO27007
MAC SE/30
4MB KIT MO2707
16MB KIT N A
MAC II
4MB KIT MO2707
MAC IIX
4MN KIT MO2707
16MB KIT N A
MAC LC
2MB KIT MO219
4MB KIT N A
8MB KIT N A
512K VRAM
MAC IISI, IICI
2MB MOD MO514LL-A
4MB KIT MO2707
16MB KIT N A
32MB KIT N A
64MB KIT N A
MAC IIFX
4MB KIT MO376LL-A
16MB KIT N A
64MB KIT N A
MAC IICX
4MB KIT MO2707
16MB KIT N A
32MB KIT N A
MAC QUADRA 700, 900, 950
4MB KIT MO2707
16MB KIT N A
32MB KIT N A
64MB KIT N A
QUADRA VIDEO 700,900
512K KIT M5951LLA
QUADRA VIDEO 950
512K KIT M593LLA
PERSONAL LASER WRITER LS
512K KIT 3340114
PERSONAL LASER WRITER NT
2MB KIT MO219
8MB KIT N A
LASERWRITER IINTX, IINTXJ
1MB KIT M6005
4MB KIT M6006
LASERWRITER IIF/IIG
4MB KIT MO2727
16MB KIT N A
LASER WRITER IINTR
2MB
MAC IIVX
4MB KIT MO292LLA
16MB KIT N A
32MB KIT N A
64MB KIT N A
CENTRIS 610, 650, LCIII
4MB 1507LLA
8MB MA
16MB M1508LLA
32MB MA
POWERBOOK 165C
4MB NA
6MB NA
8MB NA
10MB NA
LASERWRITER SELECT 310
1MB M2093GA
4MB M22094GA

ALR

ALR POWERFLEX
ALR FLEX CACHE 386SX
2MB KIT 12902000
4MB KIT 12904000
ALR BUSINESS VEISA
ALR BUSINESS VEISA ARRAY
ALR MPS
4MB KIT 12904000
16MB KIT 12916000
0-32MB E-C 12407480
ALR BUSINESS STATION
ALR POWER PRO
ALR POWER PRO ARRAY
ALR POWER PRO/MC
ALR POWER FLEX FLYER, 20CX
4MB IT 12904000
16MB KIT 12916000
ALR POWER CACHE 486-486E
ALR MICROFLEX 3000
2MB KIT 12902000
4MB KIT 12904000
16MB KIT N A
32MB KIT N A
ALR FLYER 32LCT, 32DT, SD32
1MB 32LCT ONLY
4MB 12901804
16MB 12904816
RANGER SERIES
4MB MOD 12928010
8MB MOD 12928016
16MB MOD N A
VENTURA NOTEBOOK 16 &26
1MB MOD 12407980
4MB MOD 12407970

AST

AST PREMIUM EXEC. 286/12, 386SX/20
1MB MOD 500814001
4MB MOD 500814003
AST PREMIUM EXEC. 386SX/25, 25C, 25SL, 25SLC
4MB MOD 500814004
BRAVO 286
2MB KIT 500510002
4MB KIT 500510008
BRAVO 486/25, 4-23
2MB KIT 500718004
8MB KIT 500780001
BRAVO 3-25S
2MBN KIT 500710004
8MB KIT 500824002
BRAVO 3-33LC
2MB KIT 500962001
8MB KIT 500962002
BRAVO 386SX
2MB KIT 500510002
4MB KIT 500510008
BRAVO 386SX20
2MB KIT 500710003
8MB KIT 500824001
BRAVO425S,433LC,450D,466D
ADVANTAGE PRO 486DX33, 486SX25
2MB KIT 500987001
4MB MOD 500987002
8MB KIT 500987003
16MB MOD 500987004
32MB KIT 500987005
PREMIUM II 386/25, 33, 386SX/20, 486/33, 486SX/20,
PREMIUM 386SX 16, 486/33E
PREMIUM 386/33TE, 486/33TE
1MB MOD 500780003
2MB KIT 500780005
4MB MOD 5007800004
8MB KIT 500780001
0-32MB E-C 500818001
OFFICE ADVANTAGE 386SX/20, 486SX/20
2MB KIT 500891001
8MB KIT 500891002
PREMIUM 386
4MB 500510004
POWER PREMIUM 3/33, 4/33 & 4/50D
2MB KIT 500780005
8MB KIT 500780001
PREMIUM WKST 286, 386SX
2MB KIT 500510002
4MB KIT 500510008
PREMIUM 386/16, C
4MB KIT 500510008
PREMIUM SE 4/33
2MB KIT 500780005
8MB KIT 500780001
PREMIUM SE 4/50
16MB KIT 500928001
32MB KIT 500928002
PREMMIA
4MB 501159001
8MB 5011569002
16MB 501159003
32MB 501150004
MANHATTAN SMP
16MB 501143001
ADVANTAGE PLUS 486DX33
DX250 - DX266
4MB 500510008
8MB 500824001
AST POWER EXEC 4/25SL
4MB NA

hp

HP VECTRA 386/33N - 33NI
2MB D2714A
8MB d2715A
HP VECTRA 286/12, ES12PC
2MB KIT D1354A
0-16MB E-C
386/16N, 20N
2MB KIT D2406A
8MB KIT D2404A
QS/16S, RS25PC, 20PC, 20C
2MB KIT D1354A
386/25PC, 486UPC
2MB MOD D2381A
8MB MOD D2152A
486S/20PC, 486PC, 48625T, 48633T
1MB MOD D2150A
2MB MOD D2381A
4MB MOD D2156A
8MB MOD D2152A
9000/375, /380, 345, 400DL
400S, 400T, 425S
8MB KIT H98229B
16MB KIT H98229D
32MB KIT H98229E
9000/425T
4MB KIT H98229C
8MB KIT H98229B
16MB KIT H98229D
9000/433S
4MB KIT H9229C
9000/425E
4MB KIT A2200A
8MB KIT A2201A
16MB KIT A2202A
9000/720, 730
16MB KIT A1979A
32MBN KIT A2512A
9000/750
16MB KIT A1979A
32MB KIT A1987A
9000/705, 710
8MB KIT A2216A
16MB KIT A2217A
32MB KIT A2218A
X-STATION 700RX
1MB MOD C2320A
2NBN MOD C2321A
4MB MOD C2322A
8MB MOD D2152A
DESKJET 500C, 500 PLUS, 550C
256KB MOD H22707B
LASERJET II, IID
2-4 E-C H33444B
4MB E-C H33445B
LASERJET IIP, III, IIID, IIIP
2-4MB E-C H33475B
3-4MB E-C H33476B
4MB E-C H33477B
LASERJET IIISI
4MB MOD C2065A
8MB MOD N A
HP-4 - 4M - 4SI - 4SIMX - XL300
1MB C2063A
2MB C2064A
4MB C2065A
8MB C2066A
HP LASERJET FAX
1MB
PAINTJET XL300
0K EXP BD
HP DESIGNJET 600 INKJET
4MB C2065A
8MB C2066A

TOSHIBA

T1000SE
1MB C-C PCPA8311U
2MB C-C PCPA8312U
T1000LE
1MB C-C PCPA8311U
2MB C-C PCPA8312U
4MB C-C PCPA2001U
8MB C-C PCPA2002U
T1000XE
1MB C-C PCPA8311U
2MB C-C PCPA8312U
T2000
1MB C-C PC18PA8316U
2MB C-C PC18PA8317U
4MB C-C PC1XPA8314U
8MB C-C PC1XPA8315U
T2000SX
4MB C-C PC14PA8314U
8MB C-C PC14PA8315U
T2000SXE, T2200SX, T1800, T1850, T1850C
2MB C-C PCPA2000U
4MB C-C PCPA2001U
8MB C-C PCPA2002U
T3300SL
2MB C-C PCPA2006U
4MB C-C PCPA2007U
6MB C-C PCPA2008U
8MB C-C PCPA2009U
16MB C-C PCPA2010U
T4400SX, T4400SXC, T6400-C
2MB C-C PCPA2003U
4MB C-C PCPA2004U
8MB C-C PCPA2005U
16MB C-C PCPA2010U
32MB C-C N A
T1200XE
2MB MOD PC13PA8306U
T1600
2MB MOD PC8PA8302U
T3100
2MB MOD PC3PA7135F
T3100E
2MB KIT PC9PA8341U
T3100SX
2MB MOD PC15PA8308U
4MBMODPC15PA8310U
T3200
3MB MOD PC6PA7137U
T3200SX
2MB KIT PC12PA8307U
4MB KIT PC12PA8309U
T3200SXC
2MB KIT PC19PA8318U
4MB KIT PC19PA8319U
T5100, T5100C
2MB MOD PC7PA8301U
T5200, T5200C, T8500
2MB KIT PCPA8304U
8MB KIT PCPA8313U
T4500, T4500C
4MB C-C PCPA16U
8MB C-C PCPA2017U
16MB C-C N A
PAGELASER 6
2-4MB E-C NB0090
4MB E-C NB0100

AT&T

SAFARI NSX/20
2MB C-C 37650
4MB C-C 37651
6286WSG
2MB KIT 37727
6386, 67386EWGS
4MB KIT 37716
6386/SX
2MB KIT 37336
0-16MB E-C N A
6386/25, /33WGS
2MB KIT 37261
STAR SERVER 486/33E
4MB KIT 37261
16MB KIT 37263
STAR SERVER 486/33S
4MB KIT 37344
16MB KIT 37345

NEC

ULTRALITE 286F
1MB OD PC2221
4MB MOD PC2222
ULTRALITE SX/20
2MB MOD PC4421
8MB MOD PC4422
ULTRALITE SL/20, SL/20P
6MB MOD PC4921
ULTALITE III, SL25C
2MB MOD PC4721
4MB MOD PC4722
8MB MOD PC4723
PROSPEED 286
1MB MOD PC2121
2MB MOD PC2126
4MB MOD PC2122
PROSPEED 386
2MB MOD PC3121
8MB MOD PC3122
PROSPEED 386SX
1MB MOD PC2121
2MB MOD PC2126
4MB MOD PC2122
PROSPEED 386SX/20
1MB MOD PC4321
4MB MOD PC4322
PROSPEED 486SX, 486SX C
1MB MOD OP4106204
4MB MOD OP4106205
POWERMATE PORTABLE SX
2MB E-C APCH751X
8MB E-C APCH753-754
POWERMATE PORTABLE PLUS
1-3MB E-C APCH750J
2-3MB E-C N A
3MB E-C N A
POWERTMATE 386/16, 20
4-16MB E-C N A
8-16MB E-C N A
POWERMATE SX
2MB E-C APCH855
4-8MB E-C APCH853
8MB EC N A
POWERMATE SX PLUS
2MB E-C N A
4-8MB E-C APC852E
8MB E-C N A
POWERMATE SX/16
2-8MB E-C OP4108201
2MB KIT N A
POWERMATE SX/20
2MB CPU MODULE OP4108101
2-8MB E-C OP4108102
2MB KIT N A
POWERMATE SX/16I, SX/20I, SX/20VI
2MB KIT OP4108103
8MB KIT OP4102101
POWERMATE 286C, 286 PLUS
1-3MB E-C APCH250K
2-3MB E-C N A
3MB E-C N A
POWERMATE 386/20
2MB MOD APCH655E
8MB MOD APCH656E
POWERMATE 386/25, 386SX25
2MB MOD APCH655X
8MB MOD APCH656X
8MB BMB APCH657X
POWERMATE 386/25S
2MB KIT OP4105201
4MB KIT OP4105203
8MB KIT OP4105202
POWERMATE 386/33E, 486/25E
2MB MOD OP4105101
POWERMATE 386/33I
1MB MOD OP4106204
4MB MOD OP4106205
16MB MOD OP4106206
POWERMATE 486/33I
2MB KIT OP4108103
8MB KIT OP4102101
POWERMATE EXPRESS 486/33E, /50E
486SX/20E, /25E
POWERMATE EXPRESS TOWER 486/25TE, /33TE, /50E
486/SX25TE
1MB MOD OP4106204
4MB MOD OP4106205
16MB MOD OP4106206
SILENTWRITER MODEL 90 & 290
2MB MOD OP4892
SILENTWRITER MODEL 95
2MB MOD 9502
SILENTWRITER MODEL 2
2MB MOD 4892

CALL FOR LATEST SUPER PRICES

COMPAQ

LTE 8086 PROCESSOR
512K MOD 117077001
LTE 286
1MB KIT 117081001
2MB KIT 117081002
4MB KIT 117081003
LTE 386S/20
4MB C-C 121125002
LTE LITE 20, 25
2MB C-C 129769001
4MB C-C 129769002
8MB C-C 129769003
16MB C-C N A
SLT/286
1MB MOD 110235001
4MB MOD 110237001
SLT 386S/20
4MB MOD 118305001
PORTABLE III
2MB KIT 107332001
INTERFACE 107808001
EXP BOARD 107811001
PORTABLE 386
1MB KIT 107651001
INTERFACE 107707001
4MB E-C 107653001
4MB AOM 107654001
PORTABLE 486C
2MB MOD 118689001
4MB MOD 118690001
8MB MOD 128877001
DESKPRO 286
2MB KIT N A
0-16MB E-C N A
DESKPRO 286E
2MB KIT N A
0-16MB E-C N A
DESKPRO 386-16
1MB KIT 108071001
1MB E-C 108069001
2MN E-C 108069-71-001
4MB E-C 108070001
8MB E-C 108070-72-001
DESKPRO 386S
1MB E-C 113633001
4MB E-C 113634001
1MB MOD 113646001
4MB MOD 112534001
DESKPRO 386/20E, 25E
1MB E-C 113644001
4MB E-C 113645001
1MB MOD 113131001
4MB MOD 113132001
DESKPRO 386/33
2MB MOD 115144001
DESKPRO 386/33L, 486/33L
2MB MOD 115144001
8MB MOD 116561001
32MB MOD 116568001
6 SOCK-EC 116569001
DESKPRO 486/25, /50L
2MB MOD 115144001
8MB MOD 116561001
32MB MOD 116568001
DESKPRO 386/25M, 486/33M, 486S 16M, 25M
1MB MOD 118688001
2MB MOD 118689001
4MB MOD 118690001
8MB MOD 128877001
8 SOCK-EC 129160001
DESKPRO 286N, 386N, 386S/20N
1MB MOD 118688001
2MB MOD 118689001
4MB MOD 118690001
3 SOCK-EC 118700001
PROLINEA 3/25S, 3/25ZS
2MB KIT 141738-001
8MB KIT 141742-001
PROLINEA 4/33, 4/66I
1MB MOD 141682-001
2MB MOD 141683-001
4MB MOD 141684-001
8MB MOD 141685-001
SYSTEMPRO
2MB MOD 115144001
8MB MOD 116561001
32MB MOD 116568001
6 SOCK-EC 116569001
SYSTEMPRO/LT 386-25S, 486SX-25S
1MB MOD 118688001
2MB MOD 118689001
4MB MOD 118690001
8MB MOD 128877001
8 SOCK-EC 129160001
CONTURA 3/20, 25
2MB MOD 139497001
4MB MOD 139498001
8MB MOD 139499001
CONTURA 4/25
4MB MOD 146520001
8MB MOD 146521001
16MB MOD 146522001
DESKPRO M-SERIES
SYSTEMPRO LT 486SX 25S & 325/25SE
2-64MB BD 129160 - 689
4-64MB BD 129160 - 890
8-64MB BD 129160 - 8[illegible]
SYSTEMPRO XL
16MB KIT 136816001
32MB KIT 136817001
128MB KIT 139918001
8 SOCK-EC 139938001
PROSIGNIA
1MB MOD 118688001
2MB MOD 118689001
4MB MOD 118690001
8MB MOD 128877001
16MB MOD 139917001
32MB MOD 149147001
LITE 4/25C
2MB CRD 142337002
4MB CRD 142337003
8MB CRD 142337004

SUN

SPARCSTATION ELC
4MB MOD X104Q
16MB MOD X116Q
SPARCSTATION IPC
4MB KIT X104Y
16MB KIT X116Y
SPARCSTATION IPX
4MB MOD X104U
16MB MOD X116U
SPARCSTATION 2
16MB KIT X116W
SPARCSTATION 330
8MB KIT X108E
32MB KIT X134A
SPARC 1, 3/60, 80, 4/40, 60, 65
4MB KIT X104C.G.H Y
SPARC SLC (4/20)
4MB MOD X105Z
4/110
16MB KIT X116D
SPARC II, 4/40, 60, 65, 75 330, 370, 390
16MB KIT X116H.Y WD
4/330, 4/370, 4/390
8MB KIT X108E
32MB KIT N A
SPARC10
16MB MOD X116F
64MB KIT X164F
SPARCSERVER 630MP, 670MP, 690
64MB KIT X168A

EVEREX

TEMPO LX, LX20
2MB MOD N A
TEMPO CARRIER
2MB MOD N A
TEMPO 286
2MB KIT N A
TEMPO 386SX
2MB KIT N A
4MB KIT N A
STEP SERIES 286-12, -16, -20, 386-16 & 20
2MB KIT N A
4MB KIT N A
STEP SYSTEMS 386IS, 386SX/20
4MB KIT N A
8MB KIT N A
16MB KIT N A
386 25, 33, SERVER 386 486 33, 486SX/20, 486EISA, SERVER 486
4MB KIT N A
16MB KIT N A

IBM

N51SX & N51SLC
2MB MOD 07G1879
4MB MOD 07G1880
8MB MOD 07G1881
L40SX, N33SX LAPTOP
2MB MOD 79F0999
4MB MOD 79F1000
8MB MOD 79F1001
P75 & P70
2MB MOD 6450902
4MB MOD 6450128
PS/1 286
512K MOD 1057035
2MB MD 92F9935
PS/1 386SX
512K MOD 1057035
2MB MOD 92F9935
4MB MOD 92F9694
PS/2 25
128K KIT 78X8955
PS/2 25 & 30 286
512K KIT 30F5348
2MB KIT 30F5360
0-16MB E-C N A
PS/2 35SX, 35LS, 40SX
1MB MOD 6450603
2MB MOD 6450604
4MB MOD 87F9977
8MB MOD 6450129
PS/2 55SX & 55LS
1MB MOD 6450603
2MB MOD 6450604
4MB MOD 87F9977
0-16MB E-C
PS/2 57SX, M57SLC, 56SX, 56SLC, 76 & 77
2MB MOD 6450902
4MB MOD 6450128
8MB MOD 6450130
PS/2 70-061, 70-161, 121, 061, E61
1MB MOD 6450603
2MB MOD 6450604
0-32MB E-C
PS/2 70-A61, -A16, -A21, -A61, B61, B21
2MB MOD 6450608
0-32MB E-C
PS/2-80 A16, A21, A31
4MB MOD 6451060
0-32MB E-C
MODEL 90XP & 95X
INSTALL IN PAIRS
2MB MOD 6450902
4MB MOD 6450128
8MB MOD 6450130
16 BIT EXPANSION CARD FOR MODELS 50, 60, 55SX, 65SX, 55LS MAXIMUM TWO CARDS PER MACHINE
0-16MB E-C
1MB MOD 6450603
2MB MOD 6450604
4MB MOD 87F9977
8MB MOD 6450129
32 BIT EXPANSION CARD FOR MODELS 70 & 80 MAXIMUM TWO CARDS PER MACHINE
0-32MB E-C
1MB MOD 6450603
2MB MOD 6450604
4MB MOD 87F9977
8MB MOD 6450129
4019 & 4019E
3.5MB E-C 1038675
4029
4MB MOD 118335
THINKPAD 300
2MB CRD33G9288
8MB CRD33G2989
THINKP-AD 700T
8MB RCD6451167
THINKPAD 700 & 700C
2MB MOD071419
4MB MOD07G1420
8MB MOD07G1421
N45SL
2MB MOD92F8804
CL57SX LAPTOP
2MB CRD07G1419
4MB CRD07G1420
8MB CRD07G1421
PS/1 CONSULTANT 2133, G11, G13, G14, ESSENTIAL W11, W13, W14, VALUEPOINT 325T & EXPERT S11, S13, S14
1MB MOD6450603
2MB MOD6450608
4MB MOD6450128
8MB MOD6450130
VALUEPOINT 425SX25, DX/33 & DX2/66 INSTALL IN FOURS
1MB MOD96F9260
4MB MOD96F9291
PRO 386SX M21-23
2MB MOD6450902
4MB MOD6450128
8MB MOD6450130
PS/2 80-041
1MB MOD6450375
PS/2 80-081, 111, 121, 161, 311 & 321
2MB MOD6450379
MODEL 95-50 OMF, OMT ECC MODULES
4MB MOD6451158
8MB MOD6451159
XSTATION 120 & 130
1MB VRAM4201
1MB MOD6450603
2MB MOD6450604
4MB MOD34F2933
RS/6000 POWERSTATION POWERESERVER 220
4MB MOD6450128
8MB MOD6450130
RISC SYSTEM 6000
NO BOARD INCLUDED
16MB KIT 4010
32MB KIT 4033
64MB KIT 4036
PS NOTE
4MB N A
8MB N A

SILICON GRAPHICS

4D/100 & 120, 4D SERIES 200, 300, 400
8MB KIT H4C08X
32MB KIT H4D32X
4D/20 PERSONAL IRIS, 4D25, 4D40, 4D50, 4D70, 4D80 4D85, CS/12, TURBO 12 & 16
4MB KIT H4C05B
4D/20 & 25
16MB KIT HU1C16B
IRIS CRIMSON
16MB KIT H4C16X
64MB KITR N A
4D/RX, INGIGO RPC, PERSONAL IRIS & IRIS INDIGO
8MB KIT HUC08C
32MB KIT HUC32H

ACER

ANYWHERE 1120NX
2MB CARD 1120NX
ANYWHERE K386S, K386S1
2MB CRD N A
4MB CRD N A
1100NX, 1100LS
4MB KIT N A
1100 16SX
2MB KIT N A
4MB KIT N A
1100/20
2MB KIT 9100023008
1100/25, 33
4MB KIT 9100023004
1170, 1172, 1173, POWER 500
2MB MOD 9148623002
4MB MOD 9148623003
8MB MOD 9148623004
1200
4MB KIT 9148623002
8MB IT 9148623003
16MB KIT 9148623004

PRINTER MEMORY

FUJITSU RX 7100, 7200N
2MB
KONICA LP3110, 3115
1MB
2MB
3MB
KYOCERA F1200S, F3300, F3300A
1-2-3-4MB
KYOCERA F820, F1800, F1800A, F3000A, F5000
1MB
CITOH-4 PLUS + 8E
1MB
CITOH CI-6
1MB
2MB
4MB
CITOH CI-8
1MB
2MB
COMPAQ
PAGEMARQ 15 & 20
DATAPRODUCTS LZR650
EPSON EPL 4000, 4100, 8000, 8100
PAINTJET XL300
HP LASERJET FAX
PACKARD BELL PB9600
AT&T 593
TEC 1300SB, 1321C, 1323D
FACIT P6060
NCR 6435
CITOH CI-5
HARRIS 3M
ATARI SLM-804PCV
OASYS
MANNESMAN TALLY 905-906
PHILLIPS NMS 1480
IBM 4079
KYOCERA S/800AT
NEC SILENTWRITER 2/560, 560P, 562P &95
SEIKOSHA OP104, OP108
OLIVETTI PG108, PG208
SHARP JX9700, -E, -H
QMS PS860, PS1700, 825MR
OKIDATA OL810 & 410

DELL

320N, 212N, 320NPLUS
1MB MOD 3133203
2MB MOD 3103204
NL20, NL25
2MB MOD 3103213
325P, 325D, 333D, 333P, 320SX, 433P, 486D, 486P
1MB MOD 3102505
4MB MOD 3102507
486D, 486P
16MB MOD 3102625
420, 425, 433, 466 450DE, 450SE, 450TE
2MB KIT 3102466
4MB KIT 3102467
8MB KIT 3102468
TE & SE ONLY
16MB KIT 3102469
32MB KIT 3102630
NOTEBOOK 325NC, 325N
2MB
433E & 425E
2MB KIT 3102389
4MB KIT 3102390
8MB KIT N/A
316SX
2MB KIT 3102349
325N, NC NOTEBOOK
2MB MOD 3103210
PERFORMANCE T,L,M, SERIES
4MB 3103325
16MB 3103327
PERFORMANCE ME SERIES
4MB 3103334
8MB 3103335
16MB 3103336
32MB 3103337

MAGNAVOX

NOTEBOOK METALIS 286, 386SX
4MB MOD
NOTEBOOK METALIS 386SX16 & 386SX20
2MB MOD N A
4MB MOD N A
HS500, 300, 386SX, 286
2MB KIT
4MB KIT
HS, PR, MX 1200, 286, HS, PR, MX 1600, MGP160 PR64CD, 386SX-16, HS, PRSX20, HS80CD 386-20SX, HS3300, 386-33 HS486, 486SX
1MB SIMM
4MB SIMM

Canon

LPB-4, -4PLUS, 4LITE
1MB MOD S632240
1-2MB E-C S632230
2MB E-C N A
LBP-8II
1-4MB E-C S631300
2-4MB E-C S631880
3MB E-C S631300
LBP-8III, -8PLUS
1-3MB E-C S632340
2-3MB E-C S632350
3MB E-C S632360

TI

TRAVELMATE WINSLC/25
2MB 256679960001
TRAVELMATE 2000
1MB 2568034001
TRAVELMATE 3000
TRAVELMATE 3000WINSX
2MB KIT 2566776001
TRAVELMATE 4000WINSX
4MB MOD 25812650001
MICROLASER PLUS, XL
MICROLASER PLUS TURBO
1MB MOD 255739001
2MB KIT N A
4MB KIT N A
8MB KIT N A

EPSON

NB-SL/20, /25, /25C
2MB MOD A808771
4MB MOD A808781
8MB MOD N A
NB3S
4MB MOD A808511
EQUITY LT-286
1MB MOD A808191
EQUITY LT-386SX
2MB MOD A808361
EQUITY 286 PLUS
2MB KIT A808101
EQUITY 386SX/16 PLUS
2MB KIT A808101
EQUITY 386/25 PLUS, 386SX PLUS
2MB KIT A808101
EQUITY 386SX/20 PLUS
8MB KIT A808631
EQUITY 486SX/25 PLUS
2MB KIT A808101
486/33, EISA & TOWERS
2MB KIT A808591
8MB KIT A808711
16MB KIT A808673
EPL 6000 L-P
2-4MB E-C IBS401
4MB E-C N A
EPL 7000 L-P
2-4MB E-C C822011
4MB E-C C822061
EPL 7500 L-P
2-4MB E-C C822051
4MB E-C C822021
ACTION LASER II/EPL 4000 4100/8000/8100
1MB E-C
2MB E-C
3MB E-C
5MB E-C
EQITY 2 PLUS

ZENITH

MASTERSPORT 286
1MB MOD ZA2121
MASTERSPORT 386SX
2MB MOD ZA3601
MASTERSPORT386SL, 386SLE
2MB MOD ZA44
SLIMSPORT
1MB MOD ZA18095
2MB MOD ZA18064
4MB MOD ZA18071
TURBOSPORT 386
1MB MOD ZA3034ME
TURBOSPORT 386E
1MB MOD ZA3034ME
4MB MOD ZA3035ME
SUPERSPORT 286
1MB MOD 18066
SUPERSPORT 286E
1MB MOD ZA18066
2MB MOD ZA18064
4MB MOD ZA18071
SUPERSPORT SX
2MB MOD ZA18064
2MB MOD ZA18086 ALPHA
2MB MOD ZA18087 BETA
Z-286LP PLUS
2MB KIT Z6051
0-16MB E-C N A
Z-386SX, Z-386SX 20
2MB KIT Z6051
0-16MB E-C N A
Z-386/20, 25, 33, 33E
1MB MOD Z3800ME
4MB MOD Z3800MK
Z-486/33ET
4MB KIT ZA4200M2
16MB KIT ZA4200M8
Z-300 400 SERIES, Z-420SX Z-425SX Z-433DX, Z-433SX
4MB ME100
16MB ME90
Z-SERVER 425SX, 433DE, 450DE
4MB ME432
8MB ME102
16MB ME442
32MB ME92
Z-STATION 325SH - 325SN 420SEH - 420SH - 420SN - 425SH 433DEH - 433DH - 450XEN
1MB MR70
4MB ME100

brother

HL-4, 4V, 4PS
1MB E-C MB410
2MB E-C MB420
4MB E-C MR440
HL-8, -8E, -8D, -8V
1MB E-C MB810
2MB E-C MB820
BROL1-410, BROL2-420
1MB KIT N A
HL10DV, 10PS
2MB E-C N A
4MB E-C N A

LAPTOP & NOTEBOOK

ALTIMA LAPTOP SX
1MB MOD
2MB MOD
4MB MOD
16MB MOD
BONDWELL B310 SUPERSLIM
1MB MOD
BONDWELL B310V-B310SX
1MB MOD
4MB MOD
CHICONY 386SX
4MB MOD
CHICONY 5620
4MB MOD
CHAPLET NOTEBOOK
2MB MOD
4MB MOD
COMODORE C286/386LT
2MB MOD
COMODORE C386
2MB MOD
GOLDSTAR GS520 386SX/16
4MB MOD
HEWLETT PACKARD 95LX
1MB MOD
2MB MOD
HYUNDAI 386SX, NB386SC
4MB MOD
LIBREX 286 & V386SX
2MB MOD
LEADING EDGE DLT/386SX
1MB MOD
MITSUBA NINJA 286, 386SX
4MB MOD
PACKARD BELL PB286NB
4MB MOD
PACKARD BELL PB386NBX
4MB MOD
POQUET
512K MOD
1MB MOD
SAMSUNG NOTEMASTER 386S-16
2MB MOD
4MB MOD
SAMSUNG NOTEMASTER 386S-20, 386S-25
2MB
4MB
6MB
SANYO 17NB, 18NB, 18NB6
2MB MOD
SAMPO NBSX16
1MB MOD
2MB MOD
4MB MOD
SAMPO NBSX25
2MB MOD
4MB MOD
TANDON NB386SX
1MB MOD
4MB MOD
8MB MOD
TANDY 15/10, 28/10, 38/10
1MB
TANDY 28/20, 38/20
2MB
6MB
TULIP LAPTOP
4MB MOD
ZEOS NOTEBOOK
2MB MOD

OKIDATA

OL 400
1MB E-C 70014701
2MB E-C N A
OL 800, 820
1MB E-C 70015201
2MB E-C N A
3MB E-C N A
4MB E-C N A
OL 830, 840
2MB E-C 70016501

SHARP

PC 6220
1MB MOD CE621B
JX9500PS LASER
1MB E-C JX95MJ
JX9500E, 9500H, 9700
1MB C-C N A
1 5MB C-C N A
2 5MB C-C N A
4MB C-C N A

QMS

QMS-PS 410
1-4MB E-C N A
2-4MB E-C N A
4MB E-C N A
QMS 815, 815MR, 815
1-6MB E-C N A
2-6MB E-C N A
4-6MB E-C N A
6MB E-C N A

Panasonic

CF-480
2MB MOD NA
6MB MOD NA
CF-170, CF-270, CF-370
1MB MOD CFBA165
4MB KIT N A
KX-P4410, KX-P4420, KX-P4430
1-4MB E-C KXP443
2-4MB E-C KXP441
3-4MB E-C N A
4MB E-C N A
KX-P4450
1MB E-C KXP440
KX-P44501
1-4MB E-C KXP443
2-4 MB E-C KXP441
3-4MB E-C N A
4MB E-C N A
KX-P4455
2MB E-C KXP4455 2

LOCAL BUS MOTHER BOARDS

386/486
ONE BOARD SOLUTION
386/486-64K Cache no CPU $200
386/486-256K Cache no CPU $250

386DX-33-64K CACHE W/CPU	$199
386DX-33-256K CACHE W/CPU	249
386DX-40-64K CACHE W/CPU	210
386DX-40-256K CACHE W/CPU	260
486SX-25-64K CACHE W/CPU	349
486DX-33-64K CACHE W/CPU	490
486DX-33-256K CACHE W/CPU	540
486DX-50-256K CACHE W/CPU	749

EXPANSION BOARDS

RAMpAT!™ ·Uses up to 16 MB of memory ·16-bit ISA (PC AT) bus compatible ·Self-installing: no switches or software setup required ·Supports extended or LIM 4.0 expanded memory modes **$108**

RAMpAT!-*Plus*™ ·Up to 16MB of memory ·Half-card plugs into 8-bit or 16-bit ISA expansion slots·Hardware support for LIM 4.0 expanded memory·Self installing software **$145**

AST Rampage Plus /2MB **$169**

DYNAMIC RAMS

1MB X 1-100NS	4.45	256 X 1-80NS	2.30	64K X 4-120NS	2.25
1MB X 1-80NS	4.70	256K X 1-70NS	2.30	64K X 4-100NS	2.60
1MB X 1-70NS	4.75	256K X 1-60 NS	2.70	64K X 4-80NS	2.75
1MB X 1-60NS	5.20	256K X 4-100NS	4.85	64K X 1-150NS	2.00
256K X 1-150NS	2.00	256K X 4-80NS	4.95	64K X 1-120NS	2.25
256K X 1-120NS	2.05	256K X 4-70NS	5.00	64K X 1-100NS	2.45
256K X 1-100NS	2.20	256K X 4-60NS	5.25		
1 x 4-80NS DIPP	25.00				

CACHE

8 X 8-15	5.00
32 X 8-15	16.00
8 X 8-25	4.00
32 X 8-25	7.80
64 X 4-25	9.00
16 X 4-25	5.00
8 X 8-20	4.50
32 X 8-20	9.00
64 X 4-20	10.00
16 X 4-20	5.50
16 X 4-15	9.00
64 X 1-20	18.00
64 X 1-15	20.00

FOR MEMORY PRODUCTS NOT LISTED, CALL FOR PRICES AND AVAILABILITY

PURCHASE ORDERS FROM GOVERNMENT AGENCIES - UNIVERSITIES - FORTUNE 2000 FIRMS - CALL **1-800-MEMORY-2** (636679)

ALL CREDIT CARDS ARE VERIFIED FOR FRAUDULANT USE **NEVER A SURCHARGE ON CREDIT CARDS** **OPEN SATURDAY 10 – 6** ALL CREDIT CARDS ARE VERIFIED FOR FRAUDULANT USE

TECHNICAL SUPPORT **1-215-922-4640** MasterCard VISA ORDERS ONLY TOLL FREE **1-800-457-6937** DISCOVER American Express FAX **1-215-922-0116**

ALL CREDIT CARDS ARE VERIFIED FOR FRAUDULANT USE.

ORDER TOLL-FREE FROM ANYWHERE IN THE USA OR CANADA. CALL FOR CURRENT PRICES AND VOLUME DISCOUNTS. PRICES AND AVAILABILITY SUBJECT TO CHANGE. ORDER LINES OPEN 6 DAYS. MINIMUM ORDER 50.00•USA SHIPPING & HANDLING: AIR $12.00–AIR OVERNIGHT $18.00–COD ADD $4.00•PA RESIDENTS ADD 7% SALES TAX•PREPAID ORDERS CALL FOR CONFIRMATION•ALL RETURNS REQUIRE RMA# AND ORIGINAL INVOICE CANCELLED ORDERS AND RETURNS FOR CREDIT SUBJECT TO 25% RESTOCKING CHARGE•RETURNED MERCHANDISE MUST BE IN NEW CONDITION AND RECEIVED WITHIN 14 DAYS FROM INVOICE DATE, SORRY, NO REFUNDS AFTER 14 DAYS. SHIPPING AND HANDLING CHARGES NOT REFUNDABLE•INTERNATIONAL ORDERS WELCOME–APO–FPO ORDERS WELCOME P.O.'S ACCEPTED FROM GOVERMENT AGENCIES/UNIVERSITIES/FORTUNE 2000 COMPANIES–SUBJECT TO APPROVAL. ALL MEMORY PRODUCTS ARE THIRD PARTY. ALL TRADEMARKS ARE THE PROPERTY OF THE RESPECTIVE OWNERS. ★ ALL WORLDWIDE TECHNOLOGY PRODUCTS ARE 100% GUARANTEED AND COME WITH LIFETIME WARRANTY EXCEPT 30 DAY WARRANTY ON CPU CHIPS AND 1 YEAR WARRANTY ON MOTHER BOARDS ★

WORLDWIDE TECHNOLOGIES

437 Chestnut Street, Philadelphia, PA 19106
Customer Service 215-922-4640

Circle 204 on Inquiry Card.

Take Note: The World's Best SCSI Adapter Just Got Better

Price Now Reduced 50%!

Caching module adds blinding disk speed!

Array module supports RAID 0, 1 and 5

add standard or ECC SIMMs – up to 64 MB in a single slot

SCSI adapter – form ISA and EISA models

Storage Manager GUI for easy set-up, diagnostics, etc.



SmartCache III is the total, growable SCSI solution!

The world's best SCSI adapter is now the world's greatest bargain—priced lower than any major competitor. An unprecedented value, SmartCache III offers top performance and universal connectivity with all major SCSI-1, SCSI-2 and Fast SCSI devices, including hard drives, tape, CD-ROM and WORM.

It also comes with built-in support from all major operating systems, including DOS, Windows, OS/2, NetWare, Windows NT, NextStep and all versions of Unix.

And only SmartCache III gives you a growth path. Optional plug-on modules let you migrate easily to caching (with up to 64Mb cache), as well as full RAID capability. *Storage Manager,* our GUI utility, makes installation quick, easy and automatic. Plus, it gives you on-line and remote control over subsystem management, diagnostics, performance monitoring, and disk array configuration and control.

Distributed Processing Technology, Inc.
140 Candace Dr. Maitland, FL 32751 USA

407/830-5522 FAX 407/260-5366

DPT

Circle 193 on Inquiry Card (RESELLERS: 194).

HARD DRIVE KING

GUARANTEED LOWEST PRICES

Seagate

MODEL	SIZE	SPEED	TYPE	PRICE
ST225	20MB	65MS	MFM 5.25"	$169
ST251-1	42MB	28MS	MFM 5.25"	$249
ST4096	80MB	28MB	MFM Full HT	$389
ST351A (1" high)	42MB	28MS	IDE 3.5"	$129
ST3120A (1" high)	105MB	18MS	IDE 3.5"	$198
ST3144A (1" high)	130MB	16MS	IDE 3.5"	$198
ST3243A	213MB	15MS	IDE 3.5"	$249
ST3390A 260MB		**18MS**	**IDE 3.5"**	**$289**
ST3550A	452MB	12MS	1DE 3.5"	$569
ST4766N	660MB	15MS	SCSI/FH	$899
ST41200N	1037MB	15MS	SCSI/FH	$1148

CONNER

MODEL	SIZE	SPEED	TYPE	PRICE
CP30084	80MB	17MS	IDE	$178
CP30104 (1" high)	120MB	19MS	IDE	$198
CP30174A (1" high)	170MB	17MS	IDE	$218
CP30254 (1" high)	209MB	12MS	IDE	$298
CP30540	540MB	12MS	SCSI	$858
CP30544A	540MB	15MS	IDE	$798

Maxtor

MODEL	SIZE	SPEED	TYPE	PRICE
7131A (1" high)	130MB	15MS	IDE	$208
7213A (1" high)	213MB	15MS	IDE	$258
7213S (1" high)	213MB	15MS	SCSI	$288
7245A (1" high)	245MB	15MS	IDE	$269
7345A	345MB	15MS	IDE	$369
LXT535A (HH)	535MB	13MS	IDE	$849
PANTHER (FH) P0125	1000MB	13MS	SCSI	$1088
PANTHER (FH) P117 .... 1500MB		**13MS**	**SCSI**	**$1398**

FUJITSU 5 YEAR WARRANTY

MODEL	SIZE	SPEED	TYPE	COST
2622A/S (3.5")	330MB	12MS	SCSI/IDE	$565
2623A/S (3.5")	420MB	12MS	SCSI/IDE	$738
2624A/S (3.5")	520MB	12MS	SCSI/IDE	$758
2266S (FH)	1080MB	15MS	SCSI	$1128
2652S (FH)	1750MB	11MS	SCSI	$1888
2654S (FH)	2060MB	11MS	SCSI	$2098

MICROPOLIS reduced pricing!

2105 (3.5")	560MB	10MS	SCSI/IDE	$979
1624 (HH)	660MB	15MS	SCSI	$795
2112 (3.5")	1050MB	10MS	SCSI/IDE	$1199
1528-15 (FH)	1350MB	14MS	SCSI	$1198
1548 (FH)	1748MB	14MS	SCSI	$1695
1924 (FH)	2100MB	11MS	SCSI	$2279
1936 (FH)	3300MB	11MS	SCSI	$3499

WESTERN DIGITAL 2 YEAR WARRANTY

2200 (1"high)	212MB	12MS	3.5" IDE	$249
2250 (1"high)	256MB	12MS	3.5" IDE	$288
2340 (1"high)	340MB	12MS	3.5" IDE	$379

intel Cassic Memory Board

For 286 and 386 systems. ASCI design gives EMS support in hardware for up to 90X performance over software EMS. Up to 8MB using 1MB SIMMS. Works in both 8 or 16 bit expansion slots

2MEG-$148 4MEG-$208 8MEG-$338

Floppy Drives

360K	5.25"	½ HT	$29	1.44/1.2 DRIVE	$149
720K	3.5"	½ HT	$34		
1.2MB	5.25"	½ HT	$58		
1.44MB	3.5"	½ HT	$58		
	5.25"	MOUNT	$5		
	FOR 3.5" DRIVES				

Drive Controllers

8 Bit	4 Floppy High Density, 360K, 720K, 1.44, 1.2	$49
8 Bit	2 Hard Drives MFM	$49
8 Bit	2 Hard Drives RLL	$59
16 Bit	Hard Drive only MFM	$19
16 Bit	Hard and Floppy 1.1 Interleave	$34
SCSI	DTC-3280 (Supports 7 drives)	$139
SCSI	Adaptec 1742A 32 BIT	$418
SCSI	Adaptec 1542 Bus Mastering	$219
ESDI	DTC6282-24	$149
IDE	Hard and Floppy	$29
IDE	Hard and Floppy w/IO	$39
Cables	Hard Drive	$9
Cables	Hard and Floppy	$14

WORDSTAR®

ONLY 500 COPIES LEFT!

Wordstar 2000 Rel. 3.5

This is not a misprint! These are the exact same ones selling for over $300.00 from our competitors. We have hundreds in stock ro sale below dealer cost! Retail boxed and factory sealed.

$99 RETAIL $495.00

FREE CALL

800-982-2925

For U.S. and Canadian Orders only

HOURS: M-F 7AM-6PM / SAT 10AM-3PM PST

TECHNICAL & CUSTOMER SERVICE CALL:

(702) 294-0204

PURCHASE ORDERS & INTERNATIONAL ORDERS

FAX TO: (702) 294-1168

WE BUY EXCESS INVENTORY

NEVADA COMPUTER

Memory & PC Upgrade Specialist

Serving you since 1986

- Toll Free Sales & Technical Service
- 100% Compatibility Guarantee
- Lifetime Warranty on Memory
- Nevada's Largest Wholesaler

OVERSTOCKED SPECIALS

MEMORY

1 Meg X 1-120NS Dips	$2.95
IBM PS/2 2Meg Modules (6450604)	$78.00
IBM PS/2 4Meg Modules (6451060)	$129.00

MODEMS

1200 Baud PS/2 MCA	$9.00
1200 Baud IBM PC	$9.00
PC MCAI 2.0 Fax Modem	$248.00

works with most major Laptops 9600 Baud Fax, 2400 Baud modem, MNP Correction send and receive.

We carry a full line of DELL Memory! DELL

Power Desktop 325D;P,333P, 433P,486P,486D	1MB	310-2505	$59
	4MB	310-2507	$158
PowerLine Workstation 420; 425;433;450;DE/2,466DE	2MB	310-2466	$99
	8MB	310-2468	$319
same as above w/466SE	32MB	310-2630	$1498
Performance T,LM series	4MB	310-3325	$159
	8MB	310-3327	$649
Performance ME series	4MB	310-3334	$159
	8MB	310-3335	$329

UPGRADE YOUR 386 TO A 486

	486DLC-40	486DX-33	486DLC-33	486SX-25	386DX-33
PC Mag. 6.0 Avg. Mix	1470	1339	1215	1002	857
Landmark V2.0	130	111.5	107.2	83.6	51.5
Norton SI 6.0	65.6	70.9	54.1	52.7	47.7

*Up to 70% Faster
*5 Year Warranty
*Dos Compatible
*1K Internal Cache
*Plug Compatible
*486 Instruction set
*Windows Compatible
*Hit Rate of 85%

386SX Upgrade
80486SLC-25 $128
80486SLC-33 $199

386DX Upgrade
80486DLC-25 $118
80486DLC-33 $179
80486DLC-40 $199

All come with complete kits, software and manual

COPROCESSORS

8088 BASED MACHINES:
8087-2 5MHz $48
8087-2 8MHz $68
8087-1 10MHz $88

80286 BASED MACHINES:
80287 -6MHz $29
80287 -8MHz $39
80287-10 MHz $49
80287-XL $58
80287-XLT $99

80386 BASED MACHINES:
80387 - 16MHz $49
80387-20MHz $59
80387-25MHz $69
80387-33MHz $79
80387-SX16 $58
80387-SX20 ..... $89
80387SL $88

intel CPU's

386DX

80386 DX/20	$39
80386 DX/25	$74
80386 DX/33	$89
AMD DX40	$99

486DX/SX

80486 DX/25	$299
80486 DX/33	$369
80486 DX/50	$498
80486 DX-2/50	$478
80486 DX-2/66	$599
80486 SX/25	$149
80486 SX/20	$149
80486 SX/33	$249

INTEL OVERDRIVES

Boosts overall system performance up to 70% by doubling the internal operating speed of your present microprocessor.

487DX2-66	$598
487DX2-50	$498
487SX25	$499

Call us with your best quote!

IBM PS/2 Memory

MODEL	MEMORY	PART#	PRICE
PS/1 and 386/SX (2121)	2MB	92F9935	$88
	4MB	92F9694	$159
PS/2 30/286;25/286; Adpt Brd 1497259	512K	30F5348	$30
	2MB	30F5360	$84
PS/2 35SX, LS, 40SX,70-E61; 061; 121 Adpt Brd 6450609; 34F3011; 34F3077, 502 55SX, 655SX, P70, 55LS, 65LS XStation 120 & 130	1MB	6450603	$49
	2MB	6450604	$79
PS2 50, 50Z, 55SX, 60, 65SX	2-8MB	1497259	$259
	2-16MB	6450609	$308
2-8 MB FOR PS/2 50 & 60, 2MB $99, 4MB $159, 8MB $289			
PS/1 Consultant, Essentials & Expert models x43, x44 & PS/Valuepoint all models except Cxx series	4MB	N/A	$159
	16MB	N/A	$699
PS/2 70-A21; A61; B21; B61; PS/1 Consultant, Essential & Expert models x11, x13 & x14, PS/Valuepoint Cxx series	1MB	6450603	$49
	2MB	6450608	$84
PS/2 35SX; LS, 40SX, 55SX; LS, 65SX;	4MB	34F2933	$168
PS/2 90 XP, 95 XP, P75 (Pairs), 56 57 (all) 76, 77, PS/1 Pro 2123	2MB	6450902	$88
PS2 90, 95 XP, P75 (Pairs) 56, 57, (all) PS/1 Consultant, Essential, Expert x11, x13 & x14, PS/1 Pro 2123, RS/6000	4MB	6450128	$158
	8MB	6450130	$318
	8MB	6450129	$298
PS2 35SX; LS; 40SX	2-8MB	6450605	$249
32 BIT BOARDS	2-14MB	34F3077	$288
32 BIT BOARDS	4-16MB	34F3011	$348
PS/2 80-A21; A31; A61	4MB	6451060	$198
PS/2 80-041	1MB	6450375	$88
PS/2 80-111; 311; 121; 321; 081; 161	2MB	6450379	$98
ValuePoint 425SX/25/DX33 & 66	1MB	96F9290	$58
	4MB	96F9291	$168

BOCARAM/2 PLUS

For PS/2 16 Bit Memory for IBM MCA, DOS and OS2 LIM EMS
2 to 8MB (uses 1MEG SIMMS) 2MB-$179 4MB-$245 8MB-$372

IBM Laptops

Thinkpad 300	2MB	33G9288	$109
	8MB	33G9289	$399
Thinkpad 700T	2MB	53G6958	$138
	4MB	53G6959	$238
	8MB	53G6960	$399
PS/2 MD CL57SX Color, Notebook,	2MB	07G1419	$168
Thinkpad 700, 700C	4MB	07G1420	$219
	8MB	**07G1421**	**$359**
PS/Note N45	2MB	92F8804	$98
PS/2 Model N51, Notebook SLC, SX	2MB	07G1826	$98
	4MB	07G1827	$168
	8MB	07G1828	$308
Laptop N33SX, L40SX & N82	2MB	79F0999	$98
	4MB	79F1000	$168
L40SX ONLY	8MB	79F1001	$388

In Touch with Tomorrow

TOSHIBA Laptop & Notebook Memory

MODEL	MEMORY	PART	PRICE
T1000 SE/LE/XE	2MB CARD	PA8312U	$84
T2000 / T2000SX	2MB CARD	PA8317U	$84
T2000SX/T1000 LE	4MB CARD	PA8314U	$168
	8MB CARD	PA8315U	$308
T1200 XE	2MB BOARD	PA8306U	$92
T1600	2MB BOARD	PA8302U	$85
T2000 SXE/T2200SX/T1800 T1850, C	2MB CARD	PA2000U	$89
	4MB CARD	PA2001U	$168
	8MB CARD	PA2002U	$328
T3100	2MB MOD	PA7135E	$158
T3100 E	2MB MOD	PA8341U	$88
T3100 SX	2MB BOARD	PA8308U	$88
	4MB BOARD	PA8310U	$164
T3200 SX	2MB MOD	PA8307U	$88
	4MB MOD	PA8309U	$164
T3200 SXC	2MB MOD	PA8318U	$88
	4MB MOD	PA8319U	$164
T3200	3MB BOARD	PA7137U	$164
T3300SL	2MB CARD	PA2006U	$98
	4MB CARD	PA2007U	$168
	6MB CARD	PA2008U	$228
	16MB CARD	PA2009U	$748
T4400 SX, SXC, T6400 SXC, DXC	2MB CARD	PA2003U	$125
	4MB CARD	PA2004U	$168
	8MB CARD	PA2005U	$308
	16MB CARD	PA2010U	$699
	32MB CARD		$2899
T4500C	4MB	PA2012U	$188
	8MB	PA2013U	$328
	16MB	PA2017	$798
T5100	2MB BOARD	PA8301U	$88
T5200/T5200C/T8500	2MB MOD	PA8304U	$99
	8MB MOD	PA8313U	$348

COMPAQ Memory

MODEL	MEMORY	PART#	PRICE
Deskpro 386/16	1-2MB	108069-001	$238
	2MB	108069W71	$348
	4-8MB	108070-001	$398
Deskpro 286E; 386-20; 20E; 25; 25E	1MB	113131-001	$59
	4MB	113132-001	$173
Deskpro 386S	4MB Board	113634-001	$219
	4MB Module	112534-001	$174
Deskpro 386-20E; 25E	4MB	113645-001	$219
Deskpro 386/33; 386/33I; 486/25; 33L;50L; Systempro	2MB	115144-001	$98
	8MB	116561-001	$369
	32MB	116568-001	$1478
Systempro; Deskpro ..... 6 SKT EXP BRD	W/2MB	116569-001	$299
Compaq "M"	2-64MB	129160-001	$348
Deskpro 286N; 386N; 386SX/20; 20N, Portable 486c, Deskpro M , Systempro LT Series 129160-001, Compaq Pro Signia	1MB	118688-001	$49
	2MB	118689-001	$85
	4MB	118690-001	$158
	8MB	128877-001	$318
Prolina 3/25 & 25Z	2MB	141738-001	$89
	8MB	141742-001	$299
Prolina 4/25si, 4/33, 4/50	2MB Module	141683-001	$98
	4MB Module	141684-001	$168
	8MB Module	141685-001	$318
Compaq Pro Signia	16MB	149320-001	$995
	32MB	149147-001	$2395

COMPAQ Laptop & Notebook Memory

Contura 320, 325	2MB	139497-001	$98
	4MB	139498-001	$168
	8MB	139499-001	$318
Contura 4/25CX	4BM	146520-001	$228
	8MB	146521-001	$388
	16MB	146522-001	$848
SLT/286	1MEG MOD	110235-001	$79
	4MEG MOD	110237-001	$208
SLT386	1MEG MOD	118303-001	$79
	2MEG MOD	118304-001	$108
	4MEG MOD	118305-001	$169
Lte 286	1MEG BRD	117081-001	$79
	2MEG BRD	117081-002	$99
	4MEG BRD	117081-003	$218
Lte 386S/20	1MEG BRD	121125-001	$98
	4MEG BRD	121125-002	$179
Lte Lite/20, 25, 25C	2MEG BRD	129769-001	$138
	4MEG BRD	129769-002	$198
	8MEG BRD	129769-003	$349
	16MEG BRD		$1395
LTE Lite/20 & Lite/25;25C	16MB Card	N/A	$1045
Compaq Lite 486/25C	4MB Card	142337-002	$219
	8MB Card	142337-003	$378
	16MB Card	142337-004	$1198

Simm Modules

Prices change up and down call. Sipp modules, add $3.00 ea.

DESCRIPTION	100NS	80NS	70NS	60NS	53NS	40NS
256X9	$9	$10	$12	$17		
1MEGX3		$35	$36	$41		
1MEG X 9	$34	$37	$40	$44	$49	58
4MEG X 9		$138	$148	$168		
16MEG X 9 (36 CHIP)			$799			
256X36 1MEG (72 Pin)	$49					
512X36 2MEG (72 Pin)	$84	$94	$119			
1X36 4MEG (72 Pin)	$148	$158	$188			
2X36 8MEG (72 Pin)	$298	$317	$378			
4X36 16MEG (72 Pin)	$648	$698	$748			
8X36 32MEG (72 PIN)		$1950				

D-Ram Chips

DESCRIPTION	150NS	120NS	100NS	80NS	70NS	60NS
64 X 4	$1.95	$2.25	$2.45	$2.95		
256X1 STATIC				$1.95	$2.25	
256 X 1	$1.45	$1.85	$2.40	$3.00	$3.15	$3.20
256 X 4			$4.45	$4.95	$5.45	$5.95
1MEG X 1		$2.95	$3.50	$4.75	$5.45	$5.75
1MEGX1 STATIC				$4.95	$5.25	
1MEGX4				$18.00	$20.00	$24.00

CACHE MEMORY

	15ns	20ns	25ns
8KX8	4.95	4.45	3.95
32X8	8.95	7.75	
64x1	9.95	8.45	7.95
64x4	10.95	8.95	7.95
16x4	8.95	5.45	4.95
128x8		59.00	49.00

PCMCIA 2.0 SRAM MEMORY

AST POWEREXEC, DEC PALMTOP, DELL 320SLi, GRID GRIDPAD, HP 95LX, IBM PC RADIO, MOMENTA PENTOP, NCR 3125 NOTEPAD, POQET, SHARP PC3000/3100, SHARP PC-6700/6741/6781/6785, SHARP PC-6800/6841/6881/6891, ZEOS POCKET PC.

512K $98.00 1MB $148.00 2MB $284.00

Laser Printer Memory

MODULE	1MEG	2MEG	3MEG	4MEG	5MEG	8MEG
Apple Laserwriter	CALL					
Brother HL-10V/DV	$165		$264			
Canon LBP4, 4 Lite & 4+	$118	$184				
Compaq Pagemark 15 & 20				$189		$320
Epson Action Laser II, 8000	$95		$163		$229	
Epson + 6000 and many more		$98		$168		
Fujitsu 7100 & 7200	$199	$279				
HP Deskjet 500, 500C and 550C	$59 (256K)					
HP2, 2D,	$89		$146			
3, 3D, 3P, 2P, 2P+	$103		$159			
HP Laser Jet 4, 111Si, XL300	$59		$99	$158		$298
IBM Laser 4019, 4019E (3.5MB)	$119		$169			
IBM Laser 4029 ALL MODELS	$99		$149			
NEC 90, 290	$118					
NEC 95	$98					
OKI 400	$78	$98				
Packard Bell PB9500	$105		$178			
Panasonic 4410/4430	$109		$178			
Panasonic 4420/4450	$118		$188			
Panasonic 4450	$105					
Panasonic 4455	$119					
QMS 410	$119	$159		$249		
Star LS04	$129	$179		$269		
StarScript 4	$128	$178		$258		
Tosiba Page Laser 6	$99			$168		
TI XL/PS17/PS35	$48					

Major Laptop & Notebook Memory

MODEL	MEMORY	PART#	PRICE
AT&T Safari	2MB	37650	$128
	4MB	37651	$238
Bondwell B-310	1MB	23050-09100	$128
Dec pc 320 Notebook	2MB Mod	FR-PCIM-BA	$149
	4MB Mod	FR-PCIM-BB	$298
	8MB Mod	FR-PCIM-BD	$345
Dell Laptop 212, 320N; 320N+	1MB Mod	310-3203	$79
	2MB Mod	310-3204	$109
Dell 325N; NC; Notebook P.C.	2MB Mod	310-3210	$119
Dell NL20 & NL25 NTBK	2MB Mod	310-3213	$148
Epson NB-3 Notebook	4MB	A808511	$198
Epson NB-SL/20;25	2MB Mod	A808771	$138
25C Notebook	4MB Mod	A808781	$228
Everex Tempo LX, LX20	2MB	00160	$87
Everex Carrier	2MB	00263-00	$97
Grid 1500	4MB	52587	$198
Grid 1450SX	2MB	6200203	$148
Goldstar GS520, 386SX16	1MB	N/A	$98
	4MB	N/A	$248
NCR 3120 Notebook	4MB Mod	3120-K104	$299
NCR 3170 Notebook	4MB Mod	3123-K104	$399
Packard Bell, Magnavox, Mitsuba	1MB	N/A	$88
	4MB	N/A	$198
Panasonic CF170/270/370	1MB	CF-BA165	$64
Samsung Notemaster 386S	2MB	SNM002	$195
	4MB	SNM004	$395
Sanyo 17NB; 18NB & ZEOS	2MB	MBC-NBMEM2	$88
Sharp 6220	1MB	CE-621B	$88
Sharp 6640	2MB	N/A	$198
Sharp 4700MZ-200	1MB	CE-471	$198
Sharp 8501 Colorstar	2MB	N/A	$398
TI Travelmate 2000	1MB	2568034-0011	$88
TI Travelmate 3000SX; WINSX	2MB	2566996-0001	$98
TI Travelmate 4000, WINDX/25 SX/16, SX25, DX2/40	4MB	2581265-001	$208
DX2/50	16MB		$1099

ZENITH MEMORY: CALL FOR ALL MODELS

AST COMPUTER Memory

MODEL#	MEMORY	PART#	PRICE
PREMMIA	4MB	501159-001	$189
	8MB	501159-002	$368
MANHATTAN SMP	16MB	501143-001	$868
BRAVO 3/25'S	2MB	500710-004	$98
	8MB	500824-002	$319
ADVANTAGE 386SX/20;25, PRO SX/25 BRAVO 3/33'S	2MB	500962-001	$75
	8MB	500962-002	$339
ADVANTAGE PRO 486DX/33;SX/25, BRAVO LC 4/25S; 33; 33S; 50D; 4'66D	2MB	500987-001	$88
	4MB	500987-002	$148
PREMIUM 386/25; 33; 33T II 386SX/16;20;25	1MB	500780-003	$59
	1MB	500780-002	$59
ADVANTAGE 486/25; 33;33P;SX20, BROVO 4/33;486/25;PREMIUM 4/25; 33TE, SE 4/33	2MB	500718-004	$119
	2MB	500780-005	$119
ADVANTAGE 486/25;33;33P;SX20,POWER PREMIUM 3/33,4/33;33S;50D;66D; PREMIUM 386/33TE,486/25;E;25TE;33;33TE; PREMIUM II 386/25;33,486/33,486SX/20 PREMIUM SERVER SE 4/33	4MB	500780-004	$158
	8MB	500780-001	$318
POWER-EXEC 3/25SL, 3/25SL-C,EL	4MB		$179
	16MB		$1299
POWER-EXEC 4/25SL	4MB		$209
PREMIUM EXEC 286,386SX/20;25;25C	4MB		$148

TERMS: SHIPPING: UPS (Min. $8.25) Shipping charges are non refundable. Purchase orders from Universities, Fortune 2000 & Government Agencies, NET 30 on approval. COD add $5.00 (Cashiers check)

FEDERAL EXPRESS DHL UNITED STATES POSTAL SERVICE UPS

CONDITIONS: 20% Restocking Fee on refunds within 30 days. No refunds or exchanges after 30 days - WARRANTY REPLACEMENT ONLY. ALL PRICES FINAL. PRICES SUBJECT TO CHANGE. Mfg. part #'s for convenience only. Trademarks are registered with their respective Co.'s. 386, 387, 287, SX, are trademarks of Intel Corp.

VISA MasterCard DISCOVER

AD # BYTE993

684 Wells Road
Boulder City, NV
89005

NEVADA COMPUTER

Circle 197 on Inquiry Card.

YOU PROBABLY THINK THAT . . .

•Portable computers are *slow.*

•Portable computers are *inflexible.*

•Portable computers are too *expensive.*

LOOK AGAIN . . .

The ****AFFORDABLE*** Performance Series notebook computer will change your mind.

Give us a call. We will give you all the proof you need that our affordable, powerful and expandable Performance Series notebook computers offer the best solutions for your desktop and mobile computing needs.

MICRO-INTERNATIONAL, INC. 10850 Seaboard Loop, Houston, Texas 77099
National Sales:(800) 967-5667•Local Sales:(713) 495-9096•FAX:(713) 495-7791

*Prices start at $1,950 for a 486SX/25M System with 4MB RAM and 80 MB Hard Disk.
Office hours Monday–Friday 8:00–6:00 • Saturday 10:00–1:00 • Sunday–Closed

Circle 206 on Inquiry Card (RESELLERS: 207).

Decisions, decisions, decisions.

Decider, decider, decider.

Down-sizing, upgrading, multi-platform environments. Today's computer hardware issues are more numerous, more difficult, more critical than ever. So how do companies make decisions?

According to a new IntelliQuest study, they turn to the only person qualified to decide. Someone like Bob Barrett. A person with 18 years in computers. Who oversees a technical staff of 75. And whose buying decisions and approvals affect nearly 3,000 users worldwide.

In other words, they turn to the BYTE reader. A full 92% of whom control the products and brands their companies buy.

If you want to reach an audience as influential as this, then yours is an easy decision—advertise in BYTE.

BYTE reader Robert N. Barrett, Vice President Management Information Systems, M/A-COM, Inc.

It doesn't get bought without

© 1992 BYTE, a McGraw-Hill publication. For a presentation of the March 1992 IntelliQuest study, call (603) 924-2635.

Circle 546 on Inquiry Card.

PLEX™ FAMILY PRODUCTS

DATAVISION
Keyplex Family

Datavision's New and Innovative Products Are Keyboard-Operated With No Buttons To Press or Switches To Turn. IBM XT, AT and PS/2 Compatible.

More *Power* At Lower Cost
Now Operate Multiple PCs With Our *Intelligent* Technology
One Keyboard One Display One Mouse



- No Internal Hardware
- No Internal Software
- No Keyboard Errors
- No Switch Problems

Save Equipment and Space Costs

- *Simple Plug and Play Installation*
- *Uses Existing Keyboard/Video Ports*
- *Mix XT, AT and PS/2 Keyboard Controllers Including The New IBM "Type 2"*
- *Mix CGA/EGA/VGA/XGA/MONO Video*
- *Mix Any Operating System or Application*
- *n-Level Cascading For Unlimited Growth*
- *Automatic Scanning & Broadcast Modes*
- *Optical Isolation For Safety/Reliability*
- *Keyboard Operated — No Buttons/Switches*

Gain Central Control & Greater Productivity Too!

So If You Think This is Your Only Option...



Think Again!
Manage All Your Systems From A Single Display and Keyboard



Reduced Display Costs • Reduced Keyboard Costs • Reduced Space Costs

Keyplex/2	Videoplex/4	Mouseplex/8
Keyplex/4	Videoplex/8	Omniplex/4
Keyplex/8	Mouseplex/4	Omniplex/8

DATA VISION
The HI-IQ Product Company

Datavision Pte Ltd • 27-B Duchess Road • Singapore • 1026 • Tel (065) 467-7784 • Fax (065) 467-7785
370 West Camino Gardens Blvd • Boca Raton • Florida • 33432 • Tel (407) 482-3996 • Fax (407) 482-3997
IBM and PS/2 are registered trademarks of the International Business Machines Corporation

Our products work where ordinary switching devices fail. This is because they are INTELLIGENT and conform to all IBM published keyboard and mouse protocol standards. We not only support the PS/2 model 90/95 but go even further than IBM does by allowing you to hot-plug the keyboard and bus mouse — even under OS/2!! Boot any machine anytime with no 30x errors — even if no keyboard is attached. Individual system "Lock" lamps, typematic rates, etc. are also kept accurate across port switches.

AMT INTERNATIONAL
(COMPUTERS & PERIPHERALS)

2393 QUME DRIVE • SAN JOSE, CA 95131
TEL: (408) 383-9044 • FAX: (408) 383-9047

VISA
master charge

LOWEST PRICES
SAME DAY SHIPPING

**Prices subject to change*

COMPAQ MEMORY

DeskPro 286-E, 386-20/20E/25
1MB 113131-001 ..... $75.00
4MB 113132-001 ..... $169.00
DeskPro 286N, 386N and 386SX
2MB 118689-001 ..... $135.00
4MB 118690-001 ..... $230.00
DeskPro 386S
1MB 113646-001 ..... $99.00
4MB 112534-001 ..... $195.00
DeskPro 386-33, 486-33 & SystemPro
2MB 115144-001 ..... $185.00

AST MEMORY

Bravo-286, Workstation
512K Kit 500510-010 ..... $59.00
2MB Kit 500510-002 ..... $150.00
Premium 386-16/20C
1MB Kit 500510-003 ..... $75.00
4MB Kit 500510-004 ..... $185.00
Premium 386-20
1MB Kit 500510-003 ..... $75.00
4MB Kit 500510-004 ..... $185.00
Bravo-386SX
4MB Kit 500510-008 ..... $220.00
Premium 386-SX/25/33 & 486-25
1MB 500718-002 ..... $60.00
4MB 500-780 ..... $195.00

HEWLETT-PACKARD MEMORY

Vectra QS/16S
1MB $65.00
4MB $185.00
Vectra QS/20PC, RS/25PC and 20C
1MB D1640A $65.00
4MB D1642A $170.00
Vectra 486PC
1MB D2150A $75.00
4MB D2151A $165.00

IBM PS/2 MEMORY

Models 30-286, Exp. Board 1497259
512K Kit 30F5348 ..... $54.00
2MB Kit 30F5360 ..... $95.00
Models 70-E61/121, 55SX, 65SX
1MB 6450603 ..... $59.00
Models 70-E61/121, 50Z, 55SX, 65SX
2MB 6450604 ..... $99.00
Models 55SX, 65SX, 34F3077 & 34F3011
4MB 34F2933 ..... $149.00
Models 70-A21
2MB 6450608 ..... $99.00
Models 80-141
1MB 6450375 ..... $75.00
Models 80-111/311
2MB 6450379 ..... $99.00
All Models 70 and 80
2-14MB w/2M 34F3077 ... $290.00
4-16MB w/4M 34F3011 ... $350.00
Models 50, 50Z, 55SX & 60
2-8MB 1497259 ..... $290.00

LASER PRINTER MEMORY

Hewlett-Packard Laser Jet IIP, III & IIID
1MB 334748 ..... $70.00
2MB 33475B $99.00
4MB 33477B $185.00
Hewlett-Packard Laser Jet IIP & IID
1MB 33443B $75.00
2MB 33444B $110.00
4MB 33445B $175.00
IBM Laser 4019 and 4019e
1MB 1039137 ..... $95.00
3.5MB 1038675 ..... $195.00
Canson LBP-811, 811R, 811T
2MB S63-1880 ..... $129.00

LAPTOP AND PORTABLE MEMORY

TOSHIBA MEMORY
1MB Model 1000SE/XE $110.00
2MB Model 1000SE/XE $99.00
2MB Model T1200XE $99.00
2MB Model T1600 ..... $99.00
2MB Model T3100E $99.00
2MB Model T3100SX $99.00
4MB Model T3100SX $195.00
2MB Model T3200SX $99.00
4MB Model T3200SX $195.00
2MB Model 5100 ..... $99.00
2MB Model T5200, T8500 ... $110.00
8MB Model T5200, T8500 ... $299.00
ZENITH MEMORY
1MB SuperSport 286 & 286E $135.00
2MB SuperSport 286 & 286E $140.00
2MB SuperSport SX/Alpha .. $140.00
2MB SuperSport SX/Beta ... $140.00
COMPAQ MEMORY
1MB Portable LTE 286 ..... $125.00
2MB Portable LTE 286 ..... $150.00
1MB SLT-286 ..... $140.00
4MB SLT-286 ..... $350.00
NEC MEMORY
1MB Prospeed 286 ..... $170.00
2MB Prospeed 386 ..... $240.00

ZENITH MEMORY

Zenith Z-386/20/25/33 & 33E
1MB ZA36/3800ME ... $90.00
2MB ZA3600MG $140.00
4MB ZA3800MK $205.00
Zenith Z-386 SX
2MB Z-605-1 ..... $125.00

MATH COPROCESSORS

Overdrive Mathco ..... CALL
INTEL
8087-5 MHz $50.00
8087-2 8MHz $60.00
8087-1 10MHz $99.00
80287-6 6MHz $50.00
80287-8 8MHz $55.00
80287XL 8/10MHz $59.00
80287XL & SLT $89.00
80287-10 10MHz $59.00
80C287-12 12MHz $69.00
80387SX-16 ..... $85.00
80387SX-20 ..... $85.00
80387DX-20 ..... $89.00
80387DX-25 ..... $89.00
80387DX-33 ..... $89.00
80487SX-20 ..... $435.00
WEITEK
3167-20 20MHz $80.00
3167-25 25MHz $135.00
3167-33 33MHz $240.00
4167-25MHz $350.00
4167-33MHz $585.00
CYRIX
82S87XL $59.00
83D87-16 ..... $59.00
83D87-20 ..... $75.00
83D87-25 ..... $75.00
83D87-33 ..... $75.00
83D87-40 ..... $89.00
83S87-16 } SX $65.00
83S87-20 } SX $65.00
83S87-25 } SX $65.00
IIT
2C87-8 ..... $49.00
2C87-10 ..... $59.00
2C87-12 ..... $59.00
2C87-20 ..... $59.00
3C87-20 ..... $69.00
3C87-25 ..... $69.00
3C87-33 ..... $79.00
3C87-40 ..... $89.00
3S87-16 } SX $65.00
3S87-20 } SX $69.00
3S87-25 } SX $69.00
ULSI
US83587SX25/33 ..... $59.00
USD8387-33-40 ..... $79.00

SIMM MODULES

IBM TYPE
ADD $2.00 FOR SIPPS
4Mx8-80 ..... $138.00
4Mx8-70 ..... $140.00
4Mx8-60 ..... $143.00
1Mx3-10 ..... $30.00
1Mx3-80 ..... $35.00
1Mx3-70 ..... $36.00
256x3-70 ..... $10.00
256x3-10 ..... $9.00
256x3-80 ..... $10.00
256x3-60 ..... $12.00
APPLE-MAC
1Mx8-70 ..... $32.00
1Mx8-10 ..... $30.00
1Mx8-80 ..... $32.00
4Mx8-80 ..... $118.00

DRAM

DRAM IMGX1
1 MGX1-120NS $3.00
1 MGX1-100NX $3.50
1 MGX1-80NX $3.60
1 MGXI-70NX $3.65
1 MGXI-60NX $3.75
DRAM 64X1
4164-150 ..... $0.85
4164-120 ..... $0.95
4164-100 ..... $1.50
4164-80 ..... $2.00
DRAM 64X4
4464-15 ..... $3.99
4464-12 ..... $4.50
4464-10 ..... $4.75
DRAM 256XI
256XI-150NS $1.25
256XI-120NS $1.50
256XI-100NS $1.60
256XI-80NS $1.75
256XI-70NS $1.75
256XI-60NS $1.85
DRAM 256X4
256X4-100NS $3.99
256X4-80NS $4.50
256X4-70/6uNS $4.75
256XI-STATIC COL
51258P-10 ..... $1.50
AAA 2800-08 ..... $1.75
AAA 2800-07 ..... $1.85
AAA 2800-60 ..... $1.95
1X4-80 ZIPP $16.00
1X4-80STT ZIPP $18.00
1X4-70STT ZIPP $19.00

SYSTEM

486 DX-33 w/ 64k cache
- 4MB RAM • 1.2 & 1.44 • 130MB HD
- SVGA Monitor • 101 Key Board
- Mini-Tower Case • DOS 5.0
- IDE With I/O

$1369.00

MONITORS

VGA 0.41 14" $215.00
SVGA 0.28 14" $259.00
SVGA N-1 0.28 14" 310.00
VIEW SONIC ..... CALL
NEC ..... CALL

MOTHERBOARDS

486 DX-50 w/256k cache $600.00
486DX-33 w/ 128k cache $450.00
386/486 DX-40 AMD (upgradable) $230.00
486 SX-25/20 ..... $279.00
386 DX-40/64k cache $169.00
386 SX-33 ..... $125.00
386 SX-25 ..... $110.00
486VL-50/33/256k cache $195.00

ADD ON CARDS

IDE with I/O $22.00
Trident w/1MB $69.00
Orchid Pro IIS w/1MB $139.00
Diamond Stealth w/1MB $235.00
NESA IDE Controller $80.00

MEMORY BOARDS OK

Rampat AT $95.00
Rampat Plus XT, AT $119.00
Simmply Ram PS/2-16 ..... $149.00
IBM PS/2 50, 50Z, 55, 60, 65 or any MCA System
Simmply Ram PS/2-32 ..... $169.00
PS/2, 70, 80 & 90 32 Bit MCA System

HARD DRIVE

CP3000 44 MB $158.00
CP3000 89MB $215.00
CP3000 130MB $247.00
CP3000 210MB $360.00
CP3000 340MB $595.00
CP3000 520MB $890.00

FAX MODEM

Modem 2400 Bps $40.00
96/24 Bps Int $60.00
96/144v.32 Bps/v.42 Bps $220.00

Circle 189 on Inquiry Card.

Circle 209 on Inquiry Card.

PRINTER SHARING & MEMORY

I/O = input /output
◯ = serial
▢ = parallel



800-238-9415

LCX-1000 (1Mb) **$495**
8 ports; 4 serial I/O; 57,600 bps
2 parallel in, 2 parallel out

LC-256 (256Kb) **$375**

LC-512 (512Kb) **$425**
8 ports; 4 serial I/O; 19,200 bps
2 parallel in, 2 parallel out

LXFR-ETC **$49**
Windows & OS/2 File Transfer
4 user license, for LC or LCX

PB-42PP-256Kb **$199**

PB-42PP-1Mb **$249**
6 parallel ports; 4 in / 2 out
Upgradable to 4Mb; 25,000 cps

LC-41PAS **$69**
5 parallel ports; 4 in / 1 out
Smart-switch; 25,000 cps

LC Jr.-256 (256Kb) **$199**

LC Jr.-512 (512Kb) **$249**
5 ports; 4 serial in, 1 parallel out
Up to 115,200 bps

SPPS **$49**
9600 bps to 115,200 bps
Serial / Parallel Converter

PB-11PP-1Mb **$199**
2 parallel ports; 1 in / 1 out
Upgradable to 16Mb; 75,000 cps

PCMCIA 2.0 *SRAM Cards:*
512Kb - $120, 1Mb - $175, 2Mb - $295

Toshiba:
1000XE/SE/LE, 1800, 1850, 2000,2000SX/SXE, 2200SX
2Mb - $90, 4Mb - $150, 8Mb - $275
3300SL
4Mb - $150, 6Mb - $225
4400SX
4Mb - $150, 8Mb - $275

Powerbook & MAC:
100/140/145/170/160/165/180
6Mb - $250, 8Mb - $310, 10Mb - $390
DUO 210/230:
6Mb - $260, 8Mb - $320, 10Mb - $410
Cent.610/650, Quad.800, LCIII
4MB - $145, 8Mb - $260

MAC SIMMs (70ns.):
1x8 - $32, 4x8 - $124, 16Mb - $495

LOGICAL CONNECTION® 4660 Portland Road NE #108 Salem, OR 97305-1658 Tech.: (503) 390-9375 **FAX: (503) 390-9372**

FANSINK™

AVOID SYSTEM LOCK-UPS, HALTING, AND DATA CORRUPTION.



Actual size

Only 1/2" high and less than 2" square, Nidec's FANSINK* Model 1 has the cooling power to allow 486, 68040 and other microprocessors to run at *ultra-low* operating temperatures with virtually no noise.

The world's first integral heat sink and fan, FANSINK mounts directly to most computers, even laptops. **Only $39.95** plus shipping. VISA/MasterCard

Nidec

Phone (800) 746-4332, (800) 74-NIDEC

* *Patent Pending*

Circle 556 on Inquiry Card.

MEMORY

NEW

64MB 72-PIN
16MB X 36 FOR :

ALR EVOLUTION VQ	$ 4999.00
ACER POWER 486E	$ 4875.00
AIR 486 EISA-VL BUS	$ 4995.00

INDUSTRY STANDARD 72-PIN

256K X 36 - 1MB	$ CALL
512K X 36 - 2MB	$ CALL
1MB X 36 - 4MB	$ CALL
2MB X 36 - 8MB	$ CALL
4MB X 36 - 16MB	$ CALL
8MB X 36 - 32MB	$ CALL
16MB X 36 - 64MB	$ CALL

(PLEASE CALL FOR X 32'S)

IC Card

PCMCIA - 2MB	$ 179.00
COMPAQ LTE 386 - 1MB	$ 25.00
TOSHIBA T-1000LE, SE,XE	
- 1MB	$ 25.00
- 1.5MB	$ 28.00

BEST BARGAIN

OKILASER 400

MEMORY UPGRADE FOR
ONE OF THE MOST POPULAR LASER PRINTERS
THE OKILASER 400 WITH 2MB ONLY $59.00

VOMAX 2000

The Ultimate Combo:

* Voice Mail
* Fax Mail Box
* Data Modem
* Digital Answering Machine
... and more

Feature to feature, this is the Home-office machine of the 90's. Only $ 399.00

(PLEAS CALL FOR YOUR FREE BROCHURE)

INDUSTRY STANDARD 30-PIN

1MB X 9	$ CALL
1MB X 3	$ CALL
4MB X 9	$ CALL
4MB X 8	$ CALL
16MB X 9	$ CALL
16MB X 8	$ CALL

(PLEASE CALL FOR SIPPS)

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

OTHER MEMORIES AVAILABLE FOR:
ACER, ALTIMA, APPLE, AST, CHAPLET, COMPAQ, DELL, EPSON, EVEREX, HP, LEADING EDGE, IBM, NEC, NCR, OKIDATA, PACKARD-BELL, PANASONIC, PHILIP, SAMPO, SHARP, SILICON GRAPHICS, SUN MICROSYSTEMS, TANDON, TI, TOSHIBA, TULIP AND ZENITH.

CALL FOR UPDATED LOW PRICES AND NEW PRODUCTS

Office Hours: Mon.-Fri. 7am to 5:30pm pst, Sat. 9am to 1pm pst

CitiTronics Inc.

TERMS: C.O.D. CASH, VISA OR MASTERCARD. COMPANY AND UNIVERSITY P.O.'S ACCEPTED UPON CREDIT APPROVAL.

VISA MasterCard

TEL. (818)855-5688 FAX (818)855-5687

414 CLOVERLEAF DR., UNIT B, BALDWIN PARK, CA 91706

ALL PRODUCT NAMES, TRADEMARKS AND REGISTERED TRADEMARKS ARE THE PROPERTY OF THEIR REPSECTIVE COMPANIES.

G1334IAD

Circle 205 on Inquiry Card.

WE WILL TRY TO MATCH OR BEAT ANY ADVERTISED PRICE

WE ACCEPT PO'S FROM QUALIFIED FIRMS

MEMORY

NO SURCHARGE FOR MC, VISA AE & DISCOVER

CACHE MEMORY

	15NS	20NS	25NS
8Kx8	8.00	7.00	6.50
32Kx8	9.50	8.00	7.50
64Kx1	14.00	8.00	7.00
64Kx4	12.00	10.00	8.00
16Kx4	9.00	7.00	5.00
128Kx8	–	54.00	39.00

CPU UPGRADE 386 DX, SX

Boost your speed by 50%-60%
Comes with Cache software
Change existing CPU Chip with:

Cyrix 486 DLC 40MHZ	33MHZ	199.00
	25MHZ	118.00
Cyrix 486 SLC 33MHZ	25MHZ	159.00
		128.00

Individual D-RAM Chips

MEMORY FOR IBM & APPLE

	60NS	70NS	80NS	100NS
1Megx1	5.25	4.75	4.50	–
1Megx4	24.00	20.00	18.00	–
1Megx4 (Zip Pack)	25.00	21.00	19.00	–
256 x 4 (Video Zip)	–	–	15.95	12.95
256x4	4.75	4.50	–	–
256 x 1	3.20	2.80	2.60	2.40
256 x 16(SOJ)	–	–	29.50	–
64x4	–	–	3.00	–
64x1	–	–	–	2.00

INTEL Math Chips

8087	49.00
8087-2	69.00
8087-1	89.00
80287-XL	74.00
80387-16 DX	54.00
80387-20 DX	59.00
80387-DX (Does All)	89.00
Intel SX (Does All)	89.00
Intel SL Mobil	89.00
Intel 16SX	54.00
Intel 20SX	59.00

SIMM MODULES (Add $5.00 for SIPP)

	40NS	53NS	60NS	70NS	80NS	100NS
1Meg x 9	59.00	54.00	45.00	41.00	40.00	37.00
4Meg x 9	–	–	179.00	150.00	144.00	–
16Meg x 9 (9 chip)	–	–	–	990.00	–	–
16Meg x 9 (36 chip)	–	–	–	819.00	–	–
256 x 9	–	–	20.00	19.00	18.00	17.00

72 PIN SIMMS (EISA)

256 x 36 1Meg	–	–	–	50.00	–
512 x 36 2Meg	–	–	89.00	84.00	–
1 x 36 4Meg	–	179.00	165.00	160.00	–
2 x 36 8Meg	–	333.00	329.00	319.00	–
4 x 36 16Meg	–	719.00	649.00	639.00	–
8 x 36 32Meg	–	–	1899.00	1899.00	–
16 x 36 64Meg	–	–	5000.00	–	–

CYRIX FASMATH PROCESSOR

Programs executed up to 3X faster • Plug & object code compat. w/Intel
83D87-40MHz – **99.00** 83D87-33MHz – **89.00** 83S87-25SX Ver. – **79.00**
83S87-33SX – **99.00** **PC Week**™ rated #1 over all math chips
5 Year Warranty • "All Downward Compatible"

AST MEMORY MODULES

MODEL	AMT. UPGRADED	AST PART #		PRICE
Advantage 12-386	4Meg Kit	500510-004		179.00
Bravo 486/25, 33	2Meg Kit	500780-005		120.00
	8Meg Kit	500780-001		298.00
Bravo 486	4Meg	500987-002		165.00
	8Meg Kit	500987-003		330.00
	16Meg	500987-004		655.00
Premium 386/25, 16 SX	1Meg	500718-001		55.00
Premium 386/33	1Meg	500718-002		56.00
Premium II 386SX20, 486-25, 25E, 33	1Meg	500780-003	WPB	60.00
	4Meg	500780-004	WPB	160.00
Premium Tower, 386/33TE, 486/25TE, 486/33TE	8Meg	500780-001	WPB	320.00
Cupid Memory Board	0-32Meg	500818-001		149.00

ZENITH MEMORY MODULES

MODEL	AMT. UPGRADED	AST PART #	PRICE
Z386/33, 25, 20, 33E	1Meg	ZA3800ME	50.00
Z386/33, 25, 20, 33E, 486/25E	4Meg	ZA3800MK	160.00
Z386SX	2Meg	Z-605-1 modules	99.00

MAGNAVOX

286/386SX-16, 386SX-20, 486SX-20 & 386-33 *all are 72PIN SIMM:*
1MEG – 50.00 4MEG – 149.00 8MEG – 309.00 16MEG – 669.00

MEMORY BOARDS

IBM Compatibles & PS/2

BOCA AT PLUS

USES SIMMS

16 BIT MEMORY BD. FOR 286, 386 AT • 0K-8Meg Bd. 4.0 LIM Compat. • New 5 Yr. Warr. Convent., Expnd. & Extnd. Memory • Supports DOS, OS/2, LIM/EMS & EEMS • Versatile Split Memory Addressing • Operates w/CPU Speeds to 33 MHz • Supports Desqview, Multitask operations • ***Bd. made by Boca Research, AT plus***
0K – $89.00 2Meg – $159.00 4Meg – $229.00 8Meg – $359.00

BOCA XT 8 BIT BUS

• Expanded memory for XT • Lim 4.0 compat. 0-2Meg • Uses 256x1-100
0-K – **$99.00** 1Meg **$179.00** 2Meg – **$219.00**

8 BIT OR 16 BIT MEMORY BD.

• 0-16Meg Uses 1x9 and 4x9 Simms •Lim 4.0, Self Installing. No Switches or Jumpers.
0-K – **$144.00**

32 BIT MEMORY BD. FOR EISA BUS

• 0-128Meg Uses 1,2,4,8,16,32Meg 72 Pin Simms
0-K – **$239.00**

PS/2 MODEL 50, 60 EXP. MEMORY BD.

• 0-32Meg Uses IBM or Industry Standard 72 Pin Simms
0-K – **$179.00**

IBM P/S2 32BIT EXPANSION BD.

0-32Meg, Ext.-Expnd. Memory Bd. for P/S2 70, 80, 90, Lim 4.0

0Meg	2Meg	4Meg	8Meg	16Meg	32Meg	64Meg
$179.00	$258.00	$328.00	$477.00	$799.00	$1,499.00	Call

PS/2 MCA 0-8MEG EXPANSION BD.

0-8Meg Extended and/or Expanded Memory for all IBM P/S2 Models 50, 50Z, 60, 55SX, 65SX, 16 Bit, 4.0 LIM Compat.
0K – **119.00** 2Meg – **189.00** 4Meg – **259.00** 8Meg – **399.00**

USES 1 X 9 SIMMS BOCA BR MC-80

IBM PS/2 SIMM MODULES

IBM PART NO.	WORKS WITH MODEL NO.	PRICE
30F5348 (512K)	30-286	30.00
30F5360 (2Meg)	30-286, 25-286, 50 MTHR BD.	79.00
33G9288 (2Meg)	Thinkpad 300.	109.00
33G9288 (8Meg)	Thinkpad 300.	339.00
6450375 (1Meg)	80-041	79.00
6450379 (2Meg)	80-111, 311-121, 321, 081, 161	94.00
6451060 (4Meg)	80-A21, A-61, 80-A31, 80-111, 80-311	189.00
6450603 (1Meg)	35SX, 40SX, 55SX, Model-70's, P-70	45.00
6450604 (2Meg)	70-061, E61, 121, 50Z, 55SX, 65SX, P-70, 55LS, 65LS, X-Station 120 & 130, 35SX, 35LS, 40SX	82.00
6450608 (2Meg)	70-A21, A-61, B-21, B-61, 35SX, 35LS, 40SX Value Point 325T	86.00
78X8955 (128K)	25	35.00
34F2933 (4Meg)	35SX, 40SX, 55SX, 65SX, 55LS, 65LS	159.00
87F9977 (4Meg)	55SX, 55LS, 65SX, 40SX, 35SX, 35LS	159.00
1057035 (512K)	P/S1-286	40.00
92F9935 (2Meg)	P/S1 & P/S1/386SX-2121	92.00
92F9694 (4Meg)	P/S1 & P/S1/386SX, Model-2121	144.00
6450902 (2Meg)	56, 57, 57SX,90, 95, P-75, 57SLC Value Point 77 486DX2, 486SX, SVR 85	89.00
6450128 (4Meg)	57SX, 90, 95, P-75, 57SLC, 56, 56SLC, P/S1, 386SX, Models-2123, 2133, 2155, Value Point 77 486DX2, 486SX, SVR 85	165.00
6450129 (8Meg)	35SX, 40SX	319.00
6450130 (8Meg)	56, 57, 57SX, 90, 95, P-75, 57SLC Value Point 77 486DX2, 486SX, SVR 85	319.00
79F0999 (2Meg)	LX40, N33SX, PS Note	89.00
79F1000 (4Meg)	LX40, N33SX, PS Note	169.00
79F1001 (8Meg)	LX40, N33SX, PS Note	319.00
07G1826 (2Meg)	N51 (all)	99.00
07G1827 (4Meg)	N51 (all)	179.00
07G1828 (8Meg)	N51 (all)	319.00
07G1420 (4Meg)	CL57LSX LpTp, Thinkpad 700, 700C, 720, 720C	189.00
07G1421 (8Meg)	CL57LSX LpTp, Thinkpad 700, 700C, 720, 720C	319.00
92F8804 (2Meg)	N45SL	99.00

COMPAQ MEMORY MODULES

MODEL	AMT. UPGRADED	CMPQ PART #	PRICE
DeskPro 386/33, 386/33L, 486/25, 486/33L, 486/50L, System Pro	2Meg Module	115144-001	89.00
	8Meg Module	116561-001	339.00
	32Meg Module	116568-001	1500.00
DeskPro 386/33L, 486/33L	(Exp Bd)	116569-001	289.00
DeskPro 386/25, 386/20	1Meg Module	113131-001	79.00
	4Meg Module	113132-001	174.00
DeskPro 386S-16MHz	1Meg Exp Bd	113633-001	110.00
	4Meg Exp Bd	113634-001	239.00
	1Meg Module	113646-001	75.00
	4Meg Module	112534-001	174.00
DeskPro 386/20E	1Meg Exp Bd	113644-001	119.00
DeskPro 386/25E	4Meg Exp Bd	113645-001	239.00
	1Meg Module	113131-001	75.00
	4Meg Module	113132-001	174.00
DeskPro 286N, 386N, 386SX/20, 386/25M, 486/33M, 486S/25M, 486S/16M	1Meg Module	118688-001	50.00
	2Meg Module	118689-001	85.00
	4Meg Module	118690-001	149.00
Port. 486C	8Meg Module	128877-001	309.00
M Series Exp Bd	0-64Meg	129160-001	279.00
DeskPro 386/16	1Meg Kit	108071-001	99.00
	4Meg Kit	108072-001	269.00
	1-2Meg Exp Bd	108069-001	239.00
	4-8Meg Exp Bd	108070-001	399.00
DeskPro 286	512K Kit	113012-001	59.00
Prolinea 386 3/25S, 3/252S	2Meg	141738-001	99.00
	8Meg	141742-001	299.00
Prolinea 486 4/25S, 4/33, 4/50, 4/66, CDS	1Meg	141682-001	55.00
	2Meg	141683-001	98.00
	4Meg	141684-001	159.00
	8Meg	141685-001	319.00
Prosignia PC Server, 486/33, 486 DSX/66	8Meg	141685-001	349.00
	16Meg	149320-001	679.00
	32Meg	149147-001	1949.00

COMPAQ LAPTOPS & NOTEBOOKS

LTE/286	2Meg Bd	117081-002	99.00
LTE/286	4Meg Bd	117081-003	179.00
LTE/386S/20	4Meg Module	121125-002	199.00
LTE LITE/20, 25, 25C	4Meg Module	129769-002	199.00
LTE LITE/20, 25, 25C	8Meg Module	129769-003	319.00
LTE LITE/20, 25, 25C	16Meg Module	129769-004	699.00
LTE LITE 4/25C	4Meg Module	142337-002	199.00
LTE LITE 4/25C	8Meg Module	142337-003	299.00
LTE LITE 4/25C	16Meg Module	142337-004	749.00
SLT/286	1Meg Module	110235-001	79.00
SLT/286	4Meg Module	110237-001	209.00
SLT/386	1Meg Module	118303-001	79.00
SLT/386	2Meg Module	118304-001	99.00
SLT/386	4Meg Module	118305-001	159.00
Contura 320, 325	2Meg	139497-001	99.00
	4Meg	139498-001	169.00
	8Meg	139499-001	299.00
Contura 4/25, 4/25C, 4/25CX	4Meg	146520-001	189.00
	8Meg	146521-001	369.00
	16Meg	146531-001	939.00

PCMCIA VERSION 2.0 (for Palmtop & Subnotebooks)

MODEL	PRICE	MODEL	PRICE
S-RAM Cards 1MEG	159.00	14,400/14,400 Data/Fax Modems	Call
S-RAM Cards 2MEG	239.00	9600/9600 Data/Fax Modems	Call
Card Pro (made by Data I/O) Transfers data from PCMCIA card to desktop PC, connects to a parallel port	399.00	2400/9600 Data/Fax Modems	189.00
		Lan Ethernet (10 Base T)	Call
		Visual Media (CD Rom, Tape Drive)	Call

NO SURCHARGE FOR MASTERCARD, AMEX, VISA OR DISCOVER. PURCHASE ORDERS ACCEPTED FROM FORTUNE 2000, GOVERNMENT & INSTITUTIONS. Price & availability subject to change. California orders add 8.25%sales tax. Returned orders or ordered wrong parts are subject to a 20% restocking fee. (Memory chips not installed in boards.) We accept International orders shipped via UPS Air, APO, FPO orders welcome. Customers are expected to pay customs and "other" charges if shipped int'l. All credit card charges verified for fraudulent use. SORRY, NO REFUNDS AFTER 30 DAYS – EXCHANGES ONLY. We accept MC, VISA, Discover, AE, prepaid orders, purchase orders, wire transfer, COD (cashiers check) orders, cash & cashiers checks. Orders shipped by UPS, FEDX must be signed for • ALL MANFACTURER PART #'S ARE FOR REFERENCE ONLY • MINIMUM ORDER $40.00

All products Brand new & guaranteed • We buy excess inventory
Trademarks are registered with their respective companies.

L.A. TRADE

22825 Lockness Avenue • Torrance, CA 90501

TOSHIBA LAPTOP MEMORY

MODEL	AMT. UPGRADED	MANU. PART #	PRICE
T1000SE/XE/LE	2Meg	PC14-PA8312U	84.00
T2000/T2000SX	2Meg	PC18-PA8317U	84.00
T2000SX/T1000LE	4Meg	PC-PA8314U	159.00
T2000SX/T1000LE	8Meg	PC14-PA8315U	279.00
T2000SXE/2200SX/T1800, 1850, C	2Meg	PC-PA2000U	84.00
T2000SXE/2200SX/T1800, 1850, C	4Meg	PC-PA2001U	159.00
T2000SXE/2200SX/T1800, 1850, C	8Meg	PC-PA2002U	279.00
T4400SX, SXC T6400	4Meg	PC-PA2004U	164.00
T4400SX, SXC T6400	8Meg	PC-PA2005U	299.00
T4400SX, SXC T6400	16Meg	PC-PA2010U	599.00
T4400SX, SXC,T6400	32Meg	N/A	2599.00
T4500, T4500C, T4600, T1900, T1900C (3.3 v)	4Meg	PC-PA2012U	239.00
T4500, T4500C, T4600, T1900, T1900C (3.3 v)	8Meg	PC-PA2013U	419.00
T4500, T4500C, T4600, T1900, T1900C (3.3 v)	16Meg	PC-PA2014U	1299.00
T4500, T4500C, T4600, T1900, T1900C (3.3 v)	32Meg		3299.00
T3300SL	4Meg	PC-PA2007U	169.00
T3300SL	6Meg	PC-PA2008U	229.00
T3300SL	8Meg	N/A	369.00
T3300SL	16Meg	PC-PA2009U	749.00
T1200XE	2Meg	PC13-PA8306	85.00
T1600	2Meg	PC8-PA8302U	85.00
T3100	2Meg	PC3-PA7135E	129.00
T3100e	2Meg	PC9-PA8340U	85.00
T3100SX	2Meg	PC15-PA8308U	85.00
T3100SX	4Meg	PC15-PA8310U	164.00
T3200	3Meg	PC6-PA7137U	159.00
T3200SX	2Meg	PC12-PA8307U	85.00
T3200SX	4Meg	PC12-PA8909	164.00
T3200SXC	2Meg	PC19-PA8318U	84.00
T3200SXC	4Meg	PC19-PA8319U	164.00
T5100	2Meg	PC7-PA8301U	89.00
T5200/T8500	2Meg	PC10-PA8304U	89.00
T5200/T8500	8Meg	PC10-PA8313U	299.00

NOTEBOOK, LAPTOP MEMORY

MODEL	AMT. UPGRADED	MANU. PART #	PRICE
ALR Venture	4Meg	12407980	229.00
AST Notebook Prem Exec 386SX/20/25/25L	4Meg	500814-003	149.00
AST Power Exec 3/25C, 425EL	4Meg		179.00
AST Power Exec 425SL	4Meg		249.00
AST Power Exec 425SL	16Meg		1319.00
AT&T Safari NSX/20	4Meg	PEC 37651	189.00
Bondwell B310, Plus	1Meg	23050-09100	109.00
Bondwell B310V, SX	1Meg		109.00
Bondwell B310V, SX	4Meg		219.00
Epson NB3	4Meg	A808511	179.00
Epson NB/SL 20,25,25C	2Meg	A808771	129.00
	4Meg	A808781	219.00
	8Meg		479.00
Everex Tempo LX, LX20	2Meg	PCA 00053-0001	89.00
Everex Tempo Carrier	2Meg	PWA 0884-A-J000	119.00
Goldstar GS520 386SX/16	4Meg	S386-4M	239.00
Leading Edge D/LT 386SX	1Meg		109.00
Magnavox Metalis	1Meg, 4Meg	286, 386SX	99.00,189.00
NCR 3170	4Meg	3123-K104-V001	239.00
NCR 3170	8Meg		519.00
NCR 3170	16Meg	3123-K116-V001	925.00
NEC Prospeed 286, 386SX-16	1Meg	PC21-21	105.00
NEC Prospeed 286, 386SX-16	4Meg	PC21-22	179.00
NEC Prospeed 386	2Meg	PC31-21	129.00
NEC Prospeed 386	8Meg	PC31-22	359.00
NEC Prospeed 386SX-20	1Meg	PC43-21	109.00
NEC Prospeed 386SX-20	4Meg	PC43-22	199.00
NEC Ultralite III/20, 20P, 25C	2Meg	PC47-21	119.00
NEC Ultralite III/SL/25C	4Meg	PC47-22	219.00
NEC Ultralite SL/20, 20P	6Meg	PC49-21	289.00
NEC Ultralite III/25C	8Meg	PC47-23	349.00
NEC Ultralite Versa	4 Meg/8Meg/16Meg		229/429/1389
Packard Bell 386SX, 286	1Meg, 4Meg	286, 386SX	89.00,189.00
Panasonic CF170, CF270, CF370	1Meg	CF-BA165	54.00
Sanyo 17/18 NB	2Meg	MBC-NBMEM2	89.00
Sharp 6781, 6881, 6785	2Meg/4Meg		109.00/199.00
Sharp PC-6220	1Meg	CE 621B	85.00
Tandon, PC Brand, Dataworld	2Meg, 8Meg	NB386SX-20	89.00, 499.00
Ti Travelmate 2000	1Meg	2568034-0001	85.00
Ti Travelmate 3000	2Meg	2566996-1	79.00
TI 4000	4Meg, 16Meg		199.00, 1599.00
Twinhead, Altima, Compudyne Tandy 4860, 486SX, DX	4Meg/16Meg		199.00/999.00
Zeos 386SX Notebook	2Meg		89.00
Zenith Master Sport 386SX	2Meg	ZA-300-1	99.00
Zenith Master Sport SL, SLE	2Meg	ZA-4-4	89.00
Zenith Super Sport 286, 286E	1Meg	ZA-180-66	89.00
286E, SX	2Meg	ZA-180-64	109.00
SX Alpha	2Meg	ZA-180-86	109.00
SX Beta	2Meg	ZA-180-87	109.00
Zenith Z-Note 325L, LC	2Meg/8Meg	ZA3250-4/-5	129.00/369.00

LASER PRINTER MEMORY UPGRADES

AMOUNT UPGRADED	OK Bd	256k	1	2	3	3.5	4	5	6	8	16	32
Canon LBP4, 4Lite, 4plus	–	–	119	169	–	–	–	–	–	–	–	–
Canon LBP-4SX	–	–	89	249	–	–	–	–	–	–	–	–
Compaq Pagemarq	–	–	69	99	–	–	169	–	–	299	–	–
Epson 6000, Action Laser	–	–	–	115	–	–	179	–	–	–	–	–
Epson Action Laser II	–	–	99	–	169	–	–	249	–	–	–	–
Epson 8000	–	–	99	–	169	–	–	249	–	–	–	–
Epson 1000	–	–	–	72	–	–	144	–	216	–	–	–
HP 2, 2D, 3, 3D, 3P, 2P 2P+	–	–	–	99	–	–	159	–	–	–	–	–
HP 4, 4M, 4SI, 4SIMX	–	–	–	80	–	–	149	–	–	309	–	–
HP 4L	–	–	69	–	–	–	–	–	–	–	–	–
HP 3SI	–	–	49	–	–	–	139	–	–	309	–	–
HP 4SI	–	–	–	80	–	–	149	–	–	309	–	–
HP Deskjet 500, 500C, 550	–	55	–	–	–	–	–	–	–	–	–	–
HP Deskjet 1200C, 1200CP	–	–	–	129	–	–	209	–	–	399	–	–
HP Paintjet XL300	109	–	–	–	–	–	268	–	–	–	745	–
IBM Laser 4019, 4019E	–	–	–	–	–	144	–	–	–	–	–	–
IBM Laser 4029	–	–	–	–	–	–	139	–	–	–	–	–
IBM Laser 4039	–	–	–	–	–	–	169	–	–	319	–	–
NEC 90, 290	–	–	–	109	–	–	–	–	–	–	–	–
NEC 95	–	–	–	99	–	–	–	–	–	–	–	–
Oki 400	–	–	–	94	–	–	–	–	–	–	–	–
Oki 830, 840	–	–	–	109	–	–	–	–	–	–	–	–
Packard Bell PB 9500	–	–	–	115	–	–	179	–	–	–	–	–
Panasonic 4420/4450I	–	–	–	119	–	–	189	–	–	–	–	–
Panasonic 4410/4430	–	–	–	109	–	–	169	–	–	–	–	–
Panasonic 4450	–	–	99	–	–	–	–	–	–	–	–	–
Star LS04	–	–	109	159	–	–	249	–	–	–	–	–
TI XL/PS17/PS35	–	–	49	–	–	–	–	–	–	–	–	–

H.P. COMPATIBLE FONT CARTRIDGE

BAR CODES Bar Code Reader Fonts 99.00
DESKJET SOLUTION for DkJt 500 & Plus, 92 Fonts, 4.5 pt-30 pt 99.00
IBM 4019, 4019E, FONT CARTRIDGE 209 Fonts, Turbo Card 105.00
TURBO 25 Comparable to Pacific Data's 25 CARTRIDGES IN ONE!™, 143 Fonts *(compat. with Epson Action Laser II and all HP Printers except HP4)* 79.00
TURBOSCRIPT™ 47 Scalable Fonts in Any Point Size (HP 2, 2D – 159) 149.00
TURBOSCRIPT™ 109, 109 Scalable Fonts to Any Point Size (HP 2, 2D – 199) 179.00
TAX & FINANCE FOR IBM 4019, 4019E, 4029 ..... 139.00
TAX & FINANCE CARTRIDGE 84.00
OKI 400, 800 41 fonts, 11 typestyles 169.00

310-539-0019
FAX: 310-539-5844

WE'VE MOVED!!!!!

CALL TOLL FREE
1-800-433-3726
(US and Canada)

ESTAB. 1985

Mon-Fri, 8:00 a.m. to 5:00 p.m. PST
Sat. 10:00 a.m. to 12:00 noon

Circle 214 on Inquiry Card (RESELLERS: 215).

Serving you since 1979

JDR Microdevices®

2233 SAMARITAN DRIVE, SAN JOSE, CA 95124

BUY WITH CONFIDENCE FROM JDR!
30-DAY MONEY BACK GUARANTEE
1 YEAR WARRANTY
TOLL-FREE TECH SUPPORT

DEVELOPERS TOOLS

EPROM Programmer

- Programs devices up to 512K bits, plus 27C100, 27C101, 27C301, 27C1000, 27C1001, 27C2001, 27C4001 and more
- 8-bit 8088 and 286/386/486 PC compatible card
- ZIF socket accepts 0.6"W DIP IC's to 32 pins

MOD-MEP-1A $199.95
MOD-MEP-4A As above with 4 ZIF sockets $269.95

EPROM Eraser $39.95

- Quickly and simultaneously erase up to 4 standard EPROMs
- Includes wall plug power supply

DATARASE II $39.95

Wire-Wrap Prototype Cards

JDR-PR2	8-bit with I/O decode layout	$29.95
JDR-PR2-PK	Parts kit for JDR-PR2 decode	$8.95
JDR-PR10	16-bit with I/O decode layout	$34.95
JDR-PR10-PK	Parts kit for JDR-PR10 decode	$12.95
PDS-601	8-bit breadboard with decode	$79.95
PDS-611	16-bit breadboard with decode	$89.95

POST Code Display Card $79.95



- 286/386/486 compatible
- Displays Power On Self-Test codes
- Works when software won't boot computer
- Includes AMI Diagnostics software

PCODE+ $79.95
PCODE Above without AMI Diagnostics $49.95

UPGRADE COMPONENTS

Dynamic RAM

PART #	SIZE	SPEED	TYPE	PRICE
41256-80	256K x 1	80ns	DIP	$1.95
1MB-80	1M x 1	80ns	DIP	$4.99
41256A9B-80	256K x 9	80ns	SIMM	$14.95
41256A9B-60	256K x 9	60ns	SIMM	$16.95
421000A9B-80	1M x 9	80ns	SIMM	$39.95
421000A9B-60	1M x 9	60ns	SIMM	$45.95
424000A9B-80	4M x 9	80ns	SIMM	$149.95
424000A9B-60	4M x 9	60ns	SIMM	$159.95

Math Co-Processors

intel

PART #	SPEED	PRICE	PART #	SPEED	PRICE
8087-2	8MHz	129.95	80387-SXP	≤25MHz	74.95
8087	5MHz	89.95	80387-DXP	≤33MHz	79.95
80287-XL	12MHz	74.95	80487-SX	≤25MHz	369.95

OverDrive Processors

ODP486-SX20 For 20MHz 486SX OverDrive socket . $329.95
ODP486-SX25 For 25MHz 486SX OverDrive socket . $449.95
ODP486R-DX25 Replace 25MHz 486DX w/50MHz DX2 . $449.95
ODP486R-DX33 Replace 33MHz 486DX w/66MHz DX2 . $559.00
ODP486-DX33 66MHz 486DX2 for OverDrive socket ... $559.00

MULTIMEDIA

Low Cost Internal CD-ROM Drive

NEW LOWER PRICE!

- 5-1/4" half-height internal drive with 1/2 length interface card
- 150Kb-175Kb per second, 350ms average access time
- Includes drive, interface card, cables and manual

CDROM-I $199.95
CDR-84 NEC internal dual speed CD-ROM drive ... $499.95
MCT-SOUND 8-bit sound card $49.95
SB-DLX SoundBlaster 8-bit sound card $89.95
VIDEOBLASTER 16-bit video card with software $329.95

VIDEO PRODUCTS

NEW!

VGA Package with Accelerator Card

- 1024 x 768 in 16/256 colors, 800 x 600 in 16/256/64K colors, 640 x 480 in 16/256/64K/16M colors
- 14" diagonal screen; 0.28mm
- 16-bit 286/386/486 PC compatible; interlaced and non-interlaced modes; with Windows accelerator card

VGA-PKG-1024N $459.95
VGA-PKG-1024 0.39mm, 1024 x 768 VGA package ... $349.95
VGA-MONITOR 0.39mm, 1024 x 768 int. monitor $269.95
VGA-MON-1024N 0.28mm, 1024 x 768 non-int. mon. . $379.95
VGA-MON-17N 17", 0.26mm 1280 x 1024 non-int. mon. $799.00

Low Cost Windows Accelerator

NEW LOWER PRICE!

- 16-bit 286/386/486 PC compatible; supports interlaced and non-interlaced, analog or multisynch monitors; VESA software compatible
- Up to 1280 x 1024 resolution in 16 colors

MCT-VGA-5000 ..... $149.95
SPEEDSTAR-PRO 16-bit Windows accelerator $149.95
MCT-VGA-4000 1024 X 768/256 color card $129.95
MCT-VGA-1000 16-bit 640 x 480 VGA card $49.95

INTERFACE CARDS

Fast Multi I/O Card

- Includes two NS16550 serial ports, one parallel port and one game port
- 8-bit 286/386/486 compatible card

MCT-AIO+ $89.95
MCT-AIO As above with an NS16450 ..... $49.95
MCT-IDEIO+ IDE w/NS16550 compatible serial $99.95
MCT-IDEIO IDE w/NS16450 compatible serial $69.95
MCT-VIO VESA LB IDE & Multi I/O card $99.95
MCT-IDEFH 16-bit IDE floppy Card $29.95
MCT-CIDEIO 16-bit cache IDE controller $199.95
MCT-VCFH VESA Local Bus cache IDE controller . $229.95
MCT-VSCSI VESA Local Bus SCSI-2 controller $299.95

SYSTEM BASICS

3-Button Mouse $14.95

- Accuracy 290-1450 DPI
- Opto-mechanical design

JDR-MOUSE-3 ..... $14.95
MOUSE-PAD Keeps mouse ball free of dirt $4.95
MCT-GAME Dual port game card $29.95
JSTK-300 Joystick $9.95
JSTK-500 Pilot-style joystick $19.95

MODEMS & FAX

2400 Baud Internal Modem

- 2400/1200/300 baud operationl; Full Hayes command set compatibility
- QuickLink II communications s/w.

MCT-24I $49.95
MCT-144IF+ 14,400 baud internal fax/modem ... $179.95
FAXM-SWITCH Connect fax/modem/phone on1 line $89.95
FAX-SWITCH Above without modem connection ... $59.95

FREE JDR CATALOG!
PC EDITION AND COMPONENTS EDITION AVAILABLE NOW!
800-538-5000

MOTHERBOARDS

33MHz 386SX Motherboard

- 33MHz AMD 80386SX CPU, AMI BIOS supports IDE, shadow RAM, password protection and more
- Uses 256K, 1M & 4M x 9 60ns SIMMs (ØK installed)
- Socketed for 33MHz 80387SX co-processor
- Six 16-bit expansion slots
- MS-DOS, Windows 3.1, DESQview 386, Novell NetWare and OS/2 compatible



MCT-M386SX-33 ..... $129.95
MCT-C386SX-33 Above with 16Kb cache $169.95
MCT-C386-33 33MHz cache 386 ..... $249.95
MCT-C386-40 40MHz cahce 386 ..... $299.95
MCT-M486SX-25 25MHz cache 486SX $399.95
MCT-M486SX-33 33MHz cache 486SX $449.95
MCT-M486-33 33MHz cache 486DX $549.00
MCT-M486-50 50MHz cache 486DX $799.00
MCT-M486-66 66MHz cache 486DX2 ..... $849.00
MCT-M486-50E 50MHz 486DX processor EISA $999.00
MCT-M486VL-33 33MHz 486DX VESA local bus $599.00
MCT-M486VL-33 66MHz 486DX VESA local bus $899.00

STORAGE DEVICES

Seagate IDE Drive Kits

- 16-bit 286/386/486 PC compatible card
- 89Mb ST-3096A drive
- 16-bit controller interfaces two hard & two floppy drives

HDKIT-80 89Mb ST-3096A drive $219.95
HDKIT-130 131Mb ST-3144A drive $239.95
HDKIT-210 214Mb ST-3243A drive $299.95

IDE Hard Drives

PART #	BRAND	CAP.	SPEED	TYPE	PRICE
CP-30084	Conner	84Mb	19ms	3-1/2" IDE	$199.95
ST-3096A	Seagate	88Mb	16ms	3-1/2" IDE	$199.95
CP-30174	Conner	170Mb	17ms	3-1/2" IDE	$249.95
ST-3144A	Seagate	131Mb	16ms	3-1/2" IDE	$229.95
CP-30254	Conner	250Mb	14ms	3-1/2" IDE	$339.95

5-1/4" & 3-1/2" Combination Drive

TEAC



- 5-1/4" half-height beige drive
- Supports 1.44Mb, 1.2Mb, 720Kb & 360Kb diskettes

FD-505 ..... $149.95
FDD-2.88A 2.88Mb 3-1/2", Beige $149.95
FDD-1.44A 1.44Mb, 3-1/2", Beige $79.95
FDD-1.44X 1.44Mb, 3-1/2", Black $79.95
FDD-1.2 1.2Mb, 5-1/4", Beige $89.95
FDD-360 360Kb, 5-1/4", Black $89.95

Preformatted Bulk Diskettes Qty. Of 250

MD2D-BULK 5-1/4" 360Kb DS/DD disks ..... $.25 ea
MD2H-BULK 5-1/4" 1.2Mb DS/HD disks ..... $.45 ea
3.5D-BULK 3-1/2" 720Kb DS/DD disks ..... $.39 ea
3.5HD-BULK 3-1/2" 1.44Mb DS/HD disks ..... $.59 ea

250Mb Tape Drive $199.95

NEW LOWER PRICE!

- 8088 and 286/386/486 PC, QIC-40 read and QIC-80 read/write compatible
- Up to 6.7Mb/minute transfer rate
- 5-1/4" internal half-height drive
- Tape capacity 165Mb with DC2000, 250Mb with DC2120 tape cartridge

COLORADO MEMORY SYSTEMS INC.

DJ-20 ..... $199.95
DJ-10 10Mb version $179.95
DC2120 DC2120 tape cartridge $19.95
DC2120-BULK DC2120 5 tape package $89.95

VISA MasterCard **800-538-5000**

Toll-Free Fax Ordering 800-538-5005
Local 408-559-1200
BBS 408-559-0253

ORDER 24 HOURS A DAY!

KEY CODE 1045

TERMS: For shipping & handling include $5.00 for ground & $7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices, Inc. Modular Circuit Technology is a trademark of JDR Microdevices, Inc. Copyright 1993 JDR MICRODEVICES

BYTE SEPTEMBER 93 RR NEGS E-UP KEYCODE 1045
PC COMPUTING SEPT 93 POSTIVES! KEYCODE 1445

Polaroid

Polaroid's Circular Polarizing Filters for computer monitors combine circular polarizer technology with optical quality materials and coatings to provide the ultimate in glare reduction and contrast enhancement technology. Polaroid CP-Filters suppress up to 99% of reflected light and are more effective than any other filter for improving contrast. Also, most CP-Filter models have a transparent electrically conductive coating which reduces up to 98% of the electromagnetic radiation and eliminates static.

Polaroid produces a full range of optical quality anti-glare filters in glass and triacetate to fit most 9"-21" monitors.

Polaroid Corporation, Polarizer Division, N2, 1 Upland Road, Norwood, MA 02062
1-800-225-2770 Fax 617-446-4600

Circle 240 on Inquiry Card.

SCSI · IDE · FLOPPY

HOST BUS ADAPTER/CONTROLLER

STANDARD FEATURES

- Drivers for Fixed, Optical and Removable Drives
- Internal and External SCSI Connectors
- SCSI and IDE Cables
- On-Board Diagnostics
- Complete Documentation
- Lifetime Warranty
- 30 Day Return Policy
- Made in the USA

$150.00
(16-Bit HBA/Cntl)

SUPPORTS

- Up to 7 SCSI Devices
- Up to 2 IDE Drives
- Up to 4 Floppy Drives
- 7 ROM Addresses
- 2 I/O Addresses

OPTIONS

- CD ROM & UNIX Drivers
- ASPI Manager
- 3rd & 4th Floppy Driver

$175.00
(16-Bit HBA/Cntl w/Option Pkg.)

CONTROL CONCEPTS INC.
(703) 876-6444 • (703) 876-6416 Fax



Government, Educational and Corporate Discounts Available
Dealer Inquiries Welcome

Circle 268 on Inquiry Card.

New for Windows 3.1!

It's Voice Mail.
It's Fax-on-demand.
It's an Applications Generator.
It's $495 for board and software.
It's **PhoneOffice**.

PhoneOffice application window running in Windows 3.1. Configure for Auto-Attendant, Message Center, Fax-on-demand, Message Forwarding/Paging/Scheduling, Fax-scanner, Voice/fax Auto-detection, and much more.



Call our demo line 309-862-1804
to get more information by fax-on-demand.

eDENS technology corp.
Tel: (309)862-1704 Fax: (309)862-1804
309 W. Beaufort, Suite 8, Normal, IL 61761

Dealers, call us about our specially discounted promotional units.

Circle 266 on Inquiry Card (RESELLERS 267).



Tough and durable.

*For multiport serial controllers in demanding environments, you need **Star Gate.***

Built to withstand the rigors of industrial and commercial environments, ***Star Gate*** I/O controllers are offered in a broad range of price and performance options for ISA, EISA and Micro Channel.

Added Benefits: Enables a single PC expansion slot to support from 2 to 128 serial devices ◆ Unmatched reliability in harsh, noisy environments with fully-shielded cables and rugged metal connection panels ◆ Exclusive ***SureGuard***™ option includes complete transient surge suppression • EIA-232, -422, -485 ◆ Supports DOS, OS/2, Unix, Xenix, Novell, Windows, TCP/IP.

Find out more. Call 1-800-782-7428.

STAR GATE
People and products you can depend on.

Star Gate Technologies, Inc. • Solon, OH • 216-349-1860 • FAX: 216-349-2056

Circle 259 on Inquiry Card.

Portable Bar Code Readers

TimeWand® I **DuraWand®** **TimeWand II**

Data collection is fast, easy, and extremely accurate when using Videx portable bar code readers. Cordless operation, compact size, and light weight allow you to take the wands wherever the work needs to be done. **Call Videx today for your free information kit: 503-758-0521.** Prices starting at:

Videx®

TimeWand I $298
DuraWand $495
TimeWand II $698

1105 NE Circle Blvd., Corvallis, OR 97330-4285
503-758-0521 • FAX 503-752-5285

TimeWand, DuraWand, and Videx are registered trademarks of Videx, Inc. GCO355

Circle 248 on Inquiry Card.

Communicating with a Higher Intelligence

GMM Sync4/CCP™

- High Performance 16 MHZ 16 bit CPU.
- 80X86 code compatible.
- 4 Sync/Async Ports / RS232, RS422, RS485 (2 Serial Ports with Full Duplex DMA).
- Uses Zilog 85C30, 85230 SCC chip.
- 512K Dual Ported Ram (STD) (1, 2, or 4 MEG Dual Port Ram - optional).
- 8k, 16k, 32k, 64k Window Size (Programmable).
- 8 Software Selectable and Shareable Interrupts.

** Two Port Com. CoProcessor also available (GMM Sync2/CCP™).

Four Port

GMM Products Are All Made in USA.

OEM and Dealer Inquiries Welcome

Other PC/AT & PS/2 8530 based products available. Extremely competitive pricing.

(714)752-9447 Fax (714)752-7335

18092 Sky Park South - Unit E, Irvine CA 92714

GMM Research Corporation

Circle 228 on Inquiry Card.

Communications/Networking • Computer Systems

LET YOUR COMPUTER DO THE TALKING!

Integrated Voice/Fax Mail

integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, TTI and Intel voice and fax hardware. Supports up to 24 voice lines and up to 8 fax lines.

Hardware + Software Kits 2 voice lines kit starts at $650

24 hours free info: 818-368-4566 or 818-368-8848

SigmaTech Software

Tel: (818) 368-6132 Fax: (818) 368-7859

10801 Bismarck Ave., Northridge, CA 91326 USA

(Resellers/Dealers/OEMs/Private labels are welcome)

- Auto-Attendant
- Unlimited Audiotex
- Voice Mail
- Call Processing
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Party/Chat lines
- Talking Yellow pages

Circle 260 on Inquiry Card (RESELLERS: 261).

Light-Speed Serial Communications

PCSS-8FX Intelligent Serial Coprocessor

Fast

- Better than 1Mbyte/second transfer rate.
- No load on Host Processor!
- I/O Mapped - No host memory used.
- NEW - Supports DMA transfer. Faster than Dual Ported Memory!
- Looks like IBM Uart with Huge QUEUE!
- 8 ports per card. RS-232, 422, 485.

ORDER TOLL-FREE 800-282-4835

GTEK INC.

GTEK, INC. • DEVELOPMENT HARDWARE & SOFTWARE • P.O. Box 2310 Bay St. Louis, MS 39521-2310 USA • Mississippi & Technical Support 601-467-8048 Fax: 601-467-0935 • OEM & Dealer Inquiries Welcomed!

Circle 229 on Inquiry Card.

FAX ON DEMAND • VOICE MAIL CALL PROCESSING • TELEMARKETING

V/S PLUS gives you professional VOICE MAIL & AUTO TRANSFER while it pounds out Fax'd Hard Copy non-stop 24-hours a day. Give it to them - NOW! Complete Package with Hardware and FAX Software. 2 year warranty. Requires PC/AT/386/486.

V/S PLUS ..... only **$699**
MULTI-LINE HARDWARE ..... from **$299**

(Develper/OEM package specials) (VISA-MC-AMEX-COD)

For Sales and Information Call: **1-800-685-4884** 510-522-3800 • FAX: 510-522-5556

TALKING TECHNOLOGY, INC. 1125 Atlantic Ave., Alameda, CA 94501

Circle 244 on Inquiry Card.

Voice Response/Caller ID for Windows

Would you like to develope multi-tasking multi-line non-blocking *Interactive Voice Response* applications for Windows?

PIKA offers the developer the high quality, feature rich AVA-B Series 1, 2 & 4 line voice cards with hardware voice compression.

Also, the new PIKA IdFi 1, 2 & 4 line *Caller Id* cards are the answer to many new and exciting Windows server applications.

All PIKA cards are available (at affordable prices) with Windows DLL & DDE developer toolkits for C & Visual Basic.

Inquire about developer toolkits for NT, DOS, UNIX & QNX.

PIKA TECHNOLOGIES INC.
155 Terence Matthews Cres. Kanata, Ontario K2M 2A8, Canada
Tel: 1-613-591-1555 Fax: 1-613-591-1488

Circle 269 on Inquiry Card.

AT Systems in ROM

- Single Board Computers
- Run DOS code from ROM
- PC Code compatible
- Large Memory space
- Backplane systems
- Develop code on a PC. Run on our CPU cards with DOS and code in ROM. Use off-the-shelf expansion cards.
- KS6: NEC V53 CPU (286eq), 5 serial, 2 Par, Clock, AT bus, Max 4M Ram, 2M Rom, 512K NV Sram. $299 (q1-oem ver).
- KS3: V40 CPU, 3 Serial, 2 Par, Clock, Flop, Kbd. $224 (q1).

303-444-7737 *Fax 303-786-9983*

655 Hawthorn Ave., Boulder CO 80304 U.S.A.

KILA

Circle 233 on Inquiry Card.

ines
Messtechnik Datenverarbeitung

ines GmbH
Neuenhöfer Allee 45
D-5000 Köln 41 · Germany
Phone: +221/491621 · 492299
Fax: +221/4995605

IEEE-488

- Interfaces + Software
- Analyzer + Converter
- Extender + Cables
- DOS, Windows, OS/2, UNIX, SunOS

Circle 231 on Inquiry Card.

INDUSTRIAL PC SOLUTIONS

PCXI® INDUSTRIAL PC: MODULAR PLATFORM FOR ACQUISITION, CONTROL & INSTRUMENTATION.

- Fully compatible PC/AT.
- Modular, interchangeable, multi-vendor.
- Rugged. EISA or AT bus.
- Noise, emissions, power, ground, airflow & cooling engineered for highest performance.



RAPID SYSTEMS

Phone: (206) 784-4311

FAX: (206) 784-0333

Circle 242 on Inquiry Card.

Computer Systems • Data Acquisition

Rackmount Solutions

RACKMOUNT COMPONENTS – QTY 25 PRICING

Rackmount Chassis 19"x7"x17"	$183
Rackmount VGA Monitors	$531
Rackmount Monitor Shelf	$113
Rackmount Keyboard Shelf	$88

RACKMOUNT PLATFORMS – Qty 1 Pricing

RMS486-33EISA	$1799	RMS386-40	$814
RMS486-33	$1443	RMS386SX-25	$693

System Platforms include 7" Rackmount Chassis, 200W Power Supply, Motherboard, 1.0MB Memory, IDE, FDC, 2-Ser, Par, 1.2MB or 1.44MB Floppy Disk Drive, 1 Year Warranty

RACKMOUNT CHASSIS – 15 Models up to 20 Board Slots
SLOT CPU BOARDS – 486, 386, 386SX
RACKMOUNT MONITORS – Super VGA and Monochrome
RACKMOUNT CABINET – Modular from 21" to 96" high

TRI VALLEY TECHNOLOGY INC.
2468 Armstrong Street, Livermore CA 94550
(510) 447-2030 FAX: (510) 447-4559

Circle 254 on Inquiry Card.

Data Acquisition • Disk & Optical Drives

The Intelligent Solution For Data Acquisition



DAP 2400e™ Data Acquisition Processor™

ANALOG I/O
DIGITAL I/O
- Inputs to 312K samples per second
- Outputs to 312K samples per second
- Simultaneous fast input/output

CPU: i186 or i486

FFT and FIR-filtering at 16 MIPS
20 MHz CPU with DRAM to 1024K
32 MHz DSP with SRAM to 96K
DAPL™ Operating System
- 100+ standard commands
- Custom commands in C

Send for FREE catalog and demo diskette.
Or call us at (206) 453-2345.

MICROSTAR LABORATORIES
2265 116th Avenue NE
Bellevue, WA 98004
FAX (206) 453-3199

PC-based Solutions for Industrial Automation

- Industrial PCs & Workstations
- Enclosures and Card Cages
- 486/386/286 CPU Cards
- RAM/ROM Disks
- Industrial I/O Cards
- RS-232/422/485

1-800-800-6889
1-408-245-6678 in CA
Fax: 408-245-8268



ADVANTECH®
750 East Arques Ave.
Sunnyvale, CA 94086

New 88-page Solution Guide FREE!

Circle 216 on Inquiry Card.

PS/2 Hard Drives

PS/2 50 50z 55sx 60 70 80 P70

INTERNAL DRIVES - May be used as a high performance replacement or to co-exist with original IBM drive. Compatible with DOS 3.3, 4.01, 5.0, OS/2 2.0 and Novell. Includes IDE or SCSI-2 microchannel controller, hard drive, mounting kit, ribbon & power cable, manual, and hardware.

106mb, 15ms, Internal Seagate IDE Drive Kit	$383
130mb, 15ms, Internal Maxtor IDE / SCSI Drive Kit	$414/$439
200mb, 15ms, Internal Maxtor IDE / Maxtor SCSI Drive Kit	$453/$513
340mb, 13ms, Internal Maxtor IDE / Maxtor SCSI Drive Kit	$589/$869
512mb, 12ms, Internal Fujitsu IDE / SCSI Drive Kit	$1043/$1284

PS/2 Model 25, 30, 30-286

21mb/42mb/106mb Hard Drive Kit	$99/$189/$253
125mb/200mb Hard Drive Kit	$284/$323

External SCSI drives available from 125 mb to 1.75 gb. Includes SCSI-2 controller, external case with drive installed and configured, 6' SCSI cable. Free drivers for CD-Rom drives or Novell 286 & 386

General Technics
1-800-GT-SALE-8
1-800-487-2538

1 Year Warranty - 10 Day Money Back Guarantee

COD Purchase Orders

Tel: (516) 981-9473
Fax: (516) 981-5038
38 Raynor Ave
Ronkonkoma
NY 11779
Open 9am to 6pm EST, Mon-Fri

Circle 264 on Inquiry Card.

Data Acquisition for Notebook PCs

- High-speed, PC parallel-port connection
- 2-ch D/A & 16-ch, 100-kHz A/D
- 32 digital I/O
- 16 high-speed digital inputs
- 5 counter/timer channels
- AC or battery operable
- MS Windows graphical software

IOtech
IOtech, Inc. • 25971 Cannon Rd • Cleveland, OH 44146
(216) 439-4091 • Fax (216) 439-4093

DaqBook/100™

Circle 232 on Inquiry Card.

THE TOTAL BACKUP SOLUTION.

PSS portable tape backup system, plugs into any standard parallel port. Combined backup & verify at *true* 11MB/min.

250MB-2GB capacities in native mode. QIC Industry standard format. Supports MS DOS, Windows, OS/2, Novell, SCO UNIX and SCO XENIX. Complete with powerful solution-minded software series:

- BUSS (Back Up Supervisor Software) — The ultimate in backup prompting and or enforcement.
- SM (Script Manager) — Creates files (scripts) specifying data and files to backup, verify and compare.
- SDB (SCSI Disc Backup) — Selective backup and restoration of files (hidden and security included) from all desktop, portable and network computers, including fileservers.

INFO AND ORDERS: 1-800-998-7839

PSS PARALLEL™ STORAGE SOLUTIONS
The Pacesetter in Parellel to SCSI Technology

116 South Central Avenue • Elmsford, NY 10523 • FAX (914) 347-4646

© 1993, Parallel Storage Solutions, Inc. All Rights Reserved. All other trademarks are property of their respective companies.

Circle 272 on Inquiry Card (RESELLERS: 273).

FREE, 288 PAGE

1993 DATA ACQUISITION CATALOG AND REFERENCE GUIDE

IBM PC/XT/AT, PS2, MICROCHANNEL COMPUTERS AND COMPATIBLES

- A/D Boards
- Signal Conditioning
- Communication
- PC Instruments
- Scientific Software

KEITHLEY METRABYTE
DATA ACQUISITION

SEND TODAY FOR YOUR FREE CATALOG OR CALL 1-800-348-0033.
FAX: 508-880-0179

Circle 235 on Inquiry Card.

Disk & Optical Drives • Diskettes/Duplicators

PARALLEL-TO-SCSI CONNECTIONS!

"This product... is darned near perfect." **–Jerry Pournelle, Byte Magazine 3/93**

"This year, the company outdid itself... The MiniSCSI Plus is even more elegant than its predecessor and almost twice as fast." **–Jim Seymour, PC Magazine 12/92**



Add up to 7 SCSI devices to your parallel port and still use your printer!

Up to twice as fast as our original **MiniSCSI**™ parallel-to-SCSI adapter, the **MiniSCSI Plus** adapter lets you run a CD-ROM, tape backup, SyQuest®, Bernoulli® or other SCSI device from almost any parallel port. For most notebook users, it's the only way to use SCSI devices. An integrated cable makes it a snap to share SCSI devices with desktops.

KEY FEATURES: 100% Printer Passthrough ▲ Weighs Just 7.2 Ounces ▲ Fully Compatible With Bidirectional and Unidirectional Parallel Ports ▲ Powered By SCSI Bus ▲ Only $219

See your dealer or call: **1-800-TRANTOR**

Trantor Systems Limited
5415 Randall Place • Fremont, CA 94538-3151
FAX: (510) 770-9910
Adaptec Interactive Fax: (408) 957-7150

Trantor ▶An Adaptec Company

© 1993 Trantor Systems Limited. MiniSCSI and Trantor are trademarks of Trantor Systems Limited. All other trademarks used are owned by their respective owners.

Circle 253 on Inquiry Card.

Diskettes/Duplicators • Keyboards • Laptops & Notebooks

Victory Printing Disk Factory

800-727-DISK (3475)

- Automatically loads, formats, copies, verifies and PRINTS THE LABEL on 3.5 & 5.25 diskettes!
- Designed for use with a network or any application for distributing data.
- Perfect for serializing or otherwise identifying specific diskettes.

Victory Enterprises
223 West Anderson Ln. Suite B-300
Austin, Tx. 78752
(512) 450-0801 Fax (512) 450-0869

Circle 247 on Inquiry Card.

Money Back Guarantee & 1 Yr. Warranty

Popular Space-Saver Keyboard £79

Saves 60% desk space. Footprint 27.3 x 15.2 cm. 100 full-travel tactilly responsive keys. Standard left-right spacing for easy touch typing. IBM XT/AT PS 2 compatible. Many language versions available.

To Order In Europe Call: 44-306-876718

DATALUX Fax: 44-306-876742

Euro House • Curtis Road • 11 Old Water Yard • Dorking • Surrey • UK RH4 1EJ

Circle 225 on Inquiry Card.

STAND ALONE DISKETTE DUPLICATOR

OVER 300 DISKS PER HOUR

5.25" and 3.50" Models

SIMPLE AND FAST FROM **$1799** US

TEL: (416) 602-9270
FAX: (416) 602-9279

AXIOMATIC

Circle 217 on Inquiry Card (RESELLERS: 218).



Universal Keypad for Portable Computers

Available in Ivory or Black

Boost data entry speed, accuracy and convenience with Genovation's Micropad,™ the innovative numeric keypad for portable computers.

TO COMPUTER ▲



▼ TO PRINTER

Is the unhandy numeric section of your portable computer's keyboard dragging you down?....Give your productivity a boost by using our Micropad. The ergonomically designed Micropad is ideal for spreadsheet and accounting applications that require fast and accurate entry of numeric data.

The Micropad attaches to the parallel port of any MS-DOS computer while providing a clean pass through connection to the printer. Power usage is negligible. Lightweight and compact, the Micropad is fully programmable and is also available with connectors to fit keyboard and serial ports.

(800) 822-4333
17741 Mitchell, North
Irvine, CA 92714 USA
TEL (714) 833-3355
FAX (714) 833-0322

GENOVATION INC

Circle 227 on Inquiry Card.

Modems/Multiplexors • Monitors & Terminals

Our New Contribution, Your New Partner

Main products:
14400bps+V.42bis+FAX(G3)
9600bps+V.42bis
9600bps+MNP5
2400bps+V.42bis+FAX(G3)
2400bps+MNP5
Stand alone
Internal card
Rack mounted

Atrie ATRIE TECHNOLOGY INC.
5F, 60, FU HO RD., YUNG HO CITY,
23438 TAIPEI, TAIWAN, R.O.C.
TEL: 886-2-9286088
FAX: 886-2-9219057

Branch office: U.S.A.
TEL: 818-2811826
FAX: 818-2879825

Circle 279 on Inquiry Card.

Multimedia

With VGA→TV Elite, any color TV can be your computer monitor!

Supporting 640 x 480 resolution in 32,768 colors, the VGA→TV Elite provides Flicker free high quality video conversion. Rock solid and easy to use, the portable VGA→TV Elite is a true savior to the Presentation professional. Convert your computer presentation or Animation to show on TV or record to your VCR. Even play computer games on big screen TV! Supports RCA and S-Video Inputs to T.V.s and VCRs. **$399.**

MicroWAREHOUSE TigerSoftware CDW

ADS Call **800-888-5244**
(8 am - 6 pm, Mon.-Fri. Pacific Time)
(310) 865-1432 • (310) 809-6144 Fax
Advanced Digital Systems • 20204 State Road, Cerritos, CA 90701

Circle 271 on Inquiry Card.

STAND-ALONE LCD MONITORS

£1199 DATALUX introduces its new high quality, high brightness color LCD monitor in the same case as the popular Monochrome version.

- 640 X 480, 256 Colors, VGA compatible, 2 CCFT backlights
- Driven by ISA Bus Controller Card, no external power supply, optional CRT output
- Adjustable desk stand, folds for wall mounting or portability, 1.75Kg weight
- 197 X 147mm display (9.4 inch diag), non-reflective glass face
- Contrast ratio of 15:1, 200ms Rise and 150ms Fall time

£649 Monochrome version 640 X 480, 64 gray shades. Wide viewing angle.

Also Available

- Mobile/Industrial model sealed against spills and splashes in rugged drawn aluminum housing with optional swivel mount.
- Touch Screen Version. Capacitive technology. Provides high resolution, fast response, all glass scratch proof optically clear sensor. Complete with built-in controller and software.

To Order In Europe Call: **44-306-876718**
Fax: 44-306-876742

DATALUX

Curtis Road • 11 Old Water Yard • Dorking • Surrey • UK RH4 1EJ

Circle 224 on Inquiry Card.

A Message To Our Subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Magazine
Attn: Subscriber Service
P.O. Box 555
Hightstown, NJ 08520

Multimedia • Printers/Plotters • Programmable Hardware

IMAGING CARDS

1-800-292-1160



Video Framegrabbers for the XT/AT/386

- Real time grab/display
- Complete with software
- 60 & 50 Hz. Video
- Quality since 1987!
- Money back guarantee

MODEL

-512/24 512x480x24 - ***New*** Full 24 bit color board, mult. in, 24 bit RGB out ***$795***

-512 512x480x8 - ***Advanced*** grayscale board. Multi res/multi image, 4 inputs, in/out LUTS, dual ping-pong buffers, RGB out ***$695***

-02 256x240x8 Workhorse 8 bit grayscale. 2 inputs, 24 bit RGB out, cursor ***$495***

-03 256x240x6 Economy 6 bit version of -02 above ***$395***

MC/VISA/COD

Control Vision

Box 596 Pittsburg, KS 66762
316-231-6647 Fax: 231-5816

Circle 223 on Inquiry Card.

Primax Made it a Snap!

Primax Electronics created and originally manufactured the modular printer sharing concept, and others put their name on it. Now you can get the original ModularLINK™ and its reliable technology directly from the Original Equipment Manufacturer! For truly *hassle-free* printer networking, look to ModularLINK™—the original Simple Printer Network™!

Pictured above is ModularLINK™ and a fully-compatible unit. Existing SNAP™ networks can be expanded using the ModularLINK™.

- Over 500,000 nodes installed worldwide
- Connects 16 computers with a single printer
- Starter Kit for 2 computers and 1 printer only $129.95
- Fully compatible with existing SNAP™ networks
- Power-free for most applications

ModularLINK and Simple Printer Network are trademarks of Primax Electronics USA, Inc. SNAP is a trademark of ASP Computer Products, Inc.

PRIMAX

PRIMAX ELECTRONICS
800-338-3693

Circle 274 on Inquiry Card (RESELLERS: 275).

µPLC

"High speed scan rate at a fraction of the cost"

Introducing our DWC Analog Controller only $269



Hardware: 8 isolated 10 bit analog inputs • 4 analog outputs • 2 optically isolated digital inputs • 2 isolated 3 A relay outputs • 2 transistor digital outputs • on board RS485 • 8K external RAM • 64K EPROM program space

Software: Programmable with IBM XT/AT/386/486 compatible and EPROM programmer or the DWC Programmers Development System • easy to use DWC Ladder Logic Compiler or our new DW 'C' english style real time software • Software system includes functions for all of our µPLC products • includes example software • also available remote I/O networkable software

Digital Controller	$154	Real Time 'C'	$99
Network Node	$199	Ladder Logic Compiler	$99
Operator Interface	$259	Programmers Development System	$795

Free with any purchase - remote I/O networkable software for all devices
Programming services available

VISA

1-800-668-2707 tel: (519) 850-0637 fax: (519) 660-1602

DAVISON ▪ WORTH CORPORATION

Circle 262 on Inquiry Card (RESELLERS: 263).

Programmable Hardware

Universal Programmers *From* $995



Support for virtually all devices and packages

Configurable as:
- Entry Level
- Fully Universal
- Gang for IC Cards
- Gang for Memory & Micros

Handler Interface Available

Call for free Demo Disk!

Serial Memory Programmer *From* $395

- 32 pin E/EPROMs to 4MBytes, Flash EPROMs, Intel Micros
- Gang Module (4 sockets), Motorola Micros Module
- RS232 Interface; Internal eraser option; Stand-alone capability

Intelligent Rom Emulator *From* $395

- "In-Circuit Emulator" type features: Address Compare (with HALT output), Address Snapshot, Trigger Input, Reset Output
- Standard Parallel Printer Port (64Kbytes in 10 seconds)
- Stand-alone operation (rechargable NiCad battery)

B&C MICROSYSTEMS INC.

750 North Pastoria Avenue, Sunnyvale, CA 94086 USA
Tel: (408) 730-5511 Fax: (408) 730-5521 BBS: (408) 730-2317

Circle 219 on Inquiry Card (RESELLERS: 220).

For Your Development Needs!

MODEL 9000 EPROM PROGRAMMER

- QuickPulse and intelligent algorithms.
- Programs Eproms (up to 4Mb), EEproms & MPU's.
- Up to 57K baud.
- *Ultra Fast!*

ORDER TOLL-FREE
800-282-4835

OEM & Dealer Inquiries Welcomed!

GTEK INC.

DEVELOPMENT HARDWARE & SOFTWARE
P.O. Box 2310 • Bay St. Louis, MS 39521-2310 U.S.A.
Fax: 601-467-0935
Mississippi & Technical Support 601-467-8048

Circle 230 on Inquiry Card.

MINIATURE CONTROLLERS

C-Programmable, Low cost, Expandable

A wide range of analog and digital inputs and outputs, relay & solenoid drivers, DACs, clocks and timers. RS232 and RS485 ports and battery backed RAM. LCDs up to 8 x 40, keypads and expansion cards. Our easy-to-use, powerful Dynamic C™ development system is only $195. Prices start at $159, quantity one.

$389 as shown

ZWORLD

1724 Picasso Avenue
Davis, CA 95616
916.757.3737
916.753.5141 FAX

24-Hour Information Service 916.753.0618. Call from your FAX and request data sheet #24.

Circle 252 on Inquiry Card.

Programmable Hardware • Tape Drives

UNIVERSAL PROGRAMMERS & EMULATORS

FLEX-700 $995 (connects via printer port)
TUP-400 $745 TUP-300 $575

- Program PLD (PAL, GAL, EPLD, PEEL, MAPL, MAX, MACH...), E(E)PROM, (up to 16Mbit), BPROM, SERIEL PROM, FLASH, MPU (87XX, 68XXX, 68HCXXX, PIC16/17XX, TMS320XXX, Z8, PSD3XX, Hitachi, NEC...). Support over 3,000 ICs.
- 40 pin DIP socket standard. Flexible support for PLCC, (T)SOP, SOIC, QFP, PGA, SIMM/SIP ...with up to 256 pins.
- Tests TTL74, CMOS 40/45, DRAM and SRAM.
- Optional EPROM EMULATION capability.
- Free software updates via BBS or mail.

All products are backed with a 1 year warranty and a 30 day money back guarantee.

Tribal Microsystems Inc.
44388 S. GRIMMER BLVD., FREMONT, CA 94538
TEL (510) 623-8859
FAX (510) 623-9925

Circle 246 on Inquiry Card.

SUPERPRO® $549
SUPERPRO/EM $399

Universal Programmers

- Programs E(E)PROMs, Flash EPROMs to 8 Mbit & Bipolar Proms.
- Microcontrollers from INTEL, MOT, NSC, PIC, SIG, MICROCHIP, etc.
- PLD, GAL, MACH, MAX,.... (not included in SUPERPRO/EM)
- Tests TTL/CMOS and Memory.
- New parts added upon customer request and free updates on BBS. (24 hrs)
- Online technical support and hardware warranty for 1 year.

ROM MASTER $129
- Universal E(E)PROM programmer to 4-Mbit

ROM MASTER/4 $199
- Universal E(E)PROM programmer 4 Gang Version

XELTEK
(408) 524-1929
(408) 245-7084 FAX • (408) 245-7082 BBS
757 N. Pastoria Avenue, Sunnyvale, CA 94086

Circle 251 on Inquiry Card.

---

9 Track/3480 Tape Subsystems
1/4" DAT 8mm Optical
Windows Software Now Available

- Tape Backup and Restore
- Make Your Own CD Rom with our CD ROM Maker
- Optical Storage From $995



CALL 1-800-938-TAPE

Get The Very Best For Less

Laguna Data Systems
7340 Smoke Ranch Road, Suite C, Las Vegas, NV 89128
Tel: (702) 254-2648 • Fax: (702) 254-0910

Circle 234 on Inquiry Card.

9-Track for PCs
Mainframe to PC data interchange

Rock solid solutions, rock bottom prices.
Direct from the manufacturer. 1600 & 6250 bpi.
Subsystems include drives and software.



800-729-8725

OVERLAND DATA®
Since 1980

3480 Now with IDRC!

Tel: 619-571-5555 • FAX: 619-571-0982
Europe: Tel: (+49) 6172-35027 • FAX: (+49) 6172-35028

Ask about 3480 tape drives too

Circle 237 on Inquiry Card.

Tape Drives • CAD/CAM

Desktop 9-Track Tape Subsystem
#1-selling 9-track system on desktop.

Qualstar's low cost 1/2-inch 9-track Streaming tape systems bring full ANSI data interchange to IBM AT, PS/2 or Macintosh, giving your micro the freedom to exchange data files with nearly any mainframe or minicomputer in the world.

Systems include DOS or Xenix compatible software, coupler card and cables. High reliability 1600 or 6250 BPI capability may be used for disk backup as well as data interchange.

QUALSTAR®

***Call us today!* For details and to order: Fax (818) 882-4081 Phone (818) 882-5822**

9621 Irondale Ave., Chatsworth CA 91311

©1989 Qualstar Corp.
All product and company names and trademarks are the exclusive property of their respective owners.

Circle 241 on Inquiry Card.

PC/Mainframe/Mini Information Exchange

Featuring QUICKTAPE™

- Tape Transfer and Format Conversion
- EBCDIC ⟷ ASCII Data Manipulation
- AS/400, TK50, and ¼" QIC Drives
- UNIX Tar and DEC Save Set Options
- Reseller Inquiries Invited

QUICKCOPY™ Tape Duplication

READ/WRITE* 9-TRACK 3480 • 8MM • DAT on *YOUR PC NOW!

Call Us ... (317) 842-2077 or **1-800-248-3475**

SHAFFSTALL CORPORATION
FAX: (317) 842-8294

Media Conversion Systems Since 1973

Circle 277 on Inquiry Card (RESELLERS: 278).

PCB Design The Easy Way

EAGLE 2.6™

Schematic Capture, Layout Editor, 100% Autorouter, DRC, ERC: All In One Program

There are many powerful programs out there, but what good is it if they are too complicated to use. They are wasting your time, your money, and your nerves.

With EAGLE you will be productive from day one, and you will save time again and again, because EAGLE is easy to learn and easy to use.

EAGLE is a very powerful tool. You will discover features which even many high-priced programs could only dream of.

However, the best thing is still to come: Our prices are simply unbelievable. Even with the Layout Editor alone, you get all of the drivers and libraries; no extra charges for anything. What you see below, is all you can spend.

"Thumbs up. Overall, I was impressed... EAGLE 2.6 is easy to learn and easy to use... EAGLE 2.6 has the capabilities and performance that most designers would expect in a higher priced package."

Off the Shelf Review, PRINTED CIRCUIT DESIGN magazine, March, 1993.

AS SEEN ON... **BUSINESS TODAY**

EAGLE has been introduced on the CNBC Television series "State of the Art of Technology Design". The producers have selected EAGLE as one of the best and most interesting PC Board Design Packages on the US market.

Call 1-800-858-8355

EAGLE Layout Editor	**$ 399**
Schematic Module	**$ 399**
Ripup Autorouter Module	**$ 399**
DEMO with Original Manual	**$ 12**

CadSoft Computer, Inc.
801 South Federal Highway
Delray Beach, FL. 33483
Hotline: (407) 274-8355
Fax: (407) 274-8218

Circle 258 on Inquiry Card.

CAD/CAM • Data Acquisition



smARTWORK® PCB Software

WINTEK®

Wintek Corporation
1801 South Street
Lafayette, IN 47904

(800) 742-6809

The first printed-circuit-board program for the IBM PC, and still the first choice for designers of 2-sided PCBs, occasional users, and educators. The program's features include unmatched ease of use, continual design-rule checking, automatic pad shaving, trace filleting, soldermasks, and silkscreen. smARTWORK with autorouting is $895 ($495 without) and has a 30-day money-back guarantee. Call (800) 742-6809 or (317) 448-1903.

Circle 250 on Inquiry Card.

Introducing a new approach to scientific data analysis

Analysis Advisor is a free interactive analysis software tutorial that includes demonstrations of graphical and traditional programming methodologies for analysis. Using this interactive tutorial, you can investigate Digital signal processing, Digital filtering, Windowing, Curve fitting, Signal averaging, Simulation, Interpolation, and Descriptive statistics. Requires Windows 3.1 and 8 MB of memory.

National Instruments
6504 Bridge Point Parkway, Austin, TX 78730
(512) 794-0100
(800) 433-3488 (U.S. and Canada)
Fax (512) 794-8411

Circle 236 on Inquiry Card.

BYTE

Breaks the 4-Color Price Barrier with the Hardware/Software Showcase

See how affordable it is to advertise to BYTE's 500,000 computer professionals in this section!

■

Call for more advertising information:
(603) 924-2695 or (603) 924-2598

Database • Engineering/Scientific

dBASE Data Entry

The TransTerm 5 is a work station data entry/display terminal for on-line shop floor data collection into PC/AT/PS-2 systems. The unit is one of a family of such terminals which feature LC displays for operator prompting and data entry via sealed touch keys or an optional barcode scanner or badge reader (Code39,UPC+). A multi-terminal network controller (up to 250 stations) and a dBASE IV compatible software package are also available. System costs start below $300 per station. Options include display backlighting, barcode scanning, counter inputs, control output.

COMPUTERWISE.®

302 N. Winchester • Olathe, KS 66062
913-829-0600 • 800-255-3739 • FAX 913-829-0810

Circle 222 on Inquiry Card.

DADiSP



Windows for Engineers

- Collect, analyze, and display data in a multi-window graphical environment
- Point and Click menu driven operation
- Data reduction and editing
- Series and scalar math
- Matrix math
- Statistics
- Peak analysis
- FFTs and Convolutions
- Digital filtering
- XY plots
- 3-D/4-D graphics
- Spreadsheet environment

DADiSP is currently in use in engineering, laboratory data collection, matrix processing, manufacturing, science, signal processing, chemical and mechanical applications in automotive, aerospace, defense, medical, and other industries.

CALL 1-800-777-5151
for your free DADiSP Trial Kit for SUN, HP, IBM, NeXT, DEC, Concurrent, and Silicon Graphics workstations, and of course, PCs under Windows™.

DSP Development Corporation

One Kendall Square
Cambridge, MA 02139
tel: 617-577-1133
fax: 617-577-8211

Circle 226 on Inquiry Card.

Engineering/Scientific • Graphics

FINALLY, SERIOUS PC HARDWARE DIAGNOSTICS!

V-ATE PLUS
Now Supports XT, AT & EISA

30 Day Money-Back Guarantee

If you've been disappointed with traditional diagnostics and "Passive Post Cards," or are looking for an alternative to high cost ATE Systems - Put V-ATE plus to the test! We're certain you'll find V-ATE the best investment you've made in years.

- Find Failures in 100% DEAD Systems
- Find Intermittent Faults
- Test for PC Compatibility and reject Sub-standard or Faulty hardware
- US prices from $995

Call (800) 875-8459 Today!

VISTA MICROSYSTEMS, Inc.
6 Whipple St., No. Attleboro, MA 02760
Tel. 508-695-8459 • FAX 508-695-8688

Circle 249 on Inquiry Card.

Software Developers . . .

Ask Corel, AT&T, EXXON, Sharp, Inset Systems, and a thousand others . . .

why they picked LEADTOOLS for their image application.

Original 39 MB compressed to 163 K, 239:1.

They'll say from document to true color imaging, **LEAD Technologies** is innovative. LEAD pioneered image compression technology that achieves compression ratios of over 200 to 1, constructed tools for quick integration of images into any application, and built a toolkit with a reputation for speed! Call for a **free evaluation diskette** to see for yourself.

LEAD Technologies, Inc.
1-800-637-4699 • Fax 704-548-8161

Circle 276 on Inquiry Card.

Graphics • Mathematical/Statistical

FLOW CHARTING 3



Powerful new features – for greater speed, flexibility, and ease-of-use!

- Single-page, multi-page or canvas charts – portrait or landscape
- Custom fonts support high resolution laser and 24-pin dot matrix printers
- 35 standard shapes, 10 text fonts
- Suggested retail price: only $250

See your dealer today! or, for a "live" interactive demo disk, call: 800-525-0082, ext 1218
International: 408-778-6557, ext 1218
fax: 408-778-9972

PATTON & PATTON
Software Corporation

Circle 238 on Inquiry Card.

Spend More Time Doing Science and Less Time Programming

IDL® is the only software that allows you to program four to ten times faster* than FORTRAN or C. It seamlessly integrates all of your scientific computing needs in a single package – breathtaking 2D, & 3D graphics, powerful number crunching, flexible data I/O and more. It even includes a complete GUI toolkit for creating point and click applications. And, because IDL runs on PCs, Macs, Unix and VMS workstations you won't have to rewrite your code every time you change machines.

Join the elite group of more than 20,000 scientists around the world who are saving time and money by using IDL.

Call us for a free demo.

303-786-9900 FAX 303-786-9909

Research Systems, Inc.
2995 Wilderness Place , Boulder CO 80301

IDL

*based on a survey of IDL users

Circle 265 on Inquiry Card.

PCTEX Typesetting Software

$$\int_{-\infty}^{nZ} \frac{X^{y \cdot Z}\,dt}{X - tY} = \sum_{i=1}^{n} \left(\frac{\left(x^4 - i\right)^3}{\sqrt{Z^3 + y^{10}}} \right)$$

This complete typesetting system makes your books, manuals, articles, & math formulas look their best!

For a FREE CATALOG & DEMO DISK, call 415/388-8853
Personal TEX, Inc. 12 Madrona Street Mill Valley, CA 94941 Fax: 415/388-8865

Circle 239 on Inquiry Card.

Mathematical/Statistical • Programming Languages/Tools

JMP® Statistical Discovery Software



"JMP, from the SAS Institute, is the most surprising Mac product in years...with the most helpful Mac interface of all the statistics programs and one of the best interfaces ever produced for scientific software. It's nothing less than dazzling."

MACWORLD

Call today for a free demo disk and Points of Interest from the leading name in data analysis software...SAS Institute Inc. 919-677-8000. Fax 919-677-8166.

WINNER MacWEEK 1991 FORGE AWARD

JMP is a registered trademark of SAS Institute Inc.
Copyright © 1992

Circle 243 on Inquiry Card.

Programming Languages/Tools • Windows

Programmers/Developers—Caught in a Brain"storm"?

Ride out the storm with Voice Ranger and Commando!

Voice Ranger Hardware arms you with:
- Variable compressions rates
- Multiple sampling rates
- 2 port/card expandable to 16 ports/system

Commando Toolkit lets you build:
- Voice Messaging
- Telemarketing
- Fax Mail
- Audiotex
- Call/Order Processing
- Call Distribution
- Fax-on-Demand

Plus full tech support to shelter you from routine hail!

Voice Ranger Hardware $599
Commando Toolkit $169
Special price for first-time buyers!
Compete Package $525
Save over 30% on Voice Ranger and Commando

Call 800-955-4884 for sales and information
For a demonstration call 510-522-3800

TALKING TECHNOLOGY, INC.

Circle 245 on Inquiry Card.

TCP/IP

Windows Developer's Kit
- Binary TCP/IP Transport
- PDS for DOS
- Windows Sockets API

Pacific Softworks

Development Components

winsock.dll is a dynamic link library (DLL) which allows windows applications to dynamically bind for TCP/IP services. The winsock.h, .lib, .def files are also provided for the C/C++ developer.

/build contains the source and executables for Windows Sockets finger client. This is useful for testing winsock, configuring the build environment, and as an example of both message-based and synchronous Windows Sockets programming.

winsock.HLP provides on line help for Windows Sockets version 1.1.

For More Information Call
1 (800) 541-9508
(805) 484-2128 • Fax (805) 484-3929

Circle 255 on Inquiry Card.

BASIC Compiler 8051/52 & Derivatives

BXC Version 4.0 New Release!
- 100% BASIC-52 compatible & in line assembly
- Full floating point, integer, byte and bit variables
- Compatible with any RAM or ROM memory mapping
- Compile BXC program into CALLable subroutine
- Compile program to coexist with BASIC-52 interpreter
- DS/5000 chip support and extensions
- Dynamic length variables and many string functions
- Advanced run-time error trapping & buffered serial I/O

BXC51 $295
Call now! 508-369-9556 or FAX 508-369-9549

Binary Technology, Inc.
P.O. Box 541 • Carlisle, MA 01741

Circle 221 on Inquiry Card.

POWER & PRECISION

Scientific Graphs and Statistics

Advanced Capabilities in a next generation product. Used and tested by over 35,000 scientists and engineers worldwide.

Error-free performance, total control and flexibility, hundreds of templates and samples, full support for all types of data files, ease of use, and free tech support make Plot-IT 3.0 your best scientific graphing software choice.

We are so confident you will find Plot-IT 3.0 for WINDOWS to be an indispensible research tool, we offer a 60-day money back guarantee.

Call Now: 517-339-9859

SPE SCIENTIFIC PROGRAMMING ENTERPRISES **Plot-IT®**
P.O. Box 669 • Haslett, MI 48840

Circle 256 on Inquiry Card (RESELLERS: 257).

APL

Complete APL system $60.

J

Ken's new APL for teaching and research.
Shareware and documentation $24. Source $90.

NEW! True Windows 3.1 versions.
GUI programming for APL and J

Write for product catalog and price list.

Iverson Software Inc.
33 Major St., Toronto, Ontario, Canada M5S 2K9
Phone (416) 925-6096 Fax (416) 488-7559

Let your "true colors shine through" when you advertise your computer products in

BYTE's

HARDWARE/SOFTWARE SHOWCASE

our newest, affordable, 4-color advertising section!

Call for more details:
(603) 924-2695 or (603) 924-2598

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. **2"x1⅛"** ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, telephone and fax number. **2"x2⅝"** ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call: Margot Gnade at 603-924-2656. FAX: 603-924-2683.

RATES (Jan. 1993)

	3-5 issues	6-11 issues	12 issues	13 issues
2"x1⅛"				
1 ad	$663	$636	$557	$530
2 ads/issue	–	–	530	504
3 ads/issue	–	–	504	477
2"x2⅝"				
1 ad	$1,326	$1,272	$1,114	$1,060
2 ads/issue	–	–	1,060	1,008
3 ads/issue	–	–	1,008	954

ACADEMIC COMPUTING

LEARN PARALLEL PROCESSING
Transputer Education Kit
$396

Kit includes ready-to-use PC add-in board with T400 transputer, 1MB of RAM, and PC interface. Complete with Occam2 and C compilers, assembler, source-level debuggers, example programs and 1500 pages of documentation (incl. schematics). Expandable!

Computer System Architects
100 Library Plaza, 15 North 100 East, Provo UT 84606-3100
(800) 753-4CSA (801) 374-2300 FAX (801) 374-2306

Inquiry 651.

ACCESSORIES

RADIOACTIVE?
Plot it on your PC with The RM-60 RADIATION MONITOR
Serial or printer port. Detects: ALPHA • BETA • GAMMA • X-RAY.
MicroR, 1000 times the resolution of standard geiger counters.
Excellent for tracking RADON GAS. Find sources. New: Version 2.9
+ WINDOWS, Plot: • Background • Cosmic Rays • Clouds • Foods
Call/Write for PC MAGAZINE review. • TSR • GM Tube
VISA/MC/EURO Phone orders. Not satisfied? Full refund.
800-729-5397 or Tel/Fax: (302) 655-3800
Aware Electronics Corp.
P.O.Box 4299, Wilmington, DE 19807 **$149.50**

KEYBOARD, VIDEO, MOUSE, AUDIO
Extend signals from PC with **EXTENDER**
Split signals with **COMPANION/PC EXPANDER**
Switch signals among PCs with **COMMANDER**
Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard, monitor and mouse.
CYBEX CORPORATION
4912 Research Dr., Huntsville, AL 35805
Phone: 205-430-4000 Fax: 205-430-4030

Inquiry 652.

PARALLEL GAME PORT
Turn your notebook computer into a flying machine
• Connect any one or two joysticks, yokes or pedals to the parallel port of your portable (or desktop) computer.
• Program the joystick's switches to meet your needs.
• Eliminate all hardware game port problems.
• Available NOW, only $45.
GENOVATION, Inc.
17741 Mitchell North, Irvine, CA 92714
(800) 822-4333 (714) 833-3355 FAX (714) 833-0322

Inquiry 653.

VGA Splitters
- Connect 2, 4, or more monitors to your computer
- Bright and crisp presentation simultaneously on all monitors - **Guaranteed**
- Works with all VGA, SVGA, and RGB monitors
- Small durable metal case. **MADE IN USA**
- Extension cables available

H&R TECHNOLOGY **800-959-6439**
Santa Ana, CA (714) 641-6607

Inquiry 654.

AUTO FILE PROTECTION

Keep Snooper Off Your File!
Automatic encrypt + copyprotect data on hard disk and floppy, you set drives and data types. Fast and secure background encrypt/decrypt is fully transparent to you and your softwares. 3 levels to control who may access what data. Works with DOS and Windows programs. Super Tech. at low cost. Limited time! Chk/MO $75 (IL+8.75%) + $5 s&h, COD (cash/cashier chk) +$5.
APTON Corporation
P.O. Box 34620, Chicago, IL 60634
Tel: 312-777-0282 Fax: 312-777-2075

Inquiry 655.

BAR CODE

Portable Reader
Simple, Powerful, Easy-to-use
- ★ AA Battery Operated, with backup coin battery
- ★ 2 x 16 Supertwist LCD Display
- ★ 32 Raised Rubber Keys
- ★ Real-time Clock Built-In for Date/Time Stamps
- ★ 2 Built-In Inventory Programs
- ★ 3 User Defined Programs, & 3 User Data Files
- ★ Wand, CCD, or Laser Scanner Input
- ★ Doubles as Non-Portable Reader
- ★ Serial Interface and Keyboard Interface
- ★ Reads 2of5, UPC/EAN, 128, Code 39, etc.
- ★ Uploads with furnished Programs or Xmodem
- ★ 64K Complete with Steel Wand – $799

Worthington Data Solutions

Swiss Office
Rütistrasse 6
CH 9050, Appenzell Switzerland
071 87 51 17 FAX
071 87 51 15 Phone

3004 Mission Street
Santa Cruz, CA 95060
408-458-9938

800-345-4220

Bar Code Readers
For PC, XT, AT, PS/2, Macintosh and Serial Terminals
- ★ Attaches as 2nd Keyboard or to any ADB port
- ★ Reads 2of5, 128, UPC/EAN, Code 39, etc.
- ★ External or internal attachment on PC
- ★ Wand, CCD, Slot Badge, Magstripe or Laser
- ★ Two Scanners per Reader
- ★ 100+ Configurable Options
- ★ 2 Year Warranty, 30 Day $ Back Guarantee
- ★ Direct From Manufacturer
- ★ Top Rated by Independent Review
- ★ Complete with Laser Scanner – $1399
- ★ Complete with Stainless Steel Wand – $399

Worthington Data Solutions

Swiss Office
Rütistrasse 6
CH 9050, Appenzell Switzerland
071 87 51 17 FAX
071 87 51 15 Phone

3004 Mission Street
Santa Cruz, CA 95060
408-458-9938

800-345-4220

BAR CODE

Labeling Software
On EPSON, IBM, OKI, or LaserJet. Easy WYSIWYG design. Any format/size. Up to 120 fields per label. 18 text sizes to 3" –readable at 100', AIAG, KMart, Sears, MIL-STD, Pennys, 2of5, 128, UPC/EAN, Code 39. File Input & Scanned PCX graphics – $279. Other programs from $129.
Worthington Data Solutions
(408) 458-9938 800-345-4220

Thermal Printer Package
Allegro Thermal Transfer Printer–2" per sec speed. Up to 4" label width–Only 20 lbs. weight–Prints UPC/EAN, 2of5, UCC-128, Code 39, 128–Prints scalable text and PCX graphics with bar codes–Packaged with LabelRIGHT Software, serial cable, ribbon and labels–Complete–**$1895**
Worthington Data Solutions
(408) 458-9938 (800) 345-4220

YOUR SALES MESSAGE
about the special computer product or service that you provide belongs in print
THE BUYER'S MART
can help you reach computer professionals and produce valuable inquiries for your company!
Call **Margot Gnade** for more information
603-924-2656
or
Fax: 603-924-2683

Inquiry 656.

Portable Bar Code Reader
- ➤ Use as a PORTABLE, WEDGE, or SERIAL
- ➤ 9V Battery Operation with Lithium Backup
- ➤ 2x16 Supertwist LCD Display
- ➤ 54 Key Keyboard with Separate Numeric Keys
- ➤ Real-time Clock Supports Date & Time Stamps
- ➤ Reads all Popular Bar Codes (16 types)
- ➤ Wand, CCD, Laser, or Serial Input Devices
- ➤ Built-In Program Generator
- ➤ Create Your Own Custom Programs
- ➤ 6 Built-In Inventory Programs
- ➤ Up to 250 Programs Can Reside in Memory
- ➤ Create up to 250 Data Files per Program
- ➤ Up to 250 Look-Up Files in Memory
- ➤ Built-In Calculator
- ➤ Supports HAYES Compatible Modems
- ➤ 64K Memory with Data Compression
- ➤ 30-day $$ Back Guarantee – 1 Year Warranty
- ➤ Complete Unit with WAND Scanner – $795

AMERICAN MICROSYSTEMS
2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE

BAR CODE READERS
For PC, XT, AT, PS/2, & Serial Terminals

- Emulates Keyboard: Works With Any Software
- Data Appears as Keyboard Input
- Uses Enhanced Decoding Algorithms
- Accepts Wand, Slot/Badge, CCD, Laser, Magnetic Stripe Reader, & RS232 Serial Input
- Reads All Popular Bar Codes (16 types)
- Reads HIGH, MEDIUM, & LOW density codes
- Auto-Discriminates Between Bar Code Types
- Easily Programmed with a Bar Code Menu
- Over 140 User Configurable Options
- Daisy Chain Up to 96 Readers
- Supports NOVELL Networks
- Supports US & INTERNATIONAL Keyboards
- Direct From Manufacturer
- 30-day $$ Back Guarantee, 1 Year Warranty
- Complete Unit with LASER Scanner – $1095
- Complete Unit with WAND Scanner – $395

AMERICAN MICROSYSTEMS
2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

Bar Code Printing Software
LabelWorks for Windows

- Prints all Popular Bar Code Types (19 Types)
- Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- Rotates Text, Bar Codes, and Graphics
- Supports Windows Compatible Fonts
- Choose From Over One Hundred Popular Label Formats or Design Your Own
- Rich Text Support: Mix Styles, Types, & Sizes
- Automatically Prints Serial Numbers
- Imports & Exports Graphic Files: TIFF, GIFF, BMP, PCX, WPG, WMF, TARGA
- Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- 30-day Money-Back Guarantee, $295

CALL FOR FREE DEMO SOFTWARE

AMERICAN MICROSYSTEMS
2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

CREATE BAR CODE SYSTEMS
Data Harvester Developer's Version can put hand-held portable bar code data collection in your application. Generate system to scan, validate entries (lengths, types, etc.) and communicate data to PC. Format data for your software. Easy to use. No programming. Supports many portable terminals. DOS & UNIX.

AccuScan, Inc.
PO Box 80037, Conyers, GA 30208
(404) 922-1220

Inquiry 657.

BAR CODE DISCOUNT WAREHOUSE
will not be undersold! Your source for all your bar code needs. Laser and CCD scanners, mag stripe and wedge readers, bar code printers and software. We offer major brands at the best prices.

1-800-888-BCDW
Bar Code Discount Warehouse
14761 Pearl Rd #257, Strongsville, OH 44136
Tel: (216) 273-4746 Fax (216) 273-4623

Inquiry 658.

BAR CODE

BEST BAR CODE VALUES

- PC/MAC/RS232 Wedges w/wand & print. utility $249+
- Portables w/wand (64K+) $750+
- Mag Stripe Encoder/Reader (1, 2 or 3 tracks) $1095+
- Mag Stripe Readers (TTL, wedge, RS232) $89+
- Bar Code Printing/Reading Software w/HP $149+
- Lasers/CCDs/Badge Slot/POS Products • 1-5 YR WARRANTY
- Dist/Dealer Discounts • SPANISH Dept. avail.

BARCODE INTERNATIONAL SYSTEMS (BIS)
12140 Severn Way, Riverside, CA 92503
(800) 653-4252 • (909) 270-0016 • FAX (909) 270-0920

Inquiry 659.

NEED A ONE STOP SOURCE FOR YOUR BAR CODE SOLUTIONS?
NO PROBLEM! WE OFFER Quality • Performance • Value

A full line of **READERS • PRINTERS • PORTABLES • BAR CODE READERS FOR NOTEBOOKS • HEWLETT-PACKARD SCANNERS • MAGNETIC STRIPE READERS.** Our readers plug and play with your existing system without additional software. **CALL ABOUT OUR 30 DAY GUARANTEE • TECHNICAL SUPPORT • NEXT DAY DELIVERY • VARIETY OF PAYMENT OPTIONS • OEM/VAR DISCOUNTS.**

INTERNATIONAL TECHNOLOGIES & SYSTEMS
Eastern USA (800) 826-1688 Western USA (800) 228-9487

Inquiry 660.

PC BAR CODE SPECIALISTS
Bar code readers designed for fast, reliable, cost-effective data entry. They emulate your keyboard, so data looks just like it was typed in! Choose from stainless steel wand, laser gun, CCD, and magnetic stripe scanners. Also, powerful label printing software. Great warranty. Generous reseller discounts. 30-DAY MONEY-BACK GUARANTEE.

Seagull Scientific Systems
15127 N.E. 24th, Suite 333, Redmond, WA 98052
1-800-758-2001 206-451-8966

DATA INPUT DEVICES
Bar Code, Magnetic Stripe Readers for microcomputers & terminals, including IBM PS/2 & others, DEC, Macintosh, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. UPC & 39 print programs, magnetic encoders, & portable readers are also available.

TPS Electronics
4047 Transport, Palo Alto, CA 94303
415-856-6833 AppleLink: BARCODE
1-800-526-5920 FAX: 415-856-3843

Inquiry 661.

VARIANT MICROSYSTEMS
BAR CODE READERS DELIVER
WAND/LASER/MAGNETIC CARD CONNECTIVITY

- Keyboard wedges (Internal/External) for IBM PC/XT/AT, PS/2, and portables
- RS232 wedges for WYSE, Link, Kimtron terminals
- Bar code and label printing software
- Full two-year warranty
- **30-Day Money-Back Guarantee**
- **Extensive VAR/Dealer Discounts**

46560 Freemont Blvd., Suite 206 / Freemont, CA 94538 / (510) 440-2870
800-666-4BAR FAX: (510) 440-2873

Inquiry 662.

CAD/CAM

CONTOURING MOTION CONTROL
FROM A PRINTER PORT!
Indexer LPT™ software
NEW VERSION 3 **$249** VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems Corporation, 1422 Arnold Ave. Roslyn, PA 19001 (215) 657-4338 FAX: (215) 657-7815

Inquiry 663.

CAE

EZ-ROUTE Pro - $995
EZ-ROUTE Std - $249
Available for DOS, WINDOWS, & SUN.

- 18,000+ Parts Library • Design Rule Checker • 256 board layers
- A through E sheet sizes • SMD on both sides of board
- Netlist output comparable to: Futurenet, PCAD, EDIF
- Output to penplotter, Gerber photoplotter & dot-matrix printer

For a FREE Evaluation call: 1-800-972-3733

ams ADVANCED MICROCOMPUTER SYSTEMS, INC.
1460 S.W. 3rd St., Suite B-8
Pompano Beach, FL 33069
(305) 784-0900 • FAX (305) 784-0904

Inquiry 664.

CD-ROM

TOSHIBA XM3401B & TXM3401E
TEXEL DM-3024 AND DM-5024
SCSI INTERFACE: TRANTOR T130
MEDIA VISION PRO 16

- *WIDE SELECTION OF CD-ROM TITLES*
- *CD-ROM CADDIES AND ACCESSORIES*

Computers at Large
Saratoga, CA
Dedicated to CD-ROM technology.
PLEASE CALL FOR OUR PRICE LIST
800-642-4194 • 408-255-1081
Fax 408-255-2388 VISA & MasterCard accepted

Inquiry 665.

FREE CD-ROM DISCOUNT CATALOG!
Hundreds of discounted CD-ROM titles, from $8 up.
Call or write for your free catalog.

Ellis Enterprises, Inc.
4205 McAuley #385, Oklahoma City, OK 73120
1-800-729-9500

Inquiry 666.

OPTI-CD*cache*™
Improve CD-ROM workstation performance!
Only $89!

OPTI-CD*cache*™ takes advantage of Extended Memory (XMS) to cache CD-ROM data. Retrieve data from a high speed cache instead of directly from the CD-ROM drive and significantly improve your CD-ROM workstation performance!
Ask for our **free** catalog of exciting CD-ROM products including the market-leading OPTI-NET® CD-ROM networking software!

ONLINE COMPUTER SYSTEMS, INC.
A member of the Reed Elsevier group.
FlashFAX Info Hotline 301-601-2120
301-428-3700 or FAX us at 301-428-3700.

Inquiry 667.

CD ROMS - Your Gateway to the Data Highway

CICA MS Windows Shareware, 640 Meg, thousands of new programs, BBS ready, made April 93 ..... $24.95
Simtel MSDOS Shareware CDROM, 640 Meg, BBS ready, huge selection of software, made April 93 ..... $24.95
Hobbes OS/2 Shareware CDROM, 560 Meg, June 93 ..... $24.95
Source Code CDROM. Full source, mostly C, over 15,000 programs. Over 600 Meg $39.95
X11/GNU CDROM. Full source to X11 and all the GNU programs. ANSI C/C++ compiler, ghostscript, etc. $39.95
C Users Group Library CD-ROM. Up through vol. 364. ..... $49.95
CDROM Caddies $4.95

Full Money-Back Guarantee
WALNUT CREEK CDROM
4041 Pike Lane, Suite D, Concord, CA 94520
orders @ cdrom, com (800) 786 9907
+1-510-674-0783 Fax: +1-510-674-0821

Inquiry 668.

THE BUYER'S MART

CD-ROM

CD-ROM CONVERSIONS

Create your own CD-ROM by converting archival or back-up data to CD-ROM. Customized CD-ROM production available from virtually any archival data, disk or tape format. Search/Retrieval Engine development offered. Call for info.

Pivar Computing Services, Inc.
165 Arlington Hts. Rd. #BC, Buffalo Grove, IL 60089
(800) CONVERT (708) 459-6010

COMMUNICATIONS

PC VOICE MAIL KIT $1795

• Voice Processing on your PC • Software and 4 line board included • Order Taking • AUDIOTEX • Voice Messaging • Never miss another call! • HUNDREDS OF USES • Don't pay $1,000s CALL TODAY FOR Free DETAILS • 2 yr warranty

Amerifax Services Corp.
572 W. Market St. #5, Akron, OH 44303
(216) 253-8787 • (216) 762-6050 Demo

Inquiry 669.

EASY EDI!
EDI to FAX, E-Mail
X.400 & Hardcopy

Send or receive EDI transactions translated into human readable documents & delivered as Fax, E-Mail and X.400 messages.

Complete EDI services
EMS 800 521-1129

Inquiry 670.

X.25, HDLC, SDLC, BSC

SDLA card and software provides 'plug-in' synchronous link support for PCs which is inexpensive, easy to use and robust.
- ◆ Up to 180kbps under any PC operating system
- ◆ Extensive utilities plus third party support under DOS, Unix, OS/2, Windows
- ◆ CCITT 1988 X.25, many variations of SDLC and HDLC and V.25 bis. dial supported
- ◆ Full function SNA emulation packages also available

Sangoma Technologies Inc.
Tel. (416) 474-1990 **1-800-388-2475**
FAX (416) 474-9223

Inquiry 671.

COMPUTER BOOKS

COMPUTER BOOKS at a discount

We specialize in ADVANCED books for developers, programmers, computer professionals, and academics. 15% discount. Latest books from over 50 publishers. Free catalog. UPS & international shipping. Personal service. MC/VISA/AMEX. CompuServe® 70007,1333. GO CBK Windows, C++, O/S 2 2.0, UNIX, Mac, OOP

CompuBooks
Rt. 1, Box 271-D 512-321-9652
Cedar Creek, TX 78612 Fax 512-321-4525
800-880-6818

Inquiry 672.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFEWARE Computerowner's coverage provides replacement of hardware, media and purchased software. As little as $49 a year covers accidents, theft, power surges and more. One call does it all.

TOLL FREE 1-800-848-3469
SAFEWARE, The Insurance Agency Inc.
PO Box 02211, 2929 N. High St., Columbus, OH 43202
Now available in Ontario, Canada

Inquiry 673.

COMPUTER SYSTEMS

LOW-LOW-LOW
Computer Systems/Notebooks/Network Solutions

IBM-Apple-Compaq-AST-ALR-Everex-&others
SURAH 386/486 ISA/EISA–AMI/Mylex Motherboards • CD ROMS • Tape Backup • Pocket FAX Modem LAN Cards • Hard Drives/Floppy Drives • Memory/upgrades • DRAMS, SIMM Modules • Laser Printers/Scanners • Plotters & Digitizers • Software

SURAH inc. 44912 Osgood Road, Fremont CA 94539 *USA*
Phone: (510) 651-5101 Fax: (510) 651-5241
1-800-543-1001 Nationwide Orders

Inquiry 674.

CROSS ASSEMBLERS

Cross Assemblers
Simulators
Disassemblers

New Advanced Release!

PseudoCorp
716 Thimble Shoals Blvd. Newport News, VA 23606
(804) 873-1947 **Fax (804) 873-2154**
BBS (804) 873-4838

Inquiry 675.

DATA ANALYSIS

ADVANCED DATA ANALYSIS... at a click!

CLICK-X™ software, the most user friendly data analysis – ever! • Edit Graph/Data • Analyze • Advanced Math / Regression / Engineering / Statistics • Import/Export. FREE demo disk. **Custom software available.**

SoloSoft
P.O. Box 2548, Stamford, CT 06906-0548
Phone: (203) 977-8161 Fax: (203) 977-8237

Inquiry 676.

DATA RECOVERY

Data Recovery & Repair

- High Success Rate/Fast Turnaround
- 24 Hour Service Available
- Lowest Prices on Disk Drive Repair
- Clean Room

We Repair MFM/RLL/SCSI/ESDI/IDE

AA Computech, Inc.
28210 Avenue Crocker #306, Valencia, CA 91355
(800) 360-6801 **(805) 257-6801**

Inquiry 677.

Ontrack
DATA RECOVERY

•Professional service recommended by major hard drive manufacturers • Expertise in virtually every operating system & media storage device • 24-hour support with weekend, priority, & on-site service available • For fast, successful results, call:

MN:1-800-872-2599 • CA: 1-800-752-7557
UK: 44-81-974-5522 • GERMANY: 0130-815-198
Corp. Headquarters: 6321 Bury Drive, Eden Prairie MN 55346

Inquiry 678.

DATA/DISK CONVERSION

THE #1 CHOICE
in disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry–world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.
3000 Second St. North, Minneapolis, MN 55411
(612) 588-7571 FAX: (612) 588-8783
1-800-745-7571

Inquiry 679.

DATA/DISK CONVERSION

CONVERSION SPECIALISTS

Thousands of disk/tape cartridge conversions, rapid disk/tape duplication, CD-ROM development, text/graphic scanning, key entry, document production for Interleaf and other DTP systems, bar code conversion, and programming.

◆◆ Free Tests & Quotations ◆◆

MEDIA CONVERSION CORP.
800 Roosevelt Rd., D-106, Glen Ellyn, IL 60137
(800) 860-1033 **FAX (708) 469-1277**

Inquiry 680.

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 5000 formats including 3½", 5¼", 8" disk formats & word processors. Disk-to-disk conversions also available. Introducing CD-ROM conversions. Call for more info.

Pivar Computing Services, Inc.
165 Arlington Hgts. Rd., Dept. #B
Buffalo Grove, IL 60089 **(800) Convert**

DISK DUPLICATION

Trace Diskette Duplication Products

Tracer/ST Family of Duplication Systems
- Low-cost, standalone duplicators
- High throughput, networked solutions

Flexible PC-based Disk Duplication Software
- In-line label printing capabilities

Automatic Disk Printing and Labeling Solutions

Trace 1040 E. Brokaw San Jose, CA 95131
(800) 872-2318

Inquiry 681.

EDUCATION

B.S. & M.S. In COMPUTER SCIENCE

The American Institute for Computer Sciences offers an in-depth home study program to earn your Bachelor of Science and Master of Science degrees in Computer Science at home. B.S. subjects covered are: MS/DOS, BASIC, PASCAL, C, File Processing, Data Structures & Operating systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence.

AMERICAN INST. for COMPUTER SCIENCES
2101-BY Magnolia Ave. South, Ste. 200, Birmingham, AL 35205
800-767-2427 **205-323-6191**

ETHERNET TEST EQUIPMENT

Trying to keep up with the market? **Call Nicole at Quick Source.** For the cost of a few phone calls, you can learn the latest on over 50 different products. Guaranteed satisfaction. Call anytime.

(800) JUPITER, ext. 70
702-747-0231, ext. 45

Inquiry 682.

FLOW CHARTS

BrainMaker:

"The most fascinating computer software I've ever seen...learn about this stuff." *John Dvorak, PC Mag.* Predicts stocks, bonds, sales, inventories. Comprehensive manual. Menus. 16,000 sold. PC or Mac.

Still only $195!

Free Flyer: 800/284-8112, 916/478-9040
California Scientific Software

Inquiry 683.

FLOW CHARTS

WINDOWS FLOWCHARTER $129

RFFlow 2.0 is a professional drawing tool for flowcharts & org. charts. Requires Microsoft Windows. 100 shapes auto adjust in size. Diagonal lines and curves. Auto line routing and re-routing. Click on a shape to bring up a sub-chart. Move charts to other apps. via the Clipboard. Call for free trial disk.

RFF ELECTRONICS
1053 Banyan Court, Loveland, CO 80538
Phone: (303) 663-5767 **FAX: (303) 669-4889**

GRAPHICS DATA CONVERTER

OPTICAL GRAPH RECOGNITION (OGR) SOFTWARE

SCAN-X™ software imports, converts and manipulates data from scanned plots, pictures, graphs on paper, or captured screens into data files for comparing/analyzing/plotting/exporting. FREE demo disk. **Service available.**

SoloSoft
P.O. Box 2548, Stamford, CT 06906-0548
Phone: (203) 977-8161 Fax: (203) 977-8237

Inquiry 684.

HARDWARE

Let US Meet Your Hardware Needs

- Complete Systems-Starting @ $895 w/SVGA monitor
- For 486 DX50 from $895-$1795
- Motherboards, Memory
- Software

Call for information or catalog. MC & VISA accepted

Kings Computer Technologies
311 North Gray
Killeen, TX 76541 **817-554-5464**

Inquiry 685.

Pre-Owned Electronics, Inc™

THE Independent Provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985

APPLE II® & MACINTOSH®
SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... **800-274-5343**
INT'L: 617-275-4600 • FAX: 617-275-4848
205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 686.

HEWLETT PACKARD

Buy – Sell – Trade

LaserJet, DeskJet, RuggedWriter, Electrostatic Plotters
ColorPro, DraftPro, DraftMaster
• Monochrome and Color
HP 9000 Workstations and Vectras also available.

T. E. Dasher & Associates
4117 Second Ave., S. Birmingham, AL 35222
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833

Inquiry 687.

HARDWARE/COMPUTERS

NEW! 20MHz 16-bit FORTH Single Board Controller with 8ch 10-bit A/D, 3ch 8-bit D/A

TDS2020 FORTH CONTROLLER AND DATA-LOGGER–4"x3" board uses Hitachi 16-bit H8/532 CMOS µP. Screams along at 3MIPS, but runs on only 30ma. On-board high-level easy FORTH language and assembler–no need for in-circuit emulation! Up to 512K NVRAM, 45K PROM. Attach keyboard, lcd, I²C peripherals. Interrupts, multi-tasking, watchdog timer, editor. 33 I/O, 2xRS-232, 6-16v 300µA data-logging! Free ready-made software solutions. Program with PC. Use for machine control, data-logging, inspection, robotics, remote monitoring, etc. **$299** (25s). STARTER PACK **$499.**

CALL NOW FOR DETAILS! *Sale-or-return*
Saelig Company
European Technology
tel: (716) 425-3753
fax: (716) 425-3835

Inquiry 688.

HARDWARE/EMBEDDED

SC/FOX™ EMBEDDED COMPUTERS

PC Parallel Coprocessor Plug-in Boards: 15 MIPS avg 50 MIPS burst, using the SC32 32-bit CPU or the 16-bit Harris RTX 2000™.

VME Master/Slave System Controller SBC: 18 MIPS avg 70 MIPS burst, uses RTX 2000 cpu, SCSI, 2 ser, 1 ptr ports, to 640K bytes.

Stand-Alone Single Board Computers: 18 MIPS avg 60 MIPS burst, 3U or 100x100mm Eurocard-size using either SC32 or RTX 2000.

Ideal for embedded real-time control, data acquisition, robotics, and signal processing. OEM software development system included.

SILICON COMPOSERS INC (415) 961-8778
655 West Evelyn Ave. #7, Mt. View, CA 94041

Inquiry 689.

IMAGE PROCESSING

IRBIS image enhancement

Improve images with hundreds of functions. Ready-made programs in powerful platform. Unique feature: direct access to formulae. Includes royalty-free API for C/C++ programmers: call all functions from your applications. E.g. for X-ray, medicine, satellite images, product testing, automation, printing. Custom programming available.

SWABIAN
Unter den Linden 15, D-72762 Reutlingen, Germany
+49-7121-300453 FAX: +49-7121-370411

Inquiry 690.

LAPTOP PERIPHERALS

Auto Power Adapters

- 12V battery systems
- Small package with high efficiency
- Plugs between computer and lighter receptacle
- $99 to $129
- Designed and made in USA!!

In stock for Apple PowerBook (10-30V input), Canon BJ printer, Compaq Contura, Everex Tempo LX, IBM, Kodak Diconix printer, Sanyo, Sharp, Toshiba, Zeos. Custom adapters designed for OEMs. Serial interface cards for Toshiba and Sanyo.

Empire Engineering
California USA
tel 805/543-2816 fax 805/543-2820

Inquiry 691.

LAW

KNOW YOUR COMPUTER RIGHTS!

Network of clear and simple recorded information on legal issues from government inference to copyright to contracts that every computer user, employee and entrepreneur must know.

CALL 1-900-PRO-BONO
(1-900-776-2666)
$2/min. Average message 5 mins. Touch-Tone Phone.

Essential Information, Inc.
2 Horatio Street, New York, NY 10014
(212) 255-5473

Inquiry 692.

C++ & DATABASE

C++ Libraries to access and fax to/from your database:

SyPLUS & OraPLUS C++ Libraries for Sybase & Oracle	$189.00
SyPLUS & OraPLUS w/source code	$589.00
Sy FAX & OraFAX C++ Libraries for Sybase &Oracle	$129.00
Sy FAX & OraFAX w/source code	$529.00
Other C++ Products:	
In-depth C++ video course; DOS/UNIX examples, support	$249.00
The C++ TOOLBOX, MS/Win, DOS Libraries	$89.00
The C++ TOOLBOX w/source code	$289.00

Universal Information Systems *(UniInfo)*
(800) 793-7491
18 Liberty Avenue, Jersey City, NJ 07306

Inquiry 693.

PRODUCT CATALOGS

FREE IBM DIRECT CATALOGS!

Here they are – the IBM® RISC System/6000®, Networking and PC Tools DIRECT catalogs! They are your guide for many of the most popular IBM hardware, software, education and services offerings for these environments. 800 IBM-CALL is your one-stop source for convenient ordering, technical advice and product literature. CALL TODAY to receive your copy of these exciting catalogs! Ask for extension S78.

IBM DIRECT P.O. Box 2150 Atlanta, GA 30301
800-IBM-CALL (426-2255) (FAX) 404-238-3442

Inquiry 694.

PROGRAMMERS TOOLS

CD-ROM Tools

World's largest, most recent (July '93, Oct. '93) and best PD/Shareware for PC Pros. Database index also lists all commercial products. Collections on CD or diskettes for ASM, C/C++, CAD, Xbase, Netware, ObjVision, OS/2, Paradox, Science, Fonts, TPascal, VBasic, Windows, others. From $25 each.

EMS
4505 Buckhurst Ct., Olney MD 20832-1830
301-924-3594 Fax: 301-963-2708
eengelmann@worldbank.org

Inquiry 695.

SCIENTIFIC SOFTWARE

Scientific & Technical Software

Free catalog
Call 1.800.622.3345

SciTech is your source for the best value in scientific and technical software. More than 750 products.

1.312.472.0444 2231 N. Clybourn Ave.
FAX 1.312.472.0472 Chicago, IL 60614

Inquiry 696.

SECURITY

FIGHT PIRACY!

★ EVERLOCK 3.0 ★
SOFTWARE COPY PROTECTION
New Option Board Safe-New Remote Registration
New CPU LOCK-CD ROM LOCK and more
★ EVERKEY HARDWARE LOCKS ★

Az-Tech Software, Inc.
Call for a FREE Demo **(800) 227-0644**
201 East Franklin, Richmond, MO 64085
(816) 776-2700
FAX (816) 776-8398

Inquiry 697.

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family – UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.
14105 Heritage Lane, Silver Spring, MD 20906
800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX:301/460-7545

Inquiry 698.

Cop's CopyLock II

The professional software protection with TRUE Machine Install. Option Board safe. **OS/2, Networks, Windows,** and **Trace 3020**.

LINK Computer
Int'l: + 45 31232350 Fax: + 45 31238448
US/CAN: 408-729-8162 FAX: 408-923-7061

KEY-LOK™ SECURITY

Piracy survival 11 years proves effectiveness of powerful multilayered security. Algorithmic response. Programmable memory. Economical. Transparent to PARALLEL/SERIAL port, Counters/Real-Time-Clock. Multi-product/feature licensing. DOS/UNIX. Also, access control system and diskette drive locks.

MICROCOMPUTER APPLICATIONS
3167 E. Otero Circle, Littleton, CO 80122
(303) 770-1917 FAX: (303) 770-1863

Inquiry 699.

THE BUYER'S MART

SOFTWARE MODELING

New from Probots, Inc.: Introducing GMS-
Easiest & most powerful modeling & simulation tool avail.
- systems specified by natural mathematical relationships (algebra, matrix, logic, differential, empirical, & heuristic)
- ideal for business, engineering, biological, & social applications
- integrated editor, compiler, & graphical analysis
- support for automated design, optimization, & causal analysis

Full System $495, Intro System $195 ($99 if ordered by 10/31)
Probots, Inc. 413-586-8929
80 Damon Road, Ste. 3307, Northampton. MA 01060

Inquiry 700.

SOFTWARE WANTED

Publish Your Program!
Young, enthusiastic and successful software publisher looking for PC Windows productivity add-on and utility software to acquire or publish. For a confidential review of your software product, send information to **Software Publisher, 2210 Wilshire Blvd., #836, Santa Monica, CA 90403** or circle our number on the Direct Link Card in the back of this issue. We will contact you promptly.

Inquiry 701.

SOFTWARE/ACCOUNTING

dBASE BUSINESS TOOLS
- GENERAL LEDGER
- ORDER ENTRY
- JOB COSTING
- BILL OF MATLS
- PAYROLL
- PURCH ORD/INVNTORY
- ACCOUNTS RECVABLE
- JOB ESTIMATING
- SALES ANALYSIS
- ACCOUNTS PAYABLE

$99/$198 ea. + S&H
dATAMAR SYSTEMS Cred. Card-Check-COD
6969-D Corte Santa Fe, San Diego, CA 92121
(619) 452-0044 (800) 223-9963

Inquiry 702.

SOFTWARE/ENGINEERING

Filter Design Software
- **Passive & Active Filters From User Specifications**
- **LP, HP, BP, and BS types**
- **Graphical Analysis**
- **Interface to SPICE**
- **Powerful, Easy To Use**

The FILTERMASTER DESIGN SERIES is a set of PC programs used to synthesize active RC and passive LC filters. All conventional types and approximations are supported along with graphical analysis of the filter characteristics. Alleviates tedious and time consuming cookbook methods.

intusoft
The leader in low cost, full featured CAE tools
P.O. Box 710, San Pedro, CA 90733-0710
310-833-0710, FAX: 310-833-9658

Inquiry 703.

4-BAR SYNTHESIS IN A PC
Lear_Links is a true linkages design package for 3- and 4-position path and motion generation with excellent EGA/VGA graphics and full mechanism animation and kinematics analysis tools. Get over $3000 worth of software for just $395.00!
Lear Com Company
(303) 232-2226 FAX (303) 232-8721

Inquiry 704.

SpiceAge*4W
Windows Analog Circuit Simulator
The following and **MORE** are included:
•AC, DC, Transient, Fourier, Temperature analysis • Fully expandable library • Analog & digital components • Transmission line primitive • Real signal node name • Graphical real time • Group delay • Component sweeping • Concurrent analysis • Plot X-Y loci
Tatum Labs, Inc.
1287 N. Silo Ridge, Ann Arbor, MI 48108
313-663-8810

Inquiry 705.

SOFTWARE/GRAPHICS

TIFF, PCX, TARGA, GIF, DIB, BMP, DCX, EPS, WMF, WPG, PICT, JPEG
AccuSoft Image Format Library 3.0
"The most comprehensive raster support library on the market"
Import, export, convert, display, and print all above formats! DOS & Windows versions included in one package. No royalties. Includes several sample programs with source code. Supports all languages. **Format compatibility guaranteed!** G3, G4, TIFF-F, multi-page images etc. Rotate, scale, color reduction, sharpen etc. 30 day satisfaction guarantee. $495
AccuSoft Corporation
160 E. Main St., P.O. Box 1261, Westboro, MA 01581
(800) 525-3577 (508) 898-2770 FAX (508) 898-9662

Inquiry 706.

"The Ultimate CAD/CAM/CAE Programming Engine"
Slash your development time, with your CAD programming companion, **TG-Professional v.4.0,** the most complete C/C++ toolbox of 2D & 3D geometric routines available today! Over 800 routines including NURBS, DXF, Graphics, Surfacing, Hidden LIne, Transforms, Perspectives, Polygon (Int/Union/Diff), Clipping, Tangents and more. Routines for drawing using BGI or MSC Graphics. Full source & 30 day guarantee. USA $500.00. Use MSC, Borland C/C++, WATCOM C/386 or Metaware High C/C++. Call 1-800-635-7760 or Fax/Phone 214-423-7288 for free 30 page technical paper.
Disk Software Inc.
109 S. Murphy Rd., Plano, TX USA 75094

Inquiry 707.

Sirlin's CAD ++ ENGINE
- Read and Write AutoCAD DWG and DXF files.
- Object oriented, modular, database-like access to CAD data.
- View, Print (rasterize), Plot (vectorize), and Pick (interact) modules.
- Available for C/C++ for DOS, Extended DOS, Windows, Sun and other Unix systems.

Sirlin Computer Corporation
25 Orchard View Dr., Ste 14, Londonderry, NH 03053
Phone: (603) 437-0727 • Fax: (603) 437-0737

Inquiry 708.

SOFTWARE/GUI

GUI TOOLKIT ONLY $249
Full source code included
TEGL Windows Toolkit lets you create DOS based GUI apps that are completely standalone. Over 500 functions. Menus, mouse & keyboard support, dialogues, and more. Includes TEGL graphics interface which has drivers for most popular video modes. Supports most C and Pascal compilers. Protected mode version is only $499. No royalties.
TEGL Systems Corporation
P.O. Box 580, Stn. A, Vancouver B.C. V6C 2N2
(604) 669-2577 FAX (604) 688-9530

Inquiry 709.

SOFTWARE/MATHEMATICS

OPERATIONS RESEARCH for your Personal Computer
ORSYS is a general-purpose operations research system for all DOS-based personal computers • Linear programs up to 3000 rows and 15000 columns • Mixed-integer and discrete linear programs • Nonlinear objective and quadratic programs • Transportation and Transshipment models
ORSYS real-mode or protected-mode – **$299** • Student version with license to copy – **$149** • Turbo Pascal object units for developers – **$149** • Updates from LP88, BLP88, MILP 88, TSA88 – **$149**
Eastern Software Products, Inc.
P.O. Box 15328, Alexandria, VA 22309
(703) 360-7600 Fax (703) 360-7654

Inquiry 710.

SOFTWARE/SCIENTIFIC

Volume Visualization
VoxelBox is a volume renderer for Windows. Volume rendering is the most direct method of visualizing 3D data. VoxelBox is fast, powerful and easy to use. It features raytracing, color/alpha mapping, lighting, keyframe animation support and much more. Price $495
Advanced Visual Systems
300 Fifth Ave., Waltham, MA 02154
(617) 890-4300 FAX (617) 890-8287

Inquiry 711.

SOFTWARE/SCIENTIFIC

VTEX Scientific Desktop Publishing
• Equations • Tables • Graphics • Scalable Fonts • Supports most printers • WYSIWYG previewer • Foreign Languages • Special Symbols • Font Effects • Indices • Only $299
"TEX of Tomorrow"–Notices of AMS, March 1991.
Call now for a ***FREE DEMO DISK***
MicroPress, Inc.
68-30 Harrow Street, Forest Hills, NY
Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 712.

OVER 350 PROGRAMS!
FREE CATALOG!
Geology • Biology • Chemistry • Engineering • Hydrology & more. There is no larger selection...anywhere.
800-775-6745
RockWare 4251 Kipling St., Suite 595
Scientific Software Wheat Ridge, CO 80033
(303) 423-5645 • FAX (303) 423-6171

SOFTWARE/VOICE/FAX

MULTI-VOICE® TOOLS
Multi-Voice Tools is a complete development Toolkit for Pascal or "C" to access all the features for most speech processing boards available today. It helps you write MULTI-LINE VOICE APPLICATION systems in minutes. A number of programming examples are provided. All programs and libraries are delivered with source code.
Dialogic, Rhetorex, Pika, VBX: $599. Watson (Single Line): $99. ALSO AVAILABLE: Fax Programmer's Toolkit ($199). Based on CAS specifications. Visa/MC accepted.
ITI Logiciel
4263 Cristophe-Colomb, Montreal, Quebec, Can. H2J 3G2
TEL (514) 597-1692 FAX (514) 526-2362

Write your own Voice Mail software
Create advanced, multi-line voice/fax mail systems with VOS™, the Editors' Choice. Complete language for computer/telephone integration. Call for free booklet "Get Into Interactive Voice".
Parity Software
25 Stillman St. #106, San Francisco, CA 94107
415 931-8221 (fax 415 546-7329)

SOFTWARE PACKAGING

FREE SOFTWARE PACKAGING CATALOG
Everything you will need to Package, Distribute, and Ship Your Software!! From manuals and binders to mailers and shippers
LABELS • LABELS • LABELS
For your diskettes, plain or custom printed dot matrix or laser printer . . . free samples
•••FREE CATALOG•••
Hice & Associates
8586 Monticello Dr., West Chester. OH 45069
Phone/Fax: 513-777-8586

Inquiry 713.

STOCK PACKAGING
to help you
market your software
ask for catalog 93QS1
Call 708 390-7744
or fax 708 390-9886
PolyQuick Co.
1243 Rand Road, Des Plaines, IL 60016

Inquiry 714.

STATISTICS

NCSS 5.x Series – $125

Easy-to-use menus & spread sheet. Multiple regression. T-tests. ANOVA (up to 10 factors, rep. measures, covariance). Forecasting. Factor, cluster, & discriminant analysis. Nonparametrics. Cross Tabulation. Graphics: histograms, box, scatter, etc. Reads ASCII/Lotus. Many new add-on modules.

NCSS

329 North 1000 East, Kaysville, UT 84037

Phone: 801-546-0445 Fax: 801-546-3907

Inquiry 715.

UTILITIES

PEN PLOTTER EMULATOR

FPLOT turns your printer into an HP pen plotter. Fast hi-res, no jagged lines. Vary line width, color. Screen preview – zoom, pan. Works with most CAD programs. Supports most printers. Requires DOS 2.1 or higher. $119+$3 S&H. VISA/MC/Chk/MO.

FPLOT Corporation

24-16 Steinway St., Suite 605, Astoria, NY 11103

718-545-3505

Inquiry 716.

BACKFLIP™

...a unique and easy-to-use system for labelling, organizing and keeping track of back-up data

All for **$79** MC/VISA To order call

(619) 431-5120 FAX (619) 931-6516

INTERNATIONAL FINANCIAL SYSTEMS (IFS) INC.

Suite 300, 2131 Palomar Airport Road, Carlsbad, CA 92009

Inquiry 717.

VOICE MAIL/FAX/MODEM

★ Have a NICETALK™ to you ★

MODEM + FAX + VOICE MAIL Series from 2400 bps modem to data compression 57600bps fax/modem and voicemail...over 30 models...more than meets the eye - Amagic Technologies, Inc.

17742-B Mitchell ★ Irvine, CA 92714 ★ USA

Tel: 714-474-3978 Fax: 714-474-3979

Also welcome to request 3D Hologram Information...from mfg to end products

Inquiry 718.

VOICE PROCESSING

VOICE/FAX MAIL KITS

BigmOuth single line $189.00

Add a **Fax-on-demand** system for only $199.95

AMandA multi-line voice mail features:

Guest Mail Boxes, Fax-on-Demand, Audiotext, Unlimited Mail Boxes, Auto Attendant, Call Screening/queuing/transfer, Remote modem access, etc. Only $2495.00

COMPU-TEL

86 Marlow Ave., Toronto, Ontario M4J 3V1

(416) 406-0522 Fax (416) 406-0253

Inquiry 719.

WINDOWS

FOREIGN LANGUAGES

Arabic, Hebrew, Russian, Chinese, Japanese, Indian, S.E. Asian – all the world's languages in Windows. Full support for mixing Arabic, Persian, Urdu, Hebrew + English. Chinese and Japanese type vertically/horizontally. Easy to use! *From $149.95. Call or write the WinLanguage™ experts!*

Gamma Productions, Inc.

Tel 310-394-8622 Fax 310-395-4214

710 Wilshire Blvd, #609, Santa Monica, CA 90401

Inquiry 720.

BYTE BACK ISSUES FOR SALE

	1990	1991	1992	1993
January				
February				
March				
April				
May				
June				
July				
August				
September				
October				
November				
December				
Special Issues	IBM	Windows	Windows Windows	Windows '93 Buyer's Guide

☐ Issues Available

1990 thru 1992 U.S. Delivery $6.00, Foreign Delivery $8.00, Canada & Mexico $6.50

Windows '93 U.S. Delivery $4.00, Foreign Delivery $5.00

European customers please refer to Back Issue form in International Advertising section of book.

Please indicate which issues you would like by checking (√) the boxes. Send requests with payment to:

BYTE Back Issues,
One Phoenix Mill Lane
Peterborough, N.H. 03458
(603) 924-9281

☐ Check enclosed Charge: ☐ VISA ☐ MasterCard

Card# _____

Exp. Date _____

Signature _____

Name _____

Address _____

City _____

State _____ Zip _____

All orders must be prepaid. Please allow four weeks delivery.

YOUR DIRECT LINK

ADVERTISER CONTACT INFORMATION

To order products or request FREE information, call advertisers directly or send in the Direct Link Card by mail or fax. ***Let them know you saw it in BYTE.***

Inquiry No.		Page No.	Phone No.
	A		
61-62	ABACUS SOFTWARE	51	800-451-4319
302	ACMA COMPUTERS INC	127	800-786-6888 ext. 097
300-301	ADVANCED COMPUTER PROD	252	714-558-8813
271	ADVANCED DIGITAL SYSTEMS	276	800-888-5244
286-287	ADVANCED LOGIC RESEARCH	110	714-581-6770
63	ALADDIN KNOWLEDGE SYSTEMS	107	800-223-4277
170-171	ALLMICRO	118	800-653-4933
*	AMERICA ONLINE INC	168A-B	800-827-6364
216	AMERICAN ADVANTECH	274	800-800-6889
64	AMERICAN POWER CONVERSION	152	800-800-4APC DPT.A2
65	AMERICAN SMALL BUSI COMP	241	918-825-4844
189	AMT INTERNATIONAL	267	408-383-9044
558-559	APPRO INTERNATIONAL INC	264PC 3	408-732-6091
185-186	ARISTO GRAPHIC SYSTEMS (U.S.)	45	908-479-1110**
185-186	ARISTO GRAPHIC SYSTEMS (EUROPE)	45	+49(40)8500425**
174-175	AT & T PARADYNE	202	800-554-4996 ext. 9699
176-177	AT & T PARADYNE	212	800-554-4996 ext. 9609
66	ATI TECHNOLOGIES INC	173	416-882-2600
279	ATRIE TECHNOLOGY INC	276	
290	ATTITUDE INC	243	714-680-8112
284-285	AUSTIN COMPUTER SYSTEMS	19	800-331-1701
217-218	AXIOMATIC	275	416-602-9270
	B		
219-220	B&C MICROSYSTEMS	277	408-730-5511
221	BINARY TECHNOLOGY INC	281	508-369-9556
450	BIX	293	800-695-4775
501-502	BOCA RESEARCH INC (INT'L)	48IS 7	407-997-6227
557	BOFFIN LIMITED	264SO 3	612-894-0595
67-68	BORLAND INTERNATIONAL	11	800-336-6464 ext. 7043
69	BRITISH AIRWAYS	231	
*	BYTE SUB MESSAGE	216	
*	BYTE / DIRECT LINK	247	
*	BYTE / PC DIGEST	232A-B	800-257-9402
70	BYTE / PC DIGEST	233	800-257-9402
	C		
*	C++ REPORT	48IDRC 1-2	212-274-0646**
258	CADSOFT COMPUTER, INC	278	800-858-8355
503	CHERRY MIKROSCHALTER GMBH	228-229	+49-964-3180
539	CHICONY	48IS 2	+886-3-323-5743**
205	CITITRONICS	269	818-855-5688
71-72	COLORADO MEMORY SYS	54	800-451-4523
74	COMPAQ COMPUTER CORP	12-13	800-345-1518
73	COMPAQ PRINTERS	62-63	800-345-1518
504-505	COMPEX INC	19	714-630-7302
283	COMPUTER ASSOCIATES	101	800 FREE MONEY DEPT. J3301
*	COMPUTER BOOK CLUB, THE	200A-B	
*	COMPUTER BOOK CLUB, THE	201	717-794-2191
190	COMPUTER DISC WAREHOUSE	256-257	800-959-4CDW
75	COMPUTER FRIENDS	166	800-547-3303
507	COMPUTER QUICK	172	415-861-8330
506	COMPUTERLANE UNLTD	CIII	818-884-8644
222	COMPUTERWISE	279	800-255-3739
114-115	CONNOR	181	800-755-0535
268	CONTROL CONCEPTS	272	703-876-6444
223	CONTROL VISION	277	316-231-6647
508-509	CORE INTERNATIONAL (INT'L)	141	407-997-6044
76	COREL SOFTWARE	28	800-772-6735 ext. 100
167	CREATIVE LABS INC	39	800-998-LABS
77-78	CTX INTERNATIONAL INC	239	714-595-6146
79	CURTIS INC	230	612-631-9512
191-192	CYBEX CORP	254	205-430-4030**
510-511	CYBEX CORP (INT'L)	CIV	205-430-4030**
	D		
178	DALLAS SEMICONDUCTOR	50	800-258-5061
225	DATALUX CORP (N.A.)	275	800-DATALUX
225	DATALUX CORP (INT'L)	275	+44-306-876718
224	DATALUX CORP (N.A.)	276	800-DATALUX
224	DATALUX CORP (INT'L)	276	+44-306-876718
*	DATAPRO INFO SVCS GROUP	92-93	609-764-0100 ext. 2777
546	DATAVISION	267	
262-263	DAVISON-WORTH CORP	277	800-668-2707
564	DEICO ELECTRONICS	264NE 2	800-321-8990
565	DEICO ELECTRONICS	264SO 2	800-321-8990
*	DELL COMPUTER CORP (N.A.)	CIII	800-626-8260
*	DELL COMPUTER CORP (N.A.)	CIV	800-626-8260
*	DELL COMPUTER CORP (N.A.)	80A-F	800-626-8260
*	DELL COMPUTER CORP (N.A.)	92-93	800-626-8260
80-81	DIAGSOFT INC	222	800-DIAGSOFT
82-83	DIAGSOFT INC	223	800-DIAGSOFT
163	DIGICOM INC	203	+886-2-918-6277**
164	DIGICOM INC	205	+886-2-918-6277**
512	DIGIMETRIE	48IS 12	+33-68-50-27-85**
84	DIGITAL VISION	168	800-346-0090
193-194	DISTRIBUTED PROC. TECH. (N.A.)	263	800-322-4DPT
193-194	DISTRIBUTED PROC. TECH. (INT'L)	263	407-830-5522
513	DR HUGGLE & PARTNER GMBH	48IS 26	+49-241-403117**
226	DSP DEVELOPMENT CORP	279	800-777-5151
179-180	DSP SOLUTIONS / DIGISPEECH	213	916-621-1787
	E		
293	EASTERN SYSTEMS	232	508-435-2151
266-267	EDEN'S TECHNOLOGY CORP	272	309-862-1704
85	ELIASHIM MICROCOMPUTERS	52	+972-4-528613**
*	ELONEX	12-13	+44-81-452-6422**
210-211	EMBARC / MOTOROLA	260	800-EMBARC4 ext. 350
514	EUTRON	48IS 24	+39-35-692-229**
	F		
515	FAST ELECTRONIC GMBH	48IS 16	+49-89-539800-20
534	FIRST INTERNATIONAL COMP	48IS 31	+886-2-717-4500**
195-196	FIRST SOURCE INT'L	258	714-588-9866
516-517	FUTURESOFT ENGINEERING	48IS 30	713-496-9400
	G		
*	GATEWAY 2000	CII,1	800-846-2058
*	GATEWAY 2000	136A-D	800-846-2058
*	GATEWAY 2000	152A-D	800-846-2058
264	GENERAL TECHNICS	274	800-487-2538
227	GENOVATION, INC	275	800-822-4333
518	GFK HAMBURG	48IS 25	+49-40-231-789**
86-87	GLENCO ENGINEERING	171	800-562-2543
228	GMM RESEARCH CORP	273	714-752-9447
519	GREY MATTER LTD	63	+44-0364-53071**
229	GTEK INC	273	800-282-4835
230	GTEK INC	277	800-282-4835
	H		
88-89	HAUPPAUGE COMP WORKS	245	800-443-6284
*	HEWLETT PACKARD	24-25	
*	HEWLETT PACKARD	36-37	
*	HEWLETT PACKARD	68-69	
90	HEWLETT PACKARD	78-79	800-LASERJET ext. 7299
*	HEWLETT PACKARD	98-99	
296-297	HORIZONS TECHNOLOGY	125	619-292-8331
	I		
91	IBM - AMBRA (N.A.)	32A-34	800-252-6272 ext. 265
*	IBM - DIRECT	120A-D	
520	IBM - GRAPHICS INTERFACE (INT'L)	33	+43-1-21145-4490**
94	IBM - PERSONAL S/W PRODUCTS	83	800-3-IBM-0S2
95	IBM - PERSONAL S/W PRODUCTS	85	800-3-IBM-0S2
96	IBM - PERSONAL S/W PRODUCTS	87	800-3-IBM-0S2
97	IBM - PERSONAL S/W PRODUCTS	89	800-3-IBM-0S2
282	IBM - PERSONAL S/W PRODUCTS	91	800-3-IBM-0S2
545	ICL	34	
548-549	IGC INC (INT'L)	48IS 19	408-441-0366
231	INES GMBH	273	+49-221-491621
162	INFORMATION DIMENSIONS / ZYLAB	199	800-544-6339
182-183	INFORMATION FOUNDATION	227	800-438-8649
98	INTEGRAND RESEARCH	224	209-651-1203
99	INTEL CORP	20-21	800-538-3373
100	INTEL CORP	48A-D	800-538-3373
101-102	INTERGRAPH (N.A.)	160-161	800-345-4856
232	IO TECH	274	216-439-4091
103	IOMEGA	183	800-777-4045
165-166	ITERATED SYSTEMS	216	800-4FRACTL
*	IVERSON SOFTWARE, INC	281	416-925-6096
	J		
104	JAMECO ELECTRONICS	197	800-831-4242
*	JDR MICRODEVICES	271	800-538-5000
	K		
105	KEA SYSTEMS LTD	119	800-663-8702
235	KEITHLEY METRABYTE	274	800-348-0033
233	KILA	273	303-444-7737
106-107	KINGSTON TECHNOLOGY	187	714-435-2600
521	KUO FENG CORP	48IS 23	+886-2-754-8498**
	L		
214-215	L A TRADE	270	800-433-3726
234	LAGUNA DATA SYSTEMS	278	800-938-TAPE
108	LAHEY COMPUTER SYSTEMS	123	800-548-4778
276	LEAD TECHNOLOGIES	280	800-637-4699
522	LOGIC PROGRAMMING ASSOC	48IS 28	+44-81-874-0449**
209	LOGICAL CONNECTION	268	800-238-9415
	M		
523	MAGIC / MSE	48IS 27	+972-3-751-1901**
555	MANCHESTER EQUIPMENT CO	264NE 1	516-435-1199
538	MANNESMANN TALLY	48IS 5	+44-0628-527782**
*	MCGRAW HILL NRI (N.A.)	216A-B	
168	MEDIA VISION	159	800-845-5870
295	MEGADRIVE SYSTEMS	191	800-322-4744
560	MICRO 2000	264PC 2	800-864-8008
562	MICRO 2000	264SO 1	800-864-8008
563	MICRO 2000	264NE 3	800-864-8008
198-199	MICRO SOLUTIONS COMP PROD	253	800-295-1214
200-201	MICRO SOLUTIONS COMP PROD	255	800-295-1214
206-207	MICRO-INTERNATIONAL, INC	265	800-967-5667
117-118	MICROGRAFX	215	800-877-3040
*	MICROSOFT CORP	8-9	206-936-8661
*	MICROSOFT CORP	15	800-426-9400 ext. JM2
*	MICROSOFT PRESS INC	47	800-MSPRESS
*	MICROSTAR LABORATORIES	274	206-453-2345
*	MICROWAY	194	508-746-7341
533	MINICOM LTD	48IS 14	+972-2-637576**
125	MINUTEMAN	57	800-238-7272
553	MITAC INTERNATIONAL CORP	48IS 13	+886-2-5018231
554	MITAC INTERNATIONAL CORP	48IS 15	+886-2-5018231
120	MKS / MORTICE KERN SYSTEMS	135	519-884-2251
547	MMG-SYSTEMS	48IS 21	+49-89-5107-506**
531-532	MOTOROLA UDS (INT'L)	201	+33-1-4117-4130**
550-551	MULTIPORT COMP-SYSTEME	48IS 8	+49-991-29017-20**
	N		
536	NAG	48IS 30	+44-865-310139**
121-122	NANAO USA CORP	220	310-325-5202
236	NATIONAL INSTRUMENTS	279	800-433-3488
*	NATIONAL INSTRUMENTS	48IDRC 1-2	512-794-0100
123	NEC - SYSTEMS	16-17	800-NEC-INFO
197	NEVADA COMPUTER	264	800-654-7762
556	NIDEC CORP	268	1-800-74NIDEC
*	NORTHGATE COMPUTER SYS	211	800-545-6059
124	NSTL	228	215-941-9600
	O		
535	ON TIME MKT / KARSTEN PETERSEN	48IS 20	+49-40-437472
*	OSBORNE MCGRAW-HILL	144	
237	OVERLAND DATA INC	278	800-729-8725
525	OXFORD ELECTRONIC PUBLISHING	127	+44-865-56646**
	P		
255	PACIFIC SOFTWORKS	281	800-541-9508
272-273	PARALLEL STORAGE SOLUTIONS	274	800-998-7839
126	PASSPORT DESIGNS INC	151	415-726-0280
238	PATTON & PATTON	280	800-525-0082 ext. 1218
127-128	PC POWER & COOLING	59	800-722-6555
129	PERSOFT INC	167	800-368-5283
239	PERSONAL TEX	280	415-388-8853
130	PHAR LAP SOFTWARE INC	143	617-661-1510
*	PHILIPS MONITORS	120IS A-D	+31-40-73-39-83**
269	PIKA TECHNOLOGIES	273	613-591-1555
131-132	PINNACLE MICRO	7	714-727-3300
133	PIONEER NEW MEDIA TECH	61	800-LASER-ON
134	PKWARE INC	120	414-354-8699

YOUR DIRECT LINK

PRODUCT CATEGORY INDEX

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

Category No. / Inquiry No. — Page No.

HARDWARE

1 ACCESSORIES/SUPPLIES

538	MANNESMANN TALLY	48IS 5
556	NIDEC CORP	268
240	POLAROID CORP	272

2 ADD-IN BOARDS

189	AMT INTERNATIONAL	267
66	ATI TECHNOLOGIES INC	173
501-502	BOCA RESEARCH INC (INT'L)	48IS 7
504-505	COMPEX INC	19
268	CONTROL CONCEPTS	272
79	CURTIS-INC	230
163	DIGICOM INC	203
164	DIGICOM INC	205
512	DIGIMETRIE	48IS 12
193-194	DISTRIBUTED PROC. TECH. (N.A.)	263
266-267	EDEN'S TECHNOLOGY CORP	272
518	GFK HAMBURG	48IS 25
88-89	HAUPPAUGE COMP WORKS	245
99	INTEL CORP	20-21
104	JAMECO ELECTRONICS	197
168	MEDIA VISION	159
137	QUA TECH INC	250
259	STARGATE TECHNOLOGIES	272
244	TALKING TECHNOLOGY INC	273

3 BAR CODING

248	VIDEX, INC	272

4 COMMUNICATIONS/NETWORKING

508-509	CORE INTERNATIONAL (INT'L)	141
266-267	EDEN'S TECHNOLOGY CORP	272
*	ELONEX	12-13
210-211	EMBARC / MOTOROLA	260
228	GMM RESEARCH CORP	273
229	GTEK INC	273
*	HEWLETT PACKARD	36-37
533	MINICOM LTD	48IS 14
531-532	MOTOROLA UDS (INT'L)	201
269	PIKA TECHNOLOGIES	273
140	ROSE ELECTRONICS	158
260-261	SIGMA TECH SOFTWARE	273
259	STARGATE TECHNOLOGIES	272
244	TALKING TECHNOLOGY INC	273
299	XINETRON	200

5 COMPUTER SYSTEMS

302	ACMA COMPUTERS INC	127
286-287	ADVANCED LOGIC RESEARCH	110
558-559	APPRO INTERNATIONAL INC	264PC 3
564	DEICO ELECTRONICS	264NE 2
565	DEICO ELECTRONICS	264SO 2
*	DELL COMPUTER CORP (N.A.)	CIII
*	DELL COMPUTER CORP (N.A.)	CIV
*	DELL COMPUTER CORP (N.A.)	80A-F
*	DELL COMPUTER CORP (N.A.)	92-93
*	ELONEX	12-13
*	GATEWAY 2000	CII,1
*	GATEWAY 2000	136A-D
*	GATEWAY 2000	152A-D
91	IBM - AMBRA (N.A.)	32A-34
*	IBM - DIRECT	120A-D
545	ICL	34
231	INES GMBH	273
100	INTEL CORP	48A-D
101-102	INTERGRAPH (N.A.)	160-161
233	KILA	273
555	MANCHESTER EQUIPMENT CO	264NE 1
553	MITAC INTERNATIONAL CORP	48IS 13
554	MITAC INTERNATIONAL CORP	48IS 15
123	NEC - SYSTEMS	16-17
*	NORTHGATE COMPUTER SYSTEM	211
124	NSTL	228
127-128	PC POWER & COOLING	59
242	RAPID SYSTEMS	273
202-203	RECORTEC INC	259
529	TECHPOWER COMPANY LTD	48IS 28
254	TRI VALLEY TECHNOLOGY INC	274
289	ZEOS INTERNATIONAL	174-175

6 DATA ACQUISITION

216	AMERICAN ADVANTECH	274
232	IO TECH	274
235	KEITHLEY METRABYTE	274
*	MICROSTAR LABORATORIES	274
*	NATIONAL INSTRUMENTS	48IDRC 1-2
236	NATIONAL INSTRUMENTS	279
137	QUA TECH INC	250

7 DISK & OPTICAL DRIVES

557	BOFFIN LIMITED	264SO 3
508-509	CORE INTERNATIONAL (INT'L)	141
79	CURTIS-INC	230
264	GENERAL TECHNICS	274
103	IOMEGA	183
295	MEGADRIVE SYSTEMS	191
198-199	MICRO SOLUTIONS COMP PROD	253
200-201	MICRO SOLUTIONS COMP PROD	255
550-551	MULTIPORT COMPUTER-SYSTEME	48IS 8
272-273	PARALLEL STORAGE SOLUTIONS	274
131-132	PINNACLE MICRO	7
133	PIONEER NEW MEDIA TECH	61
144	SONY (N.A.)	141
253	TRANTOR SYSTEMS LTD	275
154-155	VERBATIM CORP	155

8 DISKETTES/DUPLICATORS

217-218	AXIOMATIC	275
247	VICTORY ENTERPRISES TECH	275

9 FAX BOARDS/MACHINES

531-532	MOTOROLA UDS (INT'L)	201

10 GRAPHICS TABLETS/MICE/PEN INPUT

185-186	ARISTO GRAPHIC SYSTEMS	45
84	DIGITAL VISION	168
*	MICROSOFT CORP	8-9

11 KEYBOARDS

503	CHERRY MIKROSCHALTER GMBH	228-229
225	DATALUX CORP (INT'L)	275
225	DATALUX CORP (N.A.)	275
*	NORTHGATE COMPUTER SYSTEM	211

12 LAN HARDWARE

508-509	CORE INTERNATIONAL (INT'L)	141
191-192	CYBEX CORP	254
510-511	CYBEX CORP (INT'L)	CIV
*	HEWLETT PACKARD	98-99
520	IBM - GRAPHICS INTERFACE (INT'L)	33
209	LOGICAL CONNECTION	268
533	MINICOM LTD	48IS 14
550-551	MULTIPORT COMPUTER-SYSTEME	48IS 8
127-128	PC POWER & COOLING	59

13 LAPTOPS & NOTEBOOKS

284-285	AUSTIN COMPUTER SYSTEMS	19
539	CHICONY	48IS 2
534	FIRST INTERNATIONAL COMP	48IS 31
227	GENOVATION, INC	275
91	IBM - AMBRA (N.A.)	32A-34
*	JDR MICRODEVICES	271
206-207	MICRO-INTERNATIONAL, INC	265
553	MITAC INTERNATIONAL CORP	48IS 13
554	MITAC INTERNATIONAL CORP	48IS 15
*	NORTHGATE COMPUTER SYSTEM	211
142	S'N'W COMPUTERS & ELECTRONICS	166
542	SUNRACE	48IS 29
150	TEXAS INSTRUMENTS	30-31
151	TOSHIBA AMERICA INC	139
289	ZEOS INTERNATIONAL	174-175

14 MAIL ORDER

189	AMT INTERNATIONAL	267
*	BYTE/PC DIGEST	232A-B
70	BYTE/PC DIGEST	233
205	CITITRONICS	269
190	COMPUTER DISC WAREHOUSE	256-257
506	COMPUTERLANE UNLTD	CIII
564	DEICO ELECTRONICS	264NE-2
565	DEICO ELECTRONICS	264SO-2
91	IBM - AMBRA (N.A.)	32A-34
104	JAMECO ELECTRONICS	197
206-207	MICRO-INTERNATIONAL, INC	265
197	NEVADA COMPUTER	264
142	S'N'W COMPUTERS & ELECTRONICS	166
204	WORLDWIDE TECHNOLOGIES	262

15 MEMORY/CHIPS/UPGRADES

300-301	ADVANCED COMPUTER PROD	252
189	AMT INTERNATIONAL	267
205	CITITRONICS	269
195-196	FIRST SOURCE INT'L	258
100	INTEL CORP	48A-D
104	JAMECO ELECTRONICS	197
106-107	KINGSTON TECHNOLOGY	187
214-215	L A TRADE	270
204	WORLDWIDE TECHNOLOGIES	262

16 MISCELLANEOUS HARDWARE

300-301	ADVANCED COMPUTER PROD	252
546	DATAVISION	267
518	GFK HAMBURG	48IS-25
98	INTEGRAND RESEARCH	224
527	SEKISUI CHEMICAL CO LTD	48IS-22

17 MODEMS/MULTIPLEXORS

174-175	AT & T PARADYNE	202
176-177	AT & T PARADYNE	212
279	ATRIE TECHNOLOGY INC	276
75	COMPUTER FRIENDS	166
*	JDR MICRODEVICES	271
531-532	MOTOROLA UDS (INT'L)	201
172-173	ZYXEL USA	165

18 MONITORS & TERMINALS

77-78	CTX INTERNATIONAL INC	239
224	DATALUX CORP (INT'L)	276
224	DATALUX CORP (N.A.)	276
*	ELONEX	12-13
521	KUO FENG CORP	48IS-23
121-122	NANAO USA CORP	220
*	PHILIPS MONITORS	120IS A-D
540-541	SAMTRON	48IS 11
156-157	VIEWSONIC	53

19 MULTIMEDIA

271	ADVANCED DIGITAL SYSTEMS	276
223	CONTROL VISION	277
167	CREATIVE LABS INC	39
77-78	CTX INTERNATIONAL INC	239
179-180	DSP SOLUTIONS / DIGISPEECH	213
88-89	HAUPPAUGE COMP WORKS	245
99	INTEL CORP	20-21
168	MEDIA VISION	159
126	PASSPORT DESIGNS INC	151
294	SONY - ELECTRONIC PUBLISHING	113
148	TEKTRONIX	73

20 PRINTERS/PLOTTERS

73	COMPAQ PRINTERS	62-63
*	HEWLETT PACKARD	24-25
90	HEWLETT PACKARD	78-79
209	LOGICAL CONNECTION	268
555	MANCHESTER EQUIPMENT CO	264NE 1
538	MANNESMANN TALLY	48IS 5
274-275	PRIMAX ELECTRONICS	277
111-112	QMS	103-105
109-110	QMS	147
148	TEKTRONIX	73
149	TEXAS INSTRUMENTS	115

YOUR DIRECT LINK

ADVERTISER CONTACT INFORMATION

Inquiry No.		Page No.	Phone No.
240	POLAROID CORP	272	800-225-2770
274-275	PRIMAX ELECTRONICS	277	800-338-3693
113	PROGRAMMER'S PARADISE	74-75	800-445-7899
	Q		
111-112	QMS	103-105	800-841-0760
109-110	QMS	147	800-841-0760
135	QNX SOFTWARE SYSTEMS LTD	235	800-363-9001 ext. 101
137	QUA TECH INC	250	800-553-1170
241	QUALSTAR CORP	278	818-882-5822
136	QUARTERDECK OFFICE SYSTEMS	42-43	310-392-9851
	R		
*	RAIMA CORP	41	800-327-2462
138-139	RAINBOW TECHNOLOGIES	71	800-852-8569
242	RAPID SYSTEMS	273	206-784-4311
526	RECOGNITA	48IS 10	+36-1-2018925
202-203	RECORTEC INC	259	800-729-7654
265	RESEARCH SYSTEMS, INC	280	303-786-9900
140	ROSE ELECTRONICS	158	800-333-9343
	S		
142	S'N'W COMPUTERS & ELECTRONICS	166	212-463-8335**
540-541	SAMTRON	48IS 11	+82-2-774-6659**
243	SAS INSTITUTE INC	281	919-677-8000
256-257	SCIENTIFIC PROGRAMMING	281	517-339-9859
527	SEKISUI CHEMICAL CO LTD	48IS 22	+81-6-365-4375**
141	SEQUITER SOFTWARE INC	225	403-437-2410
277-278	SHAFFSTALL CORP	278	800-248-3475
260-261	SIGMA TECH SOFTWARE	273	818-368-6132
181	SOFTARC	112	416-754-1856**
187-188	SOFTLANDING SOFTWARE	52	604-360-0188
528	SOFTLINE CORP	48IS 9	718-438-2315**
143	SOFTWARE SECURITY INC	162	203-329-7428**
144	SONY (N.A.)	141	
294	SONY - ELECTRONIC PUBLISHING	113	408-372-9267**
259	STARGATE TECHNOLOGIES	272	800-782-7428
145	STATSOFT	209	918-583-4149
542	SUNRACE	48IS 29	+886-2-2181562**
169	SUNSOFT	2-3	800-227-9227
161	SYMANTEC	219	800-228-4122
146-147	SYSTAT INC	148	708-864-5670
	T		
244	TALKING TECHNOLOGY INC	273	800-685-4884
245	TALKING TECHNOLOGY INC	281	800-955-4884
529	TECHPOWER COMPANY LTD	48IS 28	+886-2-753-1940**
148	TEKTRONIX	73	800-835-6100 ext. 30J
150	TEXAS INSTRUMENTS	30-31	800-527-3500
149	TEXAS INSTRUMENTS	115	800-527-3500
151	TOSHIBA AMERICA INC	139	800-457-7777
152-153	TOUCHSTONE SOFTWARE	226	714-969-7746
298	TRANSCEND INFORMATION INC	261	909-598-5500
253	TRANTOR SYSTEMS LTD	275	800-872-6867
552	TRAVELING SOFTWARE	48IS 32	+44(0)753-818282
254	TRI VALLEY TECHNOLOGY INC	274	510-447-2030
246	TRIBAL MICROSYSTEMS	278	510-623-8859
	U		
*	UNIPRESS	264PC 4	800-222-0550
*	UNIPRESS	264NE 4	800-222-0550
*	UNIXWORLD	248A-B	800-257-9402 ext. 29
*	UNIXWORLD	249	800-257-9402 ext. 29
	V		
154-155	VERBATIM CORP	155	
247	VICTORY ENTERPRISES TECH	275	800-727-3475
248	VIDEX, INC	272	503-758-0521
156-157	VIEWSONIC	53	714-869-7976
184	VISIONWARE	157	415-325-2113
249	VISTA MICROSYSTEMS	280	800-875-8459
	W		
158	WATCOM	27	519-886-3700
561	WELLS FARGO BANK	264PC 1	800-PC-WELLS
250	WINTEK CORP	279	800-742-6809
204	WORLDWIDE TECHNOLOGIES	262	215-922-0116*
	X		
251	XELTEK	278	408-524-1929
299	XINETRON	200	800-345-4415 ext. 114
159-160	XVT SOFTWARE INC	206	800-678-7988
	Z		
252	Z-WORLD ENGINEERING	278	916-757-3737
289	ZEOS INTERNATIONAL	174-175	800-554-5226
172-173	ZYXEL USA	165	714-693-0808

** Correspond directly with company.*
*** Indicates FAX Number*

BYTE ADVERTISING SALES STAFF

David Egan, Associate Publisher, One Phoenix Mill Lane, Peterborough, NH 03458, Tel. (603) 924-2678, Fax: (603) 924-7620
Liz Coyman, Inside Advertising Sales Director, One Phoenix Mill Lane, Peterborough, NH 03458, Tel. (603) 924-2518

NEW ENGLAND
ME, NH, VT, MA, RI, CT, ONTARIO
CANADA & EASTERN CANADA
David Richardson **(617) 860-6344**
Patricia Payne **(603) 924-2654**
McGraw-Hill Publications
24 Hartwell Avenue
Lexington, MA 02173
FAX: (617) 860-6899

EAST COAST
NY, NYC, NJ, DE, PA
Kim Norris **(212) 512-2645**
Jonathan Sawyer **(603) 924-2665**
McGraw-Hill Publications
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHEAST
NC, SC, GA, FL, AL, TN, MS, AR, LA, KY, DC, MD, VA, WV
MaryAnn Goulding **(404) 843-4782**
Barry Echavarria **(603) 924-2574**
McGraw-Hill Publications
4170 Ashford-Dunwoody Rd., Suite 520
Atlanta, GA 30319
FAX: (404) 252-4056

MIDWEST
IL, MO, KS, IA, ND, SD, MN, WI, NE, IN, MI, OH
Kurt Kelley **(312) 616-3328**
Ed Ware **(603) 924-2664**
McGraw-Hill Publications
Two Prudential Plaza
180 North Stetson Ave.
Chicago, IL 60601
FAX: (312) 616-3370

SOUTHWEST, ROCKY MOUNTAIN
CO, OK, TX
Jennifer Walker **(214) 701-8496**
Brian Higgins **(603) 924-2651**
McGraw-Hill Publications
14850 Quorum Dr., Suite 380
Dallas, TX 75240
FAX: (214) 991-6208

SOUTH PACIFIC: Los Angeles, CA
LOS ANGELES COUNTY, AZ, NM, NV
Alan El Faye **(213) 480-5243**
Brian Higgins **(603) 924-2651**
McGraw-Hill Publications
3333 Wilshire Boulevard #500
Los Angeles, CA 90010
FAX: (213) 480-5249

NORTH PACIFIC
NORTHERN CA, OR, ID, MT, WY, UT
Roy J. Kops **(415) 513-6861**
Joseph Mabe **(603) 924-2662**
SILICON VALLEY, HI, WA, AK, W. CANADA
Bill McAfee **(415) 513-6862**
Jonathan Sawyer **(603) 924-2665**
McGraw-Hill Publications
1900 O'Farrell Street, #200
San Mateo, CA 94403
FAX: (415) 513-6867

SOUTH PACIFIC: Irvine, CA
ORANGE COUNTY
SAN DIEGO COUNTY
Beth Dudas **(714) 753-8140**
Joseph Mabe **(603) 924-2662**
McGraw-Hill Publications
15635 Alton Pkwy., Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

Peterborough, NH Office: Inside Sales FAX: **603-924-2683** Advertising FAX: **603-924-7507**

Hardware/Software Showcase
Mark Stone **(603) 924-2695**
Ellen Perham **(603) 924-2598**
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

The Buyer's Mart/Classifieds
Margot Gnade **(603) 924-2656**
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Deck
Brad Dixon **(603) 924-2596**
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK
James Bail **(603) 924-2533**
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE International Direct Response Postcards
Ellen Perham **(603) 924-2598**
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

INTERNATIONAL ADVERTISING SALES STAFF

UNITED KINGDOM, FRANCE, BENELUX
Gary Lucas **(+44 81 545 6268)**
Jonathan McGowan
(+44 81 545 6289)
McGraw-Hill Publishing Co.
Wimbledon Bridge House
One Hartfield Road
Wimbledon, London SW19 3RU
England
FAX: +44 81 5456294
TELEX: 892191

GERMANY, SWITZERLAND, AUSTRIA
Jürgen Heise
McGraw-Hill Publishing Co.
Liebigstrasse 19
D-6000 Frankfurt
Germany
Tel: +49 69 71407 140
FAX: +49 69 71407 147

ITALY, SCANDINAVIAN COUNTRIES
Zena Coupé, Amanda Blaskett
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 71 2843171
FAX: +44 71 2843174

ISRAEL
Dan Ehrlich
Ehrlich Communication Int'l.
P.O. Box 99
Herzliya 46101, Israel
Tel: +972 52 586245
Tel: +972 52 586246
FAX: +972 52 585685

TAIWAN
Sheing Shiun Gou
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 10445, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7151950

HONG KONG
Candice Lo
Third Wave Publishing Corp.
Unit 2, 6F Hing Wah Center
82-84 To Kwa Wan Road
Kowloon, Hong Kong
Tel: +852 764 3830
FAX: +852 764 3857

KOREA
Young-Seoh Chinn
JES MEDIA INT'L.
Rm. 704, Nonhyun Bldg.
37-12, Chamwon-Dong,
Seocho-Gu
Seoul, Korea
Tel: +82 2 5458001
Tel: +82 2 5458002
FAX: +82 2 5498861

JAPAN
Masaki Mori
Transworld Media Inc.
4th Floor, 1-26-6 Kamimeguro
Meguro-ku, Tokyo 153, Japan
Tel: +81 3 57210761
FAX: +81 3 57210762

SINGAPORE
Derek Ng
Stephen Tay
Third Wave Publishing Corp.
1123 Serangoon Road, #03-01
Singapore 1232
Tel: +65 296 6166
FAX: +65 298 7551

AUSTRALIA
Phil Bush
7-13 Parraween Street,
Cremorne NSW 2090,
Australia
Tel: +61 2 908 9329
FAX: +61 2 953 8274

INDIA, INDONESIA, PAKISTAN, PHILIPPINES, OTHER ASIAN AND PACIFIC COUNTRIES
K.T. Wu
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 10445, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7151950

MALAYSIA
Servex (Malaysia) Sdn. Bhd.
H.K. Lin
5th Floor, Bena Tower
160, Jalan Ampang
50450 Kuala Lumpur, Malaysia
Tel: +60 3 2624592
FAX: +60 3 2624591

THAILAND
Pisuth D. Ratanachai
A.R. Information & Publication Co., Ltd.
27 Charoen Nakorn 14 Rd.,
Klongsan, Bangkok 10600,
Thailand
Tel: +66 2 4394600
FAX: +66 2 4394616

Subscription Customer Service
U.S. 1-800-232-2983
Outside U.S. +1-609-426-7676

For a New Subscription
U.S. 1-800-257-9402
Outside U.S. +1-609-426-5526

YOUR DIRECT LINK

PRODUCT CATEGORY INDEX

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on your Direct Link Card!

Category No. / Inquiry No.		Page No.
21	**PROGRAMMABLE HARDWARE**	
219-220	B&C MICROSYSTEMS	277
262-263	DAVISON-WORTH CORP	277
85	ELIASHIM MICROCOMPUTERS	52
515	FAST ELECTRONIC GMBH	48IS-16
230	GTEK INC	277
*	JDR MICRODEVICES	271
246	TRIBAL MICROSYSTEMS	278
251	XELTEK	278
252	Z-WORLD ENGINEERING	278
22	**SCANNERS/OCR/ DIGITIZERS**	
85	ELIASHIM MICROCOMPUTERS	52
*	HEWLETT PACKARD	68-69
526	RECOGNITA	48IS-10
23	**TAPE DRIVES**	
71-72	COLORADO MEMORY SYSTEMS	54
114-115	CONNOR	181
103	IOMEGA	183
234	LAGUNA DATA SYSTEMS	278
198-199	MICRO SOLUTIONS COMP PROD	253
200-201	MICRO SOLUTIONS COMP PROD	255
550-551	MULTIPORT COMPUTER-SYSTEME	48IS-8
237	OVERLAND DATA INC	278
241	QUALSTAR CORP	278
277-278	SHAFFSTALL CORP	278
24	**UPS**	
64	AMERICAN POWER CONVERSION	152
125	MINUTEMAN	57
127-128	PC POWER & COOLING	59

SOFTWARE

25	**BUSINESS**	
296-297	HORIZONS TECHNOLOGY	125
*	UNIPRESS	264PC-4
*	UNIPRESS	264NE-4
26	**CAD/CAM**	
65	AMERICAN SMALL BUSINESS COMP	241
185-186	ARISTO GRAPHIC SYSTEMS	45
258	CADSOFT COMPUTER, INC	278
101-102	INTERGRAPH (N.A.)	160-161
250	WINTEK CORP	279
27	**COMMUNICATIONS/ NETWORKING**	
516-517	FUTURESOFT ENGINEERING	48IS 30
548-549	IGC INC (INT'L)	48IS 19
533	MINICOM LTD	48IS 14
129	PERSOFT INC	167
181	SOFTARC	112
552	TRAVELING SOFTWARE	48IS 32
184	VISIONWARE	157
561	WELLS FARGO BANK	264PC 1
28	**DATA ACQUISITION**	
231	INES GMBH	273
236	NATIONAL INSTRUMENTS	279
29	**DATABASE**	
67-68	BORLAND INTERNATIONAL	11
222	COMPUTERWISE	279
513	DR HUGGLE & PARTNER GMBH	48IS 26
296-297	HORIZONS TECHNOLOGY	125
523	MAGIC / MSE	48IS 27
*	RAIMA CORP	41
30	**EDUCATIONAL**	
61-62	ABACUS SOFTWARE	51
*	MCGRAW HILL NRI (N.A.)	216A-B
31	**ENGINEERING/SCIENTIFIC**	
170-171	ALLMICRO	118
513	DR HUGGLE & PARTNER GMBH	48IS-26
226	DSP DEVELOPMENT CORP	279
296-297	HORIZONS TECHNOLOGY	125
101-102	INTERGRAPH (N.A.)	160-161
165-166	ITERATED SYSTEMS	216
535	ON TIME MKT / KARSTEN PETERSEN	48IS-20
239	PERSONAL TEX	280
256-257	SCIENTIFIC PROGRAMMING	281
249	VISTA MICROSYSTEMS	280
33	**GRAPHICS**	
185-186	ARISTO GRAPHIC SYSTEMS	45
290	ATTITUDE INC	243
76	COREL SOFTWARE	28
77-78	CTX INTERNATIONAL INC	239
276	LEAD TECHNOLOGIES	280
117-118	MICROGRAFX	215
121-122	NANAO USA CORP	220
126	PASSPORT DESIGNS INC	151
238	PATTON & PATTON	280
265	RESEARCH SYSTEMS, INC	280
148	TEKTRONIX	73
35	**MAIL ORDER**	
190	COMPUTER DISC WAREHOUSE	256-257
507	COMPUTER QUICK	172
113	PROGRAMMER'S PARADISE	74-75
528	SOFTLINE CORP	48IS-9
36	**MATHEMATICAL/ STATISTICAL**	
536	NAG	48IS-30
239	PERSONAL TEX	280
243	SAS INSTITUTE INC	281
145	STATSOFT	209
146-147	SYSTAT INC	148
37	**MISCELLANEOUS SOFTWARE**	
535	ON TIME MKT / KARSTEN PETERSEN	48IS-20
38	**ON-LINE SERVICES**	
*	AMERICA ONLINE INC	168A-B
450	BIX	293
39	**OPERATING SYSTEMS**	
94	IBM - PERSONAL S/W PRODUCTS	83
95	IBM - PERSONAL S/W PRODUCTS	85
96	IBM - PERSONAL S/W PRODUCTS	87
97	IBM - PERSONAL S/W PRODUCTS	89
282	IBM - PERSONAL S/W PRODUCTS	91
548-549	IGC INC (INT'L)	48IS 19
135	QNX SOFTWARE SYSTEMS LTD	235
136	QUARTERDECK OFFICE SYSTEMS	42-43
40	**PROGRAMMING LANGUAGES/ TOOLS**	
221	BINARY TECHNOLOGY INC	281
283	COMPUTER ASSOCIATES	101
513	DR HUGGLE & PARTNER GMBH	48IS 26
293	EASTERN SYSTEMS	232
519	GREY MATTER LTD	63
*	IVERSON SOFTWARE, INC	281
108	LAHEY COMPUTER SYSTEMS	123
522	LOGIC PROGRAMMING ASSOC	48IS 28
523	MAGIC / MSE	48IS 27
*	MICROWAY	194
120	MKS / MORTICE KERN SYSTEMS	135
535	ON TIME MKT / KARSTEN PETERSEN	48IS 20
130	PHAR LAP SOFTWARE INC	143
113	PROGRAMMER'S PARADISE	74-75
141	SEQUITER SOFTWARE INC	225
245	TALKING TECHNOLOGY INC	281
158	WATCOM	27
159-160	XVT SOFTWARE INC	206
41	**SECURITY**	
63	ALADDIN KNOWLEDGE SYSTEMS	107
170-171	ALLMICRO	118
503	CHERRY MIKROSCHALTER GMBH	228-229
178	DALLAS SEMICONDUCTOR	50
85	ELIASHIM MICROCOMPUTERS	52
514	EUTRON	48IS-24
515	FAST ELECTRONIC GMBH	48IS-16
86-87	GLENCO ENGINEERING	171
138-139	RAINBOW TECHNOLOGIES	71
143	SOFTWARE SECURITY INC	162
298	TRANSCEND INFORMATION INC	261
43	**SOFTWARE DUPLICATION**	
217-218	AXIOMATIC	275
45	**UNIX**	
182-183	INFORMATION FOUNDATION	227
120	MKS / MORTICE KERN SYSTEMS	135
187-188	SOFTLANDING SOFTWARE	52
169	SUNSOFT	2-3
*	UNIPRESS	264NE-4
*	UNIPRESS	264PC-4
184	VISIONWARE	157
46	**UTILITIES**	
63	ALADDIN KNOWLEDGE SYSTEMS	107
170-171	ALLMICRO	118
114-115	CONNOR	181
80-81	DIAGSOFT INC	222
82-83	DIAGSOFT INC	223
560	MICRO 2000	264PC-2
562	MICRO 2000	264SO-1
563	MICRO 2000	264NE-3
134	PKWARE INC	120
161	SYMANTEC	219
152-153	TOUCHSTONE SOFTWARE	226
47	**WINDOWS**	
61-62	ABACUS SOFTWARE	51
114-115	CONNOR	181
519	GREY MATTER LTD	63
162	INFORMATION DIMENSIONS / ZYLAB	199
105	KEA SYSTEMS LTD	119
*	MICROSOFT CORP	15
121-122	NANAO USA CORP	220
525	OXFORD ELECTRONIC PUBLISHING	127
255	PACIFIC SOFTWORKS	281
129	PERSOFT INC	167
256-257	SCIENTIFIC PROGRAMMING	281
184	VISIONWARE	157
48	**WORD PROCESSING/DTP**	
162	INFORMATION DIMENSIONS / ZYLAB	199
525	OXFORD ELECTRONIC PUBLISHING	127

GENERAL

49	**BOOKS/PUBLICATIONS**	
61-62	ABACUS SOFTWARE	51
*	BYTE/DIRECT LINK	247
*	BYTE/PC DIGEST	233
*	COMPUTER BOOK CLUB, THE	200A-B
*	COMPUTER BOOK CLUB, THE	201
*	C++ REPORT	48IDRC 1-2
*	MICROSOFT PRESS INC	47
*	OSBORNE MCGRAW-HILL	144
*	UNIXWORLD	248A-B
*	UNIXWORLD	249
51	**MISCELLANEOUS**	
69	BRITISH AIRWAYS	231
*	BYTE SUB MESSAGE	216
74	COMPAQ COMPUTER CORP	12-13
*	DATAPRO INFO SVCS GROUP	92-93
538	MANNESMANN TALLY	48IS 5
547	MMG-SYSTEMS	48IS 21

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on Your Direct Link Card. Each page number refers to the first page of the article or section in which the company name appears. IS pages appear only in the International edition.

Inquiry No.		Page No.
	A	
1320	Abacus Systems	242
	Abstract Research & Development	48
1470	Accent Computers	48IS-3
1453	Active Record Software Systems	48IS-3
	ADDA Technologies	48
	Addstore	22
	Adobe Systems	22, 64, 94, 121, 169
	Advanced Micro Devices	22
	Advanced Robotics Research	22
1072	AIZ	236
1298	Aladdin Systems	242
1455	Aldus	48IS-3
1312	Alpha Software	242
	America Online	22
	Ameritech	64
	AmSoft Systems	55
1065	Apexx Technology	236
1062	APF	236
	Apple Computer	10, 22, 64, 81, 94, 137, 153, 169, 221, 294
	Approach Software	22
1437	Apricot Computers	48IS-3
	Arbor Software	22
	Archtek Telecom	48
	Areal Technology	176
1078	Artisoft	163
	AST Research	22
	AT&T	64, 81, 130
	AT&T Microelectronics	64
1276	ATI Technologies	145, 236
1301	Autodesk	242
	Avalanche Development	111
1433	AVM Computersysteme Vertriebs	48IS-3
1131	Axis Communications	236
1465	Aydin Controls	48IS-3
1283	Azeena Technologies	242
	B	
	Bell Atlantic	64
	BIS Strategic Decisions	94
1476	Blackwell Software	48IS-3
1272	Blastronix	236
	Blue Sky Software	121
1159	Borland International	22, 130, 195, 207
	British Nuclear Fuels	22
	BT	64
1152	Bureau of Electronic Publishing	221
	C	
1477	Cabet Software	48IS-3
	Caere	94
	Calera Recognition Systems	22
	Casio	22
	CE Software	81
1296	CenterLine Software	242
	Central Point Software	22
1300	Choice Computing	242
	Cirrus Logic	145
	Citicorp Overseas Software	55
1469	CNet Technology	48IS-3
1460	Cognos	48IS-3
	Compression Labs	64
1139	CompuAdd Computer	236
1081	CompUSA Direct	137
	CompuServe	22, 94
	Computer Associates	22
	Connor Peripherals	176
1060	Consumer Technology Northwest	236
1446	Cooke Technology	48IS-3
976, 1305	Corel Systems	169, 242
	Creative Labs	64, 221
	Creative Technologies	64
	CypherTech	2
	D	
1421	Datapath	48IS-3
1294	DataViz	242
	DataWare	94
1468	Datrontech	48IS-3
	DEC	64, 94, 111, 121, 176, 195
1306	Decisioneering	242
	Dell Computer	22, 55
1150	DeLorme Mapping	221
	Delphi Consulting	111
	Dextra Technology	48
	Digital Pre-Press	22
1423, 1452	Digithurst	48IS-3
	Dimensional Insight	22
1422, 1435	Dynatech Communications	48IS-3
	E	
	Electronic Studio	81
1480	Elektroson	48IS-3
1459	Elios	48IS-3
	Ergo Computing	130
1316	Exerciser	48IS-3
	Eye-Tel Communications	64
	F	
1075	Fast Electronic	153
	Financial Systems Products	94
1478	Finansa	48IS-3
	Flambeaux Software	121
	Fluent	64
	Folio	121
	Fore Systems	64
1329	Fractal Design	242
	Frame Technology	22
1146	Franklin Quest	221
	Fujitsu	176
	G	
1073	Gateway Communications	236
	General Magic	22
	General Videotex	94
1451	Geneva Services	48IS-3
	GeoWorks	22
	Go	22
1313	Gpf Systems	242
	GPT Video Systems	64
1135	Gray Associates	236
1302	Gryphon Software	242
	GTE	64
1132	GVC Technologies	236
	H	
	Headland Technology	145
1082, 1148, 1273	Hewlett-Packard	22, 55, 64, 81, 137, 221, 236
	Hitachi	145
	Hitachi America	176
	Hughes Aircraft	111
	I	
977, 1155	IBM	18, 22, 55, 64, 94, 121, 145, 163, 195, 221
	ICI Chemicals & Polymers	22
1070	Idek / Iiyama North America	236
	Imagen	22
	Information Dimensions	111, 121
	Information Navigation	121
	Informix	111
	Infotech Consulting	55
	Inmos	55, 64
1463	Inovatic International	48IS-3
	Intel	55, 64, 195
1454	Intelligence Software	48IS-3
	IntelligenceWare	22
1314	Intelligent Environment	242
	Intergraph	55
1275	Interlink Electronics	236
	International Resource Development	64
1147	Interplay Products	221
	Intersolv	55
1297	Intex Solutions	242
	Intuit	22
1077	Invisible Software	163
1445	ITECS	48IS-3
	Iterated Systems	22
	J	
1278	JetForm	242
1076	JVC Co. of America	153, 221
	K	
1475	Kagema AG	48IS-3
1429	Kamco Computer Systems	48IS-3
	Keyfile	94
1315	KiJai Software	48IS-3
	Knex	64
	Knowledge Garden	121
	Knowledge Retrieval Systems	121
	KnowledgeSet	121
	Kodak	81
	L	
1458	Laverock von Schoultz	48IS-3
	Lotus Development	18, 22, 64, 111, 121, 137, 145
1428	Loughborough Sound Images	48IS-3
	M	
	Macmillan New Media	94
1307	Manzanita Software Systems	242
	Mastek	55
	Maxtor	176
	Media Vision	64
1160	MetaWare	130
1068	Micro Express	236
	Micrografx	169
1063	Micropolis	176, 236
1158, 1161	Microsoft	18, 22, 64, 94, 111, 121, 130, 137, 145, 149, 153, 163, 195, 207, 217, 221
1318	MicroStrategy	242
1141	Microtek Lab	22, 236
	MIT	94
1274	Mitsubishi Electronics America	236
1061	Mobius Computer	236
1136	Modular Computer Concepts	236
1303	Mortice Kern Systems	242
	Motorola	22, 64, 81, 195, 221
1133	Multi-Tech Systems	236
	N	
1142	National Design	236
	National Indian Institute for Training	55
1295	National Information Systems	242
1474	National Instruments U.K.	48IS-3
1153	NCR	55, 64, 221
	NEC	145
1466	NetConnect	48IS-3
1069	New Media Research	64, 236
	NewTek	153
1479	NextBase	48IS-3
	Nirex	22
	No Hands Software	94
	Northern Telecom	64
	Northrup	64
1317	Novell	145, 242
	Ntergaid	121
	Nuts Technologies	64
	O	
	Oberoi Software	55
	Object Software	22
	Occam Research	22
	Odyssey Development	94
	Okidata	22
	Olivetti	64
1432	Olivetti UK	48IS-3
	On Technology	121
	Onward Computer Technologies	55
	Optika Imaging Systems	94
	Oracle	111
1289	Orinda Software	242
	P	
	Pacific Crest Technologies	22
1154, 1456	Palindrome	221, 48IS-3
	Palm Computing	22
1282	Panacea	242
	Panasonic	145
	PC Docs	94
	Peregrine Software	64
	Personal Library Software	94
	Personal Technology Research	64
	Pertech	55
	Phar Lap Software	130
	Philips	81
	PictureTel	64
1064	Portrait Display Labs	236
1315	PowerPro Software	242
1287	Prisma Software	242
1074	Productivity Enhancement Products	236
1134	Protec Microsystems	236
1308	ProtoComm	242
	ProtoView Development	130
	Psion	22
1292	Pure Software	242
	Pyramid	55
	Q	
1331	Q+E Software	242
1450	Question Mark Computing	48IS-3
1281	Quorum Software Systems	242
1288	Q-West Associates	242
	R	
	Rational Systems	130
1448	Ready Systems	48IS-3
1439	Reflex	48IS-3
1444	Richmond Systems	48IS-3
	Rolls-Royce	22
	Rolta India	55
1430	RS Components	48IS-3
	S	
	Samsung Electronics America	176
	Saros	94
	Schofield Maguire	55
	Scott Instruments	81
	Seagate Technology	176
1434	Seikosha	48IS-3
	Seybold Publications	111
	Shared Medical Systems	121
	Sharp Electronics	22
1309	Sheridan Software Systems	242
1143	Sigma Designs	236
1481	Signus	48IS-3
	Silicon Graphics	10, 64, 81
	Sinper	22
1279	Siren Software	242
	Slate	22
1285	Smart Software	242
1144	Socket Communications	236
1080	SoftArc	149
	Softek	55
1284	SoftLogic Solutions	242
	Softronics	121
	SoftSolutions Technology	94
1304	Software Marketing Group	242
	Software Publishers Association	22
1280	Software Quality Automation	242
	Softwords	94
1427	Sola	48IS-3
	Solbourne	81
1425	Sonix Communications	48IS-3
	Sony	145
1311	Spider Island Software	242
	Starlight Networks	64
1440	Summagraphics	48IS-3
	Sun Microsystems	22, 64, 81, 195
	SuperMac Technology	22, 64
1140	Supra	236
	Sybase	111
1156	SyDOS	221
1162, 1286	Symantec	130, 207, 242
1299	Synergistic Learning	242
1472	Systems Integrated Research	48IS-3
	T	
1310	Tailor Made Software	242
1067	Talaris Systems	236
	Taligent	94
1271	Talking Technology	236
1157	Tandy	22, 221
	Tata Information Systems	55
	Tata Unisys	55
	Tel-America Video Conferencing	64
	TeleMedia Connection	64
	Tel-Eye-Vision	64
	Texas Instruments	22, 195
	Texel	145
	Thaumaturgy Software	121
1149	The BSE Co.	221
1449	3L	48IS-3
	Toshiba	145
	Traveling Software	137
1424	Tricom	48IS-3
	Trident Microsystems	145
1447	Trisoft	48IS-3
	Tseng Labs	145
	U	
	Ultima Electronics	48
1443	Ultimate Technology	48IS-3
1462	Unipalm	48IS-3
1137	Upsonic	236
1457	User Interface Technologies	48IS-3
	V	
	Verity	94
	Vickers Shipbuilding & Engineering	22
	Victor Beitner Systems	22
	VideoFusion	81
1138, 1442	VideoLogic	236, 48IS-3
	ViewSonic International	48
1441, 1464	Viglen	48IS-3
1291	VisionWare	242
	Vtel	64
	W	
	WalkSoft	22
1319	Wall Data	242
1163	Watcom International	130
	Weitek	64
	Westbrook Technologies	94
	Western Digital	145, 176
	Window Book	121
	WordPerfect	94, 111, 145, 169
	Workman & Associates	221
1151	World Library	221
	X	
1071	Xerox Engineering Systems	236
1293	Xerox Imaging Systems	242
	Xircom	137
1436	Xyplex Europe	48IS-3
	Y	
	Yankee Group	64
	Z	
1083	Zenith Data Systems	137
1290	Zoomit	242
	Zortech	130
	ZSoft	169
	ZyLab	121
	Zyxel	48

BIX: Your Coach to the Internet!



Photo by Dana Simmons

The Internet connects you with more than 10 million people , at universities, companies, and other online services. Now, get full access to the Internet free of charge when you subscribe to BIX! You'll also get expert assistance from BIX moderators who can help you find your way around the Internet.

These experts can guide you through the many services and features available, and help you find the information you're looking for. Anytime you need help, just join our special 'internet' conference and get fast answers to your questions.

As you become more familiar with the Internet, you'll be able to download files from all over the world using FTP, connect to other sites and services through telnet, read and reply to Usenet Newsgroups, access utilities like finger and whois, and much more! BIX and the Internet together provide the largest and most effective technical resource for computing professionals.

And with over 600 local access numbers in the U.S., plus telnet access via the Internet, BIX makes it easy to connect. Try BIX today through our special 5 for Free offer - and become part of the top technical team!

New Member
5 hours for Free
Introductory Offer

Give BIX a try with our new 5 for Free Offer! Join BIX today and get 5 hours of evening and weekend access for free! Take the rest of the calendar month to explore BIX, and then continue for our standard $13 monthly membership fee. Further details and complete rate information are provided during registration. Using any communications program, dial 1-800-695-4882. At the "logon" prompt enter bix. Then at the "name?" prompt enter bix.byte39. If you have any questions, call us at 1-800-695-4775 (voice). Or fax us at 617-491-6642. Send Internet mail to info@bix.com. Windows users can order BIXnav, our graphical interface for BIX, for easy point and click access. Details are available during registration.

BIX

If you can hack it

der the 5 for Free plan, daytime rates ($9/hr.) apply for access during prime time hours. The 5 for Free offer is valid for first-time members only.

Circle 450 on Inquiry Card.

Installer Hell

Designed to help users, auto-installers often wreak havoc behind the scene



JONATHAN EXLEY © 1993

"Open your mouth and close your eyes," goes the children's rhyme, "and I'll give you something to make you wise." The unsuspecting child then gets a mouthful of dirt. We usually learn this particular bit of wisdom around the age of five, and it's a lesson we don't forget. Never again will we stand passively with our mouths gaping and our eyes closed.

Never, that is, until we buy a computer. Modern computer users face this childhood trick in its bland adult form: "Insert Disk 1 and Run the Installer." Dutifully, we do as we are told, swapping disks and hoping for the best.

We have no choice these days; nearly all software vendors deliver their applications with installers. Vendors say installers are necessary because programs are more complicated. Large applications may require dozens of separate files to be located at specific places on the disk.

Furthermore, we are told, a new generation of computer users doesn't know much about the workings of the computer and doesn't want to learn. These users require automatic installation. Fair enough. But the method that assists naive users assists lazy vendors, too. And we learn the consequences.

My niece calls me up. She's 10. "My computer crashed."

"What happened?"

"I installed something called Computer Fun Disk."

"Is it compatible with your operating system?"

"It doesn't say."

"What'd it do?"

"I don't know. I just followed the directions."

Before we were done, she had to reformat her hard drive and reinstall her system and all her files. There wasn't any choice, because we had no way to know what the installer did, what files it placed, or where.

Or: My DOS portable has a relatively small hard drive. I'd like to dump files I don't need. I just installed an update of my word processor, and when I look at the directory, I see what look like all sorts of drivers and converters. I'm sure I don't need them all. But which can I safely discard? Good luck. There's no documentation. Those files in my directory might as well be Mayan hieroglyphs.

Or: I've got my PowerBook while I'm on vacation, and I want to call my office and transfer files. But I can't connect, and a call to Apple doesn't help. It turns out that a file called Serial Port Arbitrator is necessary. I dumped it because I have only one port on this machine, so what's to arbitrate? Wrong. Reinstall, dummy.

When I reinstall, I get 25 drivers for modems that I don't have in my system. But am I going to take the drivers out? Not on your life. Because now I understand the modern rule of computers: Don't touch anything.

At one time, in the early days of personal computers, a friend proudly showed me his method of booting, driven by a batch file he'd gotten from a friend. It turned out he was loading his word processor, quitting it to install a keystroke macro, and reloading his word processor again. Watching him, I realized I was seeing superstitious behavior in a college graduate. My friend had no idea what he was doing—he was just blindly following directions, like one of those Skinnerian pigeons that walk in a semicircle while waiting for the food to drop from the bin.

My friend's case was extreme, and his batch file easy enough to fix. But these days, undocumented, obligatory installation programs turn us all into superstitious pigeons. For those who have lived through the evolution of computers, this is an ironic outcome. The early promise of personal computers was freedom and knowledge, not mysterious machines that we couldn't understand. Particularly with Apple computers, the interface guidelines were meant to enable users to understand what their machines were doing.

But all that is gone. Now we must install.

What does the installer-driven future hold? Increasingly passive users, increasingly lazy vendors, and much bigger hard drives to hold the accumulated junk. More inexplicable crashes. More undocumented incompatibilities. More time on the phone with vendors and dealers. More time on-line with other users, trying to figure o what is going on. In short, installer hell.

What's the solution? It's simple: Make obligator stallers a thing of the past. They're fine for naive But every application should also come with ad instructions to enable you to install manually. Thi include a detailed list of what all those files they do, and where they go. There should also list of minimum system requirements.

Anything less is treating you like a ch child. ■

Michael Crichton is the author of such best-sel and Rising Sun. *You can reach him on bix c*

IBM

Notebooks
Thinkpad 720C 4/160MB 4490
(FULL 32-bit DATA PATH)
Thinkpad 350 486SL/25 4/125MB....1945
Thinkpad 350 486SL/25 4/250MB....2380
Thinkpad 350C 486SL/25 4/125MB 2560
Thinkpad 350C 486SL/25 4/250MB 2940
(ON CHIP 16KB CACHE)
Thinkpad 500 486SLC2/50 4/80MB 1980
Thinkpad 500 486SLC2/50 4/170MB 2415
ValuePoint (Local Bus systems upgradeable to p5 chip)
Desktop Models
486SX/25 4/120 MDL F30....1199
486SX/33 4/120 MDL K30 1399
486DX/33 4/120 MDL M30 1699
486DX2/66 4/245 MDL W50 2359
486DX2/66 4/340 MDL W70 2545
Tower Models
486DX/33 4/245 MDL M70 2225
486DX2/66 4/527 MDL W90 2995
All above Models come with DOS+windows+mouse

AST

Power Exec 386/25C, 4/200MB 3596
Power Exec 486/25C, 4/200MB 4152
AST Premia 486DX/33 8/170MB 2550
AST Premia 486DX/33 8/340MB 2899
AST Premia 486DX2/50 8/340MB 2950
AST Premia 486DX2/66 8/340MB 3260
(EISA, DOS, WINDOWS, MOUSE, PAD)

CD ROM/Multi Media/TAPE BACKUPS

NEC CD ROM 74 M 680
Sound Blaster 16 ASP 245
Sony CD ROM External 445
Sony CD ROM Internal 550 239
Sony CD ROM Internal 340 289
Parallel Port Tapes
Colorado Trakker 120/250MB 349/415

BRAND NAMES LOW PRICES LEADER

SINCE 1983

We export to Europe, Asia

MANAGER SPECIAL

Toshiba 4500C 4/120MB 2890
Thinkpad 720 4/160MB 3180
Contura 4/25CX 4/209MB....3390
ATI Graphics Ultra +EISA 2MB 435
Diamond Viper 24....435
IBM Valuepoint DX/33 4/245MB....1875
IBM Valuepoint DX2/66 4/245MB....2299
HP Laser IV....1335
Data Fax Modem 24/96....65
Data Fax Modem 14.4....185

TOSHIBA

(PCMCIA models with DOS, Windows, mouse)
T1900 486SXA/20 4/120MB 1645
T1900 486SXA/20 4/209MB 1795
T1900C 486SXA/20 4/120MB 2415
T1900C 486SXA/20 4/209MB 2690
T4600C 486SL/33 4/120MB 3989
T4600C 486SL/33 4/209MB 4340
T4600C 486SL/33 4/340MB 4630
T4500C 486SL/20 4/200MB 3340
T6600C ....CALL
T6600C/CD ....CALL
T6600C/CDV ....CALL
(call for Toshiba multimedia laptop, which includes built in multimedia card & internal CD-ROM drive)

COMPAQ

Prolinea 4/25s, 4/120 MB Win+ 1225
ProLinea 4/25S, 4/240 MB Wind+ 1425
Prolinea 4/33, 4/120 MB Win+ 1625
ProLinea 4/25CDS, 4/120 MB Win+ 1665
Prolinea 4/50, 4/240 MB Win+ 2055
Prolinea 4/66, 4/240 MB Win+ 2255
DESKPRO 4/33M, 4/340 MB Win 3125
DESKPRO 4/50M, 8/240 MB Win 3075
DESKPRO 4/66M, 8/240 MB Win 3305
DESKPRO 5/60M, 8/240 MB (new model) ....CALL
DESKPRO 5/66M, 16/510 MB (new model) ....CALL
Contura Notebook 3/25, 4/120 Win+ 1675
Contura Notebook 4/25 4/120 Win 1995
Contura Notebook 4/25 color, 4/120 Win 2695
Contura Notebook 4/25CX 4/120 Win....3325
LTE Lite 4/25E, 4/120 MB (new model) ....CALL
LTE Lite 4/25, 4/120 MB (new model) ....CALL
LTE Lite 4/25C, 4/209 MB ....CALL
LTE Lite 4/33C, 4/209 MB (new model) ....CALL
Portable 486DX2/66C, 4/210 MB Win 6745
Portable 486DX2/66, 4/525 MB Win....7755
W=MS DOS-Windows+Mouse
W+=DOS+Windows+Mouse+Dual Floppy Drives
Fax Modem+PFS:Works+Prodigy
CALL FOR PROSIGNIA & SYSTEMPRO (P5) Pentium Models

NOVELL SPECIALS

Authorized Dealer

Netware 386 V.3.11

5 users ....625 10 users....1395
20 users ....1895 100 users....3795

NEW Netware 4.0

5 users ....875 10 users....1810
25 users ....3075 50 users ....CALL

Software From: Adobe, Aldus, Borland, Central Point, Corel, IBM, Intuit, Lotus, Mathematica, MicroProse, Micosoft, Quarterdeck, Spinnakor, Symantec, WorkPerfect

Fonts From: Adobe, IQ Engineering, MicroLogic

ACS Computers

Made in USA

486DX2/66, 4MB RAM, 200 meg HD....2195
486/50, 4MB, 200 meg HD....1960
486/33, 4MB RAM, 120 meg HD....1620
386/40, 4MB RAM, 120 meg HD....1390
VESA Local Bus
All Systems Include:
- 2 S/1P/1 Game Ports, 101 AT Enhanced Keyboard, Mouse
- 1.2 (5.25") & 1.44 (3.5") meg TEAC Floppy Drives
- SVGA card w/1 meg & SVGA 0.28mm Monitor
- MS-DOS 5.0 & MSWindows 3.1 (complete w/manuals)
- One year parts and labour limited warranty

Tape Back-Up Drives

Colorado
Jumbo 120 Int 159
Jumbo 250 Int 215
Trakker 120 Ext....359
Trakker 250 Ext 419
Syquest
88 meg kit Int 425
88 meg Ext....625

PRINTERS

Epson DFX 8000 2255
Epson LQ870 459
Epson LQ1170 629
Epson LQ570 249
Epson LQ1070 369
Epson AP325 199
Call for prices on Okidata, HP Desk Jets

Video Boards

ATI Graphics
Ultra +, 1MB 295
Ultra Pro, 1MB....435
Ultra Pro, 2MB....515
Ultra Pro, 2MB EISA ...575
Diamond
Stealth 24, 1MB 175
Orchid Fahrenheit
VESA Local Bus $235

Hard Disks

Conner
CP30104H, 120 meg 165
CP3204, 212 meg 245
Quantum (ELS/LPS)
ProDrive 170 meg 275
ProDrive 240 meg 395
ProDrive 525 meg 995

Maxtor
LXT 340 meg 375
LXT 535 meg. 699
Micropolis (SCSI)
1624 670 meg....890
1598 1GB SCSI2....1140
Fugica, Micronet, Seagate
CALL FOR ALL MODELS

SVGA Monitors

NEC 3FGE....635
NEC 4FG....735
Viewsonic 6E, 14"....340
Viewsonic 20, 20"....1885
Viewsonic 6FS....525

LASER PRINTERS

HP LaserJet 4SI 2995
HP LaserJet 4M....1925
HP Laser 4L 810
OKI OL 400, 800 ....CALL
OKI OL 840 P.S. 1720
Panasonic 4450 1295
NEC Model 95 1385
NEC Model 97 ....CALL
Compaq Pagemarq 20...4295

WE STOCK: ADAPTEC, BOCA, CALCOMP, CITIZEN, INTEL, CREATIVE LABS, HOUSTON INSTRUMENTS, TEXAS INSTRUMENTS, EPSON, HAYES, MAYNARD, MOUNTAIN, KINGSTON, LOGITECH, TALLGRASS, US ROBOTICS, MEGAHERTZ

Computerlane inc.

Corporate Accounts
Volume Discounts
And
Consultant Orders
Welcome

Outside California: 1-800-526-3482

Inside California: 818-884-8644 • FAX: 818-884-8253

7500 Topanga Canyon Boulevard, Canoga Park, CA 91303

Hours: Monday - Friday 9 -6, Saturday 10-5

Compaq is a Registered Trademark of Compaq. IBM is a Registrered Trademark of International Business Machines.
ALL QUOTED PRICES REFLECT A 5% CASH DISCOUNT
Visa, MasterCard and American Express also accepted
Prices subject to change without notice.

Circle 506 on Inquiry Card.

The Switch is On... to Cybex Solutions!

PC-COMPANION PLUS™



Add a second keyboard, monitor and mouse to your PC up to 250 feet away!

- Supports PC/AT, PS/2 and100% Compatibles
- Combine monochrome and color VGA monitors
- Mouse support available at both local and remote workstation
- Switch selectable privacy mode

PC-EXTENDER PLUS™



Extend the distance between your PC and a keyboard, VGA monitor and mouse up to 250 feet!



- Supports PC, PC/XT, PC/AT, PS/2, and 100% Compatibles
- Supports monochrome or color VGA monitors
- Offers conversion from RGB color to gray-scale
- PS/2 style or Microsoft/Logitech serial mouse support available

PC-EXPANDER PLUS™



Add up to 7 keyboards, monitors and mice to your PC up to 250 feet away!

- Supports PC/AT, PS/2 and 100% Compatibles
- Selectable privacy modes
- Automatic keyboard and mouse switching
- Microsoft and Logitech serial mouse support available at all workstations

COMMANDER™

Control up to 96 file servers with one keyboard, monitor and mouse!



- Supports PC, PC/XT, PC/AT, PS/2 and 100% Compatibles
- Remotely switch PCs via keyboard 250 feet away
- "AutoBoot™" Feature boots attached computers without operator intervention
- Supports either PS/2 or Microsoft/Logitech serial mouse
- Each unit accommodates from 2 to 8 PCs; cascade up to 12 units

PC, PC/XT, PC/AT and PS/2 are registered trademarks of International Business Machines Corporation, Microsoft and Logitech are registered trademarks of their respective companies.

CYBEX

4912 Research Drive • Huntsville, AL 35805 U.S.A.
(205) 430-4000 • FAX (205) 430-4030

Dealer Program Available

Made in USA

Circle 510 on Inquiry Card (RESELLERS: 511).